DEWALT

AUTO

UK PRODUCT GUIDE



WHEN YOU ARE WORKING ON THE TOUGHEST VEHICLES YOU NEED THE TOUGHEST TOOLS

DEWALT.CO.UK

GUARANTEED TOUGH®



POWER TOOLS CATALOGUE 2024

DEWALT AUTO



CONTENTS:

BATTERY RANGE Page 4	
Page 4-5	XR, POWERSTACK & FLEXVOLT BATTERIES
IMPACT WRENCHES Page 6	
Page 7	DCF964N-XJ, DCF961H2G-GB
Page 8	DCF900P2G-GB, DCF891P2G-GB,
Page 9	DCF923P2G-GB, DCF903P1G-GB
RATCHETS Page 10	
Page 11	DCF500L2G-GB, DCF510E2G-GB, DCF512D1G-GB
Page 12	DCF513D1G-GB, DCF503L1G-GB, DCF504L1G-GB
POLISHERS Page 13	
Page 13	DCM848-XJ, DCM849N-XJ, DWP849X-GB
GRINDERS Page 14	
Page 14	DCG413N-XJ, DCG426N-XJ
WORK LIGHTS Page 15	
Page 16	DCL045-XJ, DCL077-XJ, DCL079-XJ
Page 17	DCL182-XJ, DCL183-XJ, DCL050-XJ
RIVETERS Page 18	
Page 18	DCF403E1T-GB, DCF414E2T-GB
SAWS Page 19	
Page 19	DCS378N-XJ, DCS367N-XJ, DCS438E2T-GB
PROTECTIVE BOOTS Page 20	
Page 20	PB900.899-QZ, PB891.92-QZ, PB901.03-QZ, PB850-QZ, PB921.22.23-QZ
WORKSPACE ESSENTIALS Page 22	
Page 23	DCR009-XJ, DWST1-81079-GB, DWST08061-1
TOUGHSYSTEM Page 24	
Page 24	DWST83293-1, DWST83294-1, DWST83342-1, DWST08510-1, DWST08520-1, DWST08530-1, DWST08550-1
INFLATORS & VACS Page 25	
Page 25	DCC018N-XJ, DCV501LN-XJ, DCV584L-GB
DRILL & IMPACT DRIVERS Page 26	
Page 27	DCD991P2-GB, DCD703L2T-GB, DCF850N-XJ
WORKSHOP ESSENTIALS Page 28	
Page 28	DCE530N-XJ, D26414-GB, DCGG571M1-GB
Page 29	DCS356N-XJ, DCM200E2T-GB, DCW210N-XJ
WASHERS & BLOWERS Page 30	
Page 30	DCMPW1600N-XJ, DCMBL56N-XJ, DCV100-XJ

KEY:

- **BOOST MODE** — Delivers additional power when needed
- **BRUSHLESS MOTOR** — More Power, Efficiency and Durability
- **DUAL ACTION**
- **ROTARY ACTION**
- **BATTERYGUARD™** — Shock absorbing battery connection and wiring
- **LED LIGHT**
- **VARIABLE SPEED TRIGGER** — Allows speed control
- **MODE SELECT FEATURE**
- **COMPATIBLE BATTERY RANGE**
- **COMPACT SIZE**
- **OPTIMISED IMPACT MECHANISM**
- **LANYARD READY**
- **TOOL FREE ADJUSTMENT**
- **LIGHTWEIGHT**
- **ERGONOMIC GRIP**
- **DURABLE SEALED HEAD**
- **TRIGGER LOCK**
- **3 MODE SELECT**
- **TOOL FREE NOSE TIP CHANGE**
- **HIGHLY EFFICIENT PULLING MECHANISM**
- **INTERCHANGEABLE ANVILS**
- **FORWARD/REVERSE SELECTOR**
- **MULTI VOLTAGE**
- **CLUTCH BRAKE**
- **SOFT START**
- **IP RATING**
- **USB-C CHARGING PORT**
- **BLUETOOTH**

GFN BATTERY RANGE

12V XR

DCB126G-XJ
12V XR 5AH
GFN BATTERY



GFN
Housing

18V XR

DCB183G-XJ
18V XR 2AH
GFN BATTERY



GFN
Housing

DCB184G-XJ
18V XR 5AH
GFN BATTERY



GFN
Housing

POWERSTACK

DCBP034G-XJ
18V COMPACT
POWERSTACK GFN BATTERY



GFN
Housing

DCBP518G-XJ
18V 5AH
POWERSTACK GFN BATTERY



GFN
Housing

54V XR FLEXVOLT 18V 9AH

DCB547G-XJ
54V XR 54AH
GFN FLEXVOLT BATTERY



GFN
Housing

GFN BATTERY RANGE

DEWALT AUTO

12V XR

THE SIZE YOU WANT, THE POWER YOU NEED

We engineered extreme power in a compact size, enhancing everything down to the last detail.

The new DEWALT XR 12V Compact Range delivers the perfect compromise between size and performance.

18V XR

POWER AND POTENTIAL

Charge for less and do more. Our XR 18V Lithium-Ion batteries are available up to 5Ah for the most extreme runtime. The XR 18V range gives you enough cordless power to get the job done anywhere.

OUR FASTEST GROWING SYSTEM

With over 250 products, the XR 18V Range is the go-to range for cordless power tools designed and engineered to meet the specific needs of the most demanding trades.

XR Battery Key features:

NON-MAR OVERMOULD
TPE overmould protects workpiece and provides stability

GLASS-FILLED NYLON
(GFN) Housing resistant to damage from long-chain polymers common in garage chemicals and grease

STATE OF CHARGE
(SOC) Indicator

DURABLE CONSTRUCTION
meets rigorous drop test requirements



POWERSTACK

THE NEXT DIMENSION IN POWER™



50%† MORE POWER + 50%** MORE WORK PER CHARGE + 2X*** LIFESPAN

- 18V XR System Compatibility
- Pouch Cell Construction for improved power & longevity

3 YEAR GUARANTEE***

More Power

More Runtime

XR FLEXVOLT

BOOST YOUR RUNTIME
54V cordless power tools can run faster, for longer, using less energy, so you can get more done.

POWER 18V AND 54V
Switches output based on which DEWALT tool the XR FLEXVOLT battery is plugged into.

BACKWARDS COMPATIBLE
XR FLEXVOLT batteries can power all DEWALT 18V XR products.




DCF961 18V XR 1/2" IMPACT WRENCH
DEWALT
18V XR BRUSHLESS
XR
DEWALT
5.0 AH
18V
THE
BEAST
UNLEASHED

IMPACT WRENCHES

DCF964N-XJ — 18V XR 3/4" HIGH TORQUE IMPACT WRENCH - BARE UNIT

WITH THE BRUSHLESS MOTOR AND NEW OPTIMIZED MECHANISM THIS DELIVERS AN INCREDIBLE **1898NM** FASTENING TORQUE AND **2584NM** OF BREAKAWAY TORQUE!



DCF964N-XJ	
MOTOR	18v Brushless
BREAKAWAY TORQUE	2584NM
FASTENING TORQUE	1898NM
NO LOAD SPEED	0 - 1200 RPM
IMPACT RATE	0 - 1890 IPM
LENGTH	213MM
WEIGHT	3.47KG*

DCF961H2G-GB — 18V XR 1/2" HIGH TORQUE IMPACT WRENCH KIT

WITH THE BRUSHLESS MOTOR AND NEW OPTIMIZED MECHANISM THIS DELIVERS AN INCREDIBLE **1626NM** FASTENING TORQUE AND **2372NM** OF BREAKAWAY TORQUE!



DCF961H2G-GB

KIT CONTAINS:

- DCF961 18V XR 1/2" IMPACT WRENCH
- PB961-QZ RUBBER BOOT
- 2 X DCBP518G 18V 5AH POWERSTACK BATTERIES
- 4 AMP CHARGER
- AUTO FOAM INSERT
- COLOUR CARTON

DCF961	
MOTOR	18V Brushless
BREAKAWAY TORQUE	2372NM
FASTENING TORQUE	1626NM
NO LOAD SPEED	0-1200 RPM
IMPACT RATE	0-1890 IPM
LENGTH	213MM
WEIGHT	3.47KG*

IMPACT WRENCHES

DCF900P2G-GB 18V XR 1/2" HIGH TORQUE IMPACT WRENCH KIT

WITH THE BRUSHLESS MOTOR AND NEW OPTIMIZED MECHANISM THIS DELIVERS AN INCREDIBLE **1355NM** FASTENING TORQUE AND **1898NM** OF BREAKAWAY TORQUE!

DCF900P2G-GB

KIT CONTAINS:

- DCF900 18V XR 1/2" IMPACT WRENCH
- PB900-QZ RUBBER BOOT
- 2 X DCBP518G 18V 5AH POWERSTACK BATTERIES
- 4 AMP CHARGER
- AUTO FOAM INSERT
- COLOUR CARTON

DCF900	
MOTOR	18V Brushless
BREAKAWAY TORQUE	1898NM
FASTENING TORQUE	1396NM
NO LOAD SPEED	0-2300 RPM
IMPACT RATE	0-2200 IPM
LENGTH	232mm
WEIGHT	2.9KG*

*Tool only



DCF891P2G-GB 18V XR 1/2" COMPACT IMPACT WRENCH KIT

WITH THE BRUSHLESS MOTOR AND NEW OPTIMIZED MECHANISM THIS DELIVERS AN INCREDIBLE **812NM** FASTENING TORQUE AND **1152NM** OF BREAKAWAY TORQUE!

DCF891P2G-GB

KIT CONTAINS:

- DCF891 18V XR 1/2" COMPACT IMPACT WRENCH
- PB891.92-QZ RUBBER BOOT
- 2 X DCB184G 18V 5AH GFN BATTERIES
- 4 AMP CHARGER
- AUTO FOAM INSERT
- COLOUR CARTON

DCF891	
MOTOR	18V Brushless
BREAKAWAY TORQUE	1084NM
FASTENING TORQUE	812NM
NO LOAD SPEED	0-2000 RPM
IMPACT RATE	0-3250 IPM
LENGTH	175mm
WEIGHT	1.7KG*

*Tool only



IMPACT WRENCHES

DCF923P2G-GB 18V XR 3/8" COMPACT IMPACT WRENCH KIT

OFFERS INCREASED BREAKAWAY TORQUE OF UP TO **609NM** AND FASTENING TORQUE UP TO **406NM**

ALSO AVAILABLE IN 1/2" - **DCF921P2G-GB**



DCF923P2G-GB

KIT CONTAINS:

- DCF923 18V XR 3/8" COMPACT IMPACT WRENCH
- PB921.22.23-QZ RUBBER BOOT
- 2 X DCB184G 18V 5AH GFN BATTERIES
- 4 AMP CHARGER
- AUTO FOAM INSERT
- COLOUR CARTON

DCF923	
MOTOR	18V Brushless
BREAKAWAY TORQUE	610NM
FASTENING TORQUE	406NM
NO LOAD SPEED	0-2500 RPM
IMPACT RATE	0-3550 IPM
LENGTH	125mm
WEIGHT	1.1KG*

*Tool only

DCF903P1G-GB 12V XR 3/8" HIGH TORQUE IMPACT WRENCH KIT

AN INCREDIBLE **340NM** FASTENING AND **500NM** BREAKAWAY TORQUE FROM AN EXTREMELY COMPACT UNIT.



DCF903P2G-GB


KIT CONTAINS:

- DCF903 12V XR 3/8" IMPACT WRENCH
- PB901.03-QZ RUBBER BOOT
- 1 X DCB126G 12V 5AH GFN BATTERY
- 4 AMP CHARGER
- AUTO FOAM INSERT

DCF903	
MOTOR	12V Brushless
BREAKAWAY TORQUE	542NM
FASTENING TORQUE	340NM
NO LOAD SPEED	0-2850 RPM
IMPACT RATE	0-3250 IPM
LENGTH	132mm
WEIGHT	1KG*

*Tool only

DCF500L2G-GB 12V XR SEALED HEAD CORDLESS RATCHET



INTERCHANGEABLE ANVILS

DCF500L2G-GB 12V XR SEALED HEAD CORDLESS 1/4-3/8" RATCHET KIT

DCF500L2G-GB

KIT CONTAINS:
- DCF500 12V XR 1/4-3/8" RATCHET
- 2 X DCB124G-XJ 12V 3AH GFN BATTERIES
- 4 AMP CHARGER
- AUTO FOAM INSERT

DCF500	
MOTOR	12V Brushless
FASTENING TORQUE	67NM
RPM	0-450 RPM
LENGTH	330mm
WEIGHT	0.9KG*

*Tool only

INTERCHANGEABLE ANVIL WITH 1/4", 3/8" SQUARE DRIVES & 1/4" HEX DRIVES ENSURES THAT THE TOOL CAN BE USED FOR DIFFERENT APPLICATIONS



DCF510E2G-GB 18V XR 3/8-1/2" RATCHET KIT

DCF510E2G-GB

KIT CONTAINS:
- DCF510 18V XR 3/8-1/2" RATCHET
- 2 X DCBP034G-XJ 18V COMPACT POWERSTACK BATTERIES
- 4 AMP CHARGER
- AUTO FOAM INSERT

DCF510	
MOTOR	18V Brushless
FASTENING TORQUE	101NM
RPM	0-300 RPM
LENGTH	381mm
WEIGHT	1.2KG*

*Tool only

INTERCHANGEABLE ANVIL WITH 3/8" & 1/2" SQUARE DRIVES ENSURES THAT THE TOOL CAN BE USED FOR DIFFERENT APPLICATIONS



DCF512D1G-GB 18V XR 1/2" OPEN HEAD RATCHET KIT

DCF512D1G-GB

KIT CONTAINS:
- DCF512 18V XR 1/2" RATCHET
- 1 X DCB183G 18V 2AH GFN BATTERY
- 2 AMP CHARGER
- AUTO FOAM INSERT

DCF512	
MOTOR	18V Brushless
DRIVE	1/2"
FASTENING TORQUE	95NM
NO LOAD SPEED	250 RPM
LENGTH	360mm
WEIGHT	1.1KG*

*Tool only

NEW OUTER ROTOR BRUSHLESS MOTOR MINIMIZES SIZE WHILST MAXIMIZING ERGONOMICS AND PERFORMANCE.



RATCHETS

DCF513D1G-GB 18V XR 3/8" OPEN HEAD RATCHET KIT

DCF513D1G-GB

KIT CONTAINS:
- DCF513 18V XR 3/8" RATCHET
- 1 X DCB183G 18V 2AH GFN BATTERY
- 2 AMP CHARGER
- AUTO FOAM INSERT

DCF513	
MOTOR	18V Brushless
DRIVE	3/8"
FASTENING TORQUE	95NM
NO LOAD SPEED	250 RPM
LENGTH	360mm
WEIGHT	1.1KG*

*Tool only

NEW OUTER ROTOR BRUSHLESS MOTOR MINIMIZES SIZE WHILST MAXIMIZING ERGONOMICS AND PERFORMANCE.



DCF503L1G-GB 12V XR 3/8" OPEN HEAD RATCHET KIT

DCF503L1G-GB

KIT CONTAINS:
- 12V XR 3/8" RATCHET
- 1 X DCB124G 12V 3AH GFN BATTERY
- 2 AMP CHARGER
- AUTO FOAM INSERT

DCF503	
MOTOR	12V Brushless
DRIVE	3/8"
FASTENING TORQUE	81NM
NO LOAD SPEED	250 RPM
LENGTH	330mm
WEIGHT	1KG*

*Tool only

NEW OUTER ROTOR BRUSHLESS MOTOR MINIMIZES SIZE WHILST MAXIMIZING ERGONOMICS AND PERFORMANCE.



DCF504L1G-GB 12V XR 1/4" OPEN HEAD RATCHET KIT

DCF504L1G-GB

KIT CONTAINS:
- 12V XR 1/4" RATCHET
- 1 X DCB124G 12V 3AH GFN BATTERY
- 2 AMP CHARGER
- AUTO FOAM INSERT

DCF504	
MOTOR	12V Brushless
DRIVE	1/4"
FASTENING TORQUE	54NM
NO LOAD SPEED	250 RPM
LENGTH	305mm
WEIGHT	0.8KG*

*Tool only

NEW OUTER ROTOR BRUSHLESS MOTOR MINIMIZES SIZE WHILST MAXIMIZING ERGONOMICS AND PERFORMANCE.



POLISHERS

DCM848N-XJ — 18V XR BRUSHLESS 125MM DUAL ACTION POLISHER - BARE UNIT

DCM848N-XJ

- 125MM DUAL ACTION POLISHER
- 18V XR BRUSHLESS MOTOR
- VARIABLE SPEED TRIGGER
- HOOK & LOOP BACKING PAD

DCM848N-XJ	
MOTOR	18v Brushless
SWITCH TYPE	Trigger
NO LOAD SPEED	2000-5500 RPM
DISC DIAMETER	125MM
HEIGHT	145MM
LENGTH	440MM
WEIGHT	2.5KG*

*Tool only

POWERFUL 18V BRUSHLESS MOTOR PREVENTS STALLING IN HEAVY USE. VARIABLE SPEED DIAL ALLOWS FOR EASY SPEED CHANGES.



DCM849N-XJ — 18V XR BRUSHLESS ROTARY POLISHER - BARE UNIT

DCM849N-XJ

- 180MM ROTARY POLISHER
- 18V XR BRUSHLESS MOTOR
- VARIABLE SPEED TRIGGER
- HOOK & LOOP BACKING PAD

DCM849	
MOTOR	18v Brushless
SWITCH TYPE	Trigger
NO LOAD SPEED	800-2200 RPM
DISC DIAMETER	180MM
HEIGHT	145MM
LENGTH	470MM
WEIGHT	1.9KG*

*Tool only

VARIABLE SPEED DIAL AND TRIGGER CONTROL WITH LOCK ON DESIGN FOR CONTINUOUS FATIGUE FREE OPERATION



DWP849X-GB — 1250W 180MM POLISHER

DWP849X-GB

- 180MM ROTARY POLISHER
- CORDED POWER
- VARIABLE SPEED TRIGGER
- HOOK & LOOP BACKING PAD

DWP849	
POWER OUTPUT	1250W
SWITCH TYPE	Trigger
NO LOAD SPEED	0-600/3500 RPM
DISC DIAMETER	150/180MM
HEIGHT	135MM
LENGTH	540MM
WEIGHT	3KG*

*Tool only

180MM VARIABLE SPEED POLISHER FEATURES A POWERFUL MOTOR WITH BALL BEARING CONSTRUCTION AND REPLACEABLE WOOL INGESTION SHIELDS



GRINDERS

DCG413N-XJ 18V XR 115MM PADDLE SWITCH GRINDER - BARE UNIT

WITH PADDLE SWITCH DESIGN FOR ADDITIONAL USER SAFETY PLUS THE DEWALT ANTI-ROTATION E-CLUTCH SYSTEM THIS TOOL IS PART OF THE EVER-EXPANDING RANGE OF 250+ 18V XR TOOLS.

DCG413N-XJ	
DISC DIAMETER (MM)	**115**
MOTOR TYPE	**Brushless**
POWE OUTPUT	**800w**
RPM	**9000**
SPINDLE DIA.	**M14**
WEIGHT (TOOL ONLY)	**1.74 Kg**
PREPARED FOR 62841-2-3 STANDARD	**Yes – both full guards supplied**



WITH:

- CUTTING AND GRINDING GUARDS
- 1 OR 2 TOUCH GUARD
- PADDLE SWITCH

DCG426N-XJ 18V XR BRUSHLESS 125mm DIE GRINDER - BARE UNIT

18V XR BRUSHLESS MOTOR FOR LESS MAINTENANCE, IMPROVED POWER AND RUN-TIME (760W OUTPUT). THE MESH COVER OVER THE MOTOR FOR REDUCED MOTOR CONTAMINATION TO INCREASE DURABILITY



WITH:

- M15 SPINDLE THREAD
- VARIABLE 3-SPEED
  0 - 5,000 / 17,500 / 25,000 RPM
- MESH COVER


DCL045-XJ UNDER BONNET LIGHT
DEWALT
18V XR
DEWALT
2.0Ah
ILLUMINATE YOUR
WORKSPACE

WORK LIGHTS

DCL045-XJ 12/18V XR UNDER BONNET WORK LIGHT

800/1650 LUMEN OUTPUT EXTREMELY BRIGHT BUT EFFICIENT LED WITH LONG/ALL DAY RUNTIME AND FOLDABLE DESIGN FOR IMPROVED STORAGE/PORTABILITY



DCL045-XJ		
LIGHT SETTING	LUMENS	RUNTIME (HRS)
HIGH	**1700**	**UP TO 6**
LOW	**800**	**UP TO 12**

FOLDABLE DESIGN

DCL077-XJ 12V-18V COMPACT TASK LIGHT

TRIPOD MOUNTABLE EXTREMELY BRIGHT BUT EFFICIENT LED WITH LONG/ALL DAY RUNTIME UP TO 20 HOURS

DCL077-XJ	
BRIGHTNESS (LUMENS)	**2000** (high setting) (1000 on 12v) **1000** (medium setting) (500 on 12v) **500** (low setting) (250 on 12v)
TECHNOLOGY	**LED**
RUNTIME (5Ah battery)	**6hr** (high setting) **10hr** (medium setting) **20hr** (low setting)
LIGHT SETTINGS	**3**
COLOUR TEMP.	**3500-4000K**
WEIGHT	**1.13KG**

WITH:

- MULTI-POSITION HANDLE
- INTEGRAL TRIPOD MOUNTS
- BATTERY COMPATIBILITY



DCL079-XJ 18V XR LED TRIPOD LIGHT

HIGH POWER BROAD EVEN BEAM WITH 3 BRIGHTNESS SETTINGS: 1000LM, 1800LM, 3000LM
30% BRIGHTER THAN A 500 WATT HALOGEN LIGHT
3500K WARMER LIGHT COLOUR

DCL079-XJ APPROX. RUN TIME HRS			
	9.0AH	6.0AH	5.0AH
HIGH	**5**	**3.4**	**2.8**
MED	**10.1**	**6.7**	**5.6**
LOW	**15.6**	**10.4**	**8.7**

WITH:

- CHIP ON BOARD LED
- ADJUSTABLE ANGLE LAMP
- TELESCOPIC POLES
- TRIPOD BASE AND BATTERY



WORK LIGHTS

DCL182-XJ USB-C TASK LIGHT

INTEGRAL LI-ION BATTERY - GET UP TO 12 HOURS BATTERY LIFE, AND FULLY CHARGE IN 80 MIN. COMPACT SIZE WITHOUT COMPROMISE TO THE RUNTIME.



DCL182-XJ	
BRIGHTNESS (LUMEN)	HIGH – 1,000 LM MID – 500 LM LOW – 250 LM
BATTERY	LI-ION 3.6V, 4.0AH
RUNTIME	UP TO 12 HRS (AT 250 LM)
COLOUR TEMP.	4000K
CRI	≥ 75
LUX	HIGH – 355 MID – 155 LOW – 70

WITH:

- 3 MODE SETTINGS
- MAGNETIC METAL BASE
- 270° FOLDING PIVOT & 360° ROTATING HEAD
- SEALED CONTROL BUTTON
- BATTERY CHARGE INDICATION:
  ● <25% ● <99% ● >99%

DCL183-XJ USB-C FLASHLIGHT

UNIQUE OFFERING PROVIDES USERS WITH THE ABILITY TO ILLUMINATE LARGER AREAS SUCH AS OUTDOORS OR ROOF LOFT SPACES



DCL183-XJ	
BRIGHTNESS (LUMENS)	SPOT HIGH – 1,200 LM SPOT LOW – 200 LM FLOOD LIGHT – 400 LM
BATTERY	LI-ION 3.6V, 4.0AH
RUNTIME	4 HRS – SPOT HIGH (1,200 LM) 12 HRS – SPOT LOW (200 LM))
LIGHT SETTINGS	3
COLOUR TEMP.	4500K
CRI	≥ 75

WITH:

- 3 MODE SETTINGS
- METAL BELT CLIP
- MAGNETIC BASE + HANG HOOK
- CONTROL BUTTON
- BATTERY CHARGE INDICATION:
  ● ≤70% ● >70 - <98% ● ≥ 98%
  < 3% LIGHT AND INDICATOR WILL BLINK EVERY 45 SEC UNTIL OUT OF POWER

DCL050-XJ 18V XR LED AREA LIGHT

VARIABLE LIGHT SETTINGS FOR MAXIMUM BRIGHTNESS OR EXTENDED RUNTIME
EXTENDABLE HANGING HOOK ALLOWS WORKLIGHT TO BE SUSPENDED DURING USE



DCL050-XJ	
BRIGHTNESS (LUMENS)	1,000 LM
TECHNOLOGY	LED
MAX RUNTIME (WITH 5AH*)	10HRS*
LIGHT SETTINGS	2
WEIGHT (KG)	0.68

WITH:

- 300-1000 LUMEN LIGHT OUTPUT
- MULTI-POSITION HEAD

RIVETERS

DCF403E1T-GB 18V XR RIVETER (4.8MM)

BRUSHLESS MOTOR DELIVERS IMPROVED PERFORMANCE, EFFICIENCY AND DURABILITY: UP TO 4.8MM RIVETS
TOOL FREE SET UP NOSE CHANGE & NOSE STORAGE

DCF403	
BATTERY VOLTAGE	18
WEIGHT (KG)	1.6
LENGTH (MM)	268
MAX FORCE (KN)	10
MAX STROKE (MM)	25
RIVET CAPACITY (MM)	2.4 - 4.8
NOSE TIPS INCLUDED (MM)	2.4, 3.2, 4.0, 4.8
TOOL FREE SET UP?	Yes
LED	Yes
SPEED OF APPLICATION [S]	1.36



WITH:

- EXCELLENT ERGONOMICS
- TOOL FREE MAINTENANCE
- PLANETARY GEAR & MOTOR IN HANDLE
- BALL SCREW = HIGHLY EFFICIENT AND DURABLE PULLING MECHANISM

DCF414E2T-GB 18V XR RIVETER (6.3MM)

BRUSHLESS MOTOR DELIVERS IMPROVED PERFORMANCE, EFFICIENCY AND DURABILITY: UP TO 6.3MM RIVETS
TOOL FREE SET UP NOSE CHANGE & NOSE STORAGE

DCF414	
BATTERY VOLTAGE	18
WEIGHT (KG)	1.6
LENGTH (MM)	268
MAX FORCE (KN)	20
MAX STROKE (MM)	30
RIVET CAPACITY (MM)	4.8 - 6.4
NOSE TIPS INCLUDED (MM)	4.8, 6.0, 6.4
TOOL FREE SET UP?	Yes
LED	Yes
SPEED OF APPLICATION [S]	1.6



WITH:

- EXCELLENT ERGONOMICS
- TOOL FREE MAINTENANCE
- PLANETARY GEAR & MOTOR IN HANDLE
- BALL SCREW = HIGHLY EFFICIENT AND DURABLE PULLING MECHANISM

DCS378N-XJ 18V XR MID SIZED BANDSAW - BARE UNIT

530W OUTPUT POWER & 83MM DEPTH OF CUT ALLOWS CUTTING OF THE MOST COMMON MATERIALS/APPLICATIONS.

DCS378N	
POWER	537 w
CAPACITY (ROUND)	83mm
CAPACITY (SQUARE)	83mm x 83mm
BLADE LENGTH (MM)	899 mm
BLADE WIDTH (MM)	12 mm
BLADE SPEED (M/MIN)	0-171 m/min*
WEIGHT (KG)	3.8 Kg*
SPEED SETTINGS	5

WITH:

- VARIABLE SPEED SETTINGS
- TOOL FREE BLADE CHANGE AND ADJUSTABLE TRACKING
- SUPPLIED WITH BI-METAL BLADE
- RETRACTABLE HANGING HOOK
- BLADE RELEASE LEVER WITH WRENCH & SINGLE POINT TRACKING ADJUSTMENT



DCS367N-XJ 18V XR COMPACT RECIPROCATING SAW - BARE UNIT

LOWER VIBRATION, LOW WEIGHT & SMALLER SIZE FOR USER COMFORT AND CONVENIENCE

DCS367N	
NO-LOAD SPEED	0-2900spm
BRUSHLESS	YES
STROKE LENGTH	28.6mm
VIBRATION (CUTTING BOARD)	17.5m/s²
LENGTH	363mm
WIDTH	203mm
WEIGHT	2.3kg

WITH:

- VARIABLE SPEED / 2 FINGER TRIGGER
- TOOL-FREE BLADE CLAMP
- PIVOTING SHOE
- NEARLY HALF THE VIBRATION OF DCS380



DCS438E2T-GB 18V XR 76MM CUT OFF TOOL

22MM DEPTH OF CUT. AN IDEAL ACCESSORY FOR USERS WORKING WITH MASONRY, TILE & DRYWALL MATERIALS PROVIDING DUST-FREE CUTTING IN APPLICATION

DCF438	
DISC DIAMETER	76 MM
DEPTH OF CUT	22mm
SPINDLE THREAD	10 MM
NO LOAD SPEED	20,000 RPM
WEIGHT	0.80 KG*

WITH:

- DROPPED BATTERY FOOT
- TOOL CONNECT™ CHIP POCKET
- TOOL FREE ADJUSTABLE DUST GUARD
- ADJUSTABLE DETENT GUARD

DCS438E2T-GB

KIT CONTAINS:

- 18V XR BRUSHLESS 76MM CUT OFF TOOL KIT
- 2 X 1.7AH COMPACT POWERSTACK BATTERIES
- 1 X DCB107 CHARGER
- 1 X BONDED ABRASIVE CUT OFF WHEEL
- 1 X DIAMOND TILE BLADE
- 1 X MULTI-MATERIAL DIAMOND DISC
- 1 X BLADE WRENCH
- 1 X TSTAK COMPATIBLE KITBOX



PROTECTIVE BOOTS

RUBBER BOOTS



PB901.03-QZ RUBBER BOOT

DCF901
DCF903

PB921.22.23-QZ RUBBER BOOT

DCF921
DCF922
DCF923



PB900.899-QZ RUBBER BOOT

DCF900
DCF899



PB850-QZ RUBBER BOOT

DCF850



PB891.92-QZ RUBBER BOOT

DCF891
DCF892

PB964-QZ RUBBER BOOT

DCF964



PB961-QZ RUBBER BOOT

DCF961



PROTECTIVE BOOTS




LIVEN UP YOUR WORKSPACE
DEWALT
CHARGER

DCR009-XJ COMPACT USB-C BLUETOOTH SPEAKER

OFFERS IMPROVED RANGE AND CONNECTION FOR AUDIO. PROVIDES EXCELLENT SOUND DELIVERY AND LOUDNESS (APPROX. 89DB)



DCR009	
BLUETOOTH	BT 5.0 (30m)
SPEAKER	1 x 5W Speaker (86dB)
BATTERY	3.7v, 1.4Ah integrated pouch battery
POWER	USB-C charging li-ion pouch battery
RUNTIME	16 hours @ 50% volume
PRODUCT DIMENSIONS	7.6 x 7.6 x 9.5 cm / 0.253 kg

WITH:

- Ø53MM PASSIVE SPEAKER
- IMPROVED 'BOOMING' BASS
- CONTROL BUTTONS
- BLUETOOTH 5.0 CONNECTION WITH 30M WIRELESS RANGE
- METAL IMPACT RESISTANT SPEAKER COVER

IP67

DWST1-81079-GB TSTAK™ RADIO

FULL DAB RADIO & BLUETOOTH CONNECTIVITY WITH A 45 WATT OUTPUT AND 2 SUB-WOOFERS. PICKS UP 12 FM PRESETS AND 6 AM RADIO PRESETS



DWST1-81079	
BLUETOOTH	BT 5.0 (30m)
SPEAKER	2X MID-RANGED SPEAKERS AT REAR 2X MID-RANGE SPEAKERS AT FRONT 2X SUB-WOOFERS ON BOTTOM
PRODUCT DIMENSIONS	46.5 x 37.1 x 15.8 cm

WITH:

- FULL COLOR SCREEN
- USB CHARGER AND AUX PORT
- SHOCK ABSORBING RUBBER BUMPERS ON ALL FOUR CORNERS
- MOBILE APP FOR REMOTE CONTROL
- USES AND CHARGES 6.0AH AND 9.0AH FLEXVOLT BATTERIES

18V 12V

IP54

DWST08061-1 TOUGHSYSTEM® 2.0 ADJUSTABLE WORK LIGHT WITH STORAGE

CONNECTS TO OTHER HALF WIDTH BOXES OR FULL SIZE TOUGHSYSTEM 2.0 BOXES. OPTIMAL LIGHT ADJUSTMENT. WITH 3-16 HOURS OF RUNTIME




WITH:

- HALF MODULE FORMAT
- 7 DIFFERENT ILLUMINATION MODES
- STACKABLE ON THE BOX TOWER, TRIPOD, FLOOR
- TWO 360 ° ADJUSTABLE DISCRETE LED PANELS

18V 12V

TOUGHSYSTEM® 2.0

ALL BOXES ARE FULLY BACKWARDS COMPATIBLE TO TOUGHSYSTEM 1 MODULES



DWST83293-1

DS166 BOX

WIDTH	554MM
HEIGHT	165MM
LENGTH	371MM



DWST83294-1

DS300 BOX

WIDTH	554MM
HEIGHT	308MM
LENGTH	371MM



DWST83342-1

DS400 BOX

WIDTH	554MM
HEIGHT	408MM
LENGTH	371MM





DWST08510-1

TOUGHSYSTEM® 2.0 DXL DEEP DRAWERS



DWST08520-1

TOUGHSYSTEM® 2.0 DXL SHALLOW DRAWERS



DWST08530-1

TOUGHSYSTEM® 2.0 DXL DOLLY



DWST08550-1

TOUGHSYSTEM® 2.0 DXL TOP



INFLATORS & VACS

DCC018N-XJ 18V XR INFLATOR - BARE UNIT

COMPACT, LIGHTWEIGHT, HIGH-PERFORMANCE INFLATOR AND DEFLATOR WITH AN LED LIGHT ALLOWS USE AT NIGHT OR IN LOW-LIGHT CONDITIONS.

WITH:

- COMPATIBLE WITH OUR XR 18V BATTERY RANGE, IT HAS AN ON-BOARD 12V PLUG OR CAN BE POWERED BY THE 230V PLUG IN ADAPTOR
- DIGITAL GAUGE WITH HIGH PRESSURE AUTO SHUTOFF AND PRESSURE DISPLAY FOR EASE OF USE AND ACCURACY.



DCV501LN-XJ 18V L-CLASS STICK VACUUM

1,260 L/MIN OF AIRFLOW, PROVIDING EXCEPTIONAL POWER AND EFFICIENCY FOR YOUR CLEANING TASKS

DCV501	
PRODUCT WIDTH [METRIC]	134 MM
TANK CAPACITY [METRIC]	0.7 L
PRODUCT WEIGHT [METRIC]	1.5 KG
POWER SOURCE	CORDLESS
PRODUCT LENGTH [METRIC]	466 MM



DCV584L-GB 18V XR AC/DC L-CLASS WET & DRY VACUUM

THE DCV584 XR CORDLESS WET-DRY VACUUM IS POWERED BY AN 18V XR OR XR FLEXVOLT BATTERY TO SUCK UP TO 2 GALLONS OF WET OR DRY MESS.

WITH:

- FLEXIBLE HOSE
- ACCESSORY STORAGE
- DURABLE, HEAVY-DUTY CONSTRUCTION





PREMIUM IMPACT

DCD991P2-GB 18V XR XRP BRUSHLESS DRILL DRIVER - 2 X 5AH

POWERFUL AND EXTREMELY DURABLE WITH ALL METAL CHUCKS AND THE NEW ELECTRONIC CLUTCH FOR MAXIMUM CONTROL

DCD991	
CHUCK CAPACITY	1.5-13MM
BATTERY CAPACITY	5AH
NO LOAD SPEED	0-450/0-1300/0-2000RPM
MAX TORQUE (METRIC)	95NM
DRILLING CAPACITY (METAL/WOOD)	15/55MM
LENGTH	199MM
WEIGHT	1.7KG

WITH:

- TWO SPEED ALL METAL TRANSMISSION
- BRIGHT LED ON TOOL FOOT
- 15 CLUTCH SETTINGS



18V XR

DCD703L2T-GB 12V XR MULTI-HEAD DRILL DRIVER - 2 X 3AH

FEATURES 4 DEDICATED ATTACHMENT SOLUTIONS. THIS COMPACT TOOL OFFERS PRO-LEVEL USABILITY WITH 2-SPEED TRANSMISSION

DCD703	
CHUCK CAPACITY [METRIC]	0-10 mm
BATTERY CAPACITY	3 Ah
NO LOAD SPEED (RPM)	0-425/0-1,500
MAX TORQUE [METRIC]	57.5 Nm
LENGTH	107mm
WEIGHT	0.73KG

WITH:

- TSTAK COMPATIBLE KITBOX
- 13 MM RATCHETING KEYLESS CHUCK
- AUTOMATIC SPINDLE LOCK
- ELECTRONIC CLUTCH WITH 11 POSITION ADJUSTABLE TORQUE CONTROL
- STEEL BELT HOOK & MAGNETIC BIT HOLDER



12V XR

DCF850N-XJ 18V XR BRUSHLESS COMPACT IMPACT DRIVER - BARE UNIT

NEW AND MORE EFFICIENT BRUSHLESS MOTOR, OUTPUTTING 3250 RPM NO LOAD SPEED ALLOWING YOU TO COMPLETE APPLICATIONS FASTER

DCF850	
MOTOR	18V Brushless
FASTENING TORQUE	206NM
NO LOAD SPEED	0-3250 RPM
IMPACT RATE	0-3800 IPM
LENGTH	100mm
WEIGHT	0.95KG*

*Tool only

WITH:

- VARIABLE SPEED TRIGGER LOWERS RISK OF OVER TIGHTENING
- SUPER BRIGHT HALO LIGHT
- 3 MODE SELECT SWITCH
- CLASS LEADING HEAD LENGTH AT 100MM



18V XR BRUSHLESS

WORKSHOP ESSENTIALS

DCE530N-XJ 18V XR HEAT GUN- BARE UNIT

DESIGNED FOR MANY USERS AND APPLICATIONS ON SITE SUCH AS SHRINKING ELECTRICAL TUBING, BENDING PVC PIPES, DRYING MATERIALS, LOOSENING NUTS AND BOLTS AND MANY MORE

DCE530N	
PRODUCT WEIGHT	0.5 KG
PRODUCT HEIGHT	194.8 MM
PRODUCT LENGTH	161 MM

WITH:

- 530°C ON HIGH SETTING AND 290°C ON LOW SETTING
- TRIGGER WITH A BUILT IN LOCK-OFF SWITCH
- BUILT-IN LED LIGHT
- SUPPLIED WITH TWO TYPES OF APPLICATOR NOZZLES (REFLECTOR AND SURFACE)



D26414-GB HEATGUN WITH LED SCREEN

FEATURES AN INNOVATIVE KICKSTAND FOR GREAT STABILITY AND A LIGHTWEIGHT, COMPACT DESIGN. 240V MAINS POWERED

D26414	
PRODUCT WEIGHT	0.71 KG
POWER INPUT	2000 W
PRODUCT LENGTH	265 MM

WITH:

- ADJUST TEMPERATURES IN 50-DEGREE INCREMENTS
- COMPACT AND LIGHTWEIGHT
- 1600 WATT POWER WITH OPTIMIZED COOLING
- LED SCREEN DISPLAYS TEMPERATURE CONTROL AND MEMORY SETTING FOR CONSISTENT TEMPERATURE REQUIREMENTS



DCGG571M1-GB 18V XR GREASE GUN (1 X 4 AH)

POWERS THROUGH CLOGGED GREASE FITTINGS WITH A MOTOR THAT DELIVERS 690 BAR, WITH THE PUMP PUSHING UP TO 147G PER MINUTE.

DCGG571M1	
OUTPUT PRESSURE	690 BAR (10,000 PSI)
FLOW RATE	147G PER MINUTE
PRODUCT LENGTH	390 MM

WITH:

- SHOULDER STRAP FOR CARRYING THE UNIT
- 1M HOSE FOR HARD-TO-REACH FITTINGS
- INNOVATIVE PUMP FILTER SCREEN TO KEEP DIRT FROM PASSING THROUGH PUMP MECHANISM
- PURGE VALVE ALLOWING USER TO BLEED EXCESS AIR



DCS356N-XJ 18V XR BRUSHLESS OSCILLATING MULTI-TOOL - BARE UNIT

QUICK-CHANGE ACCESSORY SYSTEM ALLOWS BLADES AND ATTACHMENTS TO BE CHANGED QUICKLY WITHOUT THE USE OF TOOLS. DELIVERS UP TO 20,000 OPM

DCS356	
MOTOR	18v Brushless
SWITCH TYPE	Trigger
BLADE CHANGE	Tool Free
NO LOAD SPEED	0-20000 OPM
LENGTH	310MM
WEIGHT	1.1KG

WITH:

- UNIVERSAL ACCESSORY ADAPTER FOR USE WITH MOST OSCILLATING TOOL ACCESSORY BRANDS
- DUAL-GRIP VARIABLE SPEED TRIGGER
- NEW 3 SPEED SELECTOR
- TOOL-FREE SYSTEM™ ACCESSORY CHANGE



DCM200E2T-GB 18V XR BRUSHLESS BANDFILE - 2 X POWERSTACK COMPACT

ENGINEERED FOR TOUGH COMMERCIAL APPLICATIONS ROTATING UP TO 1,700 M/MIN. A 173° PIVOTING ARM ENABLES THE USER TO TAKE FULL ADVANTAGE OF THE PORTABILITY AND VERSATILITY

DCM200	
MOTOR	18v Brushless
SWITCH TYPE	Trigger
NO LOAD SPEED	600-1700 RPM
BELT SIZE	13MM
LENGTH	440MM
WEIGHT	2.2KG

WITH:

- FULLY TOOL-FREE BELT CHANGE AND ADJUSTMENTS
- ROTATABLE FILING ARM
- POWERFUL AND DIRECTIONAL LED WORK LIGHT
- LIGHTWEIGHT AND ERGONOMIC DESIGN
- INCLUDED DUST PORT ALLOWS ATTACHMENT TO COMPATIBLE DUST EXTRACTION SYSTEMS



DCW210N-XJ 18V XR BRUSHLESS 125MM SANDER- BARE UNIT

2.6MM ORBIT AND VARIABLE SPEED CONTROL PROVIDES A HIGH SURFACE FINISH IN ALL APPLICATIONS.

DCW210N	
NO LOAD SPEED (RPM)	0-550
PRODUCT WEIGHT	0.93 KG
POWER	1700 W

WITH:

- BUILT IN DUST EXTRACTION PORT FOR DIRECT CONNECTION TO DUST EXTRACTOR, OR DEWALT AIRLOCK SYSTEM
- TEXTURED ANTI-SLIP TOP AND BODY GRIP PROVIDES ULTIMATE COMFORT AND CONTROL
- DUST-SEALED SWITCH
- DUST SEALED BEARINGS AND COMPONENTS



WASHERS & BLOWERS

DCMPW1600N-XJ 2X18V XR BRUSHLESS PRESSURE WASHER

CORDLESS CLEANING SOLUTION. NO ACCESS TO POWER OR MAINS WATER REQUIRED

DCD703	
3 PRESSURE MODES	**70 BAR** **80 BAR HIGH** **110 BAR BOOST**
RUNTIME	**UP TO 63 MINS RUN TIME*** (*per charge using two DEWALT DCB548 XR FLEXVOLT 12Ah batteries on Low mode with Turbo nozzle)

INCLUDES:

- 6M HIGH PRESSURE HOSE
- 0.6L FOAM BOTTLE
- 3M SELF-PRIMING HOSE KIT
- LANCE, SHORT GUN, INLET FILTER, TURBO/ROTATING NOZZLE, ADJUSTABLE FAN/PENZIN NOZZLE & NOZZLE TIP CLEANING PIN GUARDS



DCMBL562N-XJ 18V XR BRUSHLESS BLOWER - BARE UNIT

CLEAR DEBRIS WITH AN AIR VOLUME OF UP TO 450 CUBIC FEET PER MINUTE AND UP TO 125 MILES PER HOUR WITH THE CONCENTRATOR NOZZLE

DCMBL562	
MOTOR	**18v Brushless**
AIRFLOW VOLUME	**450 CFM**
AIRFLOW SPEED	**200 KM/H**
SOUND PRESSURE	**95 dBA**
LENGTH	**600MM**
WEIGHT	**2KG**

WITH:

- VARIABLE-SPEED TRIGGER AND SPEED LOCK
- WEIGHT IS PROPERLY DISTRIBUTED FOR COMFORT
- "AEROSPIKE" CONCENTRATOR CONCENTRATE



DCV100-XJ 18V XR BLOWER - BARE UNIT

IDEAL FOR CLEARING DEBRIS FROM THE GROUND AND OVERHEAD. A 3-SPEED DESIGN OFFERS VERSATILITY FOR A RANGE OF JOBS

DCV100	
MOTOR	**18v Brushless**
AIRFLOW VOLUME	**168 CFM**
AIR SPEED	**80 M/S**
SOUND PRESSURE	**85 dBA**
LENGTH	**508MM**
WEIGHT	**1.8KG**

WITH:

- 80M/S OF AIR FLOW AND 18,000 RPM FAN SPEED
- COMPACT PROFILE MAKES IT PERFECT FOR USE IN TIGHT SPOTS
- INFLATOR/DEFLATOR ATTACHMENTS FOR VERSATILE APPLICATIONS
- VARIABLE SPEED SLIDER SWITCH WITH VARIABLE SPEED TRIGGER




NISSAN
DEWALT
DEWALT
2x18v XR
BRUSHLESS
2x18V
XR

DEWALT®

GUARANTEED TOUGH®

DEWALT.CO.UK