ACF
TRUCK PARTS

CONSUMABLES CATALOGUE 2026

ASSORMENTS • ELECTRICAL • VISION
FASTENERS • HOSE CLIPS • TUBE & LUBE
TYRE CARE • WORKSHOP • ABRACS • P.P.E
CHEMICALS • STORAGE • SIGNAGE
PACKAGING • TOOLS



What's Inside!

Welcome to the Ultimate Consumables Catalogue, unveiling a host of new products to redefine your experience!

We proudly present our revamped catalogue, featuring over 8,000 lines and new products across all sections. Discover our dedicated sections tailored to meet every need, including Vision Lighting, EV Consumables & Tools, Trim Clips, ACE Clips, Abracs Abrasives and FIXT Valeting.

Our commitment to providing consumable solutions remains unwavering, promising quality and reliability. Elevate your consumables experience with us - your trusted companion in the pursuit of excellence.

Page 104

VISION

FULL LIGHTING RANGE

INCLUDING THE NEW WIRELESS CHARGING PRODUCTS



Page 146

EV TOOLS & CONSUMABLES

EV Tools
EV Signage
EV Safety
Lock-Out
EV P.P.E
Charging Cables

Page 212

TRIM CLIPS

Trim Locking Nuts
Drive Rivets
Weatherstrip Clips
Metal Trim Fasteners
Panel Clips
Rivets & Push Rivets
Fir Tree Fixings
Screw Rivets

WITH 1:1 ACTUAL SIZE IMAGES

Page 238

Ace HOSE CLIPS

Hose Clips
Banding Systems
Miniclamps
T-Bolts
P Clips
'O' Clips
CV Boot Clips

Page 372

ABRACS
abrasives and accessories

Cutting & Grinding Discs
Flap Discs
Poly Products
Holesaws
Drill Bits
Saw Blades
Quick-Lock Range
Wire Brushes

Page 458

FIXT VALETING

Interior Cleaners
Interior Dressings
Exterior Cleaners
Wax, Sealants & Polish
Wheel & Tyre Care
Cloths & Sponges
Vehicle Protection



OnHand

ONHAND GLOVES
PAGES 426 - 431

CONTENTS

ASSORTMENTS 4

BOX ASSORTMENTS
Self Tapping Screws 6
HT Setscrews & Fasteners 9
Nuts 11
Washers & O Rings 14
Pins, Clips & Rivets 18
Electrical Products 21
Tube Fittings 26
Trim Clips 28
Hardware 29

PACK ASSORTMENTS
Hardware 32
Electrical 35
Bulb Dispensers 36
Tube Fittings 38
Miscellaneous 43

ELECTRICAL 48
Terminals 50
Connectors 55
Crimp Tools 58
Heat Shrink 60
Insulation Tape 62
Auto Cable 63
Battery Terminals & Straps 68
Start Packs 69
Cable Ties 70
Clips & Grommets 73
Fuses 75
Fuse Holders 79
Testers 81
Torches & Lanterns 82
Batteries 88
Auto Bulbs 90
Plugs, Sockets & Switches 101

VISION LIGHTING 104
Motion Sensor Head Lamp 106
HI VIZ Beanie Hat with LED Light 107
Focus Control Penlight 108
Focus Control Pro Torch 110
Flexible LED Neck Torch 112
Flexi-Twist Hand Lamp/Torch 114
CRI 95+ LED Inspection Light 116
Under Bonnet Lamp 118
Multi Position Inspection Lamp 120
SMD Flexible Hand Lamp/Torch 122
SMD Compact Lamp & UV Torch 124
Slimline Inspection Lamp/Torch 126
COB Hand Lamp & Charging Dock 128

VISION CONTIUNED
Slimline Inspection Lamp & Torch 130
LED Motion Sensor Head Torch 132
Heavy Duty Work Light 134
Wireless Fast Charging Pad 136
1000LM COB Compact Spot Light 138
1000LM COB Slim Inspection Lamp 140
900LM LED Adjustable Beam Torch 142
1500LM COB Work Lamp/Flex Light 144

EV & TOOLS 146
Electrical Operations 149
VDE Tool Sets 152
Insulated Screwdrivers 155
VDE Pliers 157
EV Bundles 158
EV Signage 160
EV Safety 162
Lock-Out & Tag-Out 164
EV P.P.E 166
Testers & Accessories 168
Charging Cables 169

FASTENERS 170
Washers 174
Sump Plugs & Washers 177
'O' Rings 180
Nuts 181
Setscrews 185
Bolts 190
Socket Screws 192
Manifold Studs & Nuts 194
Threaded Bars & Inserts 195
Machine Screws 197
Body Screws 198
Self Tapping Screws 199
Number Plate Fixings 203
Pins & Clips 204
'U' & 'J' Nuts 205
Rivets 206

TRIM CLIPS 212
Trim Locking Nuts 216
Drive Rivets 219
Weatherstrip Clips 220
Metal Trim Fasteners 222
Panel Clips 226
Rivets & Push Rivets 230
Fir Tree Fixings 234
Screw Rivets 236

ACE HOSE CLIPS 238
Hose Clips - W1 240
British Type Hose Clips 244
Hose Clips - W4 246
Banding System 248
Miniclamps 249
T-Bolts 250
P Clips 252
'O' Clips 253
CV Boot Clips 253
Dispensers & Handipacks 254

TUBE & LUBE 256
Hose Clips 258
CV Boot Clips 262
P Clips 263
Tube Couplings 264
Brake Tubing & Nuts 270
Hose & Tubing 272
Air Line Couplings 278
Air Tools 281
Inflators & Gauges 284
Tyre Care 288
Funnels & Jugs 295
Drain Pans 296
Grease Products 297
Pumps & Taps 301

TYRE CARE 304
Balance Weights 306
Tyre Valves & Inflation 308
Caps, Cores & Valve Tools 312
Bead Breakers 314
Bead Seaters 318
Tyre Levers 319
Regrooving 320
Chemical Products 321
Repair & Sealing Materials 326
Temporary Repair 323
Tyre Fillers 326
Retreading 337
TPMS 338
Wheel Safety 341

WORKSHOP 342
Cloths, Sponges & Rags 344
Cleaning Products 349
Vehicle Cleaning 352
Vehicle Protection 354
Absorbents 357
Tapes 361
Paint Brushes 365
Welding, Brazing & Soldering 367
Security 370

CONTENTS

ABRACS 372

Cutting & Grinding Discs 376
Flap Discs 382
Poly Products 384
Holesaws 386
Drill Bits 390
Carbide Burrs 396
Saw Blades 398
Spindle Mounted Range 402
Quick Lock Range 404
Fibre Discs 408
Coated Abrasives 410
Wire Brushes 418

P.P.E. 412

OnHand Gloves 426
Hand Protection 434
Ear Protection 438
Face Protection 441
Eye Protection 445
Protective Clothing 448
Protective Footwear 452
First Aid 454

FIXT CHEMICALS 458

FIXT Maintenance 460
FIXT Grease & Anti-Seize 463
FIXT Engine & Oil Treatments 468
FIXT Service Products 466
FIXT Paints & Primers 470
FIXT Cleaning 476
FIXT Adhesives & Anaerobics 472
FIXT Gaskets & Sealants 474

FIXT VALETING 480

Interior Cleaners 482
Interior Dressings 484
Exterior Cleaners 486
Wax, Sealants & Polish 489
Wheel & Tyre Care 490
Valeting Accessories 491

CHEMICALS 492

Maintenance Aerosols 494
Anti-Seize & Grease 495
Cleaning 496
Additives 498
Paints 501
Adhesives & Anaerobics 502
Sealants & Gaskets 512
Rust Remedies 514
Maintenance 515
Air Fresheners 519
Hand Care 520
Janitorial 525

VEHICLE PARTS 528

Mirrors 530
Licence Holders 531
Marker Boards 532
Reflectors & Horns 534
Electrical 535
Windscreen Accessories 536
Exhaust Fittings 537
Gasket Papers 538
Vehicle Body & Pins 539
Air Brake Products 540
Rope & Cables 541
Solderless Nipples 543

STORAGE 544

Storage Bins & Louvred Panels 546
Racking Systems 549
Hazardous/Storage Cabinets 553
Lockers 554
Shelving 555
Warehouse Equipment 557
Workshop Storage 560
Drawer Cabinet Units 562
Scoop Boxes 563

SIGNAGE 566

EV Signs & Posters 568
Caution 570
Fire & Emergency 571
General 575
Mandatory 576
Prohibitory 580
Warning 583

SUPPLIES 586

Stationery 588
Refreshments 591
Packaging materials 592

TENG TOOLS 594

Tool Control Systems 596
Tool Kits & Storage 606
Sockets & Accessories 618
Torque Equipment 632
Spanners & Wrenches 634
Screwdrivers & Bits 636
Pliers 641
Cutting Tools 643
Auto & Service Tools 645

GENERAL TOOLS 648

Air Tools 650
Tyre Care 655
Service Tools 660
Screwdrivers 677
Spanners, Sockets & Wrenches 679
Gripping Tools 686
Hammers 689
Taps & Dies 691
Drill Bits & Holesaws 692
Files & Handles 701
Cutting & Scraping 703
Riveting & Threading 710
General Tools 711
Testers & Power Tools 719

INDEX 722

Product Index 722
Part No Index 732

ASSORTMENTS






BOX ASSORTMENTS

Self Tapping Screws	6
HT Setscrews & Fasteners	9
Nuts	11
Washers & O Rings	14
Pins, Clips & Rivets	18
Electrical Products	21
Tube Fittings	26
Trim Clips	28
Hardware	29

PACK ASSORTMENTS

Hardware	32
Electrical	35
Bulb Dispensers	36
Tube Fittings	38
Miscellaneous	43



SELF TAPPING SCREWS

Self Tapping Screws - PZD Pan Head 4-10



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 3/4". No. 8 x 1/2", 3/4", 1", 1 1/2". No. 10 x 1/2", 3/4", 1"

Part No.	Box of
105102	700

Self Tapping Screws - PZD Pan Head 8-12 'MINI'



- Zinc plated

Sizes: No. 8 x 1 1/2". No. 10 x 1/2", 3/4", 1", 1 1/2". No. 12 x 3/4", 1", 1 1/2"

Part No.	Box of
105402	200

Self Tapping Screws - PZD Pan Head 8-12



- Zinc plated

Sizes: No. 8 x 1 1/2". No. 10 x 1/2", 3/4", 1", 1 1/2". No. 12 x 3/4", 1", 1 1/2"

Part No.	Box of
105104	330

Self Tapping Screws - Slotted Pan Head 4-10



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 3/4". No. 8 x 1/2", 3/4", 1", 1 1/2". No. 10 x 1/2", 3/4", 1"

Part No.	Box of
105101	700

Self Tapping Screws - PZD Pan Head 4-10 'MINI'



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 3/4". No. 8 x 1/2", 3/4", 1", 1 1/2". No. 10 x 1/2", 3/4", 1"

Part No.	Box of
105401	500

Self Tapping Screws - Slotted Pan Head 8-12



- Zinc plated

Sizes: No. 8 x 1 1/2". No. 10 x 1/2", 3/4", 1", 1 1/2". No. 12 x 3/4", 1", 1 1/2"

Part No.	Box of
105103	330

Self Tapping Screws - PZD Pan Head 3-12



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 5/8". No. 8 x 5/8", 1". No 10 x 1/2", 1". No. 12 x 3/4"

Part No.	Box of
105226	600

Self Tapping Screws - Slotted Pan Head 4-14



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 5/8", 3/4", 1". No. 8 x 1/2", 5/8", 3/4", 1". No. 10 x 5/8", 3/4", 1", 1 1/2". No. 12 x 3/4", 1", 1 1/4". No. 14 x 1", 1 1/2"

Part No.	Box of
105224	500

Self Tapping Screws - PZD Countersunk Head



- Zinc plated

Sizes: No. 6 x 1/2", 3/4", 1". No. 8 x 1/2", 3/4", 1". No. 10 x 1/2", 3/4", 1"

Part No.	Box of
105107	615

Self Tapping Screws - PZD Flange Head



- Chemical black

Flange Head: No. 6 x 1/2", 3/4". No. 8 x 1/2", 3/4". No. 10 x 1/2", 3/4".
Countersunk Head: No. 8 x 1 1/2'

Part No.	Box of
105105	700

Self Tapping Screws - PZD Flange Head 6-10 'MIN''



- Chemical black

Sizes: No. 6 x 1/2", 3/4". No. 8 x 1/2", 3/4", 1 1/4". No. 10 x 1/2", 3/4"

Part No.	Box of
105403	350

Self Tapping Screws - Cross Head



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 5/8", 3/4", 1". No. 8 x 1/2", 5/8", 3/4", 1". No. 10 x 5/8", 3/4", 1", 1 1/2". No. 12 x 3/4", 1", 1 1/4". No. 14 x 1", 1 1/2"

Part No.	Box of
105225	500

Self Tapping Screws - Assorted Heads 'MAXI'



- Zinc plated

Contains: PZD Pan Heads, Black PZD Flange Heads, AB Floorboard Screws, 'Acme' Screws, 'J' Nuts

Part No.	Box of
105302	735

Self Drilling Screws - Hexagon Head



Sizes: No. 10 x 3/4", 1". No. 12 x 1", 1 1/2". No. 14 x 1", 2"

Part No.	Box of
105082	130

Self Drilling Screws - Washer Faced 'MINI'



- Zinc plated.
- Hexagon head

Sizes: No. 8 x 1". No. 10 x 1/2", 3/4", 1". No. 12 x 1", 1 1/2", 2". No. 14 x 2"

Part No.	Box of
105406	70

'Acme' Screws - With Captive Washers



- Zinc plated.
- Hexagon head

Sizes: No. 8 x 3/4". No. 10 x 1/2", 3/4". No. 12 x 1/2", 3/4". No. 14 x 3/4"

Part No.	Box of
105106	255

Acme' Screws - With Captive Washers 'MINI'





- Zinc plated.
- Hexagon head

Sizes: No. 8 x 3/4". No. 10 x 1/2", 3/4". No. 12 x 1/2", 3/4". No. 14 x 3/4"

Part No.	Box of
105404	120

Wood Screws - PZD Countersunk Head





- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 5/8", 1", 1 1/2". No. 8 x 1", 1 1/2", 2". No. 10 x 1 1/2", 2". No. 12 x 2"

Part No.	Box of
105139	525

Classic 'Solo' Screws - PZD Countersunk Head





- Multi-purpose.
- Zinc plated

Sizes: 3 mm x 12, 25, 30 mm. 4 mm x 25, 40, 60 mm. 5 mm x 35, 60 mm. 6 mm x 40, 60 mm

Part No.	Box of
105138	355

'Acme' Screws & 'J' Nuts - Sizes 8 to 14





- Zinc plated

'J' Nuts: No. 8, 10, 12, 14. **'Acme' Screws:** No. 8 x 3/4". No. 10 x 3/4". No. 12 x 3/4". No. 14 x 3/4"

Part No.	Box of
105123	400

U' Nuts, 'J' Nuts & 'Acme' Screws - Hexagon Head 'MAXI'





`U' Nuts: No. 6, 8, 8 Long, 10, 12. **'J' Nuts:** No. 8, 10, 12, 14. **'Acme' Screws:** No. 8 x 3/4". No. 10 x 1/2", 3/4". No. 12 x 1/2", 3/4". No. 14 x 3/4"

Part No.	Box of
105307	730

Socket Capscrews - Metric Sizes





- Chemical black

Sizes: M5 x 10, 25 mm. M6 x 15, 25 mm. M8 x 25, 30 mm. M10 x 25, 30 mm

Part No.	Box of
105216	120

Socket Setscrews (Grub) & Socket Capscrews 'MINI'





- Chemical black

Setscrews (Grub): M4, M5, M6 x 8 mm. M8 x 10 mm. M10 x 12 mm.
Capscrews: M5 x 10 mm. M5, M6, M8, M10 x 25 mm

Part No.	Box of
105408	100

Socket Setscrews (Grub) - Metric Sizes





- Chemical black

Sizes: M4 x 8 mm. M5 x 5, 8, 10 mm. M6 x 6, 8, 10 mm. M8 x 8, 10, 12 mm. M10 x 12 mm

Part No.	Box of
105215	220

Socket Button Screws - Metric Sizes M6-M8



- Zinc plated

Sizes: M6 x 20 mm.
M8 x 20, 30, 40 mm

Part No.	Box of
105090	135

Socket Button Screws - Metric Sizes M4-M8



- Chemical black

Sizes: M4 x 10 mm.
M5 x 16 mm. M6 x 10, 25 mm.
M8 x 20, 25 mm

Part No.	Box of
105081	250

Setscrews - Metric Sizes



- Grade A2.
- Stainless steel

Sizes: M6 x 25 mm. M8 x 25, 30 mm. M10 x 25, 30 mm. M12 x 50 mm

Part No.	Box of
105085	60

HT Setscrews - UNF



- Grade S.
- Zinc plated

Sizes: 3/16" UNF x 1". 1/4" UNF x 3/4", 1", 1 1/2". 5/16" UNF x 3/4", 1", 1 1/2". 3/8" UNF x 1"

Part No.	Box of
105114	150

HT Setscrews - UNC



- Grade S.
- Zinc plated

Sizes: 1/4" UNC x 1", 1 1/2", 2". 5/16" UNC x 1", 1 1/2". 3/8" UNC x 1"

Part No.	Box of
105117	105

HT Setscrews - Metric



- Grade 8.8.
- Zinc plated

Sizes: M5 x 25 mm.
M6 x 25 mm. M8 x 25, 40 mm.
M10 x 25, 40 mm

Part No.	Box of
105219	150

HT Setscrews - Metric M6-M10 'MINI'



- Grade 8.8.
- Zinc plated

Sizes: M6 x 25, 40 mm. M8 x 25, 40, 50 mm. M10 x 40 mm

Part No.	Box of
105410	56

M6 Fasteners - HT Setscrews & Steel Nuts



- Zinc plated

Sizes: M6 x 16, 20, 25, 40, 50 mm

Part No.	Box of
105192	295

M8 Fasteners - HT Setscrews & Steel Nuts



- Zinc plated

Sizes: M8 x 16, 25, 40, 50, 60 mm

Part No.	Box of
105193	154

M10 Fasteners - HT Setscrews & Steel Nuts



- Zinc plated

Sizes: M10 x 25, 30, 40, 50 m

Part No.	Box of
105194	88

Assorted Fasteners - Sizes M6 to M12 'MAXI'



- Zinc plated

Sizes: M6 x 20, 25, 40, 75 mm. M8 x 16, 25, 40, 75 mm. M10 x 30, 40, 60 mm. M12 x 40, 50 mm

Part No.	Box of
105301	430

Assorted Fasteners - Stainless Steel



- Setscrews, nuts & flat washers.
- Grade A2

Sizes: M5 x 20 mm. M6 x 20, 30 mm. M8 x 40 mm. M10 x 40 mm

Part No.	Box of
105179	270

Steel BA Screws & Nuts - Round Head



- Zinc plated

Sizes: 6BA, 4BA, 2BA x 1". 2BA x 2"

Part No.	Box of
105111	300 Pairs

Steel Machine Screws & Nuts - Pan Head



- Zinc plated

Sizes: M3 x 6, 20 mm. M4 x 8, 16, 25 mm. M5 x 12, 16, 25 mm

Part No.	Box of
105122	300 Pairs

Machine Screws & Nuts - Pan Head 'MINI'



- Zinc plated

Screws: M3 x 6, 20 mm. M4 x 8, 16, 25 mm. M5 x 12, 16, 25 mm.
Nuts: M3, M4, M5

Part No.	Box of
105409	235 Sets

Body Screws - PZD Pan Head



- Zinc plated

Sizes: M5 x 20, 25 mm. M6 x 20, 25 mm. M8 x 20, 25 mm

Part No.	Box of
105119	300

Body Screws - PZD Countersunk Head



- Zinc plated

Sizes: M5 x 20, 25 mm. M6 x 20, 25 mm. M8 x 20, 25 mm

Part No.	Box of
105120	300


Exhaust Manifold Studs & Nuts



Studs: M8 x 37 mm. M10 x 52 mm. M10 (fine) x 37 mm. 3/8", 5/16" UNF, UNC. **Brass Nuts:** M8, M10 (fine). 3/8", 5/16" UNF, UNC. **Copper Flashed Nuts:** M10

Part No.	Box of
105217	80

Steel Nuts - UNF



- Zinc plated

Sizes: 3/16", 1/4", 5/16", 3/8" UNF

Part No.	Box of
105115	300

Nylon Insert Locking Nuts - UNF



- P' type.
- Zinc plated

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2" UNF

Part No.	Box of
105116	220

Nylon Insert Locking Nuts - Metric M4-M10



- 'T' type.
- Grade A2.
- Stainless steel

Sizes: M4, M5, M6, M8, M10

Part No.	Box of
105086	390

Nylon Insert Locking Nuts - Metric 'MINI'




- P' type.
- Zinc plated

Sizes: M5, M6, M8, M10, M12, M14, M16

Part No.	Box of
105412	150

Steel Nuts - UNC



- Zinc plated

Sizes: 1/4", 5/16", 3/8" UNC

Part No.	Box of
105242	300

Steel Nuts & Nylon Insert Locking Nuts - UNC



- P' type.
- Zinc plated

Sizes: 1/4", 5/16", 3/8" UNC

Part No.	Box of
105118	300

Steel Nuts & Nylon Insert Locking Nuts - Metric





Steel Nuts: M6, M8, M10.
Nyloc Nuts: M6, M8, M10

Part No.	Box of
105084	240

Steel Nuts - Metric M6-M12





- Zinc plated

Sizes: M6, M8, M10, M12

Part No.	Box of
105220	370

Steel Nuts - Metric 'MINI'






- Zinc plated

Sizes: M4, M5, M6, M8, M10, M12

Part No.	Box of
105411	300

Steel Nuts - Fine Metric





- Zinc plated

Sizes: M6 (0.75 mm pitch), M8 (1.00 mm pitch), M10 (1.25 mm pitch)

Part No.	Box of
105199	370

Nylon Insert Locking Nuts - Metric M5-M10





- P' type.
- Zinc plated

Sizes: M5, M6, M8, M10, M12, M14, M16

Part No.	Box of
105121	220

Serrated Flange Nuts - Metric





- Zinc plated

Sizes: M5, M6, M8, M10, M12

Part No.	Box of
105195	225

Wing Nuts - Metric





Sizes: M5, M6, M8, M10, M12

Part No.	Box of
105080	125

U' Nuts





'U' Nuts: No. 6, 8, 10, 12, 14

Part No.	Box of
105294	240

U' & 'J' Nuts



'U' Nuts: No. 6, 8, 10, 12, 14.
'J' Nuts: No. 14

Part No.	Box of
105109	300

U' & 'J' Nuts 'MINI'



'U' Nuts: No. 6, 8, 8 (Long), 10, 12, 14. **'J' Nuts:** No. 8, 10, 12, 14

Part No.	Box of
105405	100

U' Nuts, 'J' Nuts & Speed Fasteners



'U' Nuts: No. 6, 8, 10, 12, 14.
'J' Nuts: No. 14.
Speed Fasteners: 3/16" (round & rectangular), 1/4" (round)

Part No.	Box of
105251	510

Threaded Hexserts & Threaded Regular Nutserts 'MINI'



Sizes: 4, 5, 6, 8 mm

Part No.	Box of
105451	100

Flat Washers - Table 3 - Imperial



- Zinc plated

Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" (i.d.)

Part No.	Box of
105126	800

Flat Washers - Form A - Metric



- Zinc plated

Sizes: 5, 6, 8, 10, 12, 16 mm (i.d.)

Part No.	Box of
105125	800

Flat Washers - Form A 'MINI'



- Zinc plated

Sizes: 5, 6, 8, 10, 12, 16 mm (i.d.)

Part No.	Box of
105413	375

Flat Washers - Form C - Metric



- Zinc plated.
- Heavy duty

Sizes: 5, 6, 8, 10, 12, 14, 16, 20 mm (i.d.)

Part No.	Box of
105124	800

Flat Washers - Table 4 - Imperial





- Zinc plated.
- Heavy duty

Sizes: 3/16", 1/4", 5/16", 3/8",7/16", 1/2" (i.d.)

Part No.	Box of
105245	800

Stainless Steel Repair Washers - Metric Sizes





- Stainless steel.
- Grade A2

Sizes: 6 x 25 mm. 8 x 25, 30 mm. 10 x 30, 35 mm

Part No.	Box of
105087	155

Repair Washers - Metric Sizes





- Mudguard type.
- Zinc plated

Sizes: 6 x 20 mm. 8 x 30 mm. 10 x 25, 40 mm

Part No.	Box of
105091	300

Repair Washers - Imperial





- Mudguard type.
- Zinc plated

Sizes: 3/16" x 1", 1 1/2". 1/4" x 1", 1 1/2". 5/16" x 1", 1 1/2". 3/8" x 1 1/2", 2" (i.d x o.d)

Part No.	Box of
105130	230

Spring Washers - Imperial





- Rectangular section.
- Zinc plated

Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" (i.d.)

Part No.	Box of
105127	800

Spring Washers - Metric





- Rectangular section.
- Zinc plated

Sizes: 5, 6, 8, 10, 12, 16 mm (i.d.)

Part No.	Box of
105128	800

Lock Washers - Internal





- Shake-proof

Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" (i.d.)

Part No.	Box of
105155	820

Lock Washers - External





- Shake-proof

Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" (i.d.)

Part No.	Box of
105156	820

Lock Washers - Internal & External



- Shake-proof

Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" (i.d.)

Part No.	Box of
105129	1000

Bonded Seals - BSP



- Dowty type washers

Sizes: 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 1" BSP

Part No.	Box of
105143	100

Bonded Seals - BSP 'MINI'



- Dowty type washers

Sizes: 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 1" BSP

Part No.	Box of
105454	65

Bonded Seals - Metric



- Dowty type washers

Sizes: M10, M14, M16, M18, M20, M22, M24

Part No.	Box of
105218	90

Fibre Washers - Imperial



Sizes: 13/64" x 3/8", 1/4" x 3/8". 3/8" x 5/8", 13/32" x 5/8". 29/64" x 11/16". 1/2" x 3/4". 5/8" x 7/8". 49/64" x 15/16" (i.d. x o.d.)

Part No.	Box of
105131	610

Fibre Washers - Imperial 'MINI'



Sizes: 13/64" x 3/8". 1/4" x 3/8". 3/8" x 5/8". 13/32" x 5/8". 29/64" x 11/16". 1/2" x 3/4". 5/8" x 7/8". 49/64" x 15/16" (i.d. x o.d.)

Part No.	Box of
105415	400

Fibre Washers - Metric



Sizes: 5 x 9.5 mm, 6 x 9.5 mm. 9.5 x 16 mm, 10 x 16 mm. 12 x 18 mm. 13 x 19 mm. 16 x 22 mm. 19 x 26 mm (i.d. x o.d.)

Part No.	Box of
105160	610

Sump Plug Washers w/ Nylon





- Copper, copper compression, aluminium washers & bonded seals

Suits: BMW, Citroen, Peugeot, Ford, Mazda, Renault, Toyota, Volvo, Fiat, Opel, Land Rover, VW, Audi, Skoda

Part No.	Box of
105174	90

Sump Plug Washers



- Copper, copper compression, nylon, aluminium washers & bonded seals

Suits: BMW, Ford, Vauxhall, VW, Peugeot, Citroen, Renault, Honda, Rover, Volvo

Part No.	Box of
105187	250

Sump Plug Washers - British



- Copper, copper compression, nylon, aluminium washers & bonded seals

Suits: Ford OHC, Mondeo, Rover/ Honda, Mini/Metro, Rover, Vauxhall

Part No.	Box of
105246	200

Sump Plug Washers - Foreign



- Copper, copper compression, aluminium & fibre washers

Suits: Honda, BMW, VW, Peugeot, Toyota, Citroen, Volvo

Part No.	Box of
105247	200

Copper Compression Washers



Sizes: 6 x 10, 8 x 12, 10 x 14 (x 1.5 mm). 12 x 18, 14 x 20, 16 x 22, 18 x 24, 20 x 26, 22 x 27 (x 2 mm). 26 x 32 (x 2.5 mm) (i.d. x o.d. (x depth))

Part No.	Box of
105147	250

Copper Sealing Washers - BSP & Imperial



BSP: 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1" BSP (i.d.).
Imperial: 1/4", 5/16" (i.d.)

Part No.	Box of
105133	225

Copper Washers - Imperial



Sizes: 3/16" x 7/16", 1/4" x 9/16" (x 20 g). 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8" (x 18 g). 1/2" x 1" (x 16 g) (i.d. x o.d. (x gauge))

Part No.	Box of
105132	300

Copper Washers - Imperial 'MINI'



Size: 3/16" x 7/16", 1/4" x 9/16" (x 20 g). 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8" (x 18 g). 1/2" x 1" (x 16 g) (i.d. x o.d. (x gauge))

Part No.	Box of
105453	270

Copper Washers - Metric - Small Sizes



Sizes: 5 x 9, 6 x 10, 6.5 x 9.5, 8 x 12, 9 x 14, 14 x 18 (x 1 mm). 10 x 16, 11 x 17, 12 x 16, 13 x 18, 14 x 20, 16 x 22, 16 x 24, 17 x 23 (x 1.5 mm). 15 x 20, 17.5 x 25 (x 2 mm) (i.d. x o.d. (x depth))

Part No.	Box of
105152	244

Copper Washers - Metric - Large Sizes



Sizes: 18 x 24, 20 x 24, 22 x 27 (x 1.5 mm). 24 x 30, 26 x 34, 28 x 34, 30 x 38, 32 x 40, 35 x 45 (x 2 mm) (i.d. x o.d. (x depth))

Part No.	Box of
105153	90

Fuel Injection Washers



Sizes: 6 x 10, 6 x 12, 8 x 11.5, 10 x 13.5, 10 x 14 (x 1 mm). 12 x 16, 12 x 18, 14 x 18, 16 x 20, 17 x 21 (x 1.5 mm) (i.d. x o.d. (x depth))

Part No.	Box of
105169	360

Fuel Injection Washers 'MINI'



- Metric copper washers



Sizes: 6 x 10, 6 x 12, 8 x 11.5, 10 x 13.5, 10 x 14 (x 1 mm). 12 x 16, 12 x 18, 14 x 18, 16 x 20, 17 x 21 (x 1.5 mm) (i.d. x o.d. (x depth))

Part No.	Box of
105189	360

Rubber 'O' Rings - Imperial





Sizes: 0.176", 0.239", 0.301", 0.364", 0.426", 0.489", 0.614" x 0.070". 0.737", 0.862",0.987" x 0.103" (i.d. x Thickness)

Part No.	Box of
105248	290

Air Con 'O' Rings



Sizes: 7/32"x1/16" (x20), 1/4"x1/16" (x20), 6.8x1.9 (x20), 5/16"x1/16" (x20), 7.8x1.9 (x20), 8x2 (x20), 8.8x1.9 (x20), 7/16"x1/16" (x15), 7/16"x3/32" (x15), 11x2 (x15), 12x2 (x15), 13.9x1.8 (x10), 9/16"x3/32" (x10), 14x2 (x10), 15x2 (x10), 17x2 (x10), 11/16"x1/16" (x10), 11/16x1/8" (x10)

Part No.	Box of
105292	270

Rubber 'O' Ring Box Set - Imperial



Contains 30 sizes:
No. 006 to No. 327

Part No.	
105158	382

Rubber 'O' Ring Box Set - Metric



Contains 30 sizes:
No. 006 to No. 327

Part No.	Box of
105171	404

Circlips - Internal



Sizes: 12, 13, 14, 16, 18, 22, 24, 25 mm

Part No.	Box of
105252	250

Circlips - External



Sizes: 12, 13, 14, 16, 18, 22, 24, 25 mm

Part No.	Box of
105249	250

Split Cotter Pins - Imperial - Small Sizes



- Zinc plated

Sizes: 1/16", 5/64" x 1". 3/32", 7/64", 1/8", 9/64" x 1 1/2". 5/32" x 1 5/8"

Part No.	Box of
105134	1000

Split Cotter Pins - Imperial - Commercial Sizes



- Zinc plated

Sizes: 1/8", 9/64" x 1 1/2". 5/32" x 1 5/8". 3/16" x 2". 1/8" x 2 1/4". 3/16", 1/4", 5/16" x 3"

Part No.	Box of
105137	220

Split Cotter Pins - Imperial 'MINI'



- Zinc plated

Sizes: 1/16", 5/64" x 1". 3/32", 7/64", 1/8", 9/64" x 1 1/2". 5/32" x 1 5/8"

Part No.	Box of
105420	410

Split Cotter Pins - Metric



- Zinc plated

Sizes: 1.6, 4 x 32 mm. 2, 2.5, 3.2 x 40 mm. 3.2, 4, 5 x 50 mm

Part No.	Box of
105140	600

Clevis Pins - Metric & Imperial



- Zinc plated

Sizes: 3/16" x 5/8", 7/8". 1/4" x 5/8", 11/16". 5/16" x 7/8", 1". 3/8" x 1 1/4". 6 x 20 mm (diameter x length)

Part No.	Box of
105135	175

Spring Roll Pins - Imperial



Sizes: 3/32" x 1". 1/8" x 1 1/2". 5/32" x 3/4", 2". 3/16" x 1", 2". 1/4" x 1", 2". 5/16" x 1", 2"

Part No.	Box of
105185	385

Spring Roll Pins - Metric



Sizes: 2.5, 8 x 24 mm. 2.5, 3, 4, 5, 6 x 40 mm. 8 x 55 mm

Part No.	Box of
105136	300

Spring Roll Pins - Metric 'MINI'



Sizes: 2.5, 8 x 24 mm. 2, 3, 4, 5, 6 x 40 mm. 8 x 55 mm

Part No.	Box of
105421	160

Linch Pins



Sizes: 6, 8, 11 mm

Part No.	Box of
105258	20

R-Grips 2-6mm



- Zinc plated.
- Includes disc pad pin clips

Sizes: 2, 3, 4, 5, 6 mm. 3/16", 1/4"

Part No.	Box of
105259	75

Woodruff Keys



- Steel

Sizes: 2 x 3.7 mm. 2.5 x 3.7 mm. 3 x 3.7, 5, 6.5 mm. 4 x 5, 6.5, 7.5, 9 mm. 5 x 6.5, 9 mm. 6 x 9, 10, 11, 13 mm. 8 x 11, 13 mm. 10 x 13 mm

Part No.	Box of
105157	220

Rivets & Washers - Multigrip



- Aluminium rivets.
- Zinc plated washers

Rivets: 1/8" x 3/8", 1/2". 5/32" x 7/16", 9/16". 3/16" x 1/2", 3/4", 1" (diameter x length).
Rivet Washers: 1/8"

Part No.	Box of
105166	500

Rivets & Washers - Open Type - Large & Standard Flange



- Aluminium rivets.
- Zinc plated washers

Standard Flange Rivets: 1/8" x 5/16", 3/8". 5/32" x 1/2". 3/16" x 1/2", 3/4".
Large Flange Rivets: 3/16" x 1/2", 5/8", 1".
Rivet Washers: 1/8"

Part No.	Box of
105188	350

Rivets - Standard & Large Flange Aluminium



- Aluminium

Standard Flange: 3/16" x 3/4", 1".
Large Flange: 3/16" x 3/4", 1"

Part No.	Box of
105096	200

Rivets - Standard & Large Flange Black Anodised



- Black anodised aluminium

Standard Flange: 1/8" x 5/16", 5/32" x 3/8", 3/16" x 9/16".
Large Flange: 1/8" x 3/8". 5/32" x 3/8". 3/16" x 9/16", 3/4"

Part No.	Box of
105241	210

E' Retainers 'MINI'



Sizes: 1.5, 2.3, 3.2, 4, 5, 6, 8, 10, 12, 15 mm

Part No.	Box of
105430	620

Brake Shoe Hold Down Kit



Pins (suitable for): Ford, Peugeot, Fia
Springs (suitable for): Ford, GM/ Vauxhall, Renault.
Washers: Lockheed, Girling

Part No.	Box of
105222	200

Circlips - Internal & External



Sizes: 12, 13, 14, 16, 18, 22, 24, 25 mm

Part No.	Box of
105141	280

Speed Fasteners - Metric & Imperial



- Round & rectangular flat clips

Sizes: 3, 4, 5, 8 mm.
1/8", 5/32", 3/16", 1/4"

Part No.	Box of
105108	1000

Piano Key Connectors - Quick Release



Sizes: 40 x 3 Pole. 30 x 5 Pole

Part No.	Box of
105229	70

E' Retainers



Sizes: 1.5, 2.3, 3.2, 4, 5, 6, 8, 10, 12, 15 mm

Part No.	Box of
105142	800

Toggle Switches & Warning Lights



- 12v.
- 20 amps

Contains: Toggle Switches, Illuminated Toggle Switches, Illuminated Rocker Switches, Warning Lights

Part No.	Box of
105154	20

Assorted Superseal Connectors



Superseal Electrical Connectors are compact high quality connectors designed for applications where a waterproof joint is required. Supplied in kit form, also available as separate parts.

- High quality connectors for waterproof joints (IP67).
- For cable sizes 0.5 - 1.5mm2



Contains: 6 x 1 way (Male & Female), 12 x 2 way (M & F), 5 x 3 way (M & F), 4 x 4 way (M & F), 3 x 5 way (M & F), 2 x 6 way (M & F), 180 Seals, 90 Female pins & 90 Male pins

Part No.	Box of
105228	424

Assorted DTM Connectors



DTM Connectors (also known as Deutsch connectors) are popular wiring connectors used in the commercial vehicle sector, when access to wiring is limited. Smaller than the DT connectors, the DTM connectors are used due to their lightweight design & size.

- Lightweight waperproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections



Contains: 2 pin, 3 pin, 4 pin, 6 pin, 8 pin, 12 pin, plus wedges, locking plates, blanking stems plus male & female terminals.

Part No.	Box of
105529	126

Assorted DT Connectors



DT Connectors commonly known as Deutsch connectors are used to create a waterproof connection when connecting wires or harnesses within difficult working environments.

- Heavy duty waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections.



Contains: 2 pin, 3 pin, 4 pin, 6 pin, 8 pin, 12 pin, plus wedges, locking plates, blanking stems plus male & female terminals.

Part No.	Box of
105234	152

SEE PAGES 58-59 FOR OUR RANGE OF ERGTOOLS CONNECTOR CRIMPERS



Insulated Terminals - Red



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105230	260

Insulated Terminals - Red 'MINI'



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105434	140

Insulated Terminals - Blue



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105231	280

Insulated Terminals - Blue 'MINI'



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105435	120

Insulated Terminals - Yellow



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Rings. Standard Butt Connectors

Part No.	Box of
105232	110

Insulated Terminals - Red & Blue



Fully Insulated Female Spades: 6.3 mm (Red).
Male Blades: 6.3 mm (Blue).
Standard Butt Connectors: Red, Blue

Part No.	Box of
105092	600

'Push On' Terminals - Pre-insulated



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105165	200

Insulated Terminals - Red, Blue & Yellow



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings & Forks. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105253	300

Ring & Fork Terminals - Pre-insulated



Rings: 3.2 mm (Red, Blue). 3.7 mm(Red, Blue). 5.3 mm (Red, Blue, Yellow). 6.4 mm (Blue, Yellow). 8.4 mm (Blue, Yellow). 10.5 mm (Yellow). **Forks:** 3.7 mm (Red, Blue), 5.3 mm (Red, Blue)

Part No.	Box of
105164	200

Heat Shrink Terminals - Adhesive Lined



Contains: Female Spades. Male Blades. Rings. Forks. Standard Butt Connectors

Part No.	Box of
105210	100

Insulated Terminals & Crimping Tool - Red & Blue



Contains: Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors. Crimping Tool

Part No.	Box of
105254	206

Copper Tube Terminals - Cable Lugs



Sizes: 10 mm² x 8 mm. 16 mm² x 8 mm. 25 mm² x 6, 8, 10 mm. 35 mm² x 8, 10, 12 mm. 50 mm² x 10, 12 mm. 70 mm² x 10, 12 mm

Part No.	Box of
105227	80

Assorted Terminals - 'MAXI'



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors. Scotchloks. Splice Connectors.

Part No.	Box of
105303	655

Grommets - Blanking & Wiring



Blanking: 8, 9.5, 12.5, 16.3, 19, 25.4 mm.
Wiring (Cable): 6.4 x 4.75 mm. 9.5 x 6.4, 8 mm. 12.5 x 9.5, 11 mm. 16 x 12.5 mm

Part No.	Box of
105151	240

Heat Shrink Tubing - 50 & 70 mm Lengths



Sizes: 3.2, 4.8, 6.4 x 50 mm. 12.7 x 70 mm (diameter x length). **Colours:** Black, Blue, Red, Yellow

Part No.	Box of
105186	160

Heat Shrink Tubing Box - 200 mm Lengths



Sizes: 4.8, 6.4, 9.5, 12.7 mm (diameter).
Colours:
Black, Blue, Red, Yellow

Part No.	Box of
105181	30

Button & Cell Batteries - Lithium Coin & Alkaline Micro





- Popular types for remote controls

Lithium Coins: CR1220, CR1616, CR2016, CR2025, CR2032.
Alkaline Buttons: LR44. Alkaline Cell Batteries: 23A

Part No.	Box of
105196	20

Glass Auto Fuses



Amperages: 2, 5, 10, 15, 25, 35, 50 amp

Part No.	Box of
105161	185

Auto Fuses - Torpedo & Glass 'MINI'



Torpedo: 5, 8, 16, 25 amp.
Glass: 5, 10, 15, 25, 35, 50 amp

Part No.	Box of
105425	88

Torpedo Fuses



Amperages: 5, 8, 16, 25 amp

Part No.	Box of
105162	200

Auto Fuses - Torpedo & Glass



Torpedo: 5, 8, 16, 25 amp.
Glass: 2, 5, 10, 15, 25, 35, 50 amp

Part No.	Box of
105265	480

Assorted Fuses - Auto & Domestic ' MAXI'



Contains: Mini Blade Fuses. Standard (ATO) Blade Fuses. Glass Auto Fuses. Mini Glass 'Radio' Fuses. Torpedo Fuses. Domestic Plug Fuses. Blade Fuse Holders (x 2). Glass & Torpedo Fuse Holders (with terminal ends)

Part No.	Box of
105304	324

Blade Fuses - Standard 10-30 AMP



Amperage: 10, 15, 20, 30 amp

Part No.	Box of
105098	300

Blade Fuses - Standard 2-30 AMP



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105167	80

Blade Fuses - Mini 3-30 AMP



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105280	100

Blade Fuses - Mini 2-30 AMP

Littelfuse



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105190	100

Blade Fuses - Mini - Low Profile



Amperages: 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105282	150

Blade Fuses - 'MINI'

Littelfuse



Sizes: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105458	90

Blade Fuses - Standard - ATO®

Littelfuse



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105163	80

J Case & Standard J Case Fuses - Low Profile

Littelfuse



Low Profile J Case: 20, 25, 30, 40, 50, 60 amp.
Std J Case: 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105288	32

Blade Fuses - ATO 'MINI'

Littelfuse

- Standard size blade fuses



Sizes: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105426	60

J Case & ATO Blade Fuses

Littelfuse



J Case: 20, 25, 30, 40, 50, 60 amp.
Blade Fuses: 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105284	104

J Case & ATO Blade Fuses - Low Profile





Low Profile J Case: 20, 25, 30, 40, 50, 60 amp.
Blade Fuses: 7.5, 10, 15, 20, 25, 30 amp

Part No.	Box of
105286	104

Plastic Tube Couplings - Metric Sizes





Straight Connectors: 6, 8, 10 mm.
Stem Reducers: 6-4, 8-6, 10-8 mm

Part No.	Box of
105083	26

Speedfit Couplings - Metric Straights





Sizes: 6, 8, 10, 12 mm

Part No.	Box of
105097	25

Speedfit Couplings - Metric Equal Straights



Sizes: 4, 5, 6, 8, 10, 12 mm

Part No.	Box of
105173	24

Speedfit Couplings - Metric Equal Elbows & Tees



Sizes: 4, 6, 8, 10, 12 mm

Part No.	Box of
105150	26

Brass Tube Couplings - Imperial





Sizes: 3/16", 1/4", 5/16", 3/8", 1/2"

Part No.	Box of
105270	25 Sets

Brass Tube Couplings - Metric



Sizes: 4, 5, 6, 8, 10, 12 mm

Part No.	Box of
105269	25 Sets

Brake Nuts - Male & Female



Male: 10 x 1 mm (Short, Fully Threaded Short, Long).
3/8" UNF x 24 tpi.
Female: 10 x 1 mm.
3/8" UNF x 24 tpi

Part No.	Box of
105145	135

Brake Bleed Screws



Sizes: 1/4" x 28 tpi. 3/8" x 24 tpi (British Vehicles). M6 x 1.0. M7 x 1.0 (VW). M8 x 1.25 (Fiat). M10 x 1.0 mm (Ford)

Part No.	Box of
105113	60

Brake Tubing Connectors - Male & Female



Brake Tubing Connector: Female 2-Way.
Brake Nuts: 10 mm (Short Male, Female), 12 mm (Male)

Part No.	Box of
105094	105

'O' Clips - 2-Ear



- Zinc plated

Sizes: 3/8" (8 - 11), 7/16" (9 - 11), 1/2" (11 -13), 9/16" (13 - 15), 5/8" (15 - 18), 3/4" (17 - 20), 7/8" (20 - 23 mm)

Part No.	Box of
105159	125

O' Clips - 2-Ear 'MINI'



- Zinc plated

Sizes: 3/8" (8 - 11 mm). 7/16" (9 - 11 mm). 1/2" (11 - 13 mm). 9/16" (13 - 15 mm). 5/8" (15 - 18 mm). 3/4" (17 - 20 mm). 7/8" (20 - 23 mm)

Part No.	Box of
105460	60

Pipe Repair Kit - 'O' Clips & Pipe Joiners



- Zinc plated

Pipe Joiners: 1/4", 5/16", 3/8", 1/2", 5/8". 'O' Clips: 1/2", 9/16", 5/8", 3/4", 7/8"

Part No.	Box of
105168	72

Mini Hose Clips



- Zinc plated

Sizes: 7 - 9, 9 - 11, 11 - 13, 12 - 14, 13 - 15, 15 - 17 mm

Part No.	Box of
105184	80

Locking Nuts



Contains: Locking nuts, Expanding nuts & Insert nuts. Suits: Audi, Fiat, PSA, Toyota & VW

Part No.	Box of
105072	180

Interior Trim Clips



- Nylon.
- Black & Natural

Contains: Canoe Clips, Trim Pad Clips, Lokut Nuts, Fir Tree Fixes, Rokut Rivets, Screw Type Push Rivets

Part No.	Box of
105197	280

Body Clips & Trim Fixings



- Popular nylon/metal clips & fixings

Contains: Trim Pad Clips, Rivet Pipe Clips, Metal Edge Clips, Buttons, Rivets

Part No.	Box of
105191	310

Trim Panel Clips



Contains: Panel clips, Moulding clips & Panel retainers. Suits: Audi, BMW, Ford, GM, Kia, Mazda, PSA, Toyota & VW

Part No.	Box of
105078	130

Fir Tree Fixings 3-10 mm



Suits: Audi, BMW, Ford, GM, Honda, Nissan, PSA, Suzuki & VW

Part No.	Box of
105070	130

Fir Tree Fixings



- Acetal & Nylon 66.
- Black

Sizes: 3.0 (4.0 - 12.0), 4.0 (3.5 - 5.0), 5.0 (1.5 - 11.0), 6.0 (3.0 - 8.0), 7.0 (0.7 - 20.0), 7.9 (2.0 - 5.0), 10.0 mm hole (1.5 - 20.0 mm panel range)

Part No.	Box of
105205	140

Push Rivets



Contains: Push type retainers & Push rivets. Suits: Audi, BMW, Ford, GM, Honda, Land Rover, Mercedes, Mitsubishi, Nissan, PSA, Toyota & VW

Part No.	Box of
105076	88

Screw Type Push Rivets



- Push in, Screw out

Suits: Chrysler, Ford, Honda, Mazda, Mitsubishi, Nissan & Toyota

Part No.	Box of
105074	102

Screw Type Push Rivets





- Open end type.
- Nylon 66.
- Black

Sizes: 5.0 (3.8 - 6.0), 6.5 (4.0 - 6.5), 6.2 - 7.0 (3.0 - 4.5), 8.0 mm hole (6.0 - 14.0 mm panel range)

Part No.	Box of
105208	150

Springs - Expansion & Compression





- Zinc plated

Expansion: 3.2 x 22. 4.78 x 25.4. 6.35 x 29. 6.5 x 32. 7.92 x 35, 45. 9.5 x 35 mm (o.d. x length).
Compression: 3.05 x 14.5. 4.57 x 13. 6.1 x 22, 25. 7.62 x 31.75. 10.6 x 25 mm (o.d. x length)

Part No.	Box of
105146	250

Assorted Springs - Expansion





- Zinc plated

Various sizes

Part No.	Box of
105112	70

Assorted Springs - Compression





- Zinc plated

Various sizes

Part No.	Box of
105148	70

Grease Nipples - Imperial (UNF & BSP)





- Angled & straight.
- Zinc plated

BSP: 1/8" (hex, straight, 45˚, 90˚), 1/4" (straight). **UNF:** 1/4" (straight, long straight, 45˚, 90˚)

Part No.	Box of
105255	121

Grease Nipples - Imperial - UNF & BSP 'MINI'





- Angled & straight.
- Zinc plated

BSP: 1/8" (hex, straight, 45˚, 90˚). 1/4" (straight). **UNF:** 1/4" (straight, long straight, 45˚, 90˚)

Part No.	Box of
105462	60

Grease Nipples - Metric





- Angled & straight.
- Zinc plated

Sizes: M6 x 1 mm (straight, 45˚, 90˚). M8 x 1 (straight). M8 x 1.25 mm (straight, 45˚, 90˚). M10 x 1 (straight). M10 x 1.5 mm (90˚)

Part No.	Box of
105256	135

Grease Nipples - Metric 'MINI'





- Angled & straight.
- Zinc plated

Sizes: M6 x 1 mm (straight, 45˚, 90˚). M8 x 1 mm (straight). M8 x 1.25 mm (straight, 45˚, 90˚). M10 x 1 mm (straight). M10 x 1.5 mm (90˚)

Part No.	Box of
105463	72

Grease Nipples - Metric & Imperial





- Angled & straight

M6 x 1 (Straight). M10 x 1 (Straight). 1/8" BSP (Straight, 90°)

Part No.	Box of
105093	165

Puncture Repair Kit



Contains: Vulcanising Fluid (Cement). **Waterproof Crayon Marker:** Yellow. **Patches:** 45, 60, 80 mm diameter. 55 mm square

Part No.	Box of
105178	33 Piece Kit

No. Plate Fixings



Cap, Dome & Screws: PZD No.8 x 3/4" (Black, White, Yellow). **Nylon Nuts & Bolts:** 1" (Black, White, Yellow)

Part No.	Box of
105110	240 Sets

Tyre Valves, Cores & Accessories



Extensions: Metal, Plastic. Valve Cores: Short, Long. **Tubeless Valves:** Short (50 mm), Long (65 mm). **Valve Caps:** Plastic, Key. Tyre Valve Tool

Part No.	Box of
105183	115

Security No. Plate Fixings 'MAXI'



Cap, Dome & Security Screws: PZD No.8 x 3/4" (Black, White, Yellow, Blue). **Flip Top Security Screws:** PZD No.8 x 3/4" (Black, White, Yellow, Blue)

Part No.	Box of
105209	80

Wheel Weights - Steel Coated



- Coated for steel rims

Sizes: 5, 10, 15, 20, 25, 30, 35, 40, 45, 50 g

Part No.	Box of
105235	60

No. Plate Fixings 'MAXI'



Contains: Caps, Domes & Screws, Flip Top Screws, Plastic Headed Screws, Nylon Nuts & Bolts, No. Plate Pads

Part No.	Box of
105306	1230

Wheel Weights - Alloy Coated



- Coated for alloy wheels

Sizes: 5, 10, 15, 20, 25, 30, 35, 40 g

Part No.	Box of
105237	60

Dust Covers - for Ball Joints



Sizes: 10.5 mm, 12 mm, 13 mm & 15 mm

Part No.	Box of
105170	8

Core Plugs - Dish Type



Sizes: 20 mm, 27 mm, 30 mm, 32 mm, 33 mm, 39 mm, 44 mm, 47 mm, 50 mm

Part No.	Box of
105281	40

Plasters - Stretch Fabric



- Individually wrapped.
- Adhesive Plasters.
- Various Sizes

Part No.	Box of
105278	120

Assorted Plasters - Stretch Fabric & Waterproof



- Individually wrapped.
- Adhesive Plasters.
- Various Sizes

Part No.	Box of
105260	120

Empty Standard Boxes



- Includes 8 dividers.
- Removable flip-top lid.
- Clear

Part No.	Box of
105175	10

Dividers - for Standard Boxes



- Suits 105175 (A01000 FOR FORCE).
- NOT suitable for mini-Boxes

Part No.	Box of
105176	200

Mini-Boxes - Empty



- Includes 8 dividers.
- Removable flip-top lid.
- Clear

Part No.	Box of
105001	10

Display Rack For Standard Boxes



- Holds up to 10 assorted boxes.
- Can be free standing or wall mounted.
- NOT suitable for mini-boxes.

Part No.	
105201	1

PACK ASSORTMENTS


Flat Bar



Sizes: 20 x 3, 5 mm. 25 x 3, 5, 6 mm. 40 x 3, 5, 6 mm (width x thickness)

Part No.	Qty	Length
110127	10	1.2 m
110110	10	1.5 m

Angle Iron



Sizes: 20 x 20 x 3 mm, 30 x 30 x 3 mm, 40 x 40 x 3 mm (height x width x thickness)

Part No.	Qty	Length
110125	5	1.4 m

Round Bar



Sizes: 3/16", 1/4", 5/16", 3/8", 7/16", 1/2" (diameters)

Part No.	Qty	Length
110128	10	1.0 m
110111	10	1.5 m

Key Steel - Imperial Sizes



- Zinc plated

Sizes: 3/16" x 3/16". 1/4" x 3/16", 1/4". 5/16" x 1/4", 5/16". 3/8" x 1/4", 3/8". 1/2" x 5/16"

Part No.	Qty	Length
110162	10	12"
110105	20	12"

Key Steel - Metric Sizes



- Zinc plated

Sizes: 4 - 12 mm

Part No.	Qty	Length
110161	10	300 mm

Mini Springs - Compression



- Zinc plated.
- Various small lengths & widths

Part No.	Pack of
110141	50

Mini Springs - Expansion



- Zinc plated.
- Various small lengths & widths

Part No.	Pack of
110142	50

Springs - Compression



- Zinc plated.
- Various large lengths & widths

Part No.	Pack of
110113	70

Springs - Expansion



- Zinc plated.
- Various large lengths & widths

Part No.	Pack of
110112	70

Springs - Accelerator & Clutch



- Zinc plated.
- Various lengths & widths

Part No.	Pack of
110159	36

Threaded Bars - Metric - Short Lengths




- Zinc plated.
- 300 mm lengths.
- Grade 4.6

Sizes: M6, M8, M10, M12

Part No.	Pack of
110108	30

Threaded Bars - Metric - Long Lengths



- Zinc plated.
- 1 m lengths.
- Grade 4.6

Sizes: M6, M8, M10

Part No.	Pack of
110155	5

Steel BA Screws & Nuts



- Various head types & lengths

Sizes: 2BA x 1/2", 1", 1 1/2"

Part No.	Pack of
110123	200 Pairs

Fasteners - Metric



- HT setscrews, HT bolts & steel nuts

Setscrew Sizes: M6 x 50, M8 x 50, M10 x 50 (with steel nuts to suit).
Bolt Sizes: M12 x 50, 75. M16 x 50 mm (with steel nuts to suit)

Part No.	Pack of
110135	60 Pairs

Flat Washers - Table 4



- Heavy duty.
- Large o.d.
- Zinc plated

Sizes: 1/2", 5/8", 3/4", 7/8", 1", 1 1/4", 1 1/2"

Part No.	Pack of
110151	50

J' Nuts & 'Acme' Screws



- Zinc plated

'J' Nuts: No. 14.
Acme Screws: No. 14 x 3/4"

Part No.	Pack of
110204	50

Farmers Pack



- Assorted odds & ends.
- Contents may vary

Contains: Nuts, Screws, Bolts, Washers, Rivets, etc.

Part No.	Pack of
110129	1 Pack

Blanking Grommets - Rubber



Sizes: 8.0 mm. 9.5 mm. 12.5mm. 16.3 mm. 19.0 mm. 25.4 mm

Part No.	Pack of
110167	120

Wiring Grommets - Rubber



Sizes: 6.4 x 4.75 mm. 9.5 x 6.4, 8.0 mm. 12.5 x 9.5, 11.0 mm. 16.0 x 12.5 mm (hole x cable)

Part No.	Pack of
110168	120

Cable Clips - Metal - Self Adhesive



- White acrylic coated mild steel

Sizes: 6 mm. 8 mm. 12 mm (cable diameter)

Part No.	Pack of
110139	50

Cable Clips - Nylon - Self Adhesive



Sizes: 6 mm. 11.5 mm. 16.0 mm

Part No.	Pack of
110202	50

P-Clips - Adjustable



- Natural nylon

Sizes: 6.4 - 9.5 mm. 9.5 - 14.3 mm. 14.3 - 22.2 mm. 22.2 - 30.2 mm (cable diameter

Part No.	Pack of
110203	40

P-Clips - Nylon



Sizes: 5.0 mm. 6.4 mm. 9.0 mm. 12.0 mm (cable diameter)

Part No.	Pack of
110100	100

P-Clips - Rubber Lined



- EPDM rubber.
- Zinc plated mild steel

Sizes: 6 mm. 8 mm. 10 mm. 13 mm. 16 mm. 21 mm. 29 mm. 35 mm (cable diameter)

Part No.	Pack of
110152	50

Snapper Clips - Nylon



- Quick fitting.
- Re-usable

Sizes: 8.7 - 10.0 mm. 10.8 - 12.3 mm. 12.0 - 13.7 mm. 15.0 - 16.8 mm. 18.1 - 19.9 mm. 25.3 - 27.3 mm (range)

Part No.	Pack of
110160	30

Insulation Tape - Coloured PVC

- High quality.
- Flame retardant.
- 19 mm x 20 m rolls

Colours: Blue, Green, Red, White, Yellow



Part No.	Pack of
225280	10

PVC Insulation Tape - 'AT7'

- Flame Retardant.
- 19 mm x 20 m rolls

Sizes: White, Blue, Yellow, Red, Grey, Brown, Green/Yellow Stripe



Part No.	Pack of
110195	10

Heat Shrink Tubing - 4.8 mm

- Polyolefin shrink ratio 2:1

Sizes: 4.8 mm.
Colours: Black, Blue, Red, Yellow



Part No.	Pack of
110138	48

Heat Shrink Tubing - 4.8 - 12.7 mm

- Polyolefin shrink ratio 2:1

Sizes: 4.8, 6.4, 9.5, 12.7 mm.
Colours: Black, Blue, Red, Yellow



Part No.	Pack of
110201	48

Domestic Plug / Mains Fuses

Amperages: 3, 5, 13 amp



Part No.	Pack of
110266	100

Connector Strips - Terminal Blocks

Amperages: 3, 5, 15, 30 amp



Part No.	Pack of
110134	20

Cable Ties - Coloured

200 x 4.8 mm.

- High grade nylon 6.6

Colours: Blue, Brown, Green, Red, Yellow



Part No.	Pack of
245205	100

Cable Ties - Black

- High grade nylon 6.6

Sizes: 100 x 2.5 mm. 140 x 3.6 mm. 200, 295, 370 x 4.8 mm. 370 x 7.6 mm



Part No.	Pack of
245201	200

Cable Tie Dispenser Box - Complete with Cable Ties

Black Ties: 2.5 x 100mm (200), 3.6 x 140mm (200), 4.8 x 200mm (100), 4.8 x 300mm (100), 4.8 x 370mm (100), 7.6 x 370mm (100). **Silver Ties:** 4.8 x 300mm (100). **Assorted Colours:** 4.8 x 200mm (100)



Part No.	Box of
110301	1000 Ties

Solder Wire - Assorted

- 1/2 kg coils.
- 40% tin, 60% lead.
- Flux core

Diameters: 1.6 mm. 3.5 mm



Part No.	Pack of
110132	2

Auto Bulb Dispenser Unit - 12 Volt



- 118 Bulbs

Contains: 207 (x5), 233 (x5), 239 (x5), 245 (x5), 265 (x5), 380 (x5), 382 (x5), 501 (x5), 504 (x5), 566 (x5), 567 (x5), 581 (x5), 584 (x5), 380W (x5), 382W (x5), 382WA (x5), 433C (x5), 433D (x5), 501A (x5),921B (x5), 448 (x2), 472 (x5), 499 (x5), 9005 (x2), 9006 (x2), TL224B (x2)

Part No.	Qty
740003	1 Set

Top-Up Bulbs for 12V Dispenser

Part No.	Box of	Voltage	Wattage	Ref
741207	10	12v	5w	207



Part No.	Box of	Voltage	Wattage	Ref
741233	10	12v	4w	233



Part No.	Box of	Voltage	Wattage	Ref
741239	10	12v	5w	239



Part No.	Box of	Voltage	Wattage	Ref
741245	10	12v	10w	245



Part No.	Box of	Voltage	Wattage	Ref
741265	10	12v	10w	265



Part No.	Box of	Voltage	Wattage	Ref
741380	10	12v	21/5w	380



Part No.	Box of	Voltage	Wattage	Ref
741382	10	12v	21w	382



Part No.	Box of	Voltage	Wattage	Ref
741501	10	12v	5w	501



Part No.	Box of	Voltage	Wattage	Ref
741504	10	12v	3w	504



Part No.	Box of	Voltage	Wattage	Ref
741566	10	12v	21/4w	566



Part No.	Box of	Voltage	Wattage	Ref
741567	10	12v	21/5w	567



Part No.	Box of	Voltage	Wattage	Ref
741581	10	12v	21w	581



Part No.	Box of	Voltage	Wattage	Ref
741584	10	12v	21w	584



Part No.	Box of	Voltage	Wattage	Ref
741378	10	12v	21/5w	380W



Part No.	Box of	Voltage	Wattage	Ref
741385	10	12v	21w	382W



Part No.	Box of	Voltage	Wattage	Ref
740384	10	12v	21w	382WA



Part No.	Box of	Voltage	Wattage	Ref
740006	1	12v	6w	433C



Part No.	Box of	Voltage	Wattage	Ref
741022	1	12v	21w	433D



Part No.	Box of	Voltage	Wattage	Ref
741502	10	12v	5w	501A



Part No.	Box of	Voltage	Wattage	Ref
741922	10	12v	16w	921B



Part No.	Box of	Voltage	Wattage	Ref
740448	1	12v	55w	448



Part No.	Box of	Voltage	Wattage	Ref
740472	1	12v	60/55w	472



Part No.	Box of	Voltage	Wattage	Ref
740499	1	12v	55w	499



Part No.	Box of	Voltage	Wattage	Ref
741905	1	12v	60w	9005



Part No.	Box of	Voltage	Wattage	Ref
741906	1	12v	51w	9006



Part No.	Box of	Voltage	Wattage	Ref
740011	1	12v	55w	TL224B



Auto Bulb Dispenser Unit - 24 Volt



- 108 Bulbs

Contains: 149 (x12), 150 (x10), 241 (x10, 246D (x10), 249 (x10), 334 (x10), 346 (x10), 581A (x10), 242 (x5), 433E (x5), 507 (x5), 566A (x5), 466 (x4), 475 (x6), 499A (x6), H11A (x2)

Part No.	Qty
740004	1 Set

Top-Up Bulbs for 24V Dispenser

Part No.	Box of	Voltage	Wattage	Ref
741149	10	24v	5w	149



Part No.	Box of	Voltage	Wattage	Ref
741150	10	24v	5w	150



Part No.	Box of	Voltage	Wattage	Ref
741241	10	24v	21w	241



Part No.	Box of	Voltage	Wattage	Ref
741246	10	24v	10w	246D



Part No.	Box of	Voltage	Wattage	Ref
741249	10	24v	4w	249



Part No.	Box of	Voltage	Wattage	Ref
741334	10	24v	24/6w	334



Part No.	Box of	Voltage	Wattage	Ref
741346	10	24v	21w	346



Part No.	Box of	Voltage	Wattage	Ref
741582	10	24v	21w	581A



Part No.	Box of	Voltage	Wattage	Ref
741242	10	24v	5w	242



Part No.	Box of	Voltage	Wattage	Ref
741021	1	24v	21w	433E



Part No.	Box of	Voltage	Wattage	Ref
741507	10	24v	5w	507



Part No.	Box of	Voltage	Wattage	Ref
741568	10	24v	21/4w	566A



Part No.	Box of	Voltage	Wattage	Ref
740466	1	24v	70w	466



Part No.	Box of	Voltage	Wattage	Ref
740475	1	24v	75/70w	475



Part No.	Box of	Voltage	Wattage	Ref
740498	1	24v	70w	499A



Part No.	Box of	Voltage	Wattage	Ref
741012	1	24v	70w	H11A



SEE PAGES 90-100
FOR OUR FULL RANGE
OF AUTO BULBS

Brass Barrel Olives - Imperial



Sizes: 5/32", 3/16", 1/4", 5/16", 3/8", 1/2"

Part No.	Pack of
110101	150

Brass Barrel Olives - Metric



Sizes: 5, 6, 8, 10, 12 mm

Part No.	Pack of
110175	150

Brass Stepped Olives - Imperial



Sizes: 5/32", 3/16", 1/4", 5/16", 3/8", 1/2"

Part No.	Pack of
110102	150

Brass Stepped Olives - Metric



Sizes: 4, 6, 8, 10, 12 mm

Part No.	Pack of
110122	150

Barrel & Stepped Olives - Metric 'MINI'



- Brass

Sizes: 5, 6, 8, 10, 12 mm

Part No.	Box of
105464	90

Hose Clip Handipack W1



Plastic box assortment.

- Band, housing and screw: white zinc plated steel.
- 48 hours in salt spray.
- Worm drive screw.

Sizes: 12 (000), 16 (M00), 22 (0), 27 (0X), 40 (1X)

Part No.	Pack of
ACE1869	100

Hose Clip Dispenser Pack - With 3 Flexi Drivers



- Zinc plated mild steel

Contains 10 of each size: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 9 mm banding

Part No.	Qty
110163	Set of 100

Hose Clips - Small Sizes



- Zinc plated mild steel

Sizes: 12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2).
* = 9 mm banding

Part No.	Pack of
110153	50

Hose Clips - Large Sizes



- Zinc plated mild steel

Sizes: 60 (2X), 70 (3), 80 (3X), 90 (4), 100 (4X)

Part No.	Pack of
110177	25

Hose Clip Box - Dispenser Pack



- Zinc plated mild steel

Contains 10 of each size: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 9 mm banding

Part No.	Qty
110154	Set of 100

Boot Ear Clip - Single Ear



- Manufactured from stainless steel.
- Front locking tooth ensures the clamp is locked in place prior to tightening.
- Two rear guide teeth aid the initial clamp alignment and act as additional locking points

Part No.	Qty	Size
505130	20	Small (Clamp Range 19-45mm)
505132	20	Large (Clamp Range 45-120mm)

CV Boot Kit - Universal



- Fits most cars as well as some 4x4s and light commercial vehicles.
- Fits joinings measuring: Shaft 18-26mm; Joint 56-116mm; Length 58-128mm.
- Made in the UK.
- Boot comes complete with 2 single ear clips and sachet of grease.

Part No.	Qty
405370	1

CV Boot Kit - Universal - Large



- Fits vehicles with large CV joints, some cars, 4x4s and light commercial vehicles.
- Fits joints measuring: Shaft 27-37mm; Joint 78-130mm; Length 81-152mm.
- Made in the UK.
- Boot comes complete with 2 single ear clips and sachet of grease.

Part No.	Qty
405372	1

Duragun CV Boot Fitting Tool



- Air Operated.
- Lightweight for easy operation.
- Ideal for quick installation.
- Made in the UK.
- Gun is fitted with a ¼ BSP connector ready for use.

Part No.	Qty
980270	1

CV Clips - Stainless Steel



Sizes: 25 - 50 mm x 5.
40 - 110 mm x 10

Part No.	Qty
110165	Set of 15

HI-GRIP Hose Clips - Stainless Steel



- 18/8 marine quality stainless steel

Sizes: 12 (000), 20 (00), 22 (0), 25 (0X), 30 (1A), 35(1), 40 (1X)

Part No.	Pack of
110205	24

HI-GRIP Hose Clip Dispenser



- Heavily zinc plated mild steel

Contains 10 of each size: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 45 (1E), 50 (2A). * = 10 mm banding

Part No.	Qty
110150	Set of 100

HI-GRIP Hose Clips - Small Sizes



- Heavily zinc plated mild steel

Sizes: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 10 mm banding

Part No.	Pack of
110136	50

HI-GRIP Hose Clips - Large Sizes



- Heavily zinc plated mild steel

Sizes: 60 (2X), 70 (3), 80 (3X), 90 (4), 100 (4X), 120 (5), 140 (6), 160 (7)

Part No.	Pack of
110137	24

Vertex Couplings



Contains: Coupling Body. Screwed Adapter. Integral Adapter / Tailpiece

Part No.	Qty	Hole Size
110212	3 Piece Set	6.35 mm
110211	3 Piece Set	7.90 mm
110213	3 Piece Set	9.50 mm

M100 SERIES Couplings - Assorted Pack



Contains: Coupling Body. Screwed Adapter. Integral Adapter / Tailpiece

Part No.	Qty	Hole Size
110214	3 Piece Set	12.7 mm

DEDICATED ACE HOSE CLIP SECTION FROM PAGE 239

Hose Clip Dispenser Rack with Pipe Clips



- Zinc plated mild steel (W1).
- 12 mm band (*9 mm).
- DIN3017

Hose Clips: Contains 10 of each size: 12*, 16*, 22*, 27, 32, 35, 40, 45, 50, 60.
Pipe Clips: Contains 20 of each size: 7 - 11 mm, 11 - 19 mm

Part No.	Qty
ACE1361	1 Set

Stainless Steel Hose Clip Dispenser Rack



- 18/8 Marine quality stainless steel (W4).
- 12 mm band (*9 mm)

Contains 10 of each size: 12*, 16*, 22*, 27, 32, 35, 40, 45, 50, 60

Part No.	Qty
ACE4192	1 Set

Hose Clip Top-Up Packs



Part No.	Box of	Size	Range
ACE1025	10	12* (000)	8 - 12 mm (3/8" - 1/2")
ACE1026	10	16* (M00)	10 - 16 mm (1/2" - 5/8")
ACE1027	10	22* (00 & 0)	12 - 22 mm (5/8" - 7/8")
ACE1102	10	27 (0X)	16 - 27 mm (5/8" - 1 1/16")
ACE1103	10	32 (1A)	20 - 32 mm (3/4" - 1 1/4")
ACE1104	10	35 (1)	23 - 35 mm (1" - 1 3/8")
ACE1105	10	40 (1X)	25 - 40 mm (1 1/8" - 1 5/8")
ACE1106	10	45 (1M)	30 - 45 mm (1 1/4" - 1 3/4")
ACE1107	10	50 (2A)	32 - 50 mm (1 1/4" - 1 7/8")
ACE1108	10	60 (2 & 2X)	40 - 60 mm (1 3/4" - 2 3/8")
ACE1362	10	Mini Pipe Clips	7 - 11 mm
ACE1363	10	Mini Pipe Clips	10 - 19 mm



SS Hose Clip Top-Up Packs



	Box of	Size	Range
ACE4070	10	12* (000)	8 - 12 mm (3/8" - 1/2")
ACE4071	10	16* (M00)	10 - 16 mm (1/2" - 5/8")
ACE4072	10	22* (00 & 0)	12 - 22 mm (5/8" - 7/8")
ACE4096	10	27 (0X)	16 - 27 mm (5/8" - 1 1/16")
ACE4097	10	32 (1A)	20 - 32 mm (3/4" - 1 1/4")
ACE4098	10	35 (1)	23 - 35 mm (1" - 1 3/8")
ACE4099	10	40 (1X)	25 - 40 mm (1 1/8" - 1 5/8")
ACE4100	10	45 (1M)	30 - 45 mm (1 1/4" - 1 3/4")
ACE4101	10	50 (2A)	32 - 50 mm (1 1/4" - 1 7/8")
ACE4102	10	60 (2 & 2X)	40 - 60 mm (1 3/4" - 2 3/8")
ACE4103	10	70 (3)	50 - 70 mm (2" - 2 3/4")
ACE4104	10	80 (3X)	60 - 80 mm (2 3/8" - 3 1/8")
ACE4105	10	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
ACE4106	10	100 (4X)	80 - 100 mm (3 1/4" - 4")
ACE4108	10	120 (5)	100 - 120 mm (3 3/4" - 4 1/2")
ACE4110	10	140 (6)	120 - 140 mm (4 1/4" - 5 1/2")
ACE4112	10	160 (7)	140 - 160 mm (5 1/2" - 6 1/4")

Miniclamp Dispenser Rack



- Zinc plated mild steel (W1)

Contains 10 of each size:

7 - 9 to 16 - 18 mm

Part No.	Qty
ACE1657	Set of 100

Stainless Steel Miniclamp Dispenser Rack



- 18/8 marine quality stainless steel (W4)

Contains 10 of each size:
7 - 9 to 16 - 18 mm

Part No.	Qty
ACE4193	Set of 100

Miniclamp Top-Up Packs



Part No.	Box of	Range
ACE1234	10	7 - 9 mm
ACE1235	10	8 - 10 mm
ACE1236	10	9 - 11 mm
ACE1237	10	10 - 12 mm
ACE1238	10	11 - 13 mm
ACE1239	10	12 - 14 mm
ACE1240	10	13 - 15 mm
ACE1241	10	14 - 16 mm
ACE1242	10	15 - 17 mm
ACE1243	10	16 - 18 mm

SS Miniclamp Top-Up Packs



Part No.	Box of	Range
ACE4120	10	7 - 9 mm
ACE4121	10	8 - 10 mm
ACE4122	10	9 - 11 mm
ACE4123	10	10 - 12 mm
ACE4124	10	11 - 13 mm
ACE4125	10	12 - 14 mm
ACE4126	10	13 - 15 mm
ACE4127	10	14 - 16 mm
ACE4128	10	15 - 17 mm
ACE4129	10	16 - 18 mm

T-Bolt Dispenser Rack



- Zinc plated mild steel (W1)

Sizes: 17 - 19 to 64 - 67 mm

Part No.	Box of
ACE1309	70

T-Bolt Top-Up Packs



Part No.	Box of	Size
ACE1020	10	17 - 19 mm
ACE1021	10	20 - 22 mm
ACE1171	10	23 - 25 mm
ACE1172	10	26 - 28 mm
ACE1173	10	29 - 31 mm
ACE1174	10	32 - 35 mm
ACE1175	10	36 - 39 mm
ACE1176	10	40 - 43 mm
ACE1177	10	44 - 47 mm
ACE1178	10	48 - 51 mm

Part No.	Box of	Size
ACE1179	10	52 - 55 mm
ACE1180	10	56 - 59 mm
ACE1181	10	60 - 63 mm
ACE1182	10	64 - 67 mm
ACE1183	10	68 - 73 mm
ACE1184	10	74 - 79 mm
ACE1185	10	80 - 85 mm
ACE1186	10	86 - 91 mm
ACE1187	10	92 - 97 mm

Touch-Up Paint Brushes - General Use

- Plastic handles

Sizes: No.2, 4, 6



Part No.	Pack of
110173	24

Touch-Up Paint Brushes - High Quality

- Wooden handles

Sizes: No. 2, 4, 6, 8



Part No.	Pack of
110114	10

Paint Brushes - General Use

- Pure bristles.
- Black wooden handles

Sizes: 1/2", 1", 1 1/2", 2", 3"



Part No.	Pack of
110119	10

Paint Brushes - High Quality

- Pure bristles.
-
- Maroon lacquered wooden handles

Sizes: 1/2", 1", 1 1/2", 2", 3"



Part No.	Pack of
110156	5
110157	10

Paint Brushes - Professional Quality

- Pure bristles.
- Maroon polished handles

Sizes: 1/2", 1", 1 1/2", 2", 3"



Part No.	Pack of
110207	5

Wooden File Handles

- Safety file handles.
- Spring steel retainer & metal safety ring

Sizes: No. 0 (3" - 6").
No. 1 (6" - 10"). No. 2 (10" - 14").
No. 3 (14" - 16")



Part No.	Pack of
110148	8

Hammer Shafts

- Hickory.
- Complete with metal wedges

Engineers: 12" (1/2lb), 13" (3/4lb), 16" (2lb). Club: 10".
Metal Wedges: No. 1, 2, 3, 4



Part No.	Pack of
110130	5

Hammer Shaft Wedges

- Metal

Sizes: No. 1, 2, 3, 4



Part No.	Pack of
110174	20

Flat Engineers Files - Second Cut



Sizes: 6”, 8”, 10”, 12”

Part No.	Pack of
110146	4

Round Engineers Files - Second Cut



Sizes: 6”, 8”, 10”, 12”

Part No.	Pack of
110144	10

Mixed Engineers Files - Second Cut



Contains: Three Square (6”). Flat, Round, Half Round (8”). Flat (10”)

Part No.	Pack of
110145	5

Mixed Engineers Files - Bastard Cut



Contains: Flat, Round (8”). Flat, Round, Half Round (10”)

Part No.	Pack of
110147	5

Mixed Engineers Files Set - Bastard & Second Cut



- Complete with storage wallet

Contains: Flat, Round, Half Round (8”, 10”)

Part No.	Qty
110143	Set of 10

Mixed Engineers Files - Bastard & Second Cut



Contains: Flat, Round, Half Round (8”, 10”)

Part No.	Pack of
110149	8

Gaffer Tape - Black & Silver



- Width: 50 mm (2”).
- 50 m Rolls

Part No.	Pack of
105088	2

R-Grips



- Zinc plated

Sizes: 2 x 10 mm (5/64” x 3/8”). 3 x 19 mm (1/8” x 3/4”). 4 x 25 mm (5/32” x 1”). 5 x 31 mm (3/16” x 1 1/4”). 6 x 31 mm (1/4” x 1 1/4”) (diameter x working length)

Part No.	Pack of
110131	50

Exhaust Clamps



- U’ type.
- Zinc plated

Sizes: 38 mm (1 1/2”). 42 mm (1 5/8”). 45 mm (1 3/4”). 48 mm (1 7/8”). 50 mm (2”)

Part No.	Pack of
110118	25

Tool Clips - Closed Type

- Carbon spring steel

Sizes: 10 - 12 mm (3/8"). 13 - 14 mm (1/2"). 16 - 19 mm (5/8"). 25 - 27 mm (1"). 32 - 34 mm (1 1/4"). (grip diameter)



Part No.	Pack of
110176	50

Plasters - Stretch Fabric & Waterproof

Fabric: 4.0 x 4.0 cm. 7.0 x 2 cm. 7.5 x 2.5 cm.
Waterproof: Fingertip



Part No.	Pack of
110206	80

Plasters - Blue Food Quality

- Waterproof adhesive.
- Individually packed

Regular: 3.8 x 3.8 cm. 7.2 x 1.9, 2.5 cm. Waterproof: 6.0 x 5.1 cm



Part No.	Pack of
895277	80

HSS Jobber Drills - A002 'Top Up' Pack

DORMER

- Right hand.
- General purpose

Sizes: 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4"



Part No.	Pack of
815179	13

Plastic Wall Plugs

Size & Colour: 5.0 mm (Yellow). 6.0 mm (Red). 7.0 mm (Brown). 8.0 mm (Blue)



Part No.	Pack of
895251	200

Key Indicators

- Complete with rings

Colours: Black, Blue, Green, Red, White, Yellow



Part No.	Pack of
985638	48

Solderless Nipples

Barrel Side Screw: 6 mm.
Barrel Top Screw: 6 mm, 8 mm



Part No.	Pack of
110115	48

Steel Wool

- Industrial quality

Contains: Fine, Medium, Coarse



Part No.	Pack of
895294	15 Pads

Scratch Brushes - Multi Purpose Cleaning



- Premium quality brushes for virtually all applications

Contains: General Purpose. Stainless Steel. Nylon

Part No.	Pack of
110254	3

Spark Plug Brushes - Multi Purpose Cleaning



- For use on metal, stainless steel and paint

Part No.	Pack of
110256	3

Quick-Lock' Accessory Pack



Contains: Fibre Discs. Polirico Discs. Backing Pad

Part No.	Pack of
110251	1

Quick Lock Accessory Pack

Simple twist-on, twist-off fitting system.

- Can be used for cleaning, stripping, polishing and finishing.
- Quick, safe and easy fitting.
- Ideal for use in the automotive industry

Contains: 50mm Backing Pad Adapter x 2, Polirico Discs x 7, 50mm Sanding Discs x9, 50mm Poly Discs x3, Flap Discs x 4



Part No.	Box of
105290	25

Gasket Paper Sheets



- 300 x 250 mm (12" x 10")

Thicknesses: 0.4 mm (1/64"). 0.8 mm (1/32")

Part No.	Qty
110171	30

Gasket Paper Rolls



- One meter square (1 m²) sheets

Thicknesses: 0.15 mm. 0.25 mm. 0.80 mm

Part No.	Qty
110180	3

Fuel Filters



Contains: Small (Universal) In-Line Type, Large In-Line Type, 'Y' Type (for Toyota), Angled Type (for Nissan)

Part No.	Pack of
110140	10

Windscreen Washer Accessories



Contains: Jets, Valves, 'T' Pieces, Elbows

Part No.	Pack of
110208	25

FIXT Anaerobic Adhesives - Small Bottles

Superglue (20 g), Nut Lock, Stud Lock, Retainer (10 ml)



Part No.	Pack of
FX085561	4 (1 of each)

FIXT Anaerobic Adhesives - Large Bottles

Nut Lock, Stud Lock, Retainer (50 ml)



Part No.	Pack of
FX085560	3 (1 of each)

Winter Packs - with gloves or pen light

- 750 ml Trigger spray de-icer.
- 1 ltr Screenwash.
- Ice scraper with Squeegee.
- Available with Pen Light or Thermal Gloves



Part No.	Qty	Type	Contents
110700	1	With Torch	750 ml De-Icer, 1 Ltr Screenwash, Ice Scraper & Pen Light
110705	1	With Gloves	750 ml De-Icer, 1 Ltr Screenwash, Ice Scraper & Gloves

PU Coated Gloves - Various Sizes

Contains 2 Pairs of each: Medium, Large, X Large, XX Large



Part No.	Pack of
105089	8

Technicians PPE Kit


Package Includes: Rigger Gloves: Canadian pattern with chrome leather palms. Ear Defenders: Adjustable cups that can be worn with head protection. Attenuation 28db, Type FFP3Safety Glasses: Lightweight. Bump Safety Cap: Sports protective cap designed to protect against accidental bumping or scrapes. Low chrome profile allowing cap to be worn with other safety Protection.



Part No.	Qty
895268	1

ELECTRICAL


+|AAA
Energizer
INDUSTRIAL
+|C
Energizer
INDUSTRIAL
+|D
Energizer
INDUSTRIAL
9V
ALKALINE BATTERY
Energizer
INDUSTRIAL
+|AA



ELECTRICAL

Terminals	50
Connectors	55
Crimp Tools	58
Heat Shrink	60
Insulation Tape	62
Auto Cable	63
Battery Terminals & Straps	68
Start Packs	69
Cable Ties	70
Clips & Grommets	73
Fuses	75
Fuse Holders	79
Testers	81
Torches & Lanterns	82
Batteries	88
Auto Bulbs	90
Plugs, Sockets & Switches	101

Female Spade Terminals - Fully Insulated

Part No.	Pack of	Colour	Fits Tab
205193	100	Red	2.8 mm



Part No.	Pack of	Colour	Fits Tab
205191	100	Red	4.8 mm



Part No.	Pack of	Colour	Fits Tab
205196	100	Blue	4.8 mm



Part No.	Pack of	Colour	Fits Tab
205103	100	Red	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205106	100	Blue	6.3 mm
205206	200	Blue	6.3 mm
205320	1000	Blue	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205109	50	Yellow	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205296	50	Yellow	9.5 mm



Male Spade Terminals

Part No.	Pack of	Colour	Tab
205192	100	Red	2.3 mm



Part No.	Pack of	Colour	Tab
205153	100	Blue	2.3 mm



Part No.	Pack of	Colour	Tab
205104	100	Red	6.3 mm



Part No.	Pack of	Colour	Tab
205107	100	Blue	6.3 mm
205207	300	Blue	6.3 mm
205325	1000	Blue	6.3 mm



Part No.	Pack of	Colour	Tab
205110	50	Yellow	6.3 mm



Female Spade Terminals

Part No.	Pack of	Colour	Fits Tab
205113	100	Red	2.8 mm



Part No.	Pack of	Colour	Fits Tab
205111	100	Red	4.8 mm



Part No.	Pack of	Colour	Fits Tab
205112	100	Blue	4.8 mm



Part No.	Pack of	Colour	Fits Tab
205102	100	Red	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205105	100	Blue	6.3 mm
205205	300	Blue	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205108	50	Yellow	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205101	50	Yellow	9.5 mm



Male Piggy Back Terminals

Part No.	Pack of	Colour	Fits Tab
205114	100	Red	6.3 mm



Part No.	Pack of	Colour	Fits Tab
205115	100	Blue	6.3 mm



Pin Connectors

Part No.	Pack of	Colour	Diameter
205145	100	Red	1.9 mm



Part No.	Pack of	Colour	Diameter
205146	100	Blue	1.9 mm



Part No.	Pack of	Colour	Diameter
205147	50	Yellow	2.9 mm



Fork Terminals

Part No.	Pack of	Colour	Size
205116	100	Red	3.7 mm (4BA)

Part No.	Pack of	Colour	Size
205118	100	Blue	3.7 mm (4BA)

Part No.	Pack of	Colour	Size
205297	50	Yellow	4.0 mm

Part No.	Pack of	Colour	Size
205120	100	Red	5.3 mm (2BA)

Part No.	Pack of	Colour	Size
205121	100	Blue	5.3 mm (2BA)

Part No.	Pack of	Colour	Size
205123	100	Blue	6.4 mm (0BA)



Female Receptacle Sockets

Part No.	Pack of	Colour
205141	100	Red

Part No.	Pack of	Colour
205143	100	Blue

Part No.	Pack of	Colour
205243	200	Blue



Male Bullet Terminals

Part No.	Pack of	Colour	Size
205142	100	Red	4.0 mm

Part No.	Pack of	Colour	Size
205144	100	Blue	5.0 mm

Part No.	Pack of	Colour	Size
205244	200	Blue	5.0 mm



Sleeve Terminals

Part No.	Pack of	Colour
205154	100	Black

Part No.	Pack of	Colour
205155	100	Black



LUCAR Terminals

Part No.	Pack of	Size
205292	200	6.3 mm

Part No.	Pack of	Size
205293	200	6.3 mm



Wire Connectors

Part No.	Pack of
205152	100



Brass Bullets

Part No.	Pack of	Diameter
205156	200	4.6 mm



Ratchet Crimpers

RGTOOLS

- Ratchet crimper red, blue & yellow pre-insulated terminals.
- Red terminals - 0.5-1.0mm² : Blue terminals 1.5-2.5mm² : Yellow terminals 4.0-6.0mm².
- The double crimping die creates a secure crimp that prevents wires from becoming loose.

Part No.	Qty
RG10334	1



Butt Connectors - Standard

Part No.	Pack of	Colour
205148	100	Red
205330	1000	Red



Part No.	Pack of	Colour
205149	100	Blue
205249	200	Blue
205335	1000	Blue



Part No.	Pack of	Colour
205150	50	Yellow



Ring Terminals

Part No.	Pack of	Colour	Size
205124	100	Red	3.2 mm (6BA)



Part No.	Pack of	Colour	Size
205125	100	Blue	3.2 mm (6BA)



Part No.	Pack of	Colour	Size
205127	100	Red	3.7 mm (4BA)



Part No.	Pack of	Colour	Size
205128	100	Blue	3.7 mm (4BA)



Part No.	Pack of	Colour	Size
205129	50	Yellow	3.7 mm (4BA)



Part No.	Pack of	Colour	Size
205130	100	Red	5.3 mm (2BA)



Part No.	Pack of	Colour	Size
205131	100	Blue	5.3 mm (2BA)



Part No.	Pack of	Colour	Size
205231	200	Blue	5.3 mm (2BA)



Part No.	Pack of	Colour	Size
205132	50	Yellow	5.3 mm (2BA)



Part No.	Pack of	Colour	Size
205133	100	Red	6.4 mm (0BA)



Part No.	Pack of	Colour	Size
205134	100	Blue	6.4 mm (0BA)



Part No.	Pack of	Colour	Size
205135	50	Yellow	6.4 mm (0BA)



Part No.	Pack of	Colour	Size
205136	100	Red	8.4 mm (5/16")



Part No.	Pack of	Colour	Size
205137	100	Blue	8.4 mm (5/16")



Part No.	Pack of	Colour	Size
205138	50	Yellow	8.4 mm (5/16")



Part No.	Pack of	Colour	Size
205194	100	Red	10.5 mm (3/8")



Part No.	Pack of	Colour	Size
205139	100	Blue	10.5 mm (3/8")



Part No.	Pack of	Colour	Size
205140	50	Yellow	10.5 mm (3/8")



Part No.	Pack of	Colour	Size
205298	50	Blue	13.0 mm (1/2")



Part No.	Pack of	Colour	Size
205299	50	Yellow	13.0 mm (1/2")



Assorted Terminals



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors. Scotchloks. Splice Connectors.

Part No.	Pack of
105303	655

Assorted Ring & Fork Terminals - Pre-insulated



Rings: 3.2 mm (Red, Blue). 3.7 mm(Red, Blue). 5.3 mm (Red, Blue, Yellow). 6.4 mm (Blue, Yellow). 8.4 mm (Blue, Yellow). 10.5 mm (Yellow). Forks: 3.7 mm (Red, Blue), 5.3 mm (Red, Blue)

Part No.	Pack of
105164	200

Assorted 'Push On' Terminals - Pre-insulated



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105165	200

Assorted Insulated Terminals & Crimping Tool - Red & Blue



Contains: Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors. Crimping Tool

Part No.	Box of
105254	206

Assorted Insulated Terminals - Red, Blue & Yellow



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings & Forks. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105253	300

Assorted Insulated Terminals - Red



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105230	260

Assorted Insulated Terminals - Blue



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Male Piggy-Backs. Rings. Male Bullets. Female Receptacle Sockets. Standard Butt Connectors

Part No.	Box of
105231	280

Assorted Insulated Terminals - Yellow



Contains: Female Spades. Fully Insulated Female Spades. Male Blades. Rings. Standard Butt Connectors

Part No.	Box of
105232	110

Splice Connectors - 'Snap-Locking'



Part No.	Pack of	Colour	Size
205162	100	Red	0.8 - 2.0 mm²
205169	100	Blue	1.0 - 1.5 mm²
205168	500	Blue	1.0 - 1.5 mm²

'Scotchloks'



- No.560

Part No.	Pack of	Colour	Size
205161	100	Blue	1.0 - 2.0 mm²

Connector Strips



- 12 per strip

Part No.	Pack of	Amperage
205215	10	3 amp
205216	10	5 amp
205217	10	15 amp
205218	10	30 amp

Assorted Connector Strips

Amperages: 3, 5, 15, 30 amp



Part No.	Pack of
110134	20

Piano Key Connectors - Quick Release



Part No.	Pack of	Type
205310	10	3 Pole
205312	10	5 Pole

Assorted Piano Key Connectors

Sizes: 40 x 3 Pole. 30 x 5 Pole



Part No.	Pack of
105229	70

Solder Butt Connectors - Adhesive lined



- Heat-shrinkable splices.
- Pre-fluxed solder


Part No.	Pack of	Colour	Size
205171	10	Clear	0.25 mm - 0.5 mm
205170	10	Red	0.5 mm - 1.5 mm
205172	10	Blue	1.5 mm - 2.5 mm
205173	10	Yellow	4 mm - 6 mm

Cold Seal Splices



- Tin plated copper.
- One stop termination.
- No heating required

Part No.	Pack of	Colour	Size
205094	10	Red	1.5 mm
205096	10	Blue	2.5 mm
205098	10	Yellow	6.0 mm



Superseal Connector Kits

Superseal Electrical Connectors are compact high quality connectors designed for applications where a waterproof joint is required. Supplied in kit form, also available as separate parts.



- High quality connectors for waterproof joints (IP67).
- For cable sizes 0.5 - 1.5mm2

Part No.	Qty	Type
205450	6	1 Way
205452	10	2 Way
205454	14	3 Way
205456	18	4 Way
205458	22	5 Way
205460	26	6 Way

Superseal Terminals & Seals

Superseal Electrical Connectors are compact high quality connectors designed for applications where a waterproof joint is required. Supplied in kit form, also available as separate parts.



- High quality connectors for waterproof joints (IP67).
- For cable sizes 0.5 - 1.5mm9

Part No.	Qty	Type
205466	100	Yellow Seal
205464	100	Female Terminal
205462	100	Male Terminal

Assorted Superseal Connectors

Superseal Electrical Connectors are compact high quality connectors designed for applications where a waterproof joint is required. Supplied in kit form, also available as separate parts.



- High quality connectors for waterproof joints (IP67).
- For cable sizes 0.5 - 1.5mm14

Contains: 6 x 1 way (Male & Female), 12 x 2 way (M & F), 5 x 3 way (M & F), 4 x 4 way (M & F), 3 x 5 way (M & F), 2 x 6 way (M & F), 180 Seals, 90 Female pins & 90 Male pins

Part No.	Qty	Size
105228	424	1-6 Way

Superseal Ratchet Crimping Pliers

- Professional quick change ratchet crimper for Superseal terminals & other non-insulated terminals.
- Supplied with two sets of jaws - H2 Jaws - 0.35-0.5²mm & 1.5mm², H3 Jaws 0.75mm² & 1.0mm².
- Efficient ratcheting mechanism.
- The crimper will release automatically, applying the same amount of crimping force every time.
- Ergonomic handles designed to offer a strong & comfortable grip.
- Supplied in a heavy duty blow mould case.

RGTOOLS



Part No.	Qty
RG10330	1 Kit



DT Connector Terminals & Seals

DT Connectors commonly known as Deutsch connectors are used to create a waterproof connection when connecting wires or harnesses within difficult working environments.

- Heavy duty waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections.



Part No.	Qty	Type
205512	50	Male Terminal
205514	50	Female Terminal
205516	50	Housing Blanks

DT Connector Kits

DT Connectors commonly known as Deutsch connectors are used to create a waterproof connection when connecting wires or harnesses within difficult working environments.

- Heavy duty waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections.



Part No.	Qty	Type
205500	8	2 Way
205502	10	3 Way
205504	12	4 Way
205506	16	6 Way
205508	20	8 Way
205510	28	12 Way

Assorted DT Connectors

DT Connectors commonly known as Deutsch connectors are used to create a waterproof connection when connecting wires or harnesses within difficult working environments.

- Heavy duty waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections.



Contains: 2 pin, 3 pin, 4 pin, 6 pin, 8 pin, 12 pin, plus wedges, locking plates, blanking stems plus male & female terminals.

Part No.	Qty	Size
105234	152	1-12 Way

DT Crimping Tool - 4 Way

- Professional 4 way indent crimping tool for DT & DTM terminals.
- 4 way indent crimp jaws offer a perfect solid crimps that leave no movement on the cable in the crimp.
- Ergonomic design with a comfortable cushioned grip.



Part No.	Qty
RG10333	1



DTM Connector Terminals & Seals

DTM Connectors (also known as Deutsch connectors) are popular wiring connectors used in the commercial vehicle sector, when access to wiring is limited. Smaller than the DT connectors, the DTM connectors are used due to their lightweight design & size.



- Lightweight waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections

Part No.	Qty	Type
205526	50	Male Terminals
205527	50	Female Terminals
205528	50	Housing Blanks

DTM Connector Kits

DTM Connectors (also known as Deutsch connectors) are popular wiring connectors used in the commercial vehicle sector, when access to wiring is limited. Smaller than the DT connectors, the DTM connectors are used due to their lightweight design & size.



- Lightweight waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections

Part No.	Qty	Type
205520	8	2 Way
205521	10	3 Way
205522	12	4 Way
205523	16	6 Way
205524	20	8 Way
205525	28	12 Way

Assorted DTM Connectors

DTM Connectors (also known as Deutsch connectors) are popular wiring connectors used in the commercial vehicle sector, when access to wiring is limited. Smaller than the DT connectors, the DTM connectors are used due to their lightweight design & size.



- Lightweight waterproof connectors.
- Designed to prevent dirt, grit, moisture & damp damaging wiring joints / crimped connections

Contains: 2 pin, 3 pin, 4 pin, 6 pin, 8 pin, 12 pin, plus wedges, locking plates, blanking stems plus male & female terminals.

Part No.	Qty	Size
105529	126	1-12 Way

DTM Crimping Tool - 4 Way

RGTOOLS



- Professional 4 way indent crimping tool for DT & DTM terminals.
- 4 way indent crimp jaws offer a perfect solid crimps that leave no movement on the cable in the crimp.
- Ergonomic design with a comfortable cushioned grip.

Part No.	Qty
RG10333	1

DT Crimping Tool - 4 Way

- Professional 4 way indent crimping tool for DT & DTM terminals.
- A professional crimp is required on the barrel terminals as the DT & DTM connectors are commonly used in areas subject to excessive vibration - motorcycles, trucks, construction equipment, lifting equipment.
- 4 way indent crimp jaws offer a perfect solid crimps that leave no movement on the cable in the crimp.
- Ergonomic design with a comfortable cushioned grip.
- The non-slip handle ensures a comfortable & swift operation.
- Carbon steel frame gives the crimper strength & longevity



Part No.	Qty
RG10333	1



Ratchet Crimpers

- Ratchet crimper red, blue & yellow pre-insulated terminals.
- Red terminals - 0.5-1.0mm² : Blue terminals 1.5-2.5mm² : Yellow terminals 4.0-6.0mm².
- The double crimping die creates a secure crimp that prevents wires from becoming loose.
- Effortless ratchet mechanism provides a simple and easy crimping process.
- Cushioned handle with a carbon steel body.



Part No.	Qty
RG10334	1

Professional Ratchet Crimpers

- Professional ratchet crimper red, blue & yellow pre-insulated terminals.
- Red terminals - 0.5-1.0mm², Blue terminals 1.5-2.5mm², Yellow terminals 4.0-6.0mm².
- The double crimping die creates a secure crimp that prevents wires from becoming loose.
- Effortless ratchet mechanism provides a simple and easy crimping process.
- Ergonomic cushioned handle with a carbon steel body.



Part No.	Qty
RG10335	1

Terminals & Crimping Tool

RGTOOLS

- Professional crimp tool with a selection of red & blue popular terminals.
- Will crimp insulated & non-insulated terminals.
- Colour coded to identify terminal size - red, blue & yellow.
- Soft grip handles.
- Built in wire stripper & wire cutter.



Part No.	Qty
RG10331	31 Pc Set

Wire Stripper Tool

RGTOOLS

- Professional multi-functional wire stripper.
- The wire stripper has a wire cutter & will crimp insulated & non-insulated terminals.
- The spring loaded jaw has the capacity for wire thicknesses 0.2 - 6.0mm².
- Insulated terminal crimp is colour coded for ease of identification.
- Ergonomic handles designed to offer a strong & comfortable grip.
- Due to the quick action and ease of use the tool saves time when carrying out all applications.



Part No.	Qty
RG10332	1

Wire Stripper & Cutter

RGTOOLS

- Automatic action wire stripper & cutter.
- Suitable for cable 0.2 - 3.5mm².
- The wire stripper has carbon steel blades plus an adjustable stripping length facility.
- Carbon steel wire cutter just underneath the head.
- Part of our RG Tools crimping range.



Part No.	Qty
RG10336	1

Hex Mechanical Crimping Tools

- Revolving hexagonal crimp dies.
- Insulated grip handles



Part No.	Pack of	Size
295170	1	6 - 50 mm²
295171	1	6 - 120 mm²
295172	1	25 - 150 mm²

Blue Heat Shrink Terminals - Adhesive Lined

Butt Connectors



Part No.	Pack of
205166	25
205345	100

Ring Terminals



Part No.	Pack of	Size
205711	25	4.0 mm
205712	25	5.0 mm
205713	25	6.0 mm
205714	25	8.0 mm

Female Spade Terminals

Part No.	Pack of	Size
205717	25	6.3 mm

Male Spade Terminals

Part No.	Pack of	Size
205718	25	6.3 mm

Red Heat Shrink Terminals - Adhesive Lined

Butt Connectors



Part No.	Pack of
205165	25
205340	100

Ring Terminals



Part No.	Pack of	Size
205701	25	4.0 mm
205702	25	5.0 mm
205703	25	6.0 mm

Female Spade Terminals

Part No.	Pack of	Size
205706	25	6.3 mm

Male Spade Terminals

Part No.	Pack of	Size
205707	25	6.3 mm

Micro Soldering Torch - Electronic



(Does not include gas)

- 1300˚C burner flame adjustable from 12 to 35 mm.
- Powered by butane (865717)

Part No.	Qty
980240	1

Cassette Lighter Gas Torch



(Does not include gas)

- Ingenious design converts standard lighter into piezoelectric soldering torch.

Part No.	Qty	Size
980241	1	115 mm

Yellow Heat Shrink Terminals - Adhesive Lined

Butt Connectors



Part No.	Pack of
205167	10

Ring Terminals



Part No.	Pack of	Size
205721	25	4.0 mm
205722	25	5.0 mm
205723	25	6.0 mm
205724	25	8.0 mm
205725	25	10.0 mm

Female Spade Terminals



Part No.	Pack of	Size
205729	25	6.3 mm

Male Spade Terminals



Part No.	Pack of	Size
205730	25	6.3 mm

Assorted Heat Shrink Terminals - Adhesive Lined



Contains: Female Spades. Male Blades. Rings. Forks. Standard Butt Connectors

Part No.	Box of
105210	100

Heat Shrink Tubing - Black



- Polyolefin.
- Shrink ratio of 2:1

Part No.	Pack of	Length	Diameter
205251	100	50 mm	3.2 mm
205255	100	50 mm	4.8 mm
205272	25	200 mm	4.8 mm
205259	100	50 mm	6.4 mm
205276	20	200 mm	6.4 mm
205280	15	200 mm	9.5 mm
205263	50	70 mm	12.7 mm
205284	10	200 mm	12.7 mm
205401	1 Roll	10 m	3.2 mm
205404	1 Roll	10 m	4.8 mm
205407	1 Roll	10 m	6.4 mm
205410	1 Roll	10 m	9.5 mm
205411	1 Roll	10 m	12.7 mm
205412	1 Roll	10 m	25.0 mm

Heat Shrink Tubing - 50 & 70 mm Lengths





- Polyolefin.
- Shrink ratio of 2:1

Sizes: 3.2, 4.8, 6.4 x 50 mm. 12.7 x 70 mm (diameter x length). Colours: Black, Blue, Red, Yellow

Part No.	Box of
105186	160

Heat Shrink Tubing - Assorted Box



- Polyolefin.
- Shrink ratio of 2:1

Sizes: 4.8, 6.4, 9.5, 12.7 mm (diameter). Colours: Black, Blue, Red, Yellow

Part No.	Box of
105181	30

Heat Shrink Tubing - Assorted Pack



- Polyolefin.
- Shrink ratio of 2:1

Sizes: 4.8 mm. Colours: Black, Blue, Red, Yellow

Part No.	Pack of
110138	48

PVC Insulation Tape - 'AT7'

ADVANCE



- Flame retardant.
- 19 mm x 20 m Rolls

Part No.	Pack of	Colour
225291	10	Black
225273	10	Blue
225292	10	Brown
225272	10	Green/Yellow Stripe
225276	10	Grey
225275	10	Red
225271	10	White
225274	10	Yellow

Assorted PVC Insulation Tape - 'AT7'

ADVANCE



- Flame Retardant.
- 19 mm x 20 m rolls

Sizes: White, Blue, Yellow, Red, Grey, Brown, Green/Yellow Stripe

Part No.	Pack of
110195	10

PVC Insulation Tape - High Quality



- Flame retardant.

Part No.	Pack of	Colour	Width	Length
225279	10	Black	19 mm	20 m
225278	50	Black	19 mm	20 m
225294	3	Black	50 mm	33 m
225295	250	Black	19 mm	20 m
225282	10	Blue	19 mm	20 m
225288	3	Black	50 mm	20 m
225286	10	Brown	19 mm	20 m
225283	10	Green	19 mm	20 m
225287	10	Green/Yellow Stripe	19 mm	20 m
225290	10	Grey	19 mm	20 m
225281	10	Red	19 mm	20 m
225285	10	White	19 mm	20 m
225284	10	Yellow	19 mm	20 m
225296	8	Orange	19 mm	33 m
225297	8	Purple	19 mm	33 m
225298	3	Red	50 mm	33 m

Assorted Insulation Tape - Coloured PVC



- High quality.
- Flame retardant.
- 19 mm x 20 m rolls

Colours: Blue, Green, Red, White, Yellow

Part No.	Pack of
225280	10

PVC Insulation Tape - NITTO '21'



- 19 mm x 20 m Rolls

Part No.	Pack of	Colour
225277	10	Black
225289	120	Black

Auto Cable - 1 mm² Single Core



- 14/030.
- Standard: 8.75 amp.
- Thin Wall: 16.50 amp.
-

Part No.	Qty	Colour	Length	Type
215167	1	Black	50 m	Standard
215168	1	Blue	50 m	Standard
215171	1	Brown	50 m	Standard
215169	1	Green	50 m	Standard
215187	1	Purple	50 m	Standard
215166	1	Red	50 m	Standard
215172	1	White	50 m	Standard
215170	1	Yellow	50 m	Standard
215120	1	Black	50 m	Thin Wall
215121	1	Blue	50 m	Thin Wall
215122	1	Brown	50 m	Thin Wall
215123	1	Green	50 m	Thin Wall
215124	1	Purple	50 m	Thin Wall
215125	1	Red	50 m	Thin Wall
215126	1	White	50 m	Thin Wall
215127	1	Yellow	50 m	Thin Wall

Auto Cable - 2 mm² Single Core



- 28/030.
- Standard: 17.50 amp.
- Thin Wall: 25 amp.
-

Part No.	Qty	Colour	Length	Type
215174	1	Black	50 m	Standard
215175	1	Blue	50 m	Standard
215178	1	Brown	50 m	Standard
215176	1	Green	50 m	Standard
215190	1	Purple	50 m	Standard
215173	1	Red	50 m	Standard
215179	1	White	50 m	Standard
215177	1	Yellow	50 m	Standard
215128	1	Black	50 m	Thin Wall
215129	1	Blue	50 m	Thin Wall
215130	1	Brown	50 m	Thin Wall
215131	1	Green	50 m	Thin Wall
215132	1	Purple	50 m	Thin Wall
215157	1	Red	50 m	Thin Wall
215158	1	White	50 m	Thin Wall
215159	1	Yellow	50 m	Thin Wall

Auto Cable - 3 mm² Single Core



- 44/030.
- Standard: 27.50 amp.
- Thin Wall: 33 amp.

Part No.	Qty	Colour	Length	Type
215192	1	Black	30 m	Standard
215193	1	Brown	30 m	Standard
215180	1	Red	30 m	Standard
215160	1	Black	30 m	Thin Wall
215161	1	Brown	30 m	Thin Wall
215162	1	Red	30 m	Thin Wall

Auto Cable - 4 mm² Single Core



- 65/030.
- Standard: 35 amp.
- Thin Wall: 42 amp.

Part No.	Qty			
215196	1	Black	30 m	Standard
215197	1	Brown	30 m	Standard
215181	1	Red	30 m	Standard
215039	1	Black	30 m	Thin Wall
215040	1	Brown	30 m	Thin Wall
215038	1	Red	30 m	Thin Wall

Auto Cable - 1 mm² Twin Core



- 2 x 14/030.
- Standard: 8.75 amp.
- Thin Wall: 16.5 amp.
- Red & Black inner

Part No.	Qty	Colour	Length	Type
215182	1	Black	30 m	Standard
215199	1	Black	100 m	Standard
215045	1	Black	30 m	Thin Wall
215046	1	Black	100 m	Thin Wall

Auto Cable - 2 mm² Twin Core



- 2 x 28/030.
- Standard: 17.50 amp.
- Thin Wall: 25 amp.
- Red & Black inner

Part No.	Qty	Colour	Length	Type
215183	1	Black	30 m	Standard
215191	1	Black	100 m	Standard
215047	1	Black	30 m	Thin Wall
215048	1	Black	100 m	Thin Wall

Auto Cable - Twin Core - Flat



- Flat.
- Thinwall.
- 2 x 32/0.20.
- 16.5 amp

Part No.	Qty	Length	Colour
215060	1	50 m	Black

Auto Cable - 3 Core



- Thinwall.
- 3 x 32/0.20.
- 16.5 amp

Part No.	Qty	Length	Colour
215070	1	50 m	Black


Stereo Speaker Cable - 0.4 mm² Twin Core



- 44/030.
- 2 amp

Part No.	Qty	Colour	Length
215185	1	Black (with white stripe)	30 m
215184	1	Black (with white stripe)	100 m

Mains Cable - 3 Core - Black Rubber



- Tough rubber sheathed (TRS).

Part No.	Qty	Size	Length	Amperage
215270	1	0.75 mm²	30 m	6 amp
215263	1	0.75 mm²	50 m	6 amp
215266	1	1.00 mm²	30 m	10 amp
215267	1	1.50 mm²	30 m	15 amp

Artic Cable - 3 Core



- Yellow PVC covered.
- 100v

Part No.	Qty	Size	Length
215273	1	1.50 mm²	100 m
215274	1	2.50 mm²	100 m

Auto Cable - 4 Core



- Black PVC covered.
- 5.75 amp

Part No.	Qty	Size	Length
215200	1	0.65 mm²	30 m

Auto Cable - 5 Core



- Black PVC covered.
- 8.75 amp

Part No.	Qty	Size	Length
215201	1	1.00 mm²	30 m

Cable For Trailers - 7 Core - 5.75 Amp



- 5.75 amp

Part No.	Qty	Size	Length
215221	1	1.00 mm²	30 m

Cable For Trailers - 7 Core - 14 Amp



- 6 x 8.75 amp.
- 1 x 17.5 amp

Part No.	Qty	Size	Length
215209	1	6 x 1.00 mm² & 1 x 2.00 mm²	30 m

Cable For Trailers - 7 Core



- 7 x 24/0.20.
- 14 amp

Part No.	Qty	Size	Length
215080	1	0.65 mm²	30 m

Pipe / Cable Spiral Binding - Black



- Suitable for wiring.
- Polythene

Part No.	Qty	Length	Diameter
295501	1	30 m	1.5 - 8 mm²
295502	1	30 m	5 - 20 mm²
295503	1	30 m	10 - 100 mm²

Split Conduit



- Nylon

Part No.	Qty		Length
295244	1 roll	6.9 mm	50 m
295246	1 roll	10.7 mm	10 m

Welding Cable



- Flexible

Part No.	Qty	Size	Length	Colour
215271	1	16 mm²	10 m	Black

Copper HT Cable



- 16/030

Part No.	Qty	Length	Colour
215272	1	30 m	Black

Earth Cable - Light Duty



Part No.	Qty	Size	Length	Type
215237	1	25 mm²	10 m	Braided

Starter Cable - Light Duty



- 322/0.30.
- Suits 12v

Part No.	Qty	Size	Length	Colour
215232	1	25 mm²	10 m	Black
215231	1	25 mm²	10 m	Red

Starter Cable - Heavy Duty



- 61/113.
- Suits 24v

Part No.	Qty	Size	Length	Colour
215233	1	60 mm²	10 m	Black
215234	1	60 mm²	10 m	Red

Starter Cable



Part No.	Qty	Size	Length	Colour
215235	1	35 mm²	10 m	Black
215238	1	35 mm²	10 m	Red
215236	1	50 mm²	10 m	Black
215239	1	50 mm²	10 m	Red

Crocodile Clips



- Zinc plated

Part No.	Pack of	Amperage
255218	24	5 amp
255219	25	25 amp
255220	25	50 amp

Jump Lead Handles



- Insulated plastic.
- 100 amp

Part No.	Pack of	Colour
295222	2 Pairs	Red & Black

Battery Booster Cables - General Use



- Red & Black cables.
- Supplied in a handy storage bag

Part No.	Pack of	Length	Amperage
295250	1 Set	3.0 m	200 amp
295252	1 Set	3.0 m	400 amp
295254	1 Set	4.0 m	700 amp

Battery Booster Cables - Heavy Duty



- Red & Black cables.
- Heavy duty copper cable fitted with electroplated clips

Suitable for 12 / 24v cars & light commercial vehicles.

Part No.	Pack of	Length	Diameter	Amperage
295231	1 Set	3.5 m	16 mm²	400 amp
295229	1 Set	5.0 m	16 mm²	400 amp
295236	1 Set	3.5 m	25 mm²	600 amp
295240	1 Set	5.0 m	35 mm²	750 amp
295239	1 Set	7.5 m	50 mm²	900 amp

Copper Tube Terminals - Cable Lugs



- 35 mm² Cable Entry suits Light Duty Starter Cable.
- 70 mm² Cable Entry suits Heavy Duty Starter Cable

Part No.	Pack of	Cable Entry	Stud
205178	20	10 mm²	8 mm
205238	20	16 mm²	8 mm
205234	20	25 mm²	6 mm
205235	20	25 mm²	8 mm
205236	20	25 mm²	10 mm
205181	10	35 mm²	8 mm
205182	10	35 mm²	10 mm
205183	10	35 mm²	12 mm
205184	10	50 mm²	8 mm
205185	10	50 mm²	10 mm
205189	10	50 mm²	12 mm
205237	10	70 mm²	10 mm
205186	10	70 mm²	12 mm
205187	10	95 mm²	16 mm
205188	10	120 mm²	14 mm

Assorted Copper Tube Terminals

Sizes: 10 mm² x 8 mm. 16 mm² x 8 mm. 25 mm² x 6, 8, 10 mm. 35 mm² x 8, 10, 12 mm. 50 mm² x 10, 12 mm. 70 mm² x 10, 12 mm



Part No.	Box of
105227	80

Battery Retaining Bracket Set



- Universal fitting stays & nuts.
- Zinc plated

Part No.	Pack of
295227	5 Sets


Battery Terminals - Light Duty



- Zinc plated brass

Part No.	Pack of	Voltage	Type
205211	1	12v	Positive
205212	1	12v	Negative
205223	10	12v	Positive
205224	10	12v	Negative

Battery Terminals - Heavy Duty



- Zinc plated brass

Part No.	Pack of	Voltage	Type
205225	10	24v	Positive
205226	10	24v	Negative

Battery Terminals - Commercial



- Extra heavy duty

Part No.	Pack of	Voltage	Type
205227	5	24v	Positive
205228	5	24v	Negative

Battery Terminals - Cargo Post



- Heavy duty commercial type

Part No.	Pack of	Voltage	Type
205240	5	24v	Positive
205241	5	24v	Negative

Battery Clamps - Quick Release



- Heavy duty commercial type

Quick release terminals designed to be fitted onto a battery or removed without the use of tools

Part No.	Pack of	Colour
205232	1	Red & Blue

Battery Isolator Switch & Cover



- 100 amps continuous.
- 500 amps for 5 seconds

Part No.	Pack of
295208	2 Piece Set

Mini Relay - With Bracket



- Normally open.
- Standard 'B' type relay

Part No.	Pack of	Amperage	Voltage
295218	1	40 amp	12v

Starter Straps - PVC Coated



- Ring ends.
- 16 mm² cable

Part No.	Pack of	Length	Voltage
295461	2	12"	12v
295462	2	18"	12v

Earth Straps - Light Duty



- Terminal & ring ends.
- Braided

Part No.	Pack of	Length	Voltage
295451	2	12"	12v
295452	2	18"	12v

Earth Straps - Heavy Duty



- Terminal & ring ends.
- Braided

Part No.	Pack of	Length	Voltage
295453	2	12"	24v
295454	2	18"	24v

Switch To Starter Cables - Black



- Switch to starter spade.
- 37/0.71 mm.
- 16 mm² copper cable.
- PVC insulated

Part No.	Pack of	Length
295460	1	22.5 cm (9")
295561	1	30.0 cm (12")
295562	1	45.0 cm (18")
295463	1	60.0 cm (24")
295464	1	76.0 cm (30")
295465	1	91.5 cm (36")

GYSPAC Auto 400 - 12v Booster

GYSPack 400 instantly starts trucks, cars, camper vans & vans



- Self-contained starter 12V.
- Power supply 12V DC.
- For use with 18Ah high performance batteries.
- Automatic charger 100-240V / 16V Floating: to charge the internal battery unsupervised - Charge the battery up to 100%, maximising its life and efficiency.
- Tester, cables x 2 58 cm (16 mm2)

Part No.	Pack of
777800	1

GYS StartPack Truck - 12v/24v Booster

STARTpack TRUCK instantly starts trucks, cars, camper vans, vans

- Self-contained starter 12/24V.
- Power supply 12V DC.
- For professional use, equipped with 2 x 22Ah high performance batteries.
- Automatic charger 110>230V Floating: to charge the internal battery unsupervised - Charge the battery up to 100%, maximising its life and efficiency.
- On/Off switch, tester, cables x 2 1.8 m (25 mm2)



Part No.	Pack of
777805	1

High Current Connectors

- Anderson Style'.
- High current power connectors are used to connect heavy duty cables which need to be connected quickly and disconnected safely.



Part No.	Pack of	Colour	Amperage
295215	1 Kit	Red	50 amp
295216	1 Kit	Red	175 amp
295217	1 Kit	Red	350 amp
295221	1 Kit	Grey	50 amp
295219	1 Kit	Grey	175 amp
295220	1 Kit	Grey	350 amp

Cable Tie Dispenser Box - Complete with Cable Ties

Black Ties: 2.5 x 100mm (200), 3.6 x 140mm (200), 4.8 x 200mm (100), 4.8 x 300mm (100), 4.8 x 370mm (100), 7.6 x 370mm (100). Silver Ties: 4.8 x 300mm (100). Assorted Colours: 4.8 x 200mm (100)



Part No.	Pack of
110301	1000

Cable Ties - Black - General Use

- High grade nylon 6.6.
- Black.



Part No.	Pack of	Length	Width
245501	100	100 mm	2.5 mm
245521	1000	100 mm	2.5 mm
245502	100	140 mm	3.6 mm
245522	1000	140 mm	3.6 mm
245503	100	200 mm	4.8 mm
245523	1000	200 mm	4.8 mm
245504	100	295 mm	4.8 mm
245524	500	295 mm	4.8 mm
245505	100	370 mm	4.8 mm
245525	500	370 mm	4.8 mm
245506	100	370 mm	7.6 mm
245526	250	370 mm	7.6 mm
245204	100	710 mm	9.0 mm

Assorted Cable Ties - Black

- High grade nylon 6.6

Sizes: 100 x 2.5 mm. 140 x 3.6 mm. 200, 295, 370 x 4.8 mm. 370 x 7.6 mm



Part No.	Pack of
245201	200

Cable Ties - Coloured - General Use



- High grade nylon 6.6

Part No.	Pack of	Length	Width	Colour
245313	200	200 mm	4.8 mm	Red
245314	200	200 mm	4.8 mm	Blue
245315	200	200 mm	4.8 mm	Yellow
245316	200	200 mm	4.8 mm	Green
245317	200	200 mm	4.8 mm	Brown

Assorted Cable Ties - Coloured



- 200 x 4.8 mm.
- High grade nylon 6.6

Colours: Blue, Brown, Green, Red, Yellow

Part No.	Pack of
245205	100

Cable Ties - Silver - General Use



- High grade nylon 6.6

Part No.	Pack of	Length	Width
245509	100	295 mm	4.8 mm
245529	500	295 mm	4.8 mm

Cable Ties - Bonus Pack



- High grade nylon 6.6

Black Ties: 2.5 x 100mm (200) 3.6 x 140mm (200) 4.8 x 200mm (100) 4.8 x 295mm (100) 4.8 x 370mm (100) 7.6 x 370mm (100) Assorted Colours: 4.8 x 200mm (100)

Part No.	Pack of
245530	700

Cable Ties - White - General Use



- High grade nylon 6.6

Part No.	Pack of	Length	Width
245511	100	100 mm	2.5 mm
245621	1000	100 mm	2.5 mm
245512	100	140 mm	3.6 mm
245622	1000	140 mm	3.6 mm
245513	100	200 mm	4.8 mm
245623	1000	200 mm	4.8 mm
245514	100	295 mm	4.8 mm
245624	500	295 mm	4.8 mm
245515	100	370 mm	4.8 mm
245625	500	370 mm	4.8 mm
245516	100	370 mm	7.6 mm
245517	100	710 mm	9.0 mm

Cable Ties - Black



- High grade nylon 6.6

Part No.	Pack of	Length	Width	Ref
245187	200	100 mm	2.5 mm	T18R
245580	100	200 mm	2.5 mm	T18L
245189	200	150 mm	3.6 mm	T30R
245208	200	200 mm	3.6 mm	T30L
245582	100	290 mm	3.6 mm	T30LL
245304	200	115 mm	4.8 mm	LK2
245191	200	200 mm	4.8 mm	T50R
245312	500	200 mm	4.8 mm	T50R
245202	1000	200 mm	4.8 mm	T50R
245584	100	250 mm	4.8 mm	T50M
245310	100	275 mm	4.8 mm	LK2A
245206	500	300 mm	4.8 mm	T50I
245203	1000	300 mm	4.8 mm	T50I
245302	100	385 mm	4.8 mm	T50L
245207	300	385 mm	4.8 mm	T50L
245210	500	385 mm	4.8 mm	T50L
245193	100	300 mm	7.6 mm	T120I
245195	100	385 mm	7.6 mm	T120R
245218	100	465 mm	7.6 mm	T120M
245306	50	540 mm	13.0 mm	LK5

Cable Ties - Silver

HellermannTyton

- High grade nylon 6.6



Part No.	Pack of	Length	Width	Ref
245318	100	385 mm	4.8 mm	T50L
245518	250	385 mm	4.8 mm	T50L

Cable Ties - White

HellermannTyton

- High grade nylon 6.6



Part No.	Pack of	Length	Width	Ref
245186	200	100 mm	2.5 mm	T18R
245188	200	150 mm	3.6 mm	T30R
245572	100	290 mm	3.6 mm	T30LL
245303	200	120 mm	4.8 mm	T50I
245190	200	200 mm	4.8 mm	T50R
245311	500	200 mm	4.8 mm	T50R
245574	100	250 mm	4.8 mm	T50M
245309	100	270 mm	4.8 mm	LK2A
245185	100	385 mm	4.8 mm	T50L
245192	100	300 mm	7.6 mm	T120I
245194	100	380 mm	7.6 mm	T120R
245219	100	465 mm	7.6 mm	T120M
245305	50	540 mm	13.0 mm	LK5

Cable Ties - Black - Panel Fixing

HellermannTyton

- For holding wires to panels.
- Fits 8 mm diameter hole



Part No.	Pack of	Length	Width	Ref
245231	100	215 mm	4.6 mm	RT50RSF

Cable Ties - Black - Releasable

HellermannTyton



Part No.	Pack of	Length	Width	Ref
245241	100	145 mm	7.5 mm	REL140
245242	100	250 mm	7.5 mm	REL250

Speedy Ties

HellermannTyton

- Re-usable quick release tie.
- High grade nylon 6.6



Part No.	Pack of	Length	Width
245245	2	740 mm	13.0 mm

Cable Ties - Dark Blue - Foodsafe (Metal Content)

HellermannTyton

- Designed for use in the food and pharmaceutical industries.
- Unique blue colour for easy visual detection.
- Magnetic detectable.
- Greatly reduces risk of contamination.
- HF & RoHS approved



Part No.	Pack of	Length	Width	Ref
295521	100	100 mm	2.5 mm	MCT18R
295523	100	150 mm	3.6 mm	MCT30R
295525	100	200 mm	4.8 mm	MCT50R
295509	100	390 mm	4.8 mm	MCT50L
295527	100	380 mm	7.6 mm	MCT120R

Cable Ties - Stainless Steel



- Provides secure fixing.
- Ideal for use with CV joint boots

Part No.	Pack of	Length	Width
245531	50	210 mm	4.6 mm
245532	50	360 mm	4.6 mm

Metal Ties



- For CV boots & drive shafts

Part No.	Pack of	Size
245251	10	25 - 50 mm
245252	10	40 - 110 mm

Clamp Kit & Pincer Pack - Metal Ties



- Universal clamps.
- Ideal for soft material.
- Fast and easy assembly.
- For optimal Oetiker Ear Clamp installation and removal

Contains: 10 x 25-50mm Metal ties, 10 x 40-110mm Metal ties and a Clamp Pincer

Part No.	Pack of
245253	1

Cable Tie Bases - Plastic Screw On



- White.
- Tie Width up to 4.8 mm

Part No.	Pack of
245198	50

Cable Tie Bases - Foodsafe (Metal Content)

HellermannTyton



- Dark Blue.
- Designed for use in the food and pharmaceutical industries.
- Unique blue colour for easy visual detection.
- Magnetic detectable.
- Greatly reduces risk of contamination.
- HF & RoHS approved

Part No.	Pack of	Size
245234	50	3.5 mm
245236	50	4.7 mm

Cable Tie Bases - Plastic Self Adhesive



Part No.	Pack of	Size	Colour
245196	50	3.5 mm	White
245226	50	3.5 mm	Black
245197	50	4.7 mm	White
245228	50	4.7 mm	Black

Metal Chassis Clips



- Spring steel.
- Zinc plated.
- 6 mm cable grip

Part No.	Pack of	Length
255208	50	40 mm

Cable Clips - Self Adhesive Metal



- White acrylic coated mild steel

Part No.	Pack of	Cable Diameter
255292	50	6 mm
255293	50	8 mm
255294	50	12 mm
255285	50	16 mm

Assorted Self Adhesive Cable Clips - Metal



- White acrylic coated mild steel

Sizes: 6 mm. 8 mm. 12 mm (cable diameter)

Part No.	Pack of
110139	50

Cable Clips - Self Adhesive Nylon



- Natural

Part No.	Pack of	Cable Diameter
255198	100	6 mm
255199	50	11.5 mm
255200	25	16 mm

Assorted Self Adhesive Cable Clips - Nylon



Sizes: 6 mm. 11.5 mm. 16.0 mm

Part No.	Pack of
110202	50

P-Clips - Adjustable - Nylon



- Natural

Part No.	Pack of	Cable Diameter
255284	50	4.8 - 6.4 mm
255295	50	6.4 - 9.5 mm
255296	50	9.5 -14.3 mm
255297	50	14.3 - 22.2 mm
255298	50	22.2 - 30.2 mm

Assorted P-Clips - Adjustable



- Natural nylon

Sizes: 6.4 - 9.5 mm. 9.5 - 14.3 mm. 14.3 - 22.2 mm. 22.2 - 30.2 mm (cable diameter

Part No.	Pack of
110203	40

P-Clips - Nylon



- Black

Part No.	Pack of	Cable Diameter
255288	100	5 mm
255289	100	6.4 mm
255290	100	9 mm
255291	100	12 mm

Assorted P-Clips - Nylon



Sizes: 5.0 mm. 6.4 mm. 9.0 mm. 12.0 mm (cable diameter)

Part No.	Pack of
110100	100

P-Clips - Rubber Lined



- EPDM rubber.
- Zinc plated mild steel

Part No.	Pack of	Cable Diameter
255299	50	6 mm
255300	50	8 mm
255301	50	10 mm
255302	50	13 mm
255303	50	16 mm
255304	25	21 mm
255307	25	25 mm
255305	25	29 mm
255308	25	32 mm
255306	25	35 mm
255310	25	60 mm

Assorted P-Clips - Rubber Lined



- EPDM rubber.
- Zinc plated mild steel

Sizes: 6 mm. 8 mm. 10 mm. 13 mm. 16 mm. 21 mm. 29 mm. 35 mm (cable diameter)

Part No.	Pack of
110152	50

Blanking Grommets - PVC



Part No.	Pack of	Hole Size
295110	100	8.0 mm
295111	100	9.5 mm
295112	100	12.5 mm
295113	50	16.3 mm
295114	50	19.0 mm
295115	50	25.4 mm

Assorted Blanking Grommets - PVC



Sizes: 8.0 mm. 9.5 mm. 12.5mm. 16.3 mm. 19.0 mm. 25.4 mm

Part No.	Pack of	Hole Size
110167	120	8 - 25.4 mm

Wiring Grommets - PVC




Part No.	Pack of	Hole Size
295130	100	6.4 mm
295131	100	9.5 mm
295132	100	9.5 mm
295133	50	12.5 mm
295134	50	12.5 mm
295135	50	16.0 mm

Assorted Wiring Grommets - PVC



Sizes: 6.4 x 4.75 mm. 9.5 x 6.4, 8.0 mm. 12.5 x 9.5, 11.0 mm. 16.0 x 12.5 mm (hole x cable)

Part No.	Pack of	Hole Size
110168	120	4.75 - 12.5 mm



Micro Blade Fuses



- Applications: 2 Blade: Vauxhall, Ford, Volvo, Fiat & Nissan.
- 3 Blade: Ford, Chrysler & Fiat

Part No.	Pack of	Blades	Colour	Amperage
235750	25	2 Blade	Beige	5 amp
235751	25	2 Blade	Brown	7.5 amp
235752	25	2 Blade	Red	10 amp
235753	25	2 Blade	Blue	15 amp
235754	25	2 Blade	Yellow	20 amp
235755	25	2 Blade	Clear	25 amp
235756	25	2 Blade	Green	30 amp
235760	25	3 Blade	Beige	5 amp
235761	25	3 Blade	Brown	7.5 amp
235762	25	3 Blade	Red	10 amp
235763	25	3 Blade	Blue	15 amp

Mini Blade Fuses



Part No.	Pack of	Colour	Amperage
235271	25	Grey	2 amp
235272	25	Violet	3 amp
235273	25	Pink	4 amp
235274	25	Beige	5 amp
235275	25	Brown	7.5 amp
235276	25	Red	10 amp
235100	1000	Red	10 amp
235277	25	Blue	15 amp
235102	1000	Blue	15 amp
235278	25	Yellow	20 amp
235104	1000	Yellow	20 amp
235279	25	Clear	25 amp
235280	25	Green	30 amp

Assorted Mini Blade Fuses



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Pack of	Amperage
105280	100	2 - 30 amp

Mini Blade Fuses - Low Profile



Part No.	Pack of	Colour	Amperage
235380	25	Violet	3 amp
235381	25	Pink	4 amp
235382	25	Beige	5 amp
235383	25	Brown	7.5 amp
235384	25	Red	10 amp
235385	25	Blue	15 amp
235386	25	Yellow	20 amp
235387	25	Clear	25 amp
235388	25	Green	30 amp

Assorted Blade Fuses - Mini - Low Profile



Amperages: 3, 4, 5, 7.5, 10 , 15, 20, 25, 30 amp

Part No.	Pack of	Amperage
105282	150	3 - 30 amp



Standard Blade Fuses



Part No.	Pack of	Colour	Amperage
235281	50	Grey	2 amp
235282	50	Violet	3 amp
235283	50	Pink	4 amp
235284	50	Beige	5 amp
235285	50	Brown	7.5 amp
235286	50	Red	10 amp
235106	1000*	Red	10 amp
235287	50	Blue	15 amp
235108	1000*	Blue	15 amp
235288	50	Yellow	20 amp
235110	1000*	Yellow	20 amp
235289	50	Clear	25 amp
235290	50	Green	30 amp
235291	50	Amber	40 amp

Assorted Blade Fuses - Standard

Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp



Part No.	Pack of	Amperage
105167	80	2 - 30 amp

Midi Fuses



- Suits Midi fuse holder, part number: 235619

Part No.	Pack of	Colour	Amperage
235780	10	Orange	30 amp
235782	10	Green	40 amp
235784	10	Red	50 amp
235786	10	Yellow	60 amp
235788	10	Brown	70 amp
235790	10	White	80 amp
235792	10	Blue	100 amp
235794	10	Pink	125 amp
235796	10	Black	150 amp

CHEMICALS
OILS & PAINTS



FIXT

PAGES 458 - 491

ADHESIVES
AND SEALANTS



FIXT

FIXT
for an even better solution

Mega Fuses



Suits Mega Fuse Holder, Part number: 235635

Part No.	Pack of	Colour	Amperage
235640	10	Yellow	100 amp
235641	10	Green	125 amp
235642	10	Orange	150 amp
235643	10	White	175 amp
235644	10	Blue	200 amp
235645	10	Beige	225 amp
235646	10	Pink	250 amp
235647	10	Grey	300 amp
235648	10	Black	400 amp
235649	10	Brown	500 amp

MINI® Blade Fuses

Littelfuse



Part No.	Pack of	Colour	Amperage
235324	25	Grey	2 amp
235325	25	Violet	3 amp
235321	25	Pink	4 amp
235326	25	Beige	5 amp
235327	25	Brown	7.5 amp
235328	25	Red	10 amp
235329	25	Blue	15 amp
235330	25	Yellow	20 amp
235331	25	Clear	25 amp
235332	25	Green	30 amp

Assorted Mini Blade Fuses

Littelfuse



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Pack of	Amperage
105190	100	2 - 30 amp

ATO® Blade Fuses

Littelfuse



- Standard size blade fuses

Part No.	Pack of	Colour	Amperage
235311	50	Grey	2 amp
235312	50	Violet	3 amp
235313	50	Pink	4 amp
235314	50	Beige	5 amp
235315	50	Brown	7.5 amp
235316	50	Red	10 amp
235416	100	Red	10 amp
235317	50	Blue	15 amp
235417	100	Blue	15 amp
235318	50	Yellow	20 amp
235319	50	Clear	25 amp
235320	50	Green	30 amp
235307	50	Amber	40 amp

Assorted ATO® Blade Fuses

Littelfuse



Amperages: 2, 3, 4, 5, 7.5, 10, 15, 20, 25, 30 amp

Part No.	Pack of	Amperage
105163	80	2 - 30 amp

MAXI™ Blade Fuses

Littelfuse



Part No.	Pack of	Colour	Amperage
235571	10	Yellow	20 amp
235572	10	Green	30 amp
235573	10	Amber	40 amp
235574	10	Red	50 amp
235575	10	Blue	60 amp
235576	10	Tan	70 amp
235577	10	Natural	80 amp

MEGA Fuses - Littelfuse



- For heavy duty applications

Part No.	Pack of	Amperage
235620	10	250 amp
235630	10	500 amp

JCASE™ Auto Fuses - Standard



The JCASE is a cartridge style fuse with female terminal design, providing both increased time delay & low voltage drop to protect high current circuits & handle inrush currents

Part No.	Pack of	Colour	Amperage
235661	3	Blue	20 amp
235662	3	Natural	25 amp
235663	3	Pink	30 amp
235664	3	Green	40 amp
235665	3	Red	50 amp
235666	3	Yellow	60 amp

JCASE™ Auto Fuses - Low Profile



The JCASE is a cartridge style fuse with female terminal design, providing both increased time delay & low voltage drop to protect high current circuits & handle inrush currents

Part No.	Pack of	Colour	Amperage
235671	3	Blue	20 amp
235672	3	Natural	25 amp
235673	3	Pink	30 amp
235674	3	Green	40 amp
235675	3	Red	50 amp
235676	3	Yellow	60 amp

Torpedo Fuses



Part No.	Pack of	Amperage
235248	100	5 amp
235249	100	8 amp
235250	100	16 amp
235251	100	25 amp
235261	100	40 amp

Assorted Torpedo Fuses



Amperages: 5, 8, 16, 25 amp

Part No.	Box of	Amperage
105162	200	5 - 25 amp

Auto Fuses - Torpedo & Glass



Torpedo: 5, 8, 16, 25 amp.
Glass: 2, 5, 10, 15, 25, 35, 50 amp

Part No.	Box of	Amperage
105265	480	2 - 50 amp

Domestic Plug Mains Fuses



Part No.	Pack of	Amperage
235322	25	3 amp
235323	25	5 amp
235265	50	13 amp

Assorted Domestic Plug / Mains Fuses



Amperages: 3, 5, 13 amp

Part No.	Box of	Amperage
110266	100	3 - 13 amp

Glass Auto Fuses



Part No.	Pack of	Amperage
235241	100	2 amp
235242	100	5 amp
235243	100	10 amp
235244	100	15 amp
235235	100	20 amp
235245	100	25 amp
235246	100	35 amp
235247	100	50 amp

Assorted Glass Auto Fuses



Amperages: 2, 5, 10, 15, 25, 35, 50 amp

Part No.	Box of	Amperage
105161	185	2 - 50 amp

Mini Glass 'Radio' Fuses



Part No.	Pack of	Amperage
235237	100	1 amp
235239	100	2 amp
235238	100	3 amp
235236	100	5 amp

Assorted Fuses - Auto & Domestic



Contains: Mini Blade Fuses. Standard (ATO) Blade Fuses. Glass Auto Fuses. Mini Glass 'Radio' Fuses. Torpedo Fuses. Domestic Plug Fuses. Blade Fuse Holders (x 2). Glass & Torpedo Fuse Holders (with terminal ends)

Part No.	Box of
105304	324

Glass & Ceramic Fuse Holders



Part No.	Pack of
235257	10


Glass & Ceramic Fuse Holders - With Terminal Ends



Part No.	Pack of
235260	10

Blade Fuse Tester & Extractor

Littelfuse®



- For standard size ATO & MINI blade fuses

Part No.	Pack of
235309	1

Blade Fuse Holder - 'Add-A-Circuit' ATO™ Style

Littelfuse®



- Fusetap & holder for installing additional accessories without splicing.

Part No.	Pack of	Amperage
235306	1	10 amp

Splashproof Blade Fuse Holders - Standard ATO

Littelfuse®



- For standard size ATO® blade fuses

Part No.	Pack of	Amperage
235254	10	20 amp
235262	10	30 amp

Splashproof Blade Fuse Holders - Mini Blade Fuse

Littelfuse



- For Mini blade fuses

Part No.	Pack of	Amperage
235259	10	20 amp
235258	10	30 amp

Blade Fuse Holders - with orange cable

Littelfuse



- With orange cables

Part No.	Pack of	Amperage
235703	10	30 amp

Blade Fuse Holders - With Male Side Tabs



- For standard size ATO® blade fuses

Part No.	Pack of
235253	10


Blade Fuse Holders



- For standard size ATO® blade fuses

Part No.	Pack of
235252	10

Blade Fuse Holder - Self Stripping



- Self Stripping blade fuse holder

Part No.	Pack of
235308	20

Blade Fuse Holder - Add-A-Circuit Style



- Fusetap & holder for installing additional accessories without splicing

Part No.	Pack of	Amperage	Type
235710	10	20 amp	Mini
235715	10	20 amp	Standard

Blade Fuse Holder - Splashproof



Part No.	Pack of	Amperage
235263	10	30 amp

Blade Fuse Holder - For maxi blade fuse



Part No.	Pack of
235705	10

Blade Fuse Holders - For maxi blade fuse



- 1.5 - 2.5 mm cable

Part No.	Pack of
235255	10

Strip Fuse Block Holders - For MIDI fuses



Part No.	Pack of
235619	10

Fuse Holder - For Mega Fuses



Part No.	Pack of
235635	1

Battery Drop Tester

- American style drop tester.
- Load applied by internal switchgear - no sparking.
- Suitable for 6 and 12V batteries.
- Applies load across cells and measures output on meter.
- Accurate information of battery voltage and faulty or short circuited cell



Part No.	Qty
940700	1

Multi-Tester - Analogue

- Complete with 9v battery



Part No.	Qty
985552	1 Set

Multi-Tester - Digital

- Complete with 9v battery



Part No.	Qty
985545	1 Set

Circuit Testing Probe

- Brass.
- With 1 m cable & clip



Part No.	Qty	Voltage
985227	1	6V - 24V

Circuit Testing Screwdriver

- Length: 110 mm



Part No.	Qty	Voltage
985241	1	6V - 24V

Mains Testing Screwdriver -

- Length: 190 mm



Part No.	Qty	Voltage
985229	1	240V

'Electricians' Screwdriver - With pocket clip

- 1/8" x 2" long



Part No.	Qty
985701	6

Fluorescent Tubes - Single



Part No.	Qty	Voltage	Wattage
295320	3	240v	8w

Cable Connectors

- Male & female ends



Part No.	Qty	Type
265251	1 Pair	2 Pin
265252	1 Pair	3 Pin

LED ATEX Safety Torch - 50 Lumens

LEDLENSER

- 50 Lumens.
- 7 hours run time.
- 35 metre beam distance.
- Lightweight, intrinsically safe Zone 0/20 compliant.
- Slimline with a handy pocket clip.
- IP66 dust/water resistance.
- II 1G Ex ia op is IIC T4 Ga.
- II 1D Ex ia op is IIIC T200 135C Da

Supplied with: Handy pocket clip and 2 x AAA batteries



Part No.	Qty
275900	1

LED ATEX Safety Torch - 200 Lumens

LEDLENSER

- 200/60 Lumens.
- 16/45 run time.
- 120/70 metre beam distance.
- Powerful ATEX compliant intrinsically safe for Zone 0/20.
- Magnetic switch designed to work easily even with gloves on.
- Patented Advanced Focusing Optics for spot (distance) or flood (near) illumination.
- Clever belt clip accessory for hands-free mounting and directing of light beam.
- IP66 dust/water resistance.
- II 1G Ex ia op is IIC T4 Ga.
- II 1D Ex ia op is IIIC T200 135C Da

Supplied with: Clever belt clip accessory and 3 x AAA



Part No.	Qty
275902	1

LED Atex Head Torch - 180 Lumens

- Lumens: Power: 180, low power: 50.
- Light Functions: Power, low power.
- Beam Distance: Power: 120m, 65m.
- Burn Time: Power: 15h, low power: 40h.
- IPX Rating: 66 - dust tight and protected against powerful jets of water.
- Battery: 3 x Alkaline AA 1.5V.
- Size: Head Diameter: 41mm.
- Weight including batteries: 345g.
- In The Box: 1 EXH8 ATEX Headlamp , 1 set of batteries, Battery cartridge



Part No.	Qty
275904	1

LED Torch - Multi Coloured

- 200 Lumens.
- 3 hours run time.
- 60 metre beam distance.
- 4 LED colours: White, Red, Green & Blue.
- Prismatic diffuser for optimum light and colour performance.
- Easy-twist colour selection.
- Robust, yet lightweight aircraft-grade aluminium housing.
- Corrosion, water and dust resistant

Supplied with: Belt pouch, Wrist-strap and 4 x AAA batteries



Part No.	Qty
275452	1

LED Pen Torch -

- 18 Lumens.
- 8.5 hours run time.
- 25 metre beam distance.
- Energy efficient LED light-chip.
- Blue Moon Focus System™ delivers a brighter, whiter beam.
- Robust, yet lightweight aircraft-grade aluminium housing.
- Speed Focus™ enables smooth single-handed beam focusing.
- Water and dust resistant



Supplied with: Handy pocket clip, wrist-strap, belt/storage pouch and 2 x AAA batteries

Part No.	Qty
275454	1

LED Pen Torch - Rechargeable

LEDLENSER

- 120 Lumens.
- 4 hours run time.
- 100 metre beam distance.
- Advanced Focus System (AFS).
- Patented reflector and lens combination for intense distance or near illumination.
- Speed Focus®.
- Power and Low Power light modes.
- USB Connection for recharging.
- Water resistant (IPX4).
- Robust metal housing



Supplied with: Docking/charging station, USB charging cable, Pouch, Rechargeable battery set (3 x AAA NiMH)

Part No.	Qty
275456	1

LED Torch - Rechargeable

LEDLENSER

- 220 Lumens.
- 5 hours run time.
- 180 metre beam distance.
- Advanced Focus System (AFS).
- Patented reflector and lens combination for intense distance or near illumination.
- Speed Focus® with Fast Lock/Dynamic Switch.
- Power and Low Power light modes.
- USB connection for recharging.
- Water resistant (IPX4).
- Robust metal housing



Supplied with: Docking/charging station, USB charging cable, Roll protection ring, Pouch, Wrist-strap, Rechargeable battery set

Part No.	Qty
275458	1

LED Head Torch - Rechargeable



- 180 Lumens.
- 5 hours run time.
- 120 metre beam distance.
- Premium Power LED (white light) & glare-free LED (red light).
- Advanced Focus System (AFS).
- Patented reflector and lens combination for distance or near illumination.
- Smart light technology - Power, Low Power & Blink.
- Instant focusing - Focus the light with just one twist.
- Transport lock - to prevent accidental battery drain.
- Lamp head swivels 60˚.
- Water-resistant (IPX6)

Supplied with: USB Cable, Pouch, 1 x L-ion rechargeable battery pack

Part No.	Qty	Type
275472	1	Headlight

LED Safety Torch - ATEX Certified



- 135 lumens.
- Operating temp: -20c to +40c.
- Waterproof & dust-proof.
- 30 hours of battery life.
- Battery type: 4 x AAA

Part No.	Qty
275518	1

LED Performance Torch



- 100 lumens.
- 3 Hour battery life.
- IPX4 Splashproof.
- 80 Metre beam with long life CREE LED (100,00 hours).
- Battery type: 1 x AA

Part No.	Qty
275480	1

Inspection Beam Torch



- Beam length 21 meters.
- Run time 11 hours.
- Aluminium lightweight torch with steel pocket clip.
- Water resistant - IP54.
- Bright white beam which cuts a clean, consistent light from edge to edge to evenly illuminate work spaces.
- Supplied with batteries - takes 2 AAA

Part No.	Qty
275493	1

Inspection Penlight



- Beam length 20 meters.
- Run time 3 hours.
- Aluminium lightweight torch with steel pocket clip comes in a sleek stainless steel colour.
- Water resistant - IP54.
- Bright white beam which cuts a clean, consistent light from edge to edge to evenly illuminate work spaces.
- Comes with the COAST Pro-Flex charging cap which makes recharging as easy and intuitive as replacing the cap on a pen.

Part No.	Qty
275494	1

COB Cliplight



- 80 lumens, 13 meter beam length.
- Run time 3 hours 45 minutes.
- Can be worn as a cap light, pocket light plus it has a magnetized clip.
- Water resistant - IP54.
- Supplied with batteries - takes 2 AAA.

Part No.	Qty
275495	1

Long Distance Focusing Torch



- 300 lumens, 352m beam.
- Run time 7 hours on full beam.
- Pure beam focusing system with slide focus which offers a high, medium and low beam.
- Water resistant - IP54.
- Supplied with - lanyard, belt pouch, 2 x Li-on battery cartridges (7 hours each), USB charger, 2 x 360 degree hands-free holders, one for pockets belts etc & the other wall mountable.
- Also supplied with 4 x AAA alkaline batteries (to be used as back up/spare)

Part No.	Qty
275496	1

Pure Beam Focusing Torch



- 400 lumens, 156 meter beam length.
- Run time 2 hours 15 minutes..
- Water resistant - IP54.
- High & low (Flood & spot) slide beam focus.
- Built in USB charger.
- Comes with ZITHION rechargeable battery & USB charging cable

Part No.	Qty
275497	1

Dual LED Multi-Tool



- Dual LED multi tool.
- Comes with 14 tools & 2 LED lights.
- Spring loaded pliers along with built-in LED lights which help illuminate work surfaces.
- Stainless steel handle.
- All implements easily accessible, jaw does not need to be opened. Supplied with 2 x CR1616 coin cell batteries.

Part No.	Qty
275498	1

LED Torch - Anodized Aluminium

- 55 lumens.
- 5.5 hour battery life.
- 1 Ultra bright LED.
- 80 metre beam.
- Long life LED (50,000 hours).
- Battery type: 3 x AAA



Part No.	Qty
275484	1

Pocket Worklight - COB LED

- 90 lumens.
- 11 hours battery life.
- 14 metre beam radius.
- Pen shaped portable design.
- Pocket/clip for hands free operation.
- Battery type: 3x AAA



Part No.	Qty
275490	1

LED Lantern

- Weatherproof.
- 1 Ultra bright LED.
- 78 metre beam.
- 12 hour battery life.
- 118 lumens.
- 996 battery included



Part No.	Qty
275334	1

Lantern Batteries



Part No.	Qty	Size	Voltage
996	1	996 (4R25 / 1209)	6v
996-02	2	996 (4R25 / 1209)	6v
996-12	12	996 (4R25 / 1209)	6v

Industrial Alkaline Batteries

Energizer

- Guaranteed performance even in extreme conditions.
- Economical bulk packaging.



Part No.	Pack of	Size	Voltage
275291	10	AAA (LR03 / MN2400)	1.5v
275290	10	AA (LR6 / MN1500)	1.5v
275292	12	C (LR14 / MN1400)	1.5v
275293	12	D (LR20 / MN1300)	1.5v
275294	12	9v (6LR / MN1604)	9v

Alkaline Batteries

DURACELL

- The original copper top battery



Part No.	Pack of	Size	Voltage
275264	4	AAA (LR03 / MN2400)	1.5v
275274	40	AAA (LR03 / MN2400)	1.5v
275263	4	AA (LR6 / MN1500)	1.5v
275273	80	AA (LR6 / MN1500)	1.5v
275262	2	C (LR14 / MN1400)	1.5v
275272	20	C (LR14 / MN1400)	1.5v
275265	1	9v (6LR / MN1604)	9v
275275	10	9v (6LR / MN1604)	9v

Industrial Alkaline Batteries

Energizer



Part No.	Pack of	Size	Voltage
275127	20	AAA (LR03 / MN2400)	1.5v
275128	20	AA (LR6 / MN1500)	1.5v
275129	12	C (LR14 / MN1400)	1.5v
275130	12	D (LR20 / MN1300)	1.5v
275131	12	9v (6LR / MN1604)	9v

Power Alkaline Batteries

Energizer



Part No.	Pack of	Size	Voltage
275121	4	AAA (LR03 / MN2400)	1.5v
275521	8	AAA (LR03 / MN2400)	1.5v
275621	12	AAA (LR03 / MN2400)	1.5v
275721	24	AAA (LR03 / MN2400)	1.5v
275221	48	AAA (LR03 / MN2400)	1.5v
275122	4	AA (LR6 / MN1500)	1.5v
275522	8	AA (LR6 / MN1500)	1.5v
275622	12	AA (LR6 / MN1500)	1.5v
275722	24	AA (LR6 / MN1500)	1.5v
275222	48	AA (LR6 / MN1500)	1.5v
275822	96	AA (LR6 / MN1500)	1.5v
275123	2	C (LR14 / MN1400)	1.5v
275523	4	C (LR14 / MN1400)	1.5v
275623	8	C (LR14 / MN1400)	1.5v
275223	24	C (LR14 / MN1400)	1.5v
275124	2	D (LR20 / MN1300)	1.5v
275524	4	D (LR20 / MN1300)	1.5v
275624	8	D (LR20 / MN1300)	1.5v
275224	24	D (LR20 / MN1300)	1.5v
275125	1	9v (6LR / MN1604)	9v
275525	2	9v (6LR / MN1604)	9v
275625	8	9v (6LR / MN1604)	9v
275225	12	9v (6LR / MN1604)	9v

Micro Alkaline Batteries

Energizer

- For use in vehicle remotes.
- Size AAAA suits 'Pin Point' LED Torch (275409) (B10592 FOR FORCE!!)



Part No.	Pack of	Size	Voltage
275126	2	N (LR1 / E90)	1.5v
275112	5	A23 (E23A / MN21)	12v
275120	6	AAAA (LR61 / E96)	1.5v
275111	6	A76 (LR44)	1.5v

Ultimate Lithium Batteries

Energizer

- High performance batteries, ideal for power hungry devices such as games consoles and digital cameras.
- Lasts 8 times longer than standard alkaline batteries.
- Performs in extreme temperatures



Part No.	Pack of	Size	Voltage
275108	4	AA (LR6 / MN1500)	1.5v

Lithium Battery - CR123

NEW!



Part No.	Pack of	Size	Voltage
275110	6	CR123	3v

Button & Cell Batteries - Lithium Coin & Alkaline Micro

- Popular types for remote controls

Lithium Coins: CR1220, CR1616, CR2016, CR2025, CR2032.
Alkaline Buttons: LR44. Alkaline Cell Batteries: 23A



Part No.	Box of
105196	20

Rechargeable Batteries

Energizer

- The worlds No.1 in rechargeable batteries.
- Suitable for all standard chargers



Part No.	Pack of	Size	Voltage
275440	4	AAA (HR03 / 750Ah)	1.2v
275441	4	AA (HR6 / 2100 mAh)	1.2v
275437	2	C (HR14 / 2200 mAh)	1.2v
275438	2	D (HR20 / 2200 mAh)	1.2v
275439	1	9v (HR22 / 150 mAh)	9v

Lithium Coin Batteries

maxell

- For use in vehicle remotes



Part No.	Pack of	Size	Voltage
275234	20	CR2032	3v
275235	100	CR2032	3v
275236	20	CR2025	3v
275237	100	CR2025	3v
275238	20	CR2016	3v
275239	100	CR2016	3v

Coin Batteries - Lithium

Energizer

- For use in vehicle remotes



Part No.	Pack of	Size	Voltage
275105	5	CR1220	3v
275101	5	CR1616	3v
275106	5	CR1620	3v
275102	5	CR2016	3v
275103	5	CR2025	3v
275104	5	CR2032	3v
275116	6	CR2430	3v

Universal Charger - NiMH / NiCd

- Fast universal charger for nickel metal hydride (NiMH) & nickel cadmium (NiCd) AA, AAA, C, D & 9v batteries.



Part No.	Qty
275433	1

AUTO BULB DISPENSERS

Auto Bulb Dispenser Unit - 12 Volt

- 118 Bulbs

Contains: 207 (x5), 233 (x5), 239 (x5), 245 (x5), 265 (x5), 380 (x5), 382 (x5), 501 (x5), 504 (x5), 566 (x5), 567 (x5), 581 (x5), 584 (x5), 380W (x5), 382W (x5), 382WA (x5), 433C (x5), 433D (x5), 501A (x5),921B (x5), 448 (x2), 472 (x5), 499 (x5), 9005 (x2), 9006 (x2), TL224B (x2)

Part No.	Qty
740003	1 Set



Top-Up Bulbs for 12V Dispenser

Part No.	Box of	Voltage	Wattage	Ref
741207	10	12v	5w	207



Part No.	Box of	Voltage	Wattage	Ref
741233	10	12v	4w	233



Part No.	Box of	Voltage	Wattage	Ref
741239	10	12v	5w	239



Part No.	Box of	Voltage	Wattage	Ref
741245	10	12v	10w	245



Part No.	Box of	Voltage	Wattage	Ref
741265	10	12v	10w	265



Part No.	Box of	Voltage	Wattage	Ref
741380	10	12v	21/5w	380



Part No.	Box of	Voltage	Wattage	Ref
741382	10	12v	21w	382



Part No.	Box of	Voltage	Wattage	Ref
741501	10	12v	5w	501



Part No.	Box of	Voltage	Wattage	Ref
741504	10	12v	3w	504



Part No.	Box of	Voltage	Wattage	Ref
741566	10	12v	21/4w	566



Part No.	Box of	Voltage	Wattage	Ref
741567	10	12v	21/5w	567



Part No.	Box of	Voltage	Wattage	Ref
741581	10	12v	21w	581



Part No.	Box of	Voltage	Wattage	Ref
741584	10	12v	21w	584



Part No.	Box of	Voltage	Wattage	Ref
741378	10	12v	21/5w	380W



Part No.	Box of	Voltage	Wattage	Ref
741385	10	12v	21w	382W



Part No.	Box of	Voltage	Wattage	Ref
740384	10	12v	21w	382WA



Part No.	Box of	Voltage	Wattage	Ref
740006	10	12v	6w	433C



Part No.	Box of	Voltage	Wattage	Ref
741022	10	12v	21w	433D



Part No.	Box of	Voltage	Wattage	Ref
741502	10	12v	5w	501A



Part No.	Box of	Voltage	Wattage	Ref
741922	10	12v	16w	921B



Part No.	Box of	Voltage	Wattage	Ref
740448	1	12v	55w	448



Part No.	Box of	Voltage	Wattage	Ref
740472	1	12v	60/55w	472



Part No.	Box of	Voltage	Wattage	Ref
740499	1	12v	55w	499



Part No.	Box of	Voltage	Wattage	Ref
741905	1	12v	60w	9005



Part No.	Box of	Voltage	Wattage	Ref
741906	1	12v	51w	9006



Part No.	Box of	Voltage	Wattage	Ref
740011	1	12v	55w	TL224B



Auto Bulb Dispenser Unit - 24 Volt



- 108 Bulbs

Contains: 149 (x12), 150 (x10), 241 (x10, 246D (x10), 249 (x10), 334 (x10), 346 (x10), 581A (x10), 242 (x5), 433E (x5), 507 (x5), 566A (x5), 466 (x4), 475 (x6), 499A (x6), H11A (x2)

Part No.	Qty
740004	1 Set

Top-Up Bulbs for 24V Dispenser

Part No.	Box of	Voltage	Wattage	Ref
741149	10	24v	5w	149



Part No.	Box of	Voltage	Wattage	Ref
741150	10	24v	5w	150



Part No.	Box of	Voltage	Wattage	Ref
741241	10	24v	21w	241



Part No.	Box of	Voltage	Wattage	Ref
741246	10	24v	10w	246D



Part No.	Box of	Voltage	Wattage	Ref
741249	10	24v	4w	249



Part No.	Box of	Voltage	Wattage	Ref
741334	10	24v	24/6w	334



Part No.	Box of	Voltage	Wattage	Ref
741346	10	24v	21w	346



Part No.	Box of	Voltage	Wattage	Ref
741582	10	24v	21w	581A



Part No.	Box of	Voltage	Wattage	Ref
741242	10	24v	5w	242



Part No.	Box of	Voltage	Wattage	Ref
741021	1	24v	21w	433E



Part No.	Box of	Voltage	Wattage	Ref
741507	10	24v	5w	507



Part No.	Box of	Voltage	Wattage	Ref
741568	10	24v	21/4w	566A



Part No.	Box of	Voltage	Wattage	Ref
740466	1	24v	70w	466



Part No.	Box of	Voltage	Wattage	Ref
740475	1	24v	75/70w	475



Part No.	Box of	Voltage	Wattage	Ref
740498	1	24v	70w	499A



Part No.	Box of	Voltage	Wattage	Ref
741012	1	24v	70w	H11A



Auto Bulb Kit - 12 Volt - H1 / H7

- In unique plastic storage box with space for storing additional bulbs & fuses

Contains bulbs: 448, 449, 207, 501, 581, 566, 239, 233



Part No.	Qty	Voltage
740723	Kit of 8	12v

Auto Bulb Kit - 24 Volt - H1 / H7

- In unique plastic storage box with space for storing additional bulbs & fuses

Contains bulbs: 499A, 466, 149, 150, 507, 241, 334, 242, 249, 246



Part No.	Qty	Voltage
740724	Kit of 10	24v

Auto Bulb Kit - 12 Volt - H4



- In unique plastic storage box with space for storing additional bulbs & fuses

Contains bulbs: 472, 382, 207, 380, 239, 233

Part No.	Qty	Voltage
740051	Kit of 6	12v

Auto Bulb Kit - 24 Volt - H4



- In unique plastic storage box with space for storing additional bulbs & fuses

Contains bulbs: 475, 346, 241, 149, 150

Part No.	Qty	Voltage
740052	Kit of 6	24v

Halogen Bulbs - H1 Cap P14.5s



- Headlight (*for off-road use only)

Part No.	Qty	Voltage	Wattage	Ref	
740448	1	12v	55w	448	
740449	1	12v	55w	448XP	H/D & Long Life
740466	1	24v	70w	466	
740467	1	24v	70w	466XP	H/D & Long Life

Halogen Bulbs - H3 Cap PK22s



- Headlight.
- *For off-road use only

Part No.	Qty	Voltage	Wattage	Ref	
740453	1	12v	55w	453	
740483	1	12v	100w*	483	
740460	1	24v	70w	460	
740461	1	24v	70w	460XP	H/D & Long Life
740493	1	24v	100w*	493	

Halogen Bulbs - H4 Cap P43t



- Headlight.
- *For off-road use only

Part No.	Qty	Voltage	Wattage	Ref	
740473	1	12v	100/55w	473	
740472	1	12v	60/55w	472	
741472	2	12v	60/55w	472HP	Performance +50%
740471	1	12v	60/55w	472XP	H/D & Long Life
740484	1	12v	100/80w*	484	
740477	1	12v	130/90w*	477	
740475	1	24v	75/70w	475	
740476	1	24v	75/70w	475XP	H/D & Long Life
741475	1	24v	100/80w*	475s	
740012	1	12v	60/55w	HB12	
740024	1	24v	75/70w	HB24	

Tungsten Halogen Bulbs - 'Xenon' H7 Cap PX26d



- Headlight

Part No.	Qty	Voltage	Wattage	Ref	
740499	1	12v	55w	499	
741499	2	12v	55w	499HP	Performance +50%
740494	1	12v	55w	499XP	H/D & Long Life
740497	1	12v	100w	499HW	
740498	1	24v	70w	499A	
740495	1	24v	70w	499AXP	H/D & Long Life

Halogen Bulb - H8 Cap PGJ19-1



- Headlight

Part No.	Qty	Voltage	Wattage	Ref
740008	1	12v	35w	H8

Halogen Bulbs - H9 Cap PGJ19-5



- Headlight

Part No.	Qty	Voltage	Wattage	Ref
740009	1	12v	65w	H9

Halogen Bulb - H8 Cap PGJ19-2



- Headlight

Part No.	Qty	Voltage	Wattage	Ref
740011	1	12v	55w	H11

Halogen Bulbs - HB3 Right-Angled



- Headlight

Part No.	Qty	Voltage	Wattage	Ref
740905	1	12v	60w	9005

Halogen Bulbs - HB4 Right-Angled



- Headlight

Part No.	Qty	Voltage	Wattage	Ref
740906	1	12v	51w	9006

Halogen Bulb - H6W MCC BAX9s



Part No.	Qty	Voltage	Wattage	Ref
740006	10	12v	6w	433C



OSRAM Halogen Bulbs - H1 Cap P14.5s

- Headlight



Part No.	Qty	Voltage	Wattage	Ref	Type
224480	1	12v	55w	448	Xenon
224660	1	24v	70w	466	

OSRAM Halogen Bulbs - H3 Cap PK22s

- Headlight



Part No.	Qty	Voltage	Wattage	Ref
224530	1	12v	55w	453
224600	1	24v	70w	460

OSRAM Halogen Bulbs - H4 Cap P43t

- Headlight



Part No.	Qty	Voltage	Wattage	Ref
224720	1	12v	60 / 55w	472
224750	1	24v	75 / 70w	475

OSRAM Tungsten Halogen Bulbs - 'Xenon' H7 Cap PX26d

- Headlight



Part No.	Qty	Voltage	Wattage	Ref
224990	1	12v	55w	499
224995	1	24v	70w	499A

Halogen Bulbs - H11 Cap PGJ19-2

- Headlight



Part No.	Qty	Voltage	Wattage	Ref
221100	1	12v	55w	H11

Halogen Bulb - H15 Cap PGJ23t-1

- Headlight



Part No.	Qty	Voltage	Wattage	Ref
224300	1	12v	15 / 55w	H15

SEE PAGES 58-59 FOR OUR RANGE OF RGTOOLS CONNECTOR CRIMPERS





Heavy duty

Up to 100% more light

Extra lifetime

OSRAM TRUCKSTAR® - H1 Cap P14.5s Halogen Bulbs

Gives truck & commercial vehicle drivers up to 100% longer headlight bulb lifetime & 100% more light on the road ahead compared to standard bulbs



Part No.	Qty	Voltage	Wattage	Ref
224661	1	24v	70w	466TS

OSRAM TRUCKSTAR® - H3 Cap Pk22s Halogen Bulbs

Gives truck & commercial vehicle drivers up to 100% longer headlight bulb lifetime & 100% more light on the road ahead compared to standard bulbs



Part No.	Qty	Voltage	Wattage	Ref
224601	1	24v	70w	460TS

OSRAM TRUCKSTAR® - H4 Cap P43t Halogen Bulbs

Gives truck & commercial vehicle drivers up to 100% longer headlight bulb lifetime & 100% more light on the road ahead compared to standard bulbs




Part No.	Qty	Voltage	Wattage	Ref
224751	1	24v	75 / 70w	475TS

OSRAM TRUCKSTAR® - Xenon' H7 Cap PX26d Tungsten Halogen Bulbs

Gives truck & commercial vehicle drivers up to 100% longer headlight bulb lifetime & 100% more light on the road ahead compared to standard bulbs



Part No.	Qty	Voltage	Wattage	Ref
224991	1	24v	70w	499ATS



COOL BLUE INTENSE

OSRAM

High-tech halogen lamps, almost in the league of xenon lamps

Xenon look

Up to 4,200 Kelvin

Up to 20% more light

OSRAM COOL BLUE® INTENSE H4 Cap P43t Halogen Bulbs

OSRAM

The bluest road legal automotive halogen headlight bulb. Up to 20% brighter than standard bulbs



Part No.	Qty	Voltage	Wattage	Ref
224724	2	12v	60 / 55w	472CBI

OSRAM COOL BLUE® INTENSE - 'Xenon' H7 Cap PX26d Tungsten Halogen Bulbs

OSRAM

The bluest road legal automotive halogen headlight bulb. Up to 20% brighter than standard bulbs



Part No.	Qty	Voltage	Wattage	Ref
224996	2	12v	55w	499CBI

NIGHT BREAKER UNLIMITED

OSRAM

headlight lamps offer more performance for the most important lamp types

Up to 110% more light

Up to 40 m longer light beam

Up to 20% whiter light

OSRAM Nightbreaker - H1 Cap P14.5s

OSRAM

- Up to 110% more light.
- Up to 40 m longer light beam.
- Up to 20% whiter light



Part No.	Qty	Voltage	Wattage	Ref
224440	2	12v	55w	448NL

OSRAM Nightbreaker - H4 Cap P43t

OSRAM

- Up to 110% more light.
- Up to 40 m longer light beam.
- Up to 20% whiter light



Part No.	Qty	Voltage	Wattage	Ref
224450	1	12v	60 / 55w	472NL

OSRAM Nightbreaker - 'Xenon' H7 Cap PX26d Tungsten

OSRAM

- Up to 110% more light.
- Up to 40 m longer light beam.
- Up to 20% whiter light



Part No.	Qty	Voltage	Wattage	Ref
224460	2	12v	55w	499NL

SBC Bulbs - BAY15d (Offset Index)



- Stop / tail / indicator

Part No.	Qty	Voltage	Wattage	Ref	Colour
740380	10	12v	21 / 5w	380	Clear
740294	10	24v	21 / 5w	294	Clear
740334	10	24v	24 / 6w	334	Clear

SCC Bulbs - BAU15s (Offset Pin)



- Indicators

Part No.	Qty	Voltage	Wattage	Ref	Colour
740581	10	12v	21w	581	Amber
740582	10	12v	21w	582	Clear
741582	10	24v	21w	581A	Amber

SBC Bulbs - BA15d - Stop/Tail/Indicator



- Stop / tail / indicator.
- *Heavy duty

Part No.	Qty	Voltage	Wattage	Ref	
740335	10	12v	21w	335	
740381	10	12v	21 / 5w	381	
740346	10	24v	21w	346	
740291	10	24v	21w	291*	Heavy Duty

SBC Bulbs - BAZ15d (Offset Index / Pin)



- Stop / tail / indicator

Part No.	Qty	Voltage	Wattage	Ref
740566	10	12v	21 / 4w	566

SCC Bulbs - BA15s - Stop/Tail/Indicator



- Stop / tail / indicator.
- *Heavy duty

Part No.	Qty	Voltage	Wattage	Ref	Colour
740382	10	12v	21w	382	Clear
740240	10	24v	15w	240	Clear
740241	10	24v	21w	241	Clear
740290	10	24v	21w	290*	Clear
740339	10	24v	24w	339	Clear
740345	10	28v	26w	345	Clear
740343	10	12v	21w	343	Amber

OSRAM SBC Bulbs - BAY15d (Offset Index)



- Stop / tail / indicator

Part No.	Qty	Voltage	Wattage	Ref
223800	10	12v	21 / 5w	380
222940	10	24v	21 / 5w	294

OSRAM SCC Bulbs - BAU15s (Offset Pin)



- Indicators: Amber

Part No.	Qty	Voltage	Wattage	Ref	
225810	10	12v	21w	581	
222900	10	24v	21w	588TS	Truckstar®

OSRAM SCC Bulbs - BA15s



- Stop / tail / indicator

Part No.	Qty	Voltage	Wattage	Ref	
223820	10	12v	21w	382	
222410	10	24v	21w	241	
222415	10	24v	21w	241TS	Truckstar®

OSRAM SBC Bulbs - BAZ15d (Offset Index / Pin)



- Stop / tail / indicator

Part No.	Qty	Voltage	Wattage	Ref
225660	10	12v	21 / 4w	566

Halogen Capsule Bulb - G4



Part No.	Qty	Voltage	Wattage	Ref
740440	1	24v	20w	434G

Halogen Bulbs - H21W MCC BAY9s



- Sidelight (Miniature halogen)

Part No.	Qty	Voltage	Wattage	Ref
740021	1	12v	21w	433D
741021	1	24v	21w	433E

SCC Bulbs - BA15s



- Sidelight

Part No.	Qty	Voltage	Wattage	Ref	
740207	10	12v	5ww	207	
740245	10	12v	10w	245	
740149	10	24v	5w	149	
740248	10	24v	5w	248	Heavy Duty
740246	10	24v	10w	246	
740874	10	28v	7w	874	

MCC Bulbs - BA9s (8.5 mm Dia)



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref
740233	10	12v	4w	233
740249	10	24v	4w	249

SBC Bulbs - BA15d



- Sidelight

Part No.	Qty	Voltage	Wattage	Ref	
740209	10	12v	5w	209	
741209	10	12v	5w	209	
740208	10	12v	5w	209T	Tubular
740150	10	24v	5w	150	
740247	10	24v	5w	247	Heavy Duty
741246	10	24v	10w	246D	

MCC Bulbs - BA9s (9 mm Dia)



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref
740432	1	12v	5w	433A
740433	1	12v	20w	433

Wedge Base Bulbs - w2 x 4.6d



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref	Colour
740508	10	24v	1.2w	508	Clear

Wedge Base Bulbs - w2 x 4.6d 7 mm



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref
740712	10	12v	1.7w	712

Wedge Base Bulbs - w2.1 x 9.5d



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref	Colour
740504	10	12v	3w	504	Clear
740501	10	12v	5w	501	Clear
740502	10	12v	5w	501A	Amber
740505	10	24v	3w	505	Clear
740507	10	24v	5w	507	Clear

Wedge Base Bulbs - w3 x 16q



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref
740378	10	12v	21 / 5w	380W

Wedge Base Bulbs - w2.5x16d



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref
740156	10	12v	27w	3156

Wedge Base Bulbs - w2.1 x 9.5d 35 mm



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref	Colour
740921	10	12v	21w	921	Clear
740923	10	12v	21w	921A	Amber
740922	10	12v	16w	921B	Clear

Wedge Base Bulbs - (w3 x 16d)



Part No.	Qty	Voltage	Wattage	Ref	Colour
740384	10	12v	21w	382WA	Amber
740385	10	12v	21w	382W	Clear

MCC Bulbs - BA9s (8.5 mm Dia)



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref
222330	10	12v	4w	233

OSRAM SCC Bulbs - BA15s - Sidelight



- Sidelight

Part No.	Qty	Voltage	Wattage	Ref
222070	10	12v	5w	207
222450	10	12v	10w	245
221490	10	24v	5w	149
222460	10	24v	10w	246

OSRAM SBC Bulbs - BA15d



- Sidelight

Part No.	Qty	Voltage	Wattage	Ref
221500	10	24v	5w	150

OSRAM Wedge Base Bulbs - w2.1 x 9.5d



- Side / instrument

Part No.	Qty	Voltage	Wattage	Ref	Colour
225010	10	12v	5w	501	Clear
225011	10	12v	5w	501A	Amber
225070	10	24v	5w	507	Clear

Wedge Base Bulbs - w3 x 16d



Part No.	Qty	Voltage	Wattage	Ref
223821	10	12v	21w	382W

OSRAM Wedge Base Bulbs - w3 x 16q



Part No.	Qty	Voltage	Wattage	Ref
223801	10	12v	21 / 5w	380W

BA7s Bulbs



- Panel / indicator

Part No.	Qty	Voltage	Wattage	Ref
740281	10	12v	2w	281
740283	10	24v	3w	283

Festoon Bulbs - SV8,5-8. 8 mm Dia x 38 mm



Part No.	Qty	Voltage	Wattage	Ref
740256	10	12v	3w	256

Festoon Bulbs - SV8,5-8. 11 mm Dia x 38 mm



Part No.	Qty	Voltage	Wattage	Ref
740239	10	12v	5w	239
740272	10	12v	10w	272
740242	10	24v	5w	242
740653	10	24v	6w	653
740265	10	12v	10w	265
740260	10	24v	5w	260
740274	10	24v	10w	274
740270	10	12v	18w	270
740275	10	24v	21w	275

OSRAM Festoon Bulbs - SV8,5-8. 11 mm Dia x 38 mm



Part No.	Qty	Voltage	Wattage	Ref
222390	10	12v	5w	239
222720	10	12v	10w	272
222420	10	24v	5w	242

Caravan & Trailer Plug



- 7 Pin.
- Metal Body.
- 12N System

Part No.	Qty	Voltage
295210	1	12v

Caravan & Trailer Socket



- 8 Pin.
- Metal Body.
- 12N System

Part No.	Qty	Voltage
295211	1	12v

In-Line Plugs - Low Voltage



Part No.	Qty	Amperage	Voltage	Colour
265291	1	16 amp	110v	Yellow
265295	1	32 amp	110v	Yellow
265297	1	16 amp	240v	Blue

In-Line Sockets - Low Voltage



Part No.	Qty	Amperage	Voltage	Colour
265292	1	16 amp	110v	Yellow
265296	1	32 amp	110v	Yellow
265298	1	16 amp	240v	Blue

Domestic Plugs - Nylon



- 3 pin
-

Part No.	Qty	Amperage	Colour
265278	10	13 amp	White

Domestic Plugs - Rubber



- 3 pin

Part No.	Qty	Amperage	Colour
265262	10	13 amp	Black
265263	10	13 amp	White

3-Way Adapter - Fused



- 3 pin

Part No.	Qty	Amperage
265284	1	13 amp

Plug-In Timer Switch



- 3 pin.
- 24 hour, 4 segment timer with manual override

Part No.	Qty	Amperage
265285	1	13 amp

RCD Mains Safety Adapter



- 3 pin.
- Circuit breaker

Part No.	Qty	Amperage
265286	1	13 amp

Trailing Sockets - Rubber



- Insulated

Part No.	Qty	Amperage	Colour	Gang
265271	2	13 amp	Black	1 Gang
265264	2	13 amp	White	1 Gang
265272	1	13 amp	Black	2 Gang
265276	1	13 amp	White	2 Gang
265273	1	13 amp	Black	4 Gang
265275	1	13 amp	White	4 Gang

Neon' Extension Lead - Nylon



- 3 pin mains plug

Part No.	Qty	Length	Amperage	Gang
265283	1	1 m	13 amp	4 Gang

Extension Lead - Nylon - White



- 3 pin mains plug

Part No.	Qty	Length	Amperage	Gang
265201	1	5 m	13 amp	1 Gang
265202	1	15 m	13 amp	1 Gang

Extension Lead - Rubber - White



- 3 pin mains plug

Part No.	Qty	Length	Amperage	Gang
265277	1	2 m	13 amp	4 Gang

'Neon' Extension Lead - Nylon - White



- Nylon socket.
- 3 pin mains plug (white)

Part No.	Qty	Length	Amperage	Gang
265203	1	5 m	13 amp	2 Gang

In-Line Extension Reel - Low Voltage



Part No.	Qty	Length	Voltage	Gang
265293	1	25 m	110v	2 Gang

Extension Reel - Heavy Duty



- Ventilated plastic drum.
- 3 pin mains plug

Part No.	Qty	Length	Amperage	Gang
265289	1	25 m	13 amp	2 Gang
265294	1	10 m	6 amp	2 Gang

Fluorescent Light Starter Switches



Part No.	Qty	Wattage
295305	10	4 - 80w
295306	10	100 - 125w

Toggle Switches & Lights - Toggle Switches



Part No.	Qty	Amperage	Voltage
295201	10	20 amp	12v

Toggle Switches & Lights - Illuminated Toggle Switches



Part No.	Qty	Amperage	Voltage
295202	10	20 amp	12v

Toggle Switches & Lights - Illuminated Rocker Switches



Part No.	Qty	Amperage	Voltage
295203	10	20 amp	12v

Toggle Switches & Lights - Warning Lights



Part No.	Qty	Amperage	Voltage	Colour
295206	10	20 amp	12v	Red

Toggle Switches & Lights - On / Off Switch



- Red LED

Part No.	Qty
295204	1

Toggle Switches & Warning Lights

- 12v.
- 20 amps

Contains: Toggle Switches, Illuminated Toggle Switches, Illuminated Rocker Switches, Warning Lights



Part No.	Qty
105154	20



VISION

A PRODUCT RANGE THAT OUTSHINES THE COMPETITION.

At our core is a product range that is based on unrivalled portable battery powered lighting for professionals in all areas of industry.

No matter which VISION product you choose, inspection lights, head torches or heavy-duty work lights, you can be assured that you will be using a product that has been designed to make your life easier and more productive in the working environment.

With our continued investment in LED lighting technology and the advancement of COB (Chip on Board) we remain at the forefront of the lighting industry.



CONTENTS



ETL204 - Rechargeable Motion Sensor Head Lamp - - - 106



ETL203 - HI VIZ Beanie Hat with Rechargeable LED Light 107



ETL60 - 300lm Focus Control Rechargeable Penlight - - 108



ETL61 - 1500lm+ Focus Control Pro Rechargeable Torch - 110



ETL202 - 300lm Flexible LED Neck Torch - - - - - - - - 112



EHL306 - Flexi-Twist Magnetic Hand Lamp/Torch - - - - 114



EHL304 - High CRI 95+ LED Inspection Light + Charging Dock116



EHL1010 - Multi Position 40 SMD LED Under Bonnet Lamp 118



EHL1000 - 10W Multi Position COB LED Inspection Lamp - 120



EHL300 - SMD Flexible Magnetic Hand Lamp/Torch - - - - 122



EHL301 - SMD Compact Hand Lamp & UV Torch - - - - - 124



EHL305 - COB Slimline Inspection Lamp/Torch - - - - - 126



EHL302 - COB Hand Lamp & Charging Dock- - - - - - - 128



EHL303 - COB Slimline Inspection Lamp & Torch - - - - 130



ETL201 - 350lm LED Motion Sensor Head Torch - - - - - 132



EWL102 - COB Heavy Duty Work Light & Powerbank - - - 134



EHLW400 - Wireless Fast Charging Pad - - - - - - - - 136



EHLW410 - 1000LM COB Compact Spot Light - - - - - - 138



EHLW420 - 1000LM COB Slim Inspection Lamp - - - - - 140



EHLW430 - 900LM LED Adjustable Beam Torch - - - - - 142



EHLW440 - 1500LM COB Work Lamp/Flex Light - - - - - 144

VISION ETL204

Rechargeable Motion Sensor Head Lamp

NEW TO THE RANGE



The VISION 350lm LED Motion Sensor Head Torch is a state-of-the-art lighting solution that combines convenience with exceptional brightness. This versatile head torch is designed to provide reliable illumination for a wide range of activities, making it the ideal companion for outdoor adventures, work in low-light conditions, or emergency situations.

The wide beam head torch provides a wide 230 Degree beam,allowing you to light your work area without having to move your head. You can also use its LED spotlight to focus on specific areas.

The head torch features five light modes, easily switch between modes with a single button while the innovative motion sensor feature enables you to operate the head torch effortlessly by simply waving your hand in front of the sensor.

350 LUMENS	8HR BATTERY LIFE	2.5HR CHARGE TIME	IP4 RATING	USB-C CHARGING	MOTION SENSOR	IMPACT RESISTANCE	3W SPOT LED

PART NO	DESCRIPTION	QTY
ETL204	Rechargeable Motion Sensor Head Lamp	1

VISION ETL203

Beanie Hat with Rechargeable Front LED Light

NEW TO THE RANGE



BUILT IN USB SOCKET

POWERFUL LED WITH 3 MODES

DETACHABLE LED UNIT

The VISION Woven Insulated Beanie Hat with Rechargeable Front LED Light is the perfect accessory for anyone working outdoors in cold conditions or enjoying evening activities such as running, walking, or fishing. Combining warmth with practicality, it provides hands-free lighting to keep you safe and visible on dark winter nights.

The powerful LED light features three modes – High, Medium, and Low – with beam distances of 10m (High) and 5m (Medium), so you can select the brightness that suits your needs. Powered by a 300mAh rechargeable battery, it delivers up to 12 hours of continuous use on Low or 4 hours on High. A built-in USB charging port means you can recharge quickly and conveniently from any USB socket, phone charger, or laptop.

150 LUMENS

USB-C CHARGING

4HR BATTERY LIFE

PART NO	DESCRIPTION	QTY
ETL203	Beanie Hat with Rechargeable Front LED Light	1

VISION ETL60

300lm Focus Control Rechargeable Penlight

The VISION Focus Control Rechargeable Penlight is a compact yet powerful tool, perfect for precision lighting in a variety of situations. This penlight is equipped with a 3W LED, delivering a maximum output of 300 lumens. Its intuitive switch sequence allows for seamless cycling through different modes: 100% brightness (300lm), 50% brightness (150lm), 10% brightness (100lm), and an SOS mode for emergencies, making it a versatile tool for both professional and personal use.

One of the standout features of the VISION Focus Control Rechargeable Penlight is its rotation focus with an adjustable beam. This functionality enables users to easily switch between a wide floodlight for broad illumination and a focused spotlight for detailed work, providing adaptability for any task.

Powered by a reliable 3.7V 600mAh Li-ion battery, the penlight offers impressive operating times: 3 hours at 100% brightness, 6 hours at 50% brightness, and a remarkable 12 hours at 10% brightness. The penlight can be fully charged in just 3 hours using the included 1m USB-C to USB-A charging cable, ensuring minimal downtime and maximum efficiency.

The VISION Focus Control Rechargeable Penlight is designed for convenience and portability. Its sleek, pen-like design allows it to be easily carried in a pocket or toolbelt, making it an ideal companion for inspections, repairs, and everyday tasks. The durable construction ensures that it can withstand the rigours of regular use, while the powerful LED and adjustable focus make it a highly functional lighting solution.

In summary, the VISION Focus Control Rechargeable Penlight is a reliable, versatile, and efficient lighting tool that delivers exceptional performance in a compact form. Whether for professional use or everyday carry, this penlight is an essential addition to your toolkit.



LED light:	3W LED
Battery type & parameter:	High quality 3.7V 600mAh Lithium battery
Charging time:	3 hrs
Charging port:	USB-C
Protection class:	IP65, IK08
Switch dimming:	100% / 50% / 10% / SOS
Net weight:	72g

Dimensions:	Wide Beam: W: 157mm x D: 20 mm Narrow Beam: W: 165mm x D: 20
Accessories:	1m USB-C to USB-A charging cable. Optional 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	100% Beam: 300lm – 3 hours 50% Beam: 150lm – 6 hours 10% Beam: 100lm – 12 hours
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Material:	Aluminium

PART NO	DESCRIPTION	QTY
ETL60	300lm Focus Control Rechargeable Penlight	1





TOUCH & CLICK PUSH BUTTON
100% / 50% / 10% / SOS



HIGH QUALITY 3.7V 600MAH
LITHIUM BATTERY



USB C CHARGING

VISION ETL61

1500lm+ Focus Control Pro Rechargeable Torch

The VISION Focus Control Pro Rechargeable Torch is a powerful and versatile hand torch designed for a wide range of applications. Equipped with a 20W Cree XHP50.2 LED, this torch delivers a robust light output that meets the demands of any situation. The torch features an intuitive switch sequence, allowing users to toggle between 100% (1200lm), 50% (600lm), and 10% (100lm) brightness levels, catering to different lighting needs.

For emergencies, the VISION Focus Control Pro Rechargeable Torch includes a double-press SOS mode, ensuring you are always prepared. Additionally, a press and hold of the button for 2 seconds activates a 1500lm boost mode, providing extra illumination for approximately 40 seconds. The torch's rotation focus allows for an adjustable beam, giving you control over the light spread and focus, whether you need a broad floodlight or a concentrated spotlight. Charging the VISION Focus Control Pro Rechargeable Torch is convenient with the included 1m USB-C to USB-A charging cable, achieving a full charge in just 5 hours. For added flexibility, the torch comes with a carrying strap and an additional AAA battery case. This feature allows you to power the torch with standard AAA batteries (not included) if needed, ensuring you are never left in the dark.

The operating times of the VISION Focus Control Pro Rechargeable Torch are impressive, with a runtime of 3 hours at 100% brightness (1200lm), 6 hours at 50% brightness (600lm), and an extended 12 hours at 10% brightness (100lm). This makes it ideal for extended use in various settings, from outdoor adventures to professional work environments.

With its combination of high performance, adjustable focus, and versatile power options, the VISION Focus Control Pro Rechargeable Torch is an essential tool for anyone needing reliable and powerful illumination.



LED light:	20W Cree XHP50.2 LED
Battery type & parameter:	High quality 3.7V 4000mAh Lithium battery
Charging time:	5 hrs
Charging port:	USB-C
Protection class:	IP65, IK08
Switch dimming:	100% / 50% / 10% / SOS
Net weight:	220g

Dimensions:	Wide Beam: W: 140mm x D: 35 Narrow Beam: W: 155mm x D: 35
Accessories:	1m USB-C to USB-A charging cable. Optional 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	100% Beam: 1200lm – 3 hours 50% Beam: 600lm – 6 hours 10% Beam: 100lm – 12 hours
Boost:	1500lm – approximately 40 seconds
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Material:	Aluminium

PART NO	DESCRIPTION	QTY
ETL61	Focus Control Pro Rechargeable Torch	1



USB-C CHARGING / AAA FACILITY



ROTATION FOCUS ALLOWS FOR AN ADJUSTABLE BEAM



GREEN ON LIGHT

VISION ETL202

300lm Flexible LED Neck Torch

The VISION Flexible LED Neck Torch is a versatile and convenient lighting solution designed for hands-free use in various settings. Featuring dual 2W LED lamps that provide a combined output of 600 lumens, this neck torch ensures bright and efficient illumination.

The on-off switch offers intuitive operation: press once for 50% brightness, twice for full 100% brightness, and three times to turn it off. For added functionality, press and hold for 3 seconds to activate the flashing light mode. The torch includes a full battery indication light, which changes from red to green when fully charged, and is equipped with over-charging and discharging protection to ensure safe usage.

One of the standout features of the VISION Flexible LED Neck Torch is its detachable heads, which can be used individually. Each head is equipped with a magnet at the bottom, allowing for rotation and adjustment to facilitate work in confined areas on the supplied neck collar or separately on metal surfaces. This flexibility makes it an ideal tool for various tasks where precise lighting is essential.

The torch comes with a 60cm USB-C to USB-A charging cable, and the dual 3.7V 1200mAh Li-ion batteries can be fully charged in 3 to 3.5 hours. The operating time is impressive, with each head providing 7 to 8 hours on low and 2 to 2.5 hours on high. Made from durable ABS material, the ETL202 is rated IP44 for water resistance and IK07 for impact resistance, ensuring it can withstand tough working conditions.

The VISION Flexible LED Neck Torch is a reliable, adaptable, and efficient lighting solution, perfect for any hands-free application.






LED light:	2W LED - 300 lumens (each head)
Battery type & parameter:	2x High quality 3.7V 1200mAh Lithium battery (1 per head)
Charging time:	3hrs each head
Charging port:	USB-C
Protection class:	IP44, IK07
Switch dimming:	100% / 50%

Magnet:	2pcs N52 magnets (1 per head)
Net weight:	71g (per head) 192g (2x heads on neck band)
Dimensions:	Head: W: 130mm x D: 30 x H: 30mm
Accessories:	60cm USB-C to USB-A charging cable. Optional 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Low 7 - 8 hours for each head Full 2 - 2.5 hours for each head
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Material:	ABS


PART NO	DESCRIPTION	QTY
ETL202	300lm Flexible LED Neck Torch	1



MAGNETIC COUPLING



DETACHABLE HEADS



FLEXIBLE 360° ROTATION
FOR EACH TORCH

VISION EHL306

Flexi-Twist Magnetic Hand Lamp/Torch

The VISION Flexi-Twist Magnetic Hand Lamp/Torch is a versatile and robust lighting solution, designed to meet the demands of various tasks with its flexible and user-friendly features. This innovative hand lamp/torch offers a switch sequence that includes 100% lamp brightness, 50% lamp brightness, torch mode, and off, allowing users to select the perfect amount of light for any situation.

Equipped with a 1W LED torch and a 5W SMD LED lamp, the VISION Flexi-Twist Magnetic Hand Lamp/Torch delivers reliable illumination with impressive operating times. The torch mode provides 120 lumens of light for up to 10 hours, while the lamp can run for 3 hours at full 100% brightness or 6 hours at 50% brightness, ensuring that you have ample light for extended tasks.

The lamp features a rechargeable 3.7V 2500mAh Li-ion battery, which can be fully charged in just 3 hours using the supplied 1m USB-C to USB-A charging cable. For added convenience, the package includes a USB charging plug and a 12v car adaptor, allowing you to charge the lamp from various power sources. The USB mains adaptor supports input voltages of 100-240V at 50/60Hz, with an output of 5V/1000mA, while the car adaptor supports input voltages of 12-24V, also outputting 5V/1000mA.

Designed with practicality in mind, the VISION Flexi-Twist Magnetic Hand Lamp/Torch features two hooks with 180° swivel, and a flex and twist stand with two strong magnets, enabling precise positioning and hands-free operation. Overload protection ensures safe and reliable use, making it a durable choice for professionals and DIY enthusiasts alike.

In summary, the VISION Flexi-Twist Magnetic Hand Lamp/Torch is a highly adaptable, reliable, and efficient lighting tool. Its flexible design, strong magnetic base, and long-lasting battery make it an essential addition to any toolkit, perfect for both indoor and outdoor use.



Front light:	5W SMD LED, Max.600lm 6500K CRI 80
Battery type & parameter:	High quality 3.7V 2500mAh Lithium battery
Charging time:	3 hrs
Charging port:	USB-C
Protection class:	IP20, IK08
Switch dimming:	100% / 50%

Net weight:	330g
Dimensions:	W: 50mm x D: 42mm x H: 273mm
Accessories:	1m USB-C to USB-A charging cable, USB charging plug and car adaptor.
Operation Time:	Main Light: 3-6hrs Torch Light: 10hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Magnet:	2pcs N52 magnet in stand

PART NO	DESCRIPTION	QTY
EHL306	Flexi-Twist Magnetic Hand Lamp/Torch	1



5W SMD LED, MAX.600LM
6500K CRI 80



180°/250°
FLEXI-TWIST



INTEGRATED HOOKS AND X2 N52
MAGNETS

VISION EHL304

High CRI 95+ LED Inspection Light + Charging Dock

The VISION High CRI 95+ LED Inspection Light is an essential tool for professionals who require precision and dependability. Designed to meet diverse inspection needs, it offers three adjustable colour temperature settings (3000K, 4500K, and 6500K), making it ideal for tasks such as colour matching, detailing, and general paintwork. With a Colour Rendering Index (CRI) of 95+, this light ensures true-to-life colour accuracy, making it perfect for paint inspections and any application where accurate light representation is crucial.

This lighting solution is especially suited for the painting industry, providing the perfect illumination for examining painted surfaces with precision. Its intensity can be adjusted from 10% to 100%, allowing for fine-tuned brightness control tailored to any task.

The VISION High CRI 95+ LED Inspection Light is equipped with a telescopic flexible nylon hook for versatile positioning, and an integral 90° stand with two strong magnets, ensuring secure, hands-free operation on metal surfaces. The four-level battery capacity display keeps you informed about power levels, so you're never caught off guard.

Charging is simple and efficient with a USB-C port and included charging dock. Constructed with a die-cast aluminium component for effective heat dissipation and enhanced durability, this light is also equipped with overload protection for safe, reliable use.

Incorporating exceptional colour accuracy and a versatile design, the VISION High CRI 95+ LED Inspection Light is a powerful, adaptable, and robust addition to any professional tool kit, built to deliver top-tier performance and reliability.



Front light:	10W COB - 800 lumens
Colour Temp:	3000K / 4500K / 6500K
Battery type & parameter:	High quality 3.7V 5000mAh Lithium battery
CRI:	95+
Charging time:	6hrs
Charging port:	Dock or USB-C
Protection class:	IP54, IK08
Switch dimming:	10% to 100%

Magnet:	2pcs N52 magnet
Net weight:	600g (with dock); 385g (lamp only)
Dimensions:	Docking station: W: 80mm x D: 70mm x H: 80mm Lamp: W: 60mm x D: 35mm x H: 215mm
Accessories:	100cm USB C to USB A charging cable & Docking station. Optional 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Minimum 2 hours (100% Brightness) Maximum 20 hours (10% Brightness)
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Material:	Aluminium, ABS & PC

PART NO	DESCRIPTION	QTY
EHL304	High CRI 95+ LED Inspection Light + charging dock	1



HIGH CRI 95+ COLOUR
CHANGE LED LIGHT



COLOUR TEMP: 3000K /
4500K / 6500K



90° SWIVEL STAND
WITH X2 N52 MAGNETS

VISION EHL1010

Multi Position 40 SMD LED Under Bonnet Lamp

The VISION Multi Position 40 SMD LED Under Bonnet Lamp is the ultimate solution for vehicle repair and inspection, providing reliable and powerful illumination. This rechargeable under-bonnet work light features a 10W 40SMD COB LED that emits 6500K white light, delivering a maximum output of 1000 lumens in flood beam mode. With a beam angle of 135° and a Colour Rendering Index (Ra) of 75, it ensures excellent visibility and Colour accuracy.

Powered by a high-quality 3.7V 4000mAh lithium battery, the VISION Multi Position Under Bonnet Lamp offers impressive operation times: 500 lumens for 6 hours on low and 1000 lumens for 3.5 to 4 hours on high. The battery fully charges in just 2 hours using the USB-C charging port. Its protection class is IP20 and IK07, ensuring durability in challenging conditions.

The work light is designed with user convenience in mind. It features an on-off switch that allows you to toggle between 50% and 100% LED brightness or turn it off, with an additional 3-second press to activate a flashing light. The full battery indicator changes from red to green when fully charged, and the light includes over-charging and discharging protection for added safety.

Constructed from aluminium alloy and ABS, the VISION Multi Position Under Bonnet Lamp is robust yet lightweight at 1200g. It comes with a 60cm USB-C to USB-A charging cable and features an extendable bracket, two magnets on each fixing, silicone grippers, and 360° rotary hooks, allowing for versatile positioning and secure attachment.

Experience superior illumination and convenience with the VISION Multi Position Under Bonnet Lamp , the perfect companion for all your vehicle repair and inspection needs.



LED light:	10W 40SMD COB LED, 6500K Max. 1000lm in flood beam
Beam Angle	135°
Colour Rendering Index(Ra)	75
Battery type & parameter:	High quality 3.7V4000mAh Lithium battery
Charging time:	2hrs
Charging port:	USB-C
Protection class:	IP20, IK07
Magnet:	4pcs N52 magnet on 360° Rotary Hook housing

Net weight:	1200g
Dimensions:	W: 1 200mm x D: 60mm x H: 65mm Extended: W: 2000mm x D: 60mm x H: 65mm
Accessories:	USB-C to USB-A charging cable. Optional 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Low: 500lm for 6hrs High: 1000lm for 3.5-4hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Working Temperature:	-35°C to 80°C
Material:	Aluminium Alloy & ABS

PART NO	DESCRIPTION	QTY
EHL1010	Multi Position 40 SMD LED Inspection Lamp	1



10W 40SMD COB LED, 6500K
MAX. 1000LM IN FLOOD BEAM



360° INTEGRATED HOOK



2X N52 SUPER STRONG MAGNETS
FOR EACH FIXING

VISION EHL1000

10W Multi Position COB LED Inspection Lamp

The VISION 10W Multi Position COB LED Inspection Lamp is a versatile and powerful tool designed to meet all your lighting needs. This 10W multi-position COB LED inspection lamp delivers an impressive 1000 lumens of bright, white light, making it ideal for detailed work and inspections.

The user-friendly on-off switch allows for easy operation: press once for 50% brightness, twice for full 100% brightness, and three times to turn it off. The lamp also features a motion sensor mode. Simply press the motion sensor switch, and you can control the light by waving your hand within 10cm of the sensor. This mode automatically turns off when not in use, providing hands-free convenience.

A full battery indicator light changes from red to green when fully charged, and the lamp includes over-charging and discharging protection to ensure safe operation. With a high-quality 3.7V 4400mAh lithium battery, the EHL1000 offers 4-5 hours of runtime at 500 lumens and 2-2.5 hours at 1000 lumens. The battery charges in just 3.5-4 hours using the included USB-C port and 60cm USB-C to USB-A charging cable to an optional 3-Pin USB-C Adaptor (EHLP1).

Designed for durability, the lamp is built with ABS and PC materials and features a protection class of IP20 and IK07. Two N52 magnets on the 190° end housings provide secure attachment to metal surfaces, allowing for flexible positioning.

Whether for professional or personal use, the VISION 10W Multi Position COB LED Inspection Lamp offers reliability, convenience, and exceptional illumination, making it an essential addition to your workshop.



LED light:	10W COB - 1000 lumens
Battery type & parameter:	High quality 3.7V4400mAh Lithium battery
Charging time:	3.5-4hrs
Charging port:	USB-C
Protection class:	IP20, IK07
Magnet:	2pcs N52 magnet on 190° end housings
Net weight:	1200g

Dimensions:	W: 500mm x D: 40mm x H: 42mm
Accessories:	60cm USB-C to USB-A charging cable. Optional 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Low: 500lm for 4-5hrs High: 1000lm for 2-2.5hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Working Temperature:	0°C to 45°C
Material:	ABS & PC
Motion Sensor:	Range - 10cm

PART NO	DESCRIPTION	QTY
EHL1000	10W Multi Position COB LED Inspection Lamp	1



10W COB 1000 LUMENS
BRIGHT WHITE LIGHT



INTEGRATED HOOKS



2X N52 SUPER STRONG MAGNETS
FOR EACH FIXING

VISION EHL300

SMD Flexible Magnetic Hand Lamp/Torch

Experience unparalleled illumination with the VISION SMD Flexible Magnetic Hand Lamp/Torch! This powerful and versatile tool is designed to transform the way you light up your workspace, offering a host of exciting features.

Equipped with 6x 0.5W High Power SMD LED lamps, this hand lamp delivers an impressive 3W/400 lumens of cool white light, ensuring exceptional visibility for any task. Additionally, it features a 1W LED torch, ideal for when you need a focused beam of light for precision work.

Say goodbye to power concerns! This hand lamp/torch comes with a USB charging plug and car adapter, making it easy to recharge whether you're at work, home or on the go. This ensures that you have a reliable source of light whenever you need it.

The VISION SMD Flexible Magnetic Hand Lamp/Torch features two integrated rotating hooks, allowing it to be positioned at multiple angles for ultimate flexibility in directing the light. With two rear magnets and a flexible magnetic base, you can position the lamp/torch precisely, keeping your hands free to focus on the task at hand.

Choose from a range of colour options to match your style: Black/Blue, Black/Red, Hi-Vis Yellow, or Hi-Vis Orange. Regardless of the colour, you'll have a dependable and powerful lighting tool at your disposal for any job.

Whether you're a professional tradesperson or an outdoor enthusiast, the VISION SMD Flexible Magnetic Hand Lamp/Torch is an essential addition to your toolkit. Its impressive brightness, versatile features, and robust design make it the perfect companion for all your lighting needs. Illuminate your workspace with confidence and precision with this exceptional hand lamp/torch!



LED light:	6 x 0.5W High Power SMD LED Lamp Provides 3W/400 Lumens of cool white light
Battery type & parameter:	High quality 3.7V/2200mAh lithium battery pack
Charging time:	5hrs
Charging port:	USB-C
Protection class:	IP20, IK07
Net weight:	284g

Magnet:	2pcs N52 magnet in Rear & 1pc N52 magnet in Flexible Base
Dimensions:	W: 65mm x D: 42mm x H: 274mm
Accessories:	Included : 3 pin USB-C charging plug & car adaptor. 1m USB to USB-A cable
Operation Time:	Light: 3.5hrs Torch: 6 Hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 1A
Material:	PC, ABS with rubber coating

PART NO	DESCRIPTION	QTY
EHL300LY	Hi-Vis Yellow SMD Flexible Magnetic Hand Lamp/Torch	1
EHL300LR	Hi-Vis Orange SMD Flexible Magnetic Hand Lamp/Torch	1
EHL300B	Black/Blue SMD Flexible Magnetic Hand Lamp/Torch	1
EHL300R	Black/Red SMD Flexible Magnetic Hand Lamp/Torch	1



6 X 0.5W HIGH POWER SMD LED LAMP
PROVIDES 3W/400 LUMENS OF COOL
WHITE LIGHT



X2 N52 MAGNETS
AND X2 HOOKS



FLEXIBLE BASE
WITH MULTIPLE ANGLES

VISION EHL301

SMD Compact Hand Lamp & UV Torch

The VISION SMD Compact Hand Lamp & UV Torch is a versatile and powerful lighting tool that combines a high-intensity LED lamp with a specialised UV torch. With its impressive features and convenient design, this hand lamp is built to handle various tasks and provide essential UV detection capabilities.

The LED lamp delivers an intense 1000 lumens of super white light, ensuring excellent visibility and illumination in any situation. Additionally, the 3W UV torch offers a wavelength of 395 nm, making it ideal for detecting UV-reactive substances and leaks. This UV torch feature is particularly useful for finding leaks in automotive, HVAC, and industrial applications. By shining the UV light on areas, you can easily identify and pinpoint leaks, saving time and effort in maintenance and repair tasks.

The hand lamp comes with a range of practical features, including an integral belt clip, a 360-degree swivel hook, and a smart stand with a strong magnet, allowing for easy hands-free use and versatile positioning options. Whether you need to hang it, attach it to a metal surface, or stand it up, this lamp adapts to your needs.

Equipped with a Li-ion 3.7V/5000mAh battery, the hand lamp provides reliable and long-lasting performance. It is designed with a waterproof rating of IP54, ensuring resistance to dust and water splashes, making it suitable for use in various environments.

Complete with a USB charging lead, USB plug, and car adaptor, the hand lamp's charging time is approximately 6 hours, and it offers an impressive operating time of 3.5 hours on full power.

Whether you're inspecting, detecting UV-sensitive materials, or in need of a powerful handheld light source, the VISION SMD Compact Hand Lamp & UV Torch is the perfect tool.



Front light:	10W SMD 1000LM
Battery type & parameter:	High quality 3.7V 5000mAh Lithium battery
Charging time:	6 hrs
Charging port:	USB-C
Protection class:	IP54, IK08
Switch dimming:	100% / 50%

Net weight:	333g
Dimensions:	W: 60mm x D: 45mm x H: 220mm
Accessories:	1m USB-C to USB-A charging cable, USB charging plug and car adaptor
Operation Time:	3.5hrs - 7hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 2A
Magnet:	2pcs N52 magnet in flexible base

PART NO	DESCRIPTION	QTY
EHL301	SMD Compact Hand Lamp & UV Torch	1



SPECIALISED UV TORCH

X2 N52 MAGNET IN
FLEXIBLE BASE

USB-C
CHARGING

VISION EHL305

COB Slimline Inspection Lamp/Torch

The VISION COB Slimline Inspection Lamp/Torch is a versatile and powerful lighting tool, designed to be robust and provide reliable illumination. Equipped with a range of user-friendly features, this lamp and torch ensures you're always equipped with the right lighting solution.

Included with a 1-meter Micro-B USB cable, mains adapter, and in-vehicle charging adaptors (230V and 12V DC), the EHL305 ensures convenient charging options, whether you're at work, home or on the road. This versatility makes it an essential tool for professionals who need reliable lighting in different environments.

Featuring a slim 9mm 2W inspection torch which is perfect for accessing tight and confined areas that are otherwise difficult to illuminate. The 3x COB LED lamp modes (500, 250, and 50 lumens) provide adjustable brightness levels to suit various lighting needs, making the lamp incredibly versatile. With a remarkable run time of up to 20 hours, you can trust that this lamp will last through extended tasks without the need for frequent recharging.

The strong magnetic base and hanging hook allow for hands-free operation, enhancing its practicality. The dual flexible folding system ensures precise positioning of the light, enabling you to direct the illumination exactly where it's needed. Additionally, the battery power indicator keeps you informed about the remaining power, ensuring you're always ready to go without unexpected outages.

With its thoughtful design and impressive features, the VISION COB Slimline Inspection Lamp/Torch is the ultimate companion for tasks that require precision, versatility, and reliable lighting. Whether you're working in automotive repair, electrical work, or general maintenance, this tool provides the illumination you need to work with confidence. Illuminate your workspace using this exceptional lighting tool and experience the convenience and efficiency it brings to your daily tasks.



LED light:	Front 5W COB Torch: 2W 150LM
Battery type & parameter:	High quality 3.7V2500mAh lithium battery pack
Charging time:	5.5hrs
Charging port:	USB-C
Protection class:	IP54, IK07

Net weight:	235g
Dimensions:	Open: W: 30mm x D: 30mm x H: 320mm Closed: W: 30mm x D: 30mm x H: 190mm
Accessories:	Included : 3 pin USB-C charging plug & car adaptor. 1m USB to USB-A cable
Operation Time:	100%: 500LM, 2.5hrs 50% 250LM, 5hrs 10%: 50 LM, 20 hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 1A

PART NO	DESCRIPTION	QTY
EHL305	COB SLIMLINE INSPECTION Lamp/Torch	1



THREE ADJUSTABLE
BRIGHTNESS LEVELS

DUAL FLEXIBLE
FOLDING SYSTEM

3X COB LED LAMP MODES
(500, 250, AND 50 LUMENS)

VISION EHL302

COB Hand Lamp & Charging Dock

The VISION COB Hand Lamp with Charging Dock is a reliable and versatile lighting solution that offers powerful illumination and convenient charging options. With its robust construction and impressive features, this hand lamp is designed to meet the demands of various tasks and environments.

Equipped with a COB lamp, the hand lamp delivers 10W/1000 lumens of bright white light, ensuring excellent visibility in any situation. Additionally, it includes a 3W LED torch that offers 220 lumens of white light, providing a reliable backup lighting option.

The heavy-duty body of the lamp is made from aluminium, PC, and rubber, ensuring durability and resistance to rough handling. It features an integrated hook and powerful rear magnets, allowing for hands-free use and secure attachment to metal surfaces.

The hand lamp comes with a wall-mountable docking station, a USB charging lead, a USB plug, and a car adaptor, providing versatile charging options. The charging time is approximately 8 hours using the charging station and 5.5 hours using a USB charger, while the operating time on full power is 3 hours.

Powered by a Li-ion 3.7V/5000mAh battery, the hand lamp offers reliable and long-lasting performance. It has a waterproof rating of IP54, ensuring resistance to dust and water splashes.

Wherever you're working, the VISION Cob Hand Lamp with Charging Dock is a dependable lighting tool that provides bright illumination, convenient charging, and durability for all your lighting needs.



Front light:	10W COB LED, 6500K CRI 80 MD 1000LM
Torch:	3W LED, Max. 220lm, 6500K CRI 80
Battery type & parameter:	High quality 3.7V 5000mAh Lithium battery
Charging time:	5.5hrs by USB-C cord; 7hrs by power station
Charging port:	USB-C
Protection class:	IP54, IK08
Switch dimming:	100% / 75% / 50%

Net weight:	607g (with dock); 389g (lamp only)
Dimensions:	Docking station: W: 80mm x D: 70mm x H: 80mm Lamp: W: 58mm x D: 35mm x H: 212mm
Accessories:	Included : Docking station, 3 pin USB -C charging plug & car adaptor 1m USB-C to USB-A cable
Operation Time:	Main Light: 3hrs - 15hrs Torch Light: 10hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 1A
Magnet:	2pcs N52 magnet in stand

PART NO	DESCRIPTION	QTY
EHL302	COB Hand Lamp & Charging Dock	1



DESK OR WALL MOUNTABLE
CHARGING DOCK

X2 N52 MAGNET IN
FLEXIBLE BASE

3W LED, MAX. 220LM, 6500K
CRI 80 TORCH

VISION EHL303

COB Slimline Inspection Lamp & Torch

The advanced VISION COB Slimline Inspection Lamp & Torch is a cutting-edge lighting solution that combines the power of a COB lamp and an LED torch. With its impressive specifications and practical features, this versatile tool is designed to enhance precision and accuracy during inspections and tasks.

The COB lamp delivers a formidable 10W 800 lumens of white light, providing ample brightness for a wide range of applications. Additionally, the 2W LED torch offers 150 Lumens of white light, serving as a reliable backup light source.

Featuring an integrated magnetic stand and hook, this inspection lamp and torch allow users to position it with precision, ensuring optimal visibility in any situation.

Equipped with a Li-ion 3.7V/2500mAh battery, the device boasts an impressive operating time ranging from 2 to 12 hours, depending on the chosen intensity setting. Its charging time of 4.5 hours ensures quick and efficient power restoration.

Designed with a waterproof rating of IP65, this inspection lamp and torch are resistant to dust and water, making it suitable for various indoor and outdoor tasks.

Whether you're inspecting tight spaces, conducting repairs, or seeking a reliable light source for any job, the VISION COB Slimline Inspection Lamp & Torch is the ultimate companion, offering powerful illumination, precise positioning, and long-lasting performance in one sleek and practical package.



Front light:	Max.800lm 6500K CRI 80
Torch:	Max. 150lm, 6500K CRI 80
Battery type & parameter:	High quality 3.7V 2500mAh Lithium battery
Charging time:	4.5hrsv
Charging port:	USB-C
Protection class:	IP65, IK08
Switch dimming:	100% to 5% stepless dial

Net weight:	295g
Dimensions:	Docking station: W: 80mm x D: 70mm x H: 80mm Lamp: W: 58mm x D: 35mm x H: 212mm
Accessories:	Included : 3 pin USB-C charging plug & car adaptor. 1m USB-C to USB-A cable
Operation Time:	Main Light: 2hrs - 12hrs Torch Light: 12hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 1A
Magnet:	N52 magnet in stand with concealed hook

PART NO	DESCRIPTION	QTY
EHL303	COB Hand Lamp & Charging Dock	1



100% TO 5% STEPLESST DIAL

IP65, IK08

N52 MAGNET IN STAND
WITH CONCEALED HOOK

VISION ETL201

350lm LED Motion Sensor Head Torch

The VISION 350lm LED Motion Sensor Head Torch is a state-of-the-art lighting solution that combines convenience with exceptional brightness. This versatile head torch is designed to provide reliable illumination for a wide range of activities, making it the ideal companion for outdoor adventures, work in low-light conditions, or emergency situations.

The LED lamp boasts an impressive 5W 350 lumen adjustable focus beam, allowing you to customize the light spread according to your needs. The on/off switch provides traditional control, while the innovative motion sensor feature enables you to operate the head torch effortlessly by simply waving your hand in front of the sensor.

Designed for maximum comfort and flexibility, the head torch comes with an adjustable head strap, ensuring a secure fit for any head size. An additional directional plate provides fixed lighting, enhancing precision and accuracy for specific tasks.

Equipped with a Li-ion 3.7V/1400mAh battery, the head torch offers an outstanding operating time of up to 30 hours on full power, ensuring you won't be left in the dark when you need it most. The device can be conveniently charged using the USB charging lead, USB plug, or car adaptor, with a quick charging time of 2.6 hours.

Engineered for durability and resilience, the head torch boasts a waterproof rating of IP65, making it resistant to dust and water splashes. This makes it suitable for various outdoor activities, even in challenging weather conditions.

Whether you're camping, hiking, cycling, or working in dimly lit environments, the VISION 350lm LED Motion Sensor Head Torch is the ultimate lighting companion. Its adjustable focus beam, motion sensor technology, long-lasting battery life, and weather-resistant design make it a reliable and practical tool for all your lighting needs. Stay illuminated and stay in control with this advanced head torch.



Light:	5W LED, Max.350lm 6500K CRI 80
Battery type & parameter:	High quality 3.7V 1400mAh Lithium battery
Charging time:	2.6hrs
Charging port:	USB-C
Protection class:	IP65, IK07
Switch dimming:	100% to 10% stepless dial
Net weight:	120g

Dimensions:	Lamp: W: 70mm x D: 35mm x H: 40mm
Accessories:	Included : 3 pin USB-C charging plug & car adaptor. 1m USB-C to USB-A cable
Operation Time:	100%: 3.5hrs 50%: 7hrs 10%: 30hrs
Input:	Charger: 100-240Vac Lamp: 5V Max. 1A
Head Strap :	One size fits all. Anti-slip silicon on internal side of the head strap
Motion Sensor:	Range - 10cm

PART NO	DESCRIPTION	QTY
ETL201	350lm LED Motion Sensor Head Torch	1



MOTION SENSOR



STEPLESS DIAL FOR DIMMING
FROM 100% TO 10%



DIRECTIONAL PLATE FOR
ENHANCE PRECISION

VISION EWL102

COB Heavy Duty Work Light & Powerbank

VISION'S COB Heavy Duty Work Light & Powerbank is the high-performance lighting tool designed to tackle demanding tasks with ease. This versatile work light is built for durability and functionality, providing powerful illumination and the added convenience of a rear charging powerbank.

With its COB lamp delivering an impressive 30W 2800 lumens of bright white light and an LED colour temperature of approximately 6500K, this work light ensures optimal visibility in any work environment.

The rear charging powerbank feature allows you to use the work light as a power source to power or charge your devices, thanks to its charger output of 5V max. The 7.4V/4400mAh Li-ion battery offers ample power to keep you going for up to 5 hours on full brightness.

Designed with a practical adjustable rear stand, the work light can be easily positioned to suit your specific needs. Additionally, the stand is wall-mountable, providing flexible installation options for your workspace.

Supplied with a USB charging lead, USB plug, and car adaptor, ensuring versatile charging capabilities. With a charging time of 6 hours, this work light will be ready to accompany you through extended tasks and projects.

This work light boasts a waterproof rating of IP54, providing protection against dust and water splashes, making it suitable for various indoor and outdoor work applications.

Whether you're working in construction, performing repairs, or in need of reliable lighting and power on the go, this Heavy Duty Work Light is the ultimate companion, offering robust performance, versatility, and convenience in one rugged and reliable package.



Light:	30W COB LED, Max.2800lm 6500K CRI 80
Battery type & parameter:	High quality 7.4V 4400mAh lithium battery pack
Charging time:	6hrs
Charging port:	USB-C
Protection class:	IP54, IK08
Net weight:	1600g

Dimensions:	W: 230mm x D: 100mm x H: 245mm
Accessories:	Included : 3 pin USB-C charging plug & car adaptor. 1m USB to USB A cable
Operation Time:	100%: 2.5hrs 50%: 5hrs 10%: 10hrs
Input:	12V Max. 2000mA

PART NO	DESCRIPTION	QTY
EWL102	COB Heavy Duty Work Light & Powerbank	1



30W COB LED, MAX.2800LM
6500K CRI 80



ADJUSTABLE REAR STAND



CONVENIENCE OF A REAR CHARGING POWERBANK.

VISION WIRELESS CHARGING

EHLW400

Wireless Fast Charging Pad

The VISION Wireless Duel Fast Charging Pad is a cutting-edge charging solution that combines efficiency, versatility and durability. With exceptional features and specifications, this charging pad is designed to keep your devices powered up at lightning speed.

The Fast Charging Pad is designed to charge two devices simultaneously, making it ideal for busy individuals with multiple devices. It works seamlessly with compatible mobile phones up to 168 x 85 x 10mm in size, ensuring a hassle-free charging experience for a wide range of devices.

Built to withstand the rigours of daily use, the Fast Charging Pad boasts IK08 shock resistance, providing peace of mind that your devices are protected during the charging process.

For added convenience, the Fast Charging Pad features strong magnets on the rear, allowing for easy mounting on metal surfaces. It also comes with built-in screw holes for permanent mounting, giving range of 5-12V DC, 20W, while the output provides a maximum of 10+5W per pad.

The charging time depends on the battery pack but generally ranges from approximately 3.0-5.0 hours, ensuring your devices are ready for use in no time.

Included with the Fast Charging Pad is a PD 20W USB-C to USB-C 1m lead, providing a reliable connection for charging and efficient power delivery.

Embrace the future of fast and convenient charging with the VISION Wireless Fast Charging Pad, a sleek and powerful solution that keeps your devices charged and ready for action.


3.5HR CHARGE TIME

MAGNETIC BASE

USB-C CHARGING

Input:	5-12V DC, 20W
Output:	Each induction area 5V Max.1A
Charging port:	USB-C
Magnet:	N52 magnet*2PCS in back

Dimensions:	W: 265mm x D: 110mm x H: 28mm
Net weight:	370g
Accessories:	USB-C cord and mains charging adaptor included



PART NO	DESCRIPTION	QTY
EHLW400	Wireless Fast Charging Pad	1


EHLW410
EHLW430
EHLW440
EHLW420

VISION WIRELESS CHARGING

EHLW410



1000LM COB Compact Spot Light

Introducing the VISION Wireless 1000LM COB Compact Spotlight, the versatile lighting solution designed to meet your illumination needs. This compact and powerful spotlight is packed with features that make it a must-have light for your life.

The highlight of this spotlight is its COB Lamp, which provides an impressive 10W/1000 lumens of white light. With three adjustable brightness levels, you can customise the lighting output to suit your requirements. The run time options include Low mode (250LM) for 12 hours, Medium mode (500LM) for 6 hours, and High mode (1000LM) for 3 hours.

Additionally, the spotlight comes with a 3W LED Torch that offers 300 lumens of white light. The torch has a run time of 300 lumens for 9.5 hours, providing a reliable backup light source when needed.

The spotlight supports wireless charging, allowing you to conveniently charge it without the hassle of cables. It also includes a PD 20W Mains Plug and PD 20W USB-C charging lead, giving you the flexibility to charge it from mains power or any standard USB power source.

With an integrated stand, the lamp can be positioned at a multitude of angles, providing hands-free lighting in any situation. Furthermore, the spotlight features a powerful stand magnet, allowing you to securely attach it to metal surfaces for convenient use.

Whether you're camping, working in a dimly lit area, or in need of emergency lighting, the NEW VISION Wireless 1000LM COB Compact Spotlight is the perfect companion, offering powerful and versatile illumination whenever and wherever you need it.

1000 LUMENS | **3W** SPOT LED | **12HR** BATTERY LIFE | **1.5HR** CHARGE TIME

MAGNETIC BASE | **IP65** RATING | **USB-C** CHARGING | **WIRELESS** CHARGING

Front light:	10W COB LED, 6500K CRI 80 Max.1000lm
Top light:	3W LED, Max. 300lm 6500K
Battery type & parameter:	High quality 3.7V2500mAh Lithium battery
Charging time:	1.5hrs USB-C cord / 3hrs wireless
Charging port:	USB-C
Protection class:	IP65, IK08
Magnet:	N52 magnet in bottom
Net weight:	200g

Dimensions:	W: 72mm x D: 39mm x H: 92mm
Accessories:	USB-C cord Optional Wireless charging Pad (EHLW400) & 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Low: 250lm - 12hrs Medium: 500lm - 6hrs High: 1000lm - 3hrs Torch: 300lm - 9.5hrs
Input:	**Charger:** 100-240Vac Lamp: 5V Max. 2A
Output:	Charger: 5V Max. 1000mA
Switch sequences:	Spotlight-Flood Low-Flood Medium-Flood High-Off

PART NO	DESCRIPTION	QTY
EHLW410	Wireless 1000LM COB Compact Spot Light	1
EHLW411	Wireless 1000LM COB Compact Spot Light + Wireless Charging Pad	1



10W COB 1000 LUMENS BRIGHT WHITE LIGHT



USB-C AND WIRELESS CHARGING



N52 SUPER STRONG MAGNET IN BACK FOR HANDS FREE USE

VISION WIRELESS CHARGING

EHLW420



1000LM COB Slim Inspection Lamp

The VISION Wireless 1000LM COB Slim Inspection Lamp is the perfect lighting solution for your inspection needs. This sleek and powerful lamp is designed to provide you with exceptional illumination in various environments.

Equipped with a COB Lamp, the Inspection Lamp delivers an impressive 10W/1000 lumens of bright white light. It offers three different lighting modes to suit your preferences and requirements: Low mode (200LM) provides a long-lasting illumination of up to 12 hours, Medium mode (500LM) lasts for 6 hours, and High mode (1000LM) provides a powerful beam for 3 hours.

In addition to the COB Lamp, the Inspection Lamp features a 2W LED torch that emits 200 lumens of white light. The torch has a run time of 9 hours, ensuring a reliable backup light source whenever you need it.

With the included PD 20W mains plug and PD 20W USB-C charging lead, you can conveniently charge the lamp from either a mains power source or a standard USB power outlet. The Inspection Lamp also supports wireless charging, providing you with added flexibility and convenience.

The lamp's base is equipped with a powerful magnet, allowing for hands-free use and secure attachment to metal surfaces. Furthermore, the 250° horizontal and 150° vertical folding head enables you to adjust the angle of the light to illuminate your workspace precisely.

Whether you're conducting inspections, working in dark or confined spaces, or simply need a reliable light source on the go, the new VISION Wireless 1000LM COB Slim Inspection Lamp is the ideal choice, offering exceptional brightness, versatility, and convenience in a compact design.

1000 LUMENS | **2W** TORCH | **12HR** BATTERY LIFE | **1.5HR** CHARGE TIME

MAGNETIC BASE | **IP54** RATING | **USB-C** CHARGING | **WIRELESS** CHARGING

Front light:	10W LED, 6500K CRI 80 Max. 1000lm in flood beam
Top light:	2W LED, Max. 200lm 6500K
Battery type & parameter:	High quality 3.7V2500mAh Lithium battery
Charging port:	USB-C
Protect:	IP54, IK07
Magnet:	2pcs N52 magnet in bottom
Dimensions:	Head in low position: W: 45mm x D: 35mm x H: 227mm Head in top position: W: 45mm x D: 35mm x H: 347mm

Net weight:	260g
Accessories:	USB-C cord Optional Wireless charging Pad (EHLW400) & 3-Pin USB-C Adaptor (EHLP1)
Charging time:	1.5hrs USB-C cord / 3hrs wireless
Charging Time USB:	1.5hours/PD20W
Operation Time:	Low: 200lm - 12 Hours Medium: 500lm - 6 Hours High: 100lm - 3 hours Top torch: 150lm for 9hrs
Input:	Charger: 100-240V AC Lamp: 5V max. 1A/PD20W

PART NO	DESCRIPTION	QTY
EHLW420	Wireless 1000LM COB Slim Inspection Lamp	1
EHLW421	Wireless 1000LM COB Slim Inspection Lamp + Wireless Charging Pad	1



10W COB 1000 LUMENS
BRIGHT WHITE LIGHT



USB-C AND WIRELESS
CHARGING



2X N52 SUPER STRONG MAGNETS
IN BASE FOR HANDS FREE USE

VISION WIRELESS CHARGING

EHLW430



900LM LED Adjustable Beam Torch

The VISION Wireless 900LM LED Adjustable Beam Torch, a versatile and powerful lighting solution for all your indoor and outdoor needs. With its impressive features and functionality, this torch is designed to provide you with reliable and adjustable illumination whenever and wherever you need it.

Equipped with an LED lamp, the Adjustable Beam Torch delivers a spot beam of 10W/900 lumens, ensuring a bright and focused light source. It offers three different brightness levels to suit your preferences and requirements: Low mode (200LM) provides a remarkable 12 hours of continuous illumination, Medium mode (450LM) lasts for 6 hours, and High mode (900LM) delivers a powerful beam for 3 hours.

The torch comes with a PD 20W mains plug and PD 20W USB-C charging lead, allowing you to conveniently charge it from a mains power source or any standard USB power outlet. As with the full VISION Wireless range, it supports wireless charging, providing you with added flexibility and convenience.

The powerful base magnets enable hands-free use, allowing you to attach the torch securely to metal surfaces. Additionally, the 180° swivel head allows you to adjust the direction of the light, providing optimal coverage and versatility.

Whether you're working, camping, exploring the outdoors, or in need of a reliable torch for emergency situations, the VISION Wireless 900LM LED Adjustable Beam Torch is the perfect companion. Its bright output, adjustable beam, charging options, and convenient features make it an essential tool for any lighting needs.

900 LUMENS | **12HR** BATTERY LIFE | **1.5HR** CHARGE TIME | **MAGNETIC** BASE

IP54 RATING | **USB-C** CHARGING | **WIRELESS** CHARGING | **180°** HEAD

LED Light:	10W LED, 6500K CRI 80 Max.900lm in flood beam Max. 200lm 180meters long in spot beam
Battery type & parameter:	High quality 3.7V2500mAh Lithium battery
Charging time:	1.5hrs USB-C cord / 3hrs wireless
Charging port:	USB-C
Protect:	IP54, IK07
Magnet:	2pcs N52 magnet in bottom

Net weight:	240g
Dimensions:	Head in low position: W: 45mm x D: 35mm x H: 158mm Head in top position: W: 45mm x D: 35mm x H: 92mm
Accessories:	USB-C cord Optional Wireless charging Pad (EHLW400) & 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Low: 200lm - 12 Hours Medium: 450lm - 6 Hours High: 900lm - 3 hours
Input:	Charger: 100-240Vac Lamp: 5V max. 1A

PART NO	DESCRIPTION	QTY
EHLW430	Wireless 900LM LED Adjustable Beam Torch	1
EHLW431	Wireless 900LM LED Adjustable Beam Torch + Wireless Charging Pad	1



ADJUSTABLE BEAM TORCH

THREE DIFFERENT
BRIGHTNESS LEVELS

2X N52 SUPER STRONG MAGNET IN
BASE FOR HANDS FREE USE

VISION WIRELESS CHARGING

EHLW440



1500LM COB Work Lamp/Flex Light

The VISION Wireless 1500LM COB Work Lamp/Flex Light is the ultimate lighting solution for all your work and task-oriented needs. This versatile and powerful lamp is designed to provide you with reliable and adjustable illumination in any work environment.

With its COB lamp, the Work Lamp/Flex Light offers an impressive output of 15W/1500 lumens of bright white light. It provides three different lighting modes to suit your preferences and requirements: Low mode (300LM) offers an extended run time of 14 hours, Medium mode (800LM) lasts for 7.5 hours, and High mode (1500LM) delivers a powerful beam for 3.5 hours.

In addition to the COB lamp, the Flex Light features a 3W LED torch that emits 300 lumens of white light. The torch has a run time of 16 hours, ensuring a reliable and long-lasting light source when needed.

The Work Lamp/Flex Light comes with a PD 20W mains plug and PD 20W USB-C charging lead, allowing you to conveniently charge it from a mains power source or any standard USB power outlet. It also supports wireless charging, providing you with added flexibility and convenience.

With its integrated hook, the lamp/torch can be positioned at a multitude of angles, allowing you to direct the light exactly where you need it. The powerful rear magnet further enhances hands-free use, enabling you to securely attach the lamp to metal surfaces.

Whether you're working in construction, automotive repairs, or any other task-oriented setting, the VISION Wireless 1500LM COB Work Lamp/Flex Light is the perfect companion. Its bright and adjustable light output, long-lasting battery life, charging options, and convenient features make it an essential tool for any work environment.

1500 LUMENS | **3W** TORCH | **14HR** BATTERY LIFE | **1.5HR** CHARGE TIME

MAGNETIC BASE | **IP65** RATING | **USB-C** CHARGING | **WIRELESS** CHARGING

Front light:	15W COB LED, 6500K CRI 80 Max.1500lm in flood beam
Top light:	3W LED, Max. 300lm 6500K
Battery type & parameter:	High quality 3.7V4400mAh Lithium battery
Charging time:	1.5hrs USB-C cord / 3hrs wireless
Charging port:	USB-C
Protection class:	IP65, IK08
Magnet:	2pcs N52 magnet in back
Net weight:	385g

Dimensions:	Folded: W: 76mm x D: 41mm x H: 170mm Opened: W: 45mm x D: 35mm x H: 340mm
Accessories:	USB-C cord Optional Wireless charging Pad (EHLW400) & 3-Pin USB-C Adaptor (EHLP1)
Operation Time:	Low: 300lm for 14hrs Medium: 800lm for 7.5hrs High: 1500lm for 3.5hrs Torch: 300lm for 16hrs
Input:	Charger: 100-240V AC Lamp: 5V Max. 2A
Output:	Charger:5V Max. 2000mA(not included)

PART NO	DESCRIPTION	QTY
EHLW440	Wireless 1500LM COB Work Lamp/Flex Light	1
EHLW441	Wireless 1500LM COB Work Lamp/Flex Light + Wireless Charging Pad	1



15W COB 1500 LUMENS BRIGHT WHITE LIGHT

360° INTEGRATED HOOK

N52 SUPER STRONG MAGNET IN BACK FOR HANDS FREE USE


EV & TOOLS






EV & TOOLS


Electrical Operations	149
VDE Tool Sets	152
Insulated Screwdrivers	155
VDE Pliers	157
EV Bundles	158
EV Signage	160
EV Safety	162
Lock-Out & Tag-Out	164
EV P.P.E	166
Testers & Accessories	168
Charging Cables	169



EV MARKET


Electric vehicles enjoyed a record year in 2021 for car sales in the UK against a market place which was 28.7% below pre-Covid levels. Overall, 1.65 million new cars were registered in 2021 (1% up on 2020) due to the ongoing impact of the pandemic and the global semiconductor chip shortage.
Despite this, more battery electric vehicles (BEV) were sold than over the previous five years combined (2016 – 2020), with 190,727 registrations (11.6% of all new car sales), while plug-in hybrid vehicles (PHEVs) made up 7% / 114,554 cars. This means that 18.5% of all new cars registered in 2021 can be plugged in.





BEV sales grew again in January with 14,433 being sold making up 12.5% of all new registrations. This trend continued in February with a market share of 17.7% of all new registrations.
March 2022 saw the highest volume of BEV registrations ever being recorded in a single month with 39,315 new zero emission cars leaving the dealerships – an increase of 78.7% on March 2021.
In fact March 2022 witnessed more BEV being registered in March 2022 than during the whole of 2019 which now gives them an overall market share of 16.1%.
According the latest vehicle stats, the EV market is booming. Electric passenger car sales increased by 186% in 2020 and today there is 432,000 electric vehicles on the road in the UK and more than 750,000 plug-in hybrids.

There's been a massive increase in the number of electric vehicles on sale in the UK with more than 40% of models now available as plug-ins. Car manufacturers like Nissan, Tesla, Ford & Vauxhall have all expanded their offerings. Volkswagen have created their electric only ID. range and Mercedes Benz have launched their EQ models.





The institute of the Motor Industry (IMI) has warned that workshops and garages do not currently have the skills and the pipeline talent needed to service and repair electrified vehicles. The original report in May 2021 stated that the UK had just of 6% of garages equipped for E V vehicles.

With the UK garages having this major shortfall serious investment will be required. Each technician will need to be equipped with the correct clothing, protection & tooling to be kept safe at all times. Having your own 'EV kit' is no different to apprentice mechanics investing in their tool kits when starting out.

Data gathered from DfT (Department for Transport) & SMMT (Society of Motor Manufacturers & Traders)

MAINTENANCE

VEHICLE SHUT DOWN - LOCK-OUT PROCEDURE

- Identify the vehicle – The most obvious and instant indication is the badge on the vehicle. As well as the badges on the exterior of the vehicle, there are a number of internal differences. An electric or hybrid vehicle will have a digital display to show battery / energy levels. Plus the vehicle will not have a gear stick as there is no gearbox. The vehicle will have a 'paddle' or 'selector'.
- Before starting the vehicle 'shut down' please check the vehicles operating manual. ALL makes and models have a 'safe time' that needs to be followed to allow the vehicle shutdown correctly keeping all the manufacturers data along with making the vehicle safe.
- Before starting any work on the vehicle please ensure the vehicle has all the correct safety coloured chains & posts around the vehicle to identify it to others.
- Ensure you have the correct PPE protection on before identifying the power points / voltage or carrying out any work on the vehicle.

	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	896875, 896876, 896877, 896878, 896879	167
5	Safety Chain, post & Base	896810, 896811 & 896812	160
6	Insulated Rubber Mat	896816	162
7	Insulating Shroud - Clear	896817	162
8	Lock-Out / Tag-out	896835, 896842, 896830, 896831, 896841	164
9	Voltage Detector	896850	168
10	Multimeter	896851	168

WORKING ON THE VEHICLE

VEHICLE SHUT DOWN - WORKING SAFELY

- Before commencing any work on the vehicle please ensure the vehicle is safe to do so.
- There are special procedures for working on electric vehicles and the technician needs to be suitably qualified.
- High voltage is dangerous and can cause burns, shocks, sparks, explosions and even fires.



	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	896875, 896876, 896877, 896878, 896879	167
5	Safety Chain, post & Base	896810, 896811 & 896812	160
6	Insulated Rubber Mat	896816	162
7	Insulating Shroud - Clear	896817	162
8	Lock-Out / Tag-out	896835, 896842, 896830, 896831, 896841	164
9	Voltage Detector	896850	168
10	Multimeter	896851	168

- **Do not work without face shield and insulating gloves in the vicinity of live energy sources**
- **Do not use a measuring device when carrying out a voltage absence check**



WORKING ON THE VEHICLE

GENERAL DAY TO DAY ACTIVITIES

- Ensure the vehicle's key is kept away from the vehicle to prevent accidental operation, ideally being locked away utilising the 'lock-out' cabinet.
- Before carrying out any maintenance visually check the vehicle for signs of damage to high voltage cabling (usually coloured orange) or any electrical components.
- Unless a specific task requires the vehicle to be energised always isolate or disconnect the high voltage battery in accordance with the manufactures instructions.
- Even when isolated, vehicle batteries and their components may still contain large amounts of energy and retain a high voltage. Only suitable tools & test equipment should be used. You must always test and prove that any high voltage cable or electrical component is dead prior to carrying out work.
- Pressure washing has the potential to damage high voltage electrical components and cables. Refer to guidance from manufacturers before valeting in any under body areas.
- Avoid towing any E&HV vehicles unless it can be determined that it is safe to do so. Dangerous voltages can be generated by movement of the drive wheels.
- Determine the location of high voltage cables before carrying out tasks such as panel replacements, cutting or welding plus taking appropriate precautions to prevent them being damaged





	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	896875, 896876, 896877, 896878, 896879	167
5	Safety Chain, post & Base	896810, 896811 & 896812	160
6	Insulated Rubber Mat	896816	162
7	Insulating Shroud - Clear	896817	162
8	Lock-Out / Tag-out	896835, 896842, 896838, 896831, 896841	164
9	Voltage Detector	896850	168
10	Multimeter	896851	168
11	Rescue Safety Pole	896815	162
12	EV Safety Posters & Signs	EV003, EV004, EV005, EV006	160

VEHICLE WARNINGS & INSPECTION

VEHICLE DANGERS

- Voltages present in electric and hybrids are significantly higher (up to 650 Volts direct current -DC, than those used in other vehicles 12/24 Volts DC. In dry conditions, accidental contact with parts that are live at voltages above 110 Volts DC can be fatal.
- Not only is it important to check the vehicle is safe to use but its also important to regularly check your PPE equipment for damages as even a 'pin prick' sized hole in your gloves will cause serious injury as electricity will find its way through as it earths.



	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	89875, 896876, 896877, 896878, 896879	167
5	Safety Chain, post & Base	896810, 896811 & 896812	160
6	Insulated Rubber Mat	896816	162
7	Insulating Shroud - Clear	896817	162
8	Lock-Out / Tag-out	See page 9	164
9	Voltage Detector	896850	168
10	Multimeter	896851	168
11	Fire Blanket	896818	162

VEHICLE CHECK & OVERVIEW

VEHICLE ASSESSMENT

- Always approach the vehicle with care, just because the technician has carried out the 'shutdown' process always assess the vehicle properly and give the possible risks the respect they deserve



	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	896875, 896876, 896877, 896878, 896879	167
5	Insulated Rubber Mat	896816	162
6	Insulating Shroud - Clear	896817	162
7	Rescue Safety Pole	896815	162
8	EV Safety Posters & Signs	EV003, EV004, EV005, EV006	160

- **Do not work without face shield and insulating gloves in the vicinity of live energy sources**
- **Do not use a measuring device when carrying out a voltage absence check**

ROADSIDE RECOVERY

INCIDENT RESPONSE

- Identify the vehicle and asses the risks for the technician, general public & other rescue services.
- Only approach the vehicle whilst wearing the correct PPE.
- Look for visual damages to bodywork and high voltage cabling.
- Check to see if the battery has been compromised. If the vehicle is smoking deploy the fire blanket.
- Once safe to do so remove the key from the vehicle to prevent it being activated / started.
- Sign off the area to prevent any unauthorised access.
- If the vehicle is damaged, faulty, and it's safe to do so, isolate the high voltage battery system using the isolation device on the vehicle. Always refer to the manufacturer's instructions for guidance.
- Have access reliable source of information for specific vehicle types.
- Avoid towing electric or hybrid vehicles unless it is determined to do so.





	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	896875, 896876, 896877, 896878, 896879	167
5	Safety Chain, post & Base	896810, 896811 & 896812	160
6	Insulated Rubber Mat	896816	162
7	Insulating Shroud - Clear	896817	162
8	Lock-Out / Tag-out	896835, 896842, 896838, 896831, 896841	164
9	Voltage Detector	896850	168
10	Multimeter	896851	168
11	Fire Blanket	896818	162
12	Steering Wheel Lockout	896842	164

WORK AND REPAIR

WORKSHOP STEPS

- Locate the vehicle away from other vehicles & sign off the area.
- Approach the vehicle with the correct PPE.
- Check for damages to cabling and bodywork.
- If the vehicle has already been made safe by the shutdown process and isolating the service plug check for voltage.
- When checking voltage only use a CAT 3 tester.
- Remember to store the vehicles key and isolation service plug in the lock-out cabinet.



	Products	Part no	Page
1	Face Shield	896861	166
2	Insulating Gloves	896865, 896866, 896867	167
3	Arc Flash Hoodie	896885, 896886, 896887, 896888	166
4	Safety Boots	896875, 896876, 896877, 896878, 896879	167
5	Safety Chain, post & Base	896810, 896811 & 896812	160
6	Insulated Rubber Mat	896816	162
7	Insulating Shroud - Clear	896817	162
8	Lock-Out / Tag-out	896835, 896842, 896838, 896831, 896841	164
9	Voltage Detector	896850	168
10	Multimeter	896851	168
11	Rescue Safety Pole	896815	162
12	EV Safety Posters & Signs	EV003, EV004, EV005, EV006	160

NEW...
EV CHARGING CABLES



See page 169

- **Do not work without face shield and insulating gloves in the vicinity of live energy sources**
- **Do not use a measuring device when carrying out a voltage absence check**

RG Tools VDE Tool Set - 3/8” Drive - 27 Piece

RGTOOLS



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains:
1 x Combi Pliers,
1 x Side Cutters,
Open End Wrenches: 7, 8, 10, 12, 14 mm,
Screwdrivers: PH1 x 100 mm,
PH2 x x100 mm,
SL1.0 x 125 mm,
SL0.8 x 100 mm,
2 Cable Knives,
3/8” Drive Ratchet,
3/8” Drive Extension 100 mm,
3/8” Drive Sockets: 7, 8, 10, 12, 14 mm,
3/8” Drive Sockets: 1/4”, 5/16”, 3/8”, 1/2”, 9/16”
3/8” Drive T-Handle





Part No.	Qty
RG10140	1

RG Tools VDE T-Handle, Sockets & Screwdrivers - 3/8” Drive - 9 Piece

RGTOOLS



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains: 1 x 3/8” Drive T-Handle, 3/8” Sockets: 7, 8, 10, 12 mm, Screwdrivers: PH2 x 100 mm, Slotted 5.5 x 125 x 1.0 mm blade, Heavy Duty Storage Pouch

Part No.	Qty
RG10110	1

RG Tools VDE Socket Set - 1/2” Drive - 8 Piece

RGTOOLS



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains: 1 x 1/2” Drive Reversible Ratchet, 1 x 1/2” Drive Extension Bar, 1 x 1/2” Drive Sockets: 14, 17, 19, 22 & 24 mm, 1 x Heavy Duty Storage Case

Part No.	Qty
RG10120	1

RG Tools Insulated Socket Set - 1/2” Drive

RGTOOLS



- Set Contents - 1/2” Dr ratchet, 1/2” Dr T-handle, 1/2” Dr 125mm extension bar, 1/2” Dr sockets - 10, 12, 13, 14, 17, 19, 22 & 24mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Part No.	Qty
RG10500	11 Pc Set

RG Tools Insulated Socket Rail - 1/2” Drive

RGTOOLS



- Set Contents - 1/2” Dr sockets - 2 x 10, 11, 12, 2 x 13, 14, 16, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Part No.	Qty
RG10506	10 Pc

RG Tools Insulated Socket Set - 3/8" Drive



- Set Contents - 3/8" Dr ratchet, 3/8" Dr 100mm extension bar, 3/8 Dr sockets - 8, 10, 12, 13, 14, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Part No.	Qty
RG10502	9 Pc Set

RG Tools VDE Wrench Set - Open End - 6 Piece



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains: Open End Wrenches: 7, 8, 10, 12 & 14 mm, 1 x Heavy Duty Storage Pouch

Part No.	Qty
RG10130	1

RG Tools Insulated Socket Rail - 3/8" Drive



- Set Contents - 3/8" Dr sockets - 2 x 10, 11, 12, 2 x 13, 14, 15, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10504	10 Pc

RG Tools VDE Wrenches - Open End



- VDE Wrench for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Part No.	Qty	Open Jaw	Length
RG10200	1	10 mm	108 mm
RG10205	1	13 mm	144 mm
RG10210	1	15 mm	163 mm
RG10215	1	17 mm	163 mm
RG10220	1	19 mm	180 mm
RG10225	1	24 mm	224 mm

RG Tools Insulated Screwdrivers

- Made with high quality silicon alloy steel with a magnetic tip & ergonomic handle.
- 1000V insulated tools manufactured for live wire work.
- Tested to IEC900, DIN EN 60900 & VDE 0608/02.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).
- All of the range is available to order individually.

RG Tools Insulated Screwdriver Set - 7 Pieces



Part No.	Qty	Type
RG10410	1	7 Pc Box Set

RG Tools Insulated Screwdriver Set - 8 Pieces



Part No.	Qty	Type
RG10411	1	8 Pc Box Set

RG Tools Insulated Screwdrivers



Part No.	Qty	Type	Size
RG10450	1	Slotted	2.5 x 75 mm
RG10452	1	Slotted	3.5 x 100 mm
RG10456	1	Slotted	5.5 x 125 mm
RG10458	1	Slotted	6.5 x 150 mm
RG10462	1	Phillips	1 x 80 mm
RG10464	1	Phillips	2 x 100 mm
RG10454	1	Slotted	4 x 100 mm
RG10460	1	Phillips	0 x 60 mm
RG10470	1	Voltage Tester	

RG Tools Insulated Star Screwdrivers

- Made with high quality silicon alloy steel with a magnetic tip & ergonomic handle.
- 1000V insulated tools manufactured for live wire work.
- Tested to IEC900, DIN EN 60900 & VDE 0608/02.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).
- All of the range is available to order individually.



RG Tools Insulated Screwdriver Set - Star

Part No.	Qty	Type
RG10412	1	6 Pc Box Set

RG Tools Insulated Star Screwdrivers - Singles

Part No.	Qty	Type	Size
RG10480	1	T10	60 mm
RG10482	1	T15	100 mm
RG10484	1	T20	100 mm
RG10486	1	T25	100 mm
RG10488	1	T30	100 mm
RG10490	1	T40	150 mm



NEW VISION BROCHURE
INCLUDING EXCITING NEW WEARABLES
Go to page 104, scan the QR code or Contact us to order your copy now!
VISION
FULL LIGHTING RANGE

RG Tools VDE Combi Pliers - 6”



- VDE Pliers for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10350	1

RG Tools VDE Long Nose Pliers - 8”



- VDE Pliers for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10355	1

RG Tools VDE Diagonal Side Cutters - 6”



- VDE Side cutters for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10360	1

RG Tools VDE Bent Nose Pliers - 8”



- VDE Pliers for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10365	1

RG Tools VDE Wire Strippers - 6”



- VDE Wire stripper for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10370	1

EV CONSUMABLES BUNDLES

We have created a range of EV Consumables Bundles to help with the headache of getting the workshop prepared for work on electric and hybrid vehicles. With full kits, Lock-Out kits, Safety kits and post & chain kits you should find everything you need.

EV Lock-Out Kit Bundle

Lock-out kit specifically designed for the lock-out procedure of working on electric or hybrid vehicles.



Kit Contains:
EV Lockout Station Box
Safety Padlock
Long Shackle Padlock
Isolation Port Lockout Device
High Voltage Identification Tags

Part No.	Qty
100420	1


EV Posts, Chain & Sign Bundle



Kit Contains:
Safety Chain
Chain Support Posts x 4
Chain Support Heavy Bases x 4
High Voltage Warning Signs x 3

Part No.	Qty
100415	1

EV Posts & Chains Bundle



Kit Contains:
Safety Chain
Chain Support Posts x 4
Chain Support Heavy Bases x 4

Part No.	Qty
100410	1

EV Safety Master Kit

An extensive kit bundle for working on Electric Vehicles including items for personal safety, workshop safety, lock-out and electrical testing

Kit Contains:
Arc Flash Face Shield & Protective Bag
EV Insulated Gloves & Gauntlet Overgloves
Safety Chain, x4 Posts, x4 Post Bases &
x3 Chain Signage
Rescue Safety Pole
Insulated Rubber Mat
EV Lockout Station Box
EV Lockout Safety Padlocks
Isolation Port Lockout Device
Identification Tags
Voltage Detector
Shutdown Timer
Steering Wheel Lock-out & Sign












Part No.	Qty
100405	1

EV Safety Kit

A safety kit bundle for working on Electric Vehicles including items for personal safety, workshop safety and electrical testing.

Kit Contains:
Arc Flash Face Shield & Protective Bag
EV Insulated Gloves & Gauntlet Overgloves
Safety Chain, x4 Posts, x4 Post
Bases & Chain Signage
Rescue Safety Pole
Insulated Rubber Mat
Voltage Detector
Shutdown Timer
Steering Wheel Lock-out & Sign












Part No.	Qty
100400	1

Safety Chain

- Safety chain designed it cordon off the working area around the car.
- Also designed as a multifunctional barrier.
- High visibility for easy identification.
- To be fitted to matching colour posts.
- Chain 6mm x 25m length with a breaking strain of 60kg (Approx)



Part No.	Qty
896810	1

Chain Support post

- Support posts to house the safety chains around the vehicles.
- Also designed as a multifunctional barrier. High visibility for easy identification.
- Posts have two spring clips to clip the chain over.
- Height of post 90cm, diameter 4.5cm, weight 0.38kg



Part No.	Qty
896811	1

Chain Support Base

- Heavy duty base which securely holds the post & chains in position.
- Designed only to house our posts.
- Due to size offer less floor space when set up improving access.
- Made from recycled PVC.
- Base dimensions - Diameter 34.5cm, height 8.4cm, Weight 3Kg (Approx).



Part No.	Qty
896812	1

High Voltage Sign for Chains

- Electric / hybrid vehicle warning signs
- Signage to be used with barrier chains.
- Lightweight but durable polymer panel signs.
- Mounting hooks for easy deployment on the hi vis chains.
- Dimensions : 300 x 200mm)



Part No.	Qty
EV002	3

Electric Vehicle Safety Poster


- Electric vehicle full safety procedure wall poster.
- An essential checklist for technicians preparing to work on electric & hybrid vehicles.
- Ensures the correct sequence is followed to make vehicles safe prior to work.
- Printed on durable polymer panel.
- Dimensions : 750mm x 500mm.



Part No.	Qty
EV004	1

Electric Shock & CPR Poster

- The first aid & CPR advice poster offers a full procedure & precautions against electric shocks from EV / hybrids.
- Displays an easy to follow casualty assessment guide & CPR instructions.
- The poster is printed on a durable polymer panel.
- Please note - The poster is just for guidance.
- Dimensions : 750mm x 500mm



Part No.	Qty
EV005	1

EV Warning Sign Pack



- Complete assorted pack of electric vehicle warning signs.
- Comes with - drivers door window sign - Size 300mm x 200mm.
- Roof top warning sign - Size 310mm x 235mm x 3 sides.
- Constructed from durable rigid plastic.
- Chain barrier warning signs x 3.
- Size 300mm x 200mm.
- Perfect warning starter pack.

Part No.	Qty
EV003	5

Vehicle Roof Top Warning Sign



- High visibility warning to alert all personnel that the vehicle that's being serviced or repaired is a hybrid or an electric vehicle.
- High voltage sign to be used with additional signage / warnings to highlight electric / hybrid vehicles & the potential danger.
- Constructed from durable rigid plastic.
- Foam protected feet to prevent damage to the vehicle bodywork.
- Dimensions : 310mm x 235mm x 3 sides

Part No.	Qty
EV006	1

High Voltage Floor Sign



- Hazard warning floor sign. High voltage sign to be used with additional signage / warnings to highlight electric / hybrid vehicles & the potential danger.
- Warning of the potential hazards inside the workshop or garage with this double sided, highly visible warning sign.
- Manufactured from hard wearing plastic with integral handle making it easier for carrying.
- Height measures 630mm

Part No.	Qty
EV007	1

High Voltage Reusable Stickers



- Designed to indicate high voltage areas on an EV such as a charging port, battery, capacitor bank etc.
- Reusable labels.
- Low-tack adhesive which does not leave residue on the vehicle & enables them to be used many times.
- Hi visibility warning sticker.
- Dimensions : 100 x 140mm

Part No.	Qty
896843	1

High Voltage Sign




High voltage ISO pictogram denotes a hazard or prohibition message without text.

- Fitted with a durable sucker to allow placement on any smooth surface.
- Printed on a durable polymer panel measuring 25cm x 20cm.
- Sign to warn the workforce or customers of the potential hazard.
- Suitable for use throughout Europe

Part No.	Qty
EV001	1

Rescue Safety Pole

- Electrically insulated rescue hook & pole.
- Designed to safely remove victims of electric shock from danger.
- Conforms to NF EN50508 & CEI61235-S.
- Rated to 45,000V.
- Length 145cm.



Part No.	Qty
896815	1

EV Insulated Rubber Mat

- Electrical insulated rubber matting.
- Essential for ensuring the safety of technicians whilst working on electric & hybrid vehicles.
- Manufactured to IEC61111 Class 0 international standards.
- Offers protection up to 1,000 volts.
- Size : 1m x 1m.



Part No.	Qty
896816	1

Transparent Insulating Shroud

- Transparent shroud 1000v to isolate / protect high voltage parts
- Prevents accidental contact with live terminals.
- Easily installed & fitted.
- Insulated safety clamps are recommended to secure the shroud in position.
- Dimensions: 1m x 1.3m



Part No.	Qty
896817	1

EV Car Fire Blanket

- Manufactured from specialised quartz material with a silicon polymer coating.
- This combination of high tech fabric engineering provides continuous temperature resistance up to 1,000°C and spikes of 1,600°C.
- By depriving an EV car fire blanket the combustion potential can be minimised by depriving the fire of oxygen.
- Once the fire is controlled the temperatures drop rapidly which prevents damage to surrounding vehicles & property.
- Dimensions : 8 x 6 metres.



Part No.	Qty
896818	1

EV Insulated Safety Clamp

- Insulated spring loaded plastic clamp to hold the transparent shroud in place.
- Secures the shroud in place to prevent the shroud from slipping to protect contact with live terminals.
- Insulation rating to 1,000 volts.
- Jaw opening : 25mm.
- Dimensions : 165 x 82 x 18mm



Part No.	Qty
896823	1

Warning Wing Cover

- Designed to protect both the vehicle that's being worked on & fellow technicians.
- Printed with hi-vis signage to identify the vehicle is a EV / Hybrid car that's being worked on.
- Printed in durable, fade resistant inks in high impact colours for great visibility.
- Manufactured with anti-slip soft rubber backing & polyester facing.
- Size : 90cm x 60cm.



Part No.	Qty
896819	1

RGTOOLS
Professional Cordless Power Tools
ONE BATTERY FITS ALL RANGE
Impact Wrench | Drill | Impact Driver | Angle Grinder
SEE PAGES 720-721 FOR FULL RANGE

EV Lockout Station

- The lockout station is designed to securely store a vehicles keys, isolators & lockout padlocks away from the vehicle that's being worked on.
- Heavy duty steel construction & powder-coated finish.
- Includes wall mountings.
- Resettable 3-digit combination.
- Dimensions: 20cm x 16mm x 7.5cm.
- (PLEASE NOTE ISOLATORS & PADLOCKS ARE NOT INCLUDED)



Part No.	Qty
896832	1

EV Lockout Safety Padlock

- Insulated safety lockout padlocks are used to secure the insulation port lockout device.
- Nylon body & hasp ensures the padlock is fully insulated.
- Supplied with 2 keys.
- Ideally stored in the lockout station.
- Dimensions : 38mm body & 40mm hasp height.



Part No.	Qty
896830	1

EV Lockout Safety Padlock - Long Shackle

- Insulated safety lockout padlocks are used to secure the insulation port lockout device.
- Nylon body & hasp ensures the padlock is fully insulated.
- Supplied with 2 keys.
- Ideally stored in the lockout station.
- Dimensions : 38mm body & 76mm shackle.



Part No.	Qty
896831	1

Identification Tags - High Voltage

- Identification tags designed to be hung on internal rear view mirror or steering wheels to warn the car is either an electric or hybrid vehicle.
- High voltage sign to be used with additional signage / warnings to highlight electric / hybrid vehicles & the potential danger.
- Provides an additional safety check when working on EV / hybrids.
- Workshops, car showrooms, car hire companies can utilise to identify electric / hybrid vehicles.



Part No.	Qty
896838	10

Padlock Lockout Tags - Reusable

- Lockout tags are designed to be used with lockout padlocks when securing the isolation port lockout device or steering wheel warning cover.
- Manufactured from gloss PVC to ensure durability & moisture resistance.
- 10mm brass eyelet ensures the lockout tags cannot be torn off.
- Supplied with a fine point dry wipe marker pen so the 'technician in charge' can identify themselves.



Part No.	Qty
896839	5

Car Key Lockout Tags - Reusable



- Manufactured from gloss laminated polyester to ensure durability & moisture resistance.
- Hi-vis warning printed in vibrant colours on one side with a panel on the reverse so the technicians name can be written along with vehicle registration no.
- When used with the dry wipe marker the lockout tags can be used many times.
- Supplied with a fine point dry wipe marker pen so the 'technician in charge' can identify themselves.
- Dimensions : 50 x 70mm

Part No.	Qty
896840	10

EV Nylon Lockout Hasp



- The nylon hasp allows you to prevent access when padlocks are not long enough.
- Can be used with lockout tags.
- Supplied with 6 holes so multiple padlocks can be used to prevent access.
- To be used with the safety lockout padlocks.
- Dimensions : Total length 193mm - width 41.5mm, hasp length 101mm - hole diameters : 10mm.

Part No.	Qty
896841	1

Steering Wheel Lockout & Sign



- High visibility warning to alert unauthorised personnel that the vehicle is being serviced or repaired.
- When the wheel lockout device sign is in place no attempt to start or move the vehicle should be made.
- The sign is an integral component of the key locked steering wheel immobiliser to prevent unauthorised removal.
- Supplied with a dry wipe marker pen so the 'technician in charge' can identify themselves.
- Comes with two keys

Part No.	Qty
896842	1

Isolation Port (MSD) Lockout Device



- The isolation port lockout device is designed to blank off electric & hybrid vehicle manual service disconnect (MSD) ports.
- It has an adjustable bar & cam action that allows it to be locked off with the insulated padlocks.
- Prevents unauthorised reinsertion of the isolator & restrict fingers touching live terminals.
- A small but essential piece of equipment to safeguard technicians working on electric & hybrid vehicles.

Part No.	Qty
896835	1

EV Arc Flash Face Shield

- Heavy duty helmet & visor offers class 1 electric arc protection (GS-ET-29) to 1,500VDC.
- The ABS dual shell helmet offers excellent impact resistance & incorporates a retractable PC visor.
- A foam sweat band with rotor adjustment system to suit head sizes between 53 / 63cm.
- Retractable visor with anti-fog & anti-scratch protection.
- Includes a microfibre protective storage bag.




Part No.	Qty
896860	1

EV Face Shield Protective Bag

- Protective bag to safely store the lightweight face shield.
- Storage bag will help prevent damage to the face shield



Part No.	Qty
896862	1



EV Arc Flash Face Shield - Lightweight

- Lightweight design with a flip front protector.
- 1.5mm visor thickness offers protection against short circuit electric arcs.
- Visor comes with anti-fog acetate coating.
- Adjustable headband gives a comfortable & secure fit.
- Conforms to : EN166:2001 1 AT 8 9



Part No.	Qty
896861	1

Arc Flash Hoodie

- Arc flash protective fleece with hood.
- This premium hooded sweatshirt features a warm neck design, ideal for working outside.
- Constructed from 320gsm VXS+ inherent sweat fabric with a brushed inner fleece lining for warmth.
- Breathable, soft to wear & fantastic to touch.
- Round neck higher collar. Colour: Navy



Part No.	Qty	Size
896885	1	Small
896886	1	Medium
896887	1	Large
896888	1	Extra Large

EV Insulated Gloves



- Fully insulated electrical safety glove.
- Latex material offers excellent electrical resistance.
- Class 0 rated for 1000v.
- Standards - EN60903, PPE CAT III 0333 Overall length 36cm

Part No.	Qty	Size
896865	1	Medium
896866	1	Large
896867	1	Extra Large

EV Leather Gauntlet Overgloves



- Designed to be worn over electricians gloves.
- Extends the lifespan of the electricians gloves.
- Provides additional mechanical protection & offers a higher level of grip.
- Standards - 3111X, PPE CAT II
- Protects the electricians gloves in dirty or oily environments.

Part No.	Qty	Size
896870	1	Medium
896871	1	Large
896872	1	Extra Large

Pneumatic Safety Glove Tester



- The tester allows you to check electrical insulation gloves in accordance with EN60903.
- The EN60903 standard recommends regular inspection & testing for all electrical insulating products.
- Ideally they should be checked prior to each use to ensure they are free from damage.



- The pneumatic tester allows you to inflate the gloves to inspect them to check for air leaks caused by pinholes as electricity will find the smallest of holes in the gloves.
- Any holes or mechanical damage to the insulated gloves renders them ineffective & should be disposed of.

Part No.	Qty
896855	1

EV Safety Boots



- Protective boot with fibreglass toecap & composite anti-penetration flexi-midsole.
- Complete with scuff cap & shock absorbing dual density EVA nitrile rubber outsole.
- Upper material water repellent full grain black nubuck with breathable mesh panels.
- Certified to withstand electrical risks of 18KV in accordance with the ASTM F2412-18 test method.

Part No.	Qty	Size
896875	1	Size 8
896876	1	Size 9
896877	1	Size 10
896878	1	Size 11
896879	1	Size 12

Voltage Detector - up to 1,000v





- An electric voltage tester is an essential piece of equipment for EV / hybrid technicians to prove there is no voltage present prior to working.
- A simple LED scale indicates the voltage range present at the time of testing.
- The electrical voltage tester has a safe test range from 12v to 1000v AC/DC.
- Voltage measurement is in increments of - 12, 24, 50, 120, 230, 400, 690 & 1000 volts.
- Conforms to the following safety standards - BS EN61243-3, TUV-GS38, EN61010-1 CAT111 - 1000V, EN61010-1 CAT IV - 600V.

Part No.	Qty	Voltage
896850	1	Up to 1,000v

EHV Multimeter - CAT 111 - to 1,000v



- The EHV multimeter & insulation tester is designed for testing & checking components on electric & hybrid vehicles through the continuity test & diode test.
- The multimeter function is combined with an inbuilt insulation test facility making it ideal for troubleshooting & preventative maintenance.
- The insulation test function operates at the following test voltages - 50v, 100v, 250, 500, & 1000v.
- Complies with EN61010 CATEGORY III (1000v) & CATEGORY IV (600v).

Part No.	Qty	Ref	Voltage
896851	1	Cat 111	Up to 1,000v

EV Disconnect Shutdown Timer



- Digital timers are perfect for accurately measuring the required shut down times following the manufacturers guide line for disconnecting & reconnecting.
- Important where airbag, BSI, hybrid & electric ECU's need time to shut down before proceeding with further work.
- Suitable for technicians working on electric & hybrid vehicles regularly.
- Large digital display & rear magnet fold out stand.
- Requires 1 x AAA battery (supplied).
- Dimensions: 70(H) X 70(W) X 25(D)mm.

Part No.	Qty
896852	1

EV Cable End Shroud



- Protective cable end shroud with grip collars.
- Shrouds are designed to protect uninsulated cable ends, connectors & lugs.
- 1000 volts insulation.
- The flexible gripping collar ensures a positive fit onto cables to prevent damage.

Part No.	Qty	Size
896846	1	15 mm
896847	1	25 mm
896848	1	35 mm

EV Insulated Trim/Cable Tool Set



- Transparent shroud 1000v to isolate / protect high voltage parts.
- Prevents accidental contact with live terminals.
- Easily installed & fitted.
- Insulated safety clamps are recommended to secure the shroud in position.
- Dimensions : 1m x 1.3m

Part No.	Qty
896822	1

EV Charging Cable - 1 Phase - Type 2 to Type 1

Type 1 Vehicle: 5 Pin | Type 2 Charging unit: 7 Pin

- IP65 and IK10 rated 5m pure copper cable
- Operating temperature: -40°c to 85°c
- Suitable for all fully electric and plug-in hybrid vehicles
- Supplied with a compact, heavy duty storage case



Charging Times:
1 Phase 16A: 30kWh battery - 8 hours
60kWh battery - 16 hours
90kWh battery - 24 hours.
1 Phase 32A: 30kWh battery - 4 hours
60kWh battery - 8 hours
90kWh battery - 12 hours.

Part No.	Qty	Voltage	Amps Output	Wattage
295260	1	240V	16A	3.6kWh
295259	1	240V	32A	7.2kWh

EV Charging Cable - 1 Phase - Type 2 to Type 2

Type 2 Vehicle: 7 Pin | Type 2 Charging unit: 7 Pin

- IP65 and IK10 rated 5m pure copper cable
- Operating temperature: -40°c to 85°c
- Suitable for all fully electric and plug-in hybrid vehicles Supplied with a compact, heavy duty storage case



Charging Times:
1 Phase 16A: 30kWh battery - 8 hours
60kWh battery - 16 hours
90kWh battery - 24 hours.
1 Phase 32A: 30kWh battery - 4 hours
60kWh battery - 8 hours
90kWh battery - 12 hours.

Part No.	Qty	Voltage	Amps Output	Wattage
295258	1	240V	16A	3.6kWh
295256	1	240V	31A	7.2kWh

EV Charging Cable - 3 Phase 32A - Type 2 to Type 2

Type 2 Vehicle: 7 Pin | Type 2 Charging unit: 7 Pin

- IP65 and IK10 rated 5m pure copper cable
- Operating temperature: -40°c to 85°c
- Suitable for all fully electric and plug-in hybrid vehicles Supplied with a compact, heavy duty storage case



Charging Times:
1 Phase 16A: 30kWh battery - 8 hours
60kWh battery - 16 hours
90kWh battery - 24 hours.
1 Phase 32A: 30kWh battery - 4 hours
60kWh battery - 8 hours
90kWh battery - 12 hours.

Part No.	Qty	Voltage	Amps Output	Wattage
295257	1	480V	32A	22kWh

EV Charging Cable - 3 Pin Plug to Type 2

Type 2 Vehicle: 7 Pin | UK 3 Pin Plug Charging Outlet

- IP65 and IK10 rated 5m pure copper cable
- Operating temperature: -25°c to 85°c
- Suitable for all fully electric and plug-in hybrid vehicles Supplied with a compact, heavy duty storage case



Charging Times:
1 Phase 16A: 30kWh battery - 8 hours
60kWh battery - 16 hours
90kWh battery - 24 hours.
1 Phase 32A: 30kWh battery - 4 hours
60kWh battery - 8 hours
90kWh battery - 12 hours.

Part No.	Qty	Voltage	Current	Wattage
295261	1	240V	6/10/13A	3kWh


FASTENERS





FASTENERS

Washers	174
Sump Plugs & Washers	177
‘O’ Rings	180
Nuts	181
Setscrews	185
Bolts	190
Socket Screws	192
Manifold Studs & Nuts	194
Threaded Bars & Inserts	195
Machine Screws	197
Body Screws	198
Self Tapping Screws	199
Number Plate Fixings	203
Pins & Clips	204
‘U’ & ‘J’ Nuts	205
Rivets	206



MM/Inch Conversion Chart Page 210

Flat Washers - Table 3



- Zinc plated.
- BS 3410

Part No.	Pack of	I.D
915112	1000	3/16”
915113	500	1/4”
915114	500	5/16”
915115	500	3/8”
915116	250	7/16”
915117	250	1/2”
915118	200	9/16”
915119	100	5/8”
915120	100	3/4”
915121	100	7/8”
915122	100	1”

Assorted Flat Washers - Table 3



- Zinc plated

Sizes: 3/16”, 1/4”, 5/16”, 3/8”, 7/16”, 1/2” (i.d.)

Part No.	Pack of
105126	800

Stainless Steel Flat Washers - Form A



- Grade A2 stainless steel.
- DIN 125

Part No.	Pack of	I.D
994102	500	4 mm
915101	200	5 mm
915102	100	6 mm
915103	100	8 mm
915104	50	10 mm
994103	50	12 mm
994104	50	16 mm
994105	50	20 mm

Flat Washers - Table 4



- Zinc plated.
- Heavy duty.
- Large o.d.
- BS 3410

Part No.	Pack of	I.D
915164	1000	3/16”
915150	500	1/4”
915151	500	5/16”
915152	500	3/8”
915153	200	7/16”
915154	200	1/2”
915156	100	5/8”
915157	100	3/4”
915158	50	7/8”
915159	50	1”
915160	25	1 1/8”
915161	25	1 1/4”
915162	25	1 3/8”
915163	25	1 1/2”

Assorted Flat Washers - Table 4



- Zinc plated.
- Heavy duty

Sizes: 3/16”, 1/4”, 5/16”, 3/8”,7/16”, 1/2” (i.d.)

Part No.	Pack of
105245	800

Flat Washers - Form B - Stainless Steel



- Grade A2 stainless steel.
- BS 4320

Part No.	Pack of	I.D
994106	100	6 mm
994107	100	8 mm
994108	50	10 mm
994109	50	12 mm
994110	50	16 mm

Flat Washers - Form A



- Zinc plated.
- DIN 125

Part No.	Pack of	I.D
915200	1000	4 mm
915201	1000	5 mm
915202	500	6 mm
915203	500	8 mm
915204	500	10 mm
915205	250	12 mm
915207	150	14 mm
915206	100	16 mm
915208	50	20 mm
915209	50	22 mm
915210	25	24 mm
915225	25	30 mm

Assorted Flat Washers - Form A



- Zinc plated

Sizes: 5, 6, 8, 10, 12, 16 mm (i.d.)

Part No.	Pack of
105125	800

Flat Washers - Form C - Stainless Steel



- Grade A2 stainless steel.
- BS 4320

Part No.	Pack of	I.D
994112	500	6 mm
994113	500	8 mm
994114	200	10 mm
994115	100	12 mm
994116	100	16 mm

Flat Washers - Form C



- Zinc plated.
- Heavy duty.
- Large o.d.
- BS 4320

Part No.	Pack of	I.D
915181	1000	5 mm
915182	500	6 mm
915183	500	8 mm
915184	250	10 mm
915185	250	12 mm
915186	100	14 mm
915187	100	16 mm
915188	100	20 mm

Assorted Flat Washers - Form C



- Zinc plated.
- Heavy duty

Sizes: 5, 6, 8, 10, 12, 14, 16, 20 mm (i.d.)

Part No.	Pack of
105124	800

Repair Washers - Stainless Steel



- Grade A2 stainless steel

Part No.	Pack of	I.D	O.D
994131	500	4 mm	20 mm
994132	500	5 mm	20 mm
994133	200	5 mm	25 mm
994134	200	6 mm	25 mm
994135	200	8 mm	25 mm
994136	100	8 mm	30 mm
994137	100	10 mm	30 mm
994138	100	10 mm	35 mm
994139	100	16 mm	48 mm

Spring Washers - Metric

- Zinc plated.
- Rectangular section.
- DIN 1278



Part No.	Pack of	I.D
915219	1000	4 mm
915211	1000	5 mm
915212	500	6 mm
915213	500	8 mm
915214	500	10 mm
915215	250	12 mm
915217	100	14 mm
915216	100	16 mm
915220	50	18 mm
915218	50	20 mm

Assorted Spring Washers - Metric

- Rectangular section.
- Zinc plated

Sizes: 5, 6, 8, 10, 12, 16 mm (i.d.)



Part No.	Pack of
105128	800

Spring Washers - Stainless Steel

- Grade A2 stainless steel.
- Square section.
- DIN 7980



Part No.	Pack of	I.D
994153	1000	5 mm
994154	1000	6 mm
994155	500	8 mm
994156	500	10 mm
994157	500	12 mm
994158	100	16 mm

Spring Washers - Imperial

- Zinc plated.
- Rectangular sections.
- ANSI B18.21.1T2



Part No.	Pack of	I.D
915124	500	1/4”
915125	500	5/16”
915126	500	3/8”
915127	250	7/16”
915128	250	1/2”
915129	100	5/8”

Assorted Spring Washers - Imperial

- Rectangular section.
- Zinc plated

Sizes: 3/16”, 1/4”, 5/16”, 3/8”, 7/16”, 1/2” (i.d.)



Part No.	Pack of
105127	800

Repair Washers - Metric

- Zinc plated.
- Mudguard type.
- BS 3410



Part No.	Pack of	I.D	O.D
915231	200	5 mm	15 mm
915232	200	5 mm	20 mm
915233	100	6 mm	20 mm
915234	200	8 mm	30 mm
915235	100	10 mm	25 mm
915236	100	10 mm	40 mm
915238	100	12 mm	40 mm
915239	25	16 mm	50 mm

Repair Washers - Imperial



- Zinc plated.
- Mudguard type.
- BS 3410

Part No.	Pack of	I.D	O.D
915131	200	3/16"	1"
915132	200	3/16"	1 1/2"
915166	100	1/4"	3/4"
915133	200	1/4"	1"
915134	200	1/4"	1 1/2"
915135	200	5/16"	1"
915167	100	5/16"	1 1/4"
915136	200	5/16"	1 1/2"
915168	100	5/16"	2"
915174	100	3/8"	1 1/2"
915137	200	3/8"	1 1/2"
915138	100	3/8"	2"
915171	50	1/2"	2"

Assorted Repair Washers - Imperial




- Mudguard type.
- Zinc plated

Sizes: 3/16" x 1", 1 1/2". 1/4" x 1", 1 1/2". 5/16" x 1", 1 1/2". 3/8" x 1 1/2", 2" (i.d x o.d)

Part No.	Pack of
105130	230

Repair Washers - For Rivets



- Zinc plated.
- Mudguard type.
- BS 3410

Part No.	Pack of	I.D	O.D
965310	1000	1/8"	1/2"
965316	200	3/16"	3/4"

Bonded Seals - BSP



- Dowty washers

Part No.	Pack of	I.D
915601	100	1/8" BSP
915602	100	1/4" BSP
915603	100	3/8" BSP
915604	100	1/2" BSP
915605	50	5/8" BSP
915606	50	3/4" BSP
915608	25	1" BSP

Assorted Bonded Seals - BSP



- Dowty type washers

Sizes: 1/8", 1/4", 3/8", 1/2", 5/8", 3/4", 1" BSP

Part No.	Pack of
105143	100

Bonded Seals - Metric



- Dowty washers

Part No.	Pack of	I.D
915611	100	10 mm
915612	100	14 mm
915613	100	16 mm
915614	50	18 mm
915615	50	20 mm
915616	25	22 mm
915617	25	24 mm

Assorted Bonded Seals - Metric



- Dowty type washers

Sizes: M10, M14, M16, M18, M20, M22, M24

Part No.	Pack of
105218	90

Copper Compression Washers - Metric



- DIN 7603C

Part No.	Pack of	I.D	O.D	Depth
915501	100	6 mm	10 mm	1.5 mm
915502	100	8 mm	12 mm	1.5 mm
915503	100	10 mm	14 mm	1.5 mm
915504	50	12 mm	18 mm	2.0 mm
915505	50	14 mm	20 mm	2.0 mm
915506	50	16 mm	22 mm	2.0 mm
915507	50	18 mm	24 mm	2.0 mm
915508	50	20 mm	26 mm	2.0 mm
915509	50	22 mm	27 mm	2.0 mm
915510	50	26 mm	32 mm	2.5 mm

Assorted Copper Compression Washers

- DIN 7603C

Sizes: 6 x 10, 8 x 12, 10 x 14 (x 1.5 mm). 12 x 18, 14 x 20, 16 x 22, 18 x 24, 20 x 26, 22 x 27 (x 2 mm). 26 x 32 (x 2.5 mm) (i.d. x o.d. (x depth))



Part No.	Pack of
105147	250

Assorted Copper Washers - Imperial

- DIN 7306A

Sizes: 3/16" x 7/16", 1/4" x 9/16" (x 20 g). 5/16" x 5/8", 3/8" x 3/4", 7/16" x 7/8" (x 18 g). 1/2" x 1" (x 16 g) (i.d. x o.d. (x gauge))



Part No.	Pack of
105132	300

Copper Washers - Metric - Small Sizes

Sizes: 5 x 9, 6 x 10, 6.5 x 9.5, 8 x 12, 9 x 14, 14 x 18 (x 1 mm). 10 x 16, 11 x 17, 12 x 16, 13 x 18, 14 x 20, 16 x 22, 16 x 24, 17 x 23 (x 1.5 mm). 15 x 20, 17.5 x 25 (x 2 mm) (i.d. x o.d. (x depth))



Part No.	Pack of
105152	244

Copper Washers - Metric



- DIN 7306A

Washer type: *Fuel injection washer

Part No.	Pack of	I.D	O.D	Depth
915403	100	6 mm	10 mm	1 mm
915407	100	8 mm	12 mm	1 mm
915410	100	10 mm	14 mm	1 mm
915411	100	10 mm	16 mm	1.5 mm
915412	50	11 mm	17 mm	1.5 mm
915413	50	12 mm	16 mm	1.5 mm
915414	50	12 mm	18 mm	1.5 mm
915415	50	13 mm	18 mm	1.5 mm
915416	50	14 mm	18 mm	1 mm
915417	50	14 mm	18 mm	1.5 mm
915418	50	14 mm	20 mm	1.5 mm
915420	50	16 mm	20 mm	1.5 mm
915421	50	16 mm	22 mm	1.5 mm
915422	50	16 mm	24 mm	1.5 mm
915426	50	18 mm	24 mm	1.5 mm
915428	50	22 mm	27 mm	1.5 mm
915429	50	24 mm	30 mm	2 mm
915432	25	30 mm	38 mm	2 mm

Assorted Fuel Injection Washers

- Metric copper washers

Sizes: 6 x 10, 6 x 12, 8 x 11.5, 10 x 13.5, 10 x 14 (x 1 mm). 12 x 16, 12 x 18, 14 x 18, 16 x 20, 17 x 21 (x 1.5 mm) (i.d. x o.d. (x depth))



Part No.	Pack of
105189	360

Copper Washers - Metric - Large Sizes

Sizes: 18 x 24, 20 x 24, 22 x 27 (x 1.5 mm). 24 x 30, 26 x 34, 28 x 34, 30 x 38, 32 x 40, 35 x 45 (x 2 mm) (i.d. x o.d. (x depth))



Part No.	Pack of
105153	90

Sump Plug Washers



Reference: *NBR70. Thread: **SCN232

Part No.	Pack of	I.D	O.D	Depth	Washer Type	Vehicle Type
915140	50	14.5 mm	22 mm	2 mm	Nylon	Ford
915141	20	16.7 mm	24 mm	1.5 mm	Bonded Seal	Ford Mondeo
915142	50	14 mm	20 mm	1.5 mm	Copper	Vauxhall & VW
915143	50	16 mm	22 mm	2 mm	Copper Compression	Peugeot & Citroen
915144	50	18 mm	24 mm	2 mm	Copper Compression	Renault
915145	50	14 mm	22 mm	2 mm	Aluminium	Honda & Rover
915146	25	16.3 mm	25.4 mm	1.6 mm	Copper	Rover Mini
915147	25	14 mm	19 mm	2.5 mm	Copper	Rover
915148	25	19 mm	26 mm	2 mm	Copper	Volvo
915149	50	12 mm	15.5 mm	1.5 mm	Aluminium	BMW
915511	50	12 mm	22 mm	3 mm	Rubber	Ford Zetec*
915512	50	18 mm		2 mm	Rubber	Vauxhall Vectra*
915514	50	12 mm	17 mm	2 mm	Copper	Nissan Micra
915515	50	14 mm	20 mm	1.5 mm	Copper	Mercedes
915320	50	12 mm	24 mm	2 mm	Fibre	Toyota
915520	50	10 mm	20 mm	2 mm	Copper	BMW, Citroen, Ford, Mazda, Peugeot, Renault, Toyota, Volvo
915521	50	18.7 mm	26 mm	1.5 mm	Bonded Seal	Fiat, Vauxhall
915522	25	12 mm	21 mm	2 mm	Aluminium	Citroen, Peugeot, Toyota
915523	50	12 mm	17 mm	1.5 mm	Copper	BMW, Land Rover
915524	25	14 mm	20 mm	2 mm	Stainless Steel	VW, Audi, Skoda
915525	50	12 mm	16 mm	1.5 mm	Copper	Fiat, Vauxhall
915526	10	22 mm	32 mm	1 mm	Copper	Smart Car

Assorted Sump Plug Washers



- Copper, copper compression, nylon, aluminium washers & bonded seals

Suits: BMW, Ford, Vauxhall, VW, Peugeot, Citroen, Renault, Honda, Rover, Volvo

Part No.	Pack of
105187	250

MM/Inch Conversion Chart Page 210

Sump Plug

- OPEL, VAUXHALL & GM: OE 90502556
- OPEL, VAUXHALL, GM: OE 652477
- OPEL & VAUXHALL: OE 652457



Part No.	Qty	Length	Thread	Pitch	Head Size
405264	5 sets	11 mm	M14	1.5 mm	6 mm

Sump Plug

- JAGUAR OE JZH100062
- PEUGEOT & CITROEN OE 031132
- FORD OE 97JM6730BA
- FORD OE 1013938
- VOLVO OE 30711617
- MAZDA OE 1E0010404



Part No.	Qty	Length	Thread	Pitch	Head Size
405259	5 sets	15 mm	M14	1.5 mm	13 mm

Sump Plug

- AUDI, SEAT, SKODA & VW: OE N90813201
- AUDI, SEAT, SKODA & VW OE N90813202
- FORD 1459212



Part No.	Qty	Length	Thread	Pitch	Head Size
405267	5 sets	17 mm	M14	1.5 mm	20 mm

Sump Plug

- PEUGEOT & CITROEN 0311.29
- FIAT OE 9633262380
- FORD OE 1146063
- LAND ROVER OE LR 004304
- MAZDA OE Y401-10-404
- BMW OE 1137543584
- RENAULT OE 7703075033
- VOLVO OE 30735088
- TOYOTA OE SU00100579



Part No.	Qty	Length	Thread	Pitch	Head Size
405290	2 sets	13 mm	M10	1.25 mm	21 mm

Sump Plug

- FORD OE 3051079
- MAZDA OE AJ03-10-404



Part No.	Qty	Length	Thread	Pitch	Head Size
405292	2 sets	15 mm	M12	1.75 mm	15 mm

FIXT
INTERIOR CLEANING
ON PAGE 483

Sump Plug



- FIAT, ALFA ROMEO, LANCIA & IVECO: OE 55196505
- OPEL, GM & VAUXHALL OE 652950
- OPEL, GM & VAUXHALL OE 93183669

Part No.	Qty	Length	Thread	Pitch	Head Size
405293	2 sets	21 mm	M18	1.5 mm	13 mm

Sump Plug



- PEUGEOT OE 6822ER
- CITROEN OE 6822ER
- TOYOTA OE 90341-12032

Part No.	Qty	Length	Thread	Pitch	Head Size
405294	2 sets	20 mm	M12	1.25mm	14 mm

Sump Plug



- BMW OE 1137513050

Part No.	Qty	Length	Thread	Pitch	Head Size
405295	2 sets	20 mm	M14	1.5mm	13 mm

Sump Plug



- BMW OE 11137535106

Part No.	Qty	Length	Thread	Pitch	Head Size
405296	2 sets	16 mm	M12	1.5 mm	17 mm

Sump Plug



- AUDI, SEAT SKODA & VW OE N0160276

Part No.	Qty	Length	Thread	Pitch	Head Size
405297	2 sets	12 mm	M14	1.5mm	19 mm

Plastic Sump Plugs



- VW OE 06L103801


Part No.	Qty	Size
405277	5	M14 x 17 mm

Plastic Sump Plugs



- BMW OE 11137605018

Part No.	Qty	Size
405278	5	M24 x 1.5 x 12 mm



Plastic Sump Plugs



- PEUGEOT & CITROEN OE 9801444780
- FORD OE 1871598

Part No.	Qty	Size
405279	5	M36/37 x 23.4 mm

Plastic Sump Plugs



- MERCEDES BENZ OE A0179903001

Part No.	Qty	Size
405299	5	M22 x 1.5 x 70 mm

Rubber 'O' Ring Service Kit



Nitrile 'O' Ring Cord (in 2 m packs): 1/16", 3/32", 1/8", 3/16", 1/4". 1.6 mm, 2.(mm, 3.0 mm, 4.0 mm, 5.0 mr 5.7 mm diameter.
Accessories: Cutting Block, Cutter, Adhesive, Instructions

Part No.	Pack of
895100	1 Kit

Rubber 'O' Rings - Metric



Part No.	Pack of	I.D	Thickness	Ref
915702	50	4 mm	2.0 mm	007
915704	50	6 mm	2.0 mm	009
915705	50	7 mm	2.0 mm	010
915706	50	8 mm	2.0 mm	011
915707	50	10 mm	2.0 mm	102
915708	50	10 mm	2.5 mm	110
915709	50	11 mm	2.5 mm	111
915710	50	12 mm	2.5 mm	112
915711	50	14 mm	2.5 mm	113
915712	50	16 mm	2.5 mm	114
915713	25	17 mm	2.5 mm	115
915714	25	19 mm	2.5 mm	116
915715	25	19 mm	3.0 mm	210
915716	25	20 mm	3.0 mm	211
915737	12	22 mm	3.0 mm	212
915738	12	24 mm	3.0 mm	213
915739	12	25 mm	3.0 mm	214
915742	10	30 mm	3.0 mm	217
915747	10	38 mm	3.0 mm	222
915749	8	42 mm	4.0 mm	326
915750	8	45 mm	4.0 mm	327

Rubber 'O' Ring Box Set - Metric



Contains 30 sizes:
No. 006 to No. 327

Part No.	Pack of
105171	404

Steel Nuts - UNF



- Zinc plated.
- BS 1768

Part No.	Pack of	Size
935210	200	3/16" UNF
935211	200	1/4" UNF
935212	200	5/16" UNF
935213	200	3/8" UNF
935214	100	7/16" UNF
935215	100	1/2" UNF
935216	50	5/8" UNF
935217	25	3/4" UNF

Assorted Steel Nuts - UNF



- Zinc plated

Sizes: 3/16", 1/4", 5/16", 3/8" UNF

Part No.	Pack of
105115	300

Steel Nuts - UNC



- Zinc plated.
- BS 1768

Part No.	Pack of	Size
935247	200	1/4" UNC
935248	200	5/16" UNC
935249	200	3/8" UNC
935250	100	7/16" UNC
935251	100	1/2" UNC
935252	50	5/8" UNC
935253	25	3/4" UNC

Assorted Steel Nuts - UNC



- Zinc plated

Sizes: 1/4", 5/16", 3/8" UNC

Part No.	Pack of
105242	300

Steel Nuts - Metric



- Zinc plated.
- DIN 934

Part No.	Pack of	Size
935282	200	M3
935283	200	M4
935284	200	M5
935285	200	M6
935338	200	M7
935286	200	M8
935287	100	M10
935288	100	M12
935280	50	M14
935289	50	M16
935290	25	M20
935417	25	M22
935418	10	M24

Assorted Steel Nuts - Metric



- Zinc plated

Sizes: M6, M8, M10, M12

Part No.	Pack of
105220	370

Stainless Steel Nuts - Metric



- DIN 934.
- Grade A2 stainless steel

Part No.	Pack of	Size
992020	250	M4
935501	100	M5
935502	100	M6
935503	50	M8
935504	25	M10
992025	25	M12
992026	25	M16

Steel Nuts - Metric - Fine



- Zinc plated.
- DIN 934

Part No.	Pack of	Size
935410	100	M8 x 1.0 mm
935411	100	M10 x 1.0 mm
935412	100	M10 x 1.25 mm
935413	100	M12 x 1.25 mm
935414	100	M12 x 1.5 mm
935415	50	M16 x 1.5 mm

Serrated Flange Nuts - Metric



- Zinc plated.
- DIN 6923

Part No.	Pack of	Size
935270	100	M5
935271	100	M6
935272	100	M8
935273	50	M10
935274	50	M12
935268	50	M14
935269	25	M16

Steel Nuts - Fine Metric



- Zinc plated

Sizes: M6 (0.75 mm pitch),
M8 (1.00 mm pitch),
M10 (1.25 mm pitch)

Part No.	Pack of
105199	370

Assorted Serrated Flange Nuts - Metric



- Zinc plated

Sizes: M5, M6, M8, M10, M12

Part No.	Pack of
105195	225

Serrated Flange Nuts - M12



- Zinc plated.
- Grade 10.9.
- DIN 6923

Part No.	Pack of	Size
935267	50	M12

Steel Lock Nuts - Metric



- Zinc plated.
- DIN 439

Part No.	Pack of	Size
935372	200	M6
935373	200	M8
935374	100	M10



Nylon Insert Locking Nuts - UNF



- Zinc plated.
- 'P' type.
- BS 4929.

Part No.	Pack of	Size
935321	100	1/4" UNF
935322	100	5/16" UNF
935323	100	3/8" UNF
935224	100	7/16" UNF
935225	50	1/2" UNF
935226	50	5/8" UNF
935227	25	3/4" UNF

Assorted Nylon Insert Locking Nuts - UNF



- P' type.
- Zinc plated

Sizes: 1/4", 5/16", 3/8", 7/16", 1/2" UNF

Part No.	Pack of
105116	220

Nylon Insert Locking Nuts - UNC



- Zinc plated.
- 'P' type.
- BS 4929

Part No.	Pack of	Size
935255	100	1/4" UNC
935256	100	5/16" UNC
935257	100	3/8" UNC
935258	100	7/16" UNC
935259	100	1/2" UNC
935260	50	5/8" UNC
935261	25	3/4" UNC

Nylon Insert Locking Nuts - 'P' Type - Metric



- Zinc plated.
- 'P' type.
- DIN 982

Part No.	Pack of	Size
935298	200	M4
935295	200	M5
935391	100	M6
935392	100	M8
935393	100	M10
935294	100	M12
935296	50	M14
935297	25	M16
935281	25	M18
935292	10	M20
935293	10	M24
935300	5	M30

Assorted Nylon Insert Locking Nuts - 'P' Type - Metric



- P' type.
- Zinc plated

Sizes: M5, M6, M8, M10, M12, M14, M16

Part No.	Pack of
105121	220

Steel Nuts & Nylon Insert Locking Nuts - UNC




- P' type.
- Zinc plated

Sizes: 1/4", 5/16", 3/8" UNC

Part No.	Pack of
105118	300

Nylon Insert Locking Nuts - 'T' Type - Metric



- Zinc plated.
- 'T' type.
- DIN 985

Part No.	Pack of	Size
935325	100	M6
935326	100	M8
935327	100	M10
935328	100	M12
935329	10	M20

Nylon Insert Locking Nuts - Stainless Steel



- Grade A2 stainless steel.
- 'T' type.
- DIN 985

Part No.	Pack of	Size
992001	100	M4
992002	100	M5
992003	100	M6
992004	100	M8
992005	100	M10
992006	100	M12
992007	50	M16

Nylon Insert Locking Nuts - Metric - Fine



- Zinc plated.
- 'T' type.
- 'DIN985

Part No.	Pack of	Size
935312	100	M8 x 1.0 mm
935313	100	M10 x 1.0 mm
935314	100	M10 x 1.25 mm
935315	100	M12 x 1.25 mm
935316	50	M14 x 1.5 mm

Nylon Insert Locking Nut - Metric - Flanged



- Zinc plated.
- DIN 6926

Part No.	Pack of	Size
935335	25	M16

Philidas Nuts - Metric



- Zinc plated

Part No.	Pack of	Size
935535	50	M10

Dome Nuts



- Zinc plated.
- DIN 1587

Part No.	Pack of	Size
935511	100	M6
935512	50	M8
935513	50	M10

Wing Nuts



- Zinc plated.
- DIN 315

Part No.	Pack of	Size
935521	100	M5
935522	100	M6
935523	100	M8
935524	50	M10

HT Setscrews - UNF

- Zinc plated.
- ANSI B18.2.1.1965.
- Grade 8.8.



Part No.	Pack of	Size	Length
955178	200	1/4" UNF	1/2"
955179	200	1/4" UNF	3/4"
955180	200	1/4" UNF	1"
955181	200	1/4" UNF	1 1/2"
955184	200	5/16" UNF	3/4"
955185	200	5/16" UNF	1"
955157	100	5/16" UNF	1 1/4"
955186	200	5/16" UNF	1 1/2"
955345	50	5/16" UNF	2"
955187	100	5/16" UNF	2"
955189	100	5/16" UNF	3"
955190	100	3/8" UNF	3/4"
955191	100	3/8" UNF	1"
955194	100	3/8" UNF	1 1/2"
955196	50	3/8" UNF	2"
955197	50	3/8" UNF	2 1/2"
955198	50	3/8" UNF	3"
955160	50	7/16" UNF	1 1/2"
955162	50	1/2" UNF	1 1/2"

HT Setscrews - UNC

- Zinc plated.
- ANSI B18.2.1.1965
- Grade 8.8.



Part No.	Pack of	Size	Length
955228	100	1/4" UNC	1/2"
955229	200	1/4" UNC	3/4"
955230	200	1/4" UNC	1"
955231	200	1/4" UNC	1 1/2"
955232	200	1/4" UNC	2"
955254	100	1/4" UNC	3"
955234	200	5/16" UNC	1"
955235	200	5/16" UNC	1 1/2"
955236	100	5/16" UNC	2"
955240	100	3/8" UNC	1"
955237	50	3/8" UNC	1 1/4"
955242	100	3/8" UNC	1 1/2"
955243	50	3/8" UNC	2"
955245	50	3/8" UNC	3"
955250	50	7/16" UNC	2"
955251	50	1/2" UNC	1 1/2"
955252	50	1/2" UNC	2"
955247	10	3/4" UNC	1 1/2"

Assorted HT Setscrews - UNF

- Grade S.
- Zinc plated

Sizes: 3/16" UNF x 1". 1/4" UNF x 3/4", 1", 1 1/2". 5/16" UNF x 3/4", 1", 1 1/2". 3/8" UNF x 1"



Part No.	Pack of
105114	150

Assorted HT Setscrews - UNC

- Grade S.
- Zinc plated

Sizes: 1/4" UNC x 1", 1 1/2", 2". 5/16" UNC x 1", 1 1/2". 3/8" UNC x 1"



Part No.	Pack of
105117	105

HT Setscrews - Metric



- Zinc plated.
- Grade 8.8.
- DIN 933 / BS 3692

Part No.	Pack of	Size	Length
955120	100	M4	20 mm
955121	100	M4	25 mm
955122	100	M4	50 mm
955256	200	M5	16 mm
955257	200	M5	20 mm
955260	200	M5	25 mm
955307	200	M5	30 mm
955261	200	M5	40 mm
955284	100	M5	50 mm
955258	200	M6	12 mm
955262	200	M6	16 mm
955263	200	M6	20 mm
955264	200	M6	25 mm
955308	200	M6	30 mm
955309	200	M6	35 mm
955265	200	M6	40 mm
955285	100	M6	50 mm
955350	50	M6	60 mm
955290	50	M6	75 mm
955336	200	M7	25 mm
955337	100	M7	40 mm
955266	200	M8	16 mm
955311	200	M8	20 mm
955267	200	M8	25 mm
955259	100	M8	30 mm
955313	100	M8	35 mm
955268	100	M8	40 mm
955314	100	M8	45 mm
955286	100	M8	50 mm
955269	100	M8	60 mm
955270	100	M8	70 mm
955291	50	M8	75 mm
955312	50	M8	80 mm
955352	25	M8	100 mm
955271	200	M10	20 mm
955272	100	M10	25 mm

Part No.	Pack of	Size	Length
955273	100	M10	30 mm
955317	100	M10	35 mm
955274	100	M10	40 mm
955275	50	M10	50 mm
955276	50	M10	60 mm
955319	50	M10	70 mm
955292	50	M10	75 mm
955277	50	M10	80 mm
955353	25	M10	100 mm
955123	25	M10	120 mm
955297	50	M12	25 mm
955298	50	M12	30 mm
955321	50	M12	35 mm
955287	50	M12	40 mm
955288	50	M12	50 mm
955299	25	M12	60 mm
955293	25	M12	75 mm
955354	25	M12	100 mm
955124	25	M14	25 mm
955300	25	M14	40 mm
955338	25	M14	50 mm
955339	25	M14	60 mm
955325	25	M14	70 mm
955342	25	M16	30 mm
955125	25	M16	40 mm
955328	25	M16	50 mm
955126	25	M16	65 mm
955355	25	M16	75 mm
955356	25	M16	100 mm
955127	10	M18	40 mm
955129	10	M20	50 mm
955130	10	M20	75 mm
955131	10	M20	80 mm
955132	5	M20	100 mm
955133	5	M24	50 mm

Assorted HT Setscrews - Metric



- Grade 8.8.
- Zinc plated

Sizes: M5 x 25 mm.
M6 x 25 mm. M8 x 25, 40 mm.
M10 x 25, 40 mm

Part No.	Pack of
105219	150

M6 Fasteners - HT Setscrews & Steel Nuts



- Zinc plated

Sizes: M6 x 16, 20, 25, 40, 50 mm

Part No.	Pack of
105192	295

M8 Fasteners - HT Setscrews & Steel Nuts



- Zinc plated

Sizes: M8 x 16, 25, 40, 50, 60 mm

Part No.	Pack of
105193	154

M10 Fasteners - HT Setscrews & Steel Nuts



- Zinc plated

Sizes: M10 x 25, 30, 40, 50 mm

Part No.	Pack of
105194	88

Assorted Fasteners - Sizes M6 to M12



- Zinc plated

Sizes: M6 x 20, 25, 40, 75 mm.
M8 x 16, 25, 40, 75 mm. M10 x 30, 40, 60 mm. M12 x 40, 50 mm

Part No.	
105301	430

HT Setscrews - Metric - Fine



- Zinc plated.
- Grade 8.8.
- DIN 933 / BS 3692

Part No.	Pack of	Size	Length	Pitch
955363	25	M10	70 mm	1.25
955368	50	M12	55 mm	1.5
955369	25	M12	75 mm	1.5
955364	25	M16	50 mm	1.5

HT Setscrews - M16



- Black.
- Grade 10.9.
- DIN 933 / BS 3692

Part No.	Pack of	Size	Length
955151	25	M16	50 mm

Metric Thread Pitch Sizes

Metric Thread Size	Metric Pitch Size
3mm	0.50mm
4mm	0.70mm
5mm	0.80mm
6mm	1.00mm
8mm	1.25mm
10mm	1.50mm
12mm	1.75mm
14mm	2.00mm
16mm	2.00mm
18mm	2.50mm
20mm	2.50mm
24mm	3.00mm

Setscrews - Metric - Stainless Steel



- Grade A2 stainless steel.
- DIN 93

Part No.	Pack of	Size	Length
993105	200	M4	25 mm
993106	200	M4	30 mm
993107	100	M4	50 mm
993108	100	M5	10 mm
993109	100	M5	12 mm
993110	100	M5	16 mm
955401	50	M5	20 mm
993112	100	M5	25 mm
993113	100	M5	35 mm
993114	100	M5	40 mm
993115	100	M5	50 mm
993116	100	M6	10 mm
993117	100	M6	12 mm
993118	100	M6	16 mm
955403	50	M6	20 mm
993120	100	M6	25 mm
955405	50	M6	30 mm
993122	100	M6	35 mm
993123	100	M6	40 mm
993124	100	M6	45 mm
993125	100	M6	50 mm
993126	100	M6	60 mm
993127	100	M6	70 mm
993128	100	M6	75 mm
993129	100	M6	80 mm
993130	100	M8	10 mm
993131	100	M8	12 mm
993132	100	M8	16 mm
993133	100	M8	20 mm
993134	50	M8	25 mm
993135	50	M8	30 mm
993136	50	M8	35 mm
955410	25	M8	40 mm
993138	50	M8	45 mm
993139	50	M8	50 mm
993140	50	M8	60 mm
993141	50	M8	70 mm
993142	50	M8	75 mm

Part No.	Pack of	Size	Length
993143	50	M8	80 mm
993144	50	M8	90 mm
993146	50	M10	16 mm
993147	50	M10	20 mm
993148	50	M10	25 mm
993149	50	M10	30 mm
993150	50	M10	35 mm
955415	10	M10	40 mm
993152	50	M10	45 mm
993153	50	M10	50 mm
993154	50	M10	60 mm
993155	50	M10	65 mm
993156	50	M10	70 mm
993157	50	M10	75 mm
993158	50	M10	80 mm
993160	50	M12	20 mm
993161	50	M12	25 mm
993162	50	M12	30 mm
993163	50	M12	35 mm
993164	50	M12	40 mm
993165	25	M12	50 mm
993166	25	M12	60 mm
993167	25	M12	70 mm
993168	25	M12	75 mm
993169	25	M12	80 mm
993172	25	M16	25 mm
993173	25	M16	30 mm
993174	25	M16	35 mm
993175	25	M16	40 mm
993176	10	M16	50 mm
993177	10	M16	60 mm
993178	10	M16	65 mm
993179	10	M16	70 mm
993180	10	M16	80 mm
993170	10	M16	100 mm
993171	10	M16	120 mm

Assorted Fasteners - Stainless Steel



- Setscrews, nuts & flat washers.
- Grade A2

Sizes: M5 x 20 mm. M6 x 20, 30 mm. M8 x 40 mm. M10 x 40 mm

Part No.	Pack of
105179	270

Fasteners - Metric



- HT setscrews, HT bolts & steel nuts

Setscrew Sizes: M6 x 50, M8 x 50, M10 x 50 (with steel nuts to suit). Bolt Sizes: M12 x 50, 75. M16 x 50 mm (with steel nuts to suit)

Part No.	Pack of
110135	60 Pairs

HT Setscrews - Metric - Flanged Head



- Zinc plated.
- Grade 8.8.
- 'Light' series.
- DIN 6921

Part No.	Pack of	Size	Length
955550	100	M6	16 mm
955551	100	M6	20 mm
955552	100	M6	25 mm
955553	100	M8	20 mm
955554	100	M8	25 mm
955558	100	M8	35 mm
955555	50	M8	40 mm
955556	50	M10	35 mm

Metric Thread Pitch Sizes

Metric Thread Size	Metric Pitch Size
3mm	0.50mm
4mm	0.70mm
5mm	0.80mm
6mm	1.00mm
8mm	1.25mm
10mm	1.50mm
12mm	1.75mm
14mm	2.00mm
16mm	2.00mm
18mm	2.50mm
20mm	2.50mm
24mm	3.00mm



HT Bolts - Metric



- Zinc plated.
- Grade 8.8.
- DIN 931

Part No.	Pack of	Size	Length
955343	100	M6	25 mm
955294	100	M6	40 mm
955461	50	M6	130 mm
955296	100	M8	40 mm
955462	50	M8	45 mm
955463	50	M8	50 mm
955464	50	M8	55 mm
955465	50	M8	65 mm
955466	25	M8	80 mm
955467	25	M8	110 mm
955468	25	M10	40 mm
955306	50	M10	50 mm
955469	25	M10	55 mm
955470	25	M10	60 mm
955471	25	M10	65 mm
955472	25	M10	70 mm
955473	25	M10	75 mm
955322	50	M10	80 mm
955474	25	M10	90 mm
955475	25	M10	130 mm
955476	25	M10	150 mm
955351	50	M12	40 mm
955278	50	M12	50 mm
955477	25	M12	60 mm
955279	50	M12	75 mm
955478	25	M12	80 mm
955479	25	M12	90 mm
955480	25	M12	100 mm
955481	25	M12	110 mm

Part No.	Pack of	Size	Length
955482	25	M12	120 mm
955483	25	M12	140 mm
955484	25	M12	150 mm
955289	25	M14	50 mm
955485	25	M14	75 mm
955486	25	M14	80 mm
955487	25	M14	100 mm
955488	25	M16	40 mm
955280	25	M16	50 mm
955490	10	M16	60 mm
955491	10	M16	65 mm
955281	25	M16	70 mm
955492	10	M16	75 mm
955493	10	M16	80 mm
955494	10	M16	90 mm
955495	10	M16	100 mm
955497	10	M16	120 mm
955498	10	M16	130 mm
955499	10	M16	150 mm
955521	10	M18	100 mm
955523	10	M20	60 mm
955524	10	M20	70 mm
955525	10	M20	75 mm
955526	10	M20	80 mm
955528	10	M20	100 mm
955529	10	M20	130 mm
955531	10	M24	90 mm
955532	5	M24	120 mm

Metric Thread Pitch Sizes

Metric Thread Size	Metric Pitch Size
3mm	0.50mm
4mm	0.70mm
5mm	0.80mm
6mm	1.00mm
8mm	1.25mm
10mm	1.50mm

Metric Thread Size	Metric Pitch Size
12mm	1.75mm
14mm	2.00mm
16mm	2.00mm
18mm	2.50mm
20mm	2.50mm
24mm	3.00mm

Coach Bolts & Nuts - Metric



- Cup square head coach bolts.
- Zinc plated.
- BS 4933

Part No.	Pack of	Size	Length
955072	100	M6	20 mm
955073	100	M6	25 mm
955074	100	M6	30 mm
955080	100	M6	40 mm
955086	100	M6	55 mm
955081	100	M6	75 mm
955087	50	M6	80 mm
955088	50	M6	90 mm
955089	50	M6	100 mm
955090	50	M6	110 mm
955091	50	M6	130 mm
955092	50	M8	25 mm
955093	50	M8	30 mm
955094	50	M8	35 mm
955082	50	M8	40 mm
955095	50	M8	50 mm
955096	50	M8	60 mm
955083	50	M8	75 mm
955097	50	M8	100 mm
955098	50	M8	120 mm
955099	50	M10	25 mm
955075	50	M10	30 mm
955085	50	M10	40 mm
955076	50	M10	50 mm
955077	50	M10	65 mm
955084	50	M10	75 mm
955078	50	M10	90 mm
955079	50	M10	100 mm
955060	50	M10	110 mm
955061	25	M10	120 mm
955062	25	M10	180 mm
955063	50	M12	50 mm
955064	50	M12	75 mm
955065	25	M12	150 mm

Coach Bolts & Nuts - Metric - Large Head



- Zinc plated.
- DIN 603

Part No.	Pack of	Size	Length
955070	100	M6	40 mm

Roofing Bolts & Nuts - Metric



- Zinc plated.
- DIN 603

Part No.	Pack of	Size	Length
955042	100	M6	20 mm
955043	100	M6	25 mm
955044	100	M6	40 mm
955045	100	M6	50 mm
955046	100	M6	60 mm
955047	50	M6	80 mm
955048	50	M6	100 mm
955049	100	M8	30 mm
955050	100	M8	35 mm
955051	50	M8	60 mm
955052	50	M8	80 mm

Shield Loose Bolts - Metric



- Zinc plated

Part No.	Pack of	Size	Length
955056	10	M6	40 mm
955057	10	M8	40 mm
955058	10	M10	50 mm

MM/Inch Conversion Chart Page 210

Socket Capscrews - Metric - Black



- Black.
- Grade 12.9.
- Longer lengths will have a shoulder.
- DIN 912

Part No.	Pack of	Size	Length
955719	200	M4	16 mm
955720	200	M4	20 mm
955721	200	M4	25 mm
955722	200	M4	30 mm
955728	200	M5	16 mm
955730	200	M5	25 mm
955731	200	M5	30 mm
955732	200	M5	40 mm
955733	100	M5	50 mm
955738	200	M6	16 mm
955739	200	M6	20 mm
955740	200	M6	25 mm
955741	200	M6	30 mm
955742	200	M6	35 mm
955743	200	M6	40 mm
955745	100	M6	50 mm
955751	100	M8	20 mm
955752	100	M8	25 mm
955753	100	M8	30 mm
955754	100	M8	35 mm
955755	100	M8	40 mm
955757	50	M8	50 mm
955758	50	M8	60 mm
955763	50	M10	25 mm

Part No.	Pack of	Size	Length
955764	50	M10	30 mm
955765	50	M10	35 mm
955817	50	M10	40 mm
955818	50	M10	45 mm
955766	25	M10	50 mm
955819	25	M10	60 mm
955768	25	M10	70 mm
955820	25	M10	80 mm
955771	10	M10	100 mm
955773	50	M12	40 mm
955775	25	M12	50 mm
955777	25	M12	75 mm
955778	25	M12	80 mm
955780	10	M12	130 mm

Socket Capscrews - Metric Sizes



- Chemical black

Sizes: M5 x 10, 25 mm. M6 x 15, 25 mm. M8 x 25, 30 mm. M10 x 25, 30 mm

Part No.	Pack of
105216	120

Socket Capscrews - Stainless Steel - Metric



- Grade A2 stainless steel.
- DIN 912

Part No.	Pack of	Size	Length
991010	200	M5	20 mm
991011	200	M5	25 mm
991014	200	M6	8 mm
991017	200	M6	16 mm
991018	100	M6	20 mm
991019	100	M6	25 mm

Part No.	Pack of	Size	Length
991020	100	M6	30 mm
991021	100	M6	35 mm
991022	100	M6	40 mm
991024	100	M6	50 mm
991032	100	M8	20 mm
991033	100	M8	25 mm
991034	100	M8	30 mm
991036	100	M8	40 mm
991037	100	M8	50 mm
991039	50	M8	70 mm

Socket Button Screws - Metric - Black



- Black.
- Grade 10.9.
- ISO 7380

Part No.	Pack of	Size	Length
955902	200	M5	16 mm
955903	200	M5	20 mm
955904	200	M5	25 mm
955906	200	M6	12 mm
955907	200	M6	16 mm
955908	200	M6	25 mm
955909	100	M6	30 mm
955912	100	M8	20 mm
955913	100	M8	25 mm
955914	100	M8	30 mm

Socket Button Screws - Metric



- Zinc plated.
- Grade 10.9.
- ISO 7380

Part No.	Pack of	Size	Length
955951	100	M6	20 mm
955952	100	M8	20 mm
955953	100	M8	30 mm
955954	100	M8	40 mm
955955	50	M10	30 mm
955957	50	M10	40 mm

T40 Button Screw - Metric



- T40.
- Zinc plated

Part No.	Pack of	Size	Length
955970	50	M8	40 mm

Countersunk Socket Screws - Metric - Black



- Black.
- Grade 10.9.
- DIN 7991

Part No.	Pack of	Size	Length
955849	200	M5	20 mm
955850	200	M5	25 mm
955854	200	M6	20 mm
955855	200	M6	25 mm
955856	100	M6	30 mm
955857	100	M6	40 mm
955858	100	M8	20 mm
955859	100	M8	25 mm
955860	100	M8	30 mm
955861	100	M8	40 mm
955862	100	M8	50 mm
955863	50	M8	60 mm
955865	50	M10	25 mm
955866	50	M10	35 mm
955867	50	M10	40 mm
955868	50	M10	50 mm
955869	50	M12	25 mm
955870	25	M12	50 mm
955871	25	M16	50 mm

Countersunk Socket Screws - Metric



- Zinc plated.
- Grade 10.9.
- DIN 7991

Part No.	Pack of	Size	Length
955941	100	M4	60 mm
955942	100	M6	20 mm
955943	100	M6	40 mm
955944	100	M8	25 mm
955945	100	M8	30 mm


MANIFOLD STUDS & NUTS

Brass Manifold Nuts - Imperial



Part No.	Pack of	Size
935436	50	5/16" UNF
935437	50	3/8" UNF

Brass Manifold Nuts - Metric



Part No.	Pack of	Size
935445	50	M8

Deep Brass Manifold Nuts



Part No.	Pack of	Size
935441	50	5/16" UNF

Manifold Nuts - Copper Flashed

- DIN 980



Part No.	Pack of	Size
935450	50	M8
935451	50	M10

Manifold Studs - Imperial



Part No.	Pack of	Size
405473	20	3/8" UNF x 1 7/8"
405475	20	5/16" UNF/C x 1 5/8"
405472	20	5/16" UNC x 1 11/16"

Manifold Studs - Metric



Part No.	Pack of	Size
405479	20	M8 x 37 mm
405463	20	M10 x 40 mm
405480	20	M10 x 46 mm
405481	20	M10 x 52 mm
405482	20	M10 Fine x 37 mm

Exhaust Manifold Studs & Nuts

Studs: M8 x 37 mm. M10 x 52 mm. M10 (fine) x 37 mm. 3/8", 5/16" UNF, UNC. Brass Nuts: M8, M10 (fine). 3/8", 5/16" UNF, UNC. Copper Flashed Nuts: M10



Part No.	Pack of
105217	80

Threaded Bars - Metric



- Zinc plated.
- Grade 4.6.
- DIN 975

Part No.	Pack of	Size	Length
955511	10	M6	300 mm
955512	10	M8	300 mm
955513	10	M10	300 mm
955514	10	M12	300 mm
955541	5	M5	1 m
955301	5	M6	1 m
955302	5	M8	1 m
955303	3	M10	1 m
955330	3	M12	1 m
955542	3	M14	1 m
955332	3	M16	1 m
955543	1	M18	1 m
955544	1	M20	1 m
955545	1	M24	1 m

Threaded Bars - Metric - Short Lengths




- Zinc plated.
- 300 mm lengths.
- Grade 4.6

Sizes: M6, M8, M10, M12

Part No.	Pack of
110108	30

Threaded Bars - Metric - Long Lengths



- Zinc plated.
- 1 m lengths.
- Grade 4.6

Sizes: M6, M8, M10

Part No.	Pack of
110155	5

Threaded Bars - Stainless Steel - Metric



- Grade A2 stainless steel.
- DIN 975

Part No.	Pack of	Size	Length
993082	5	M6	1 m
993081	3	M8	1 m
993085	3	M10	1 m
993084	1	M12	1 m
993083	1	M16	1 m

Threaded Hexserts



- Half hex inserts

Part No.	Pack of	Size
965090	50	4 mm
965091	50	5 mm
965092	50	6 mm
965093	50	8 mm

Threaded Nutserts



- Regular type

Part No.	Pack of	Size
965074	50	3 mm
965076	50	4 mm
965077	50	5 mm
965078	50	6 mm
965079	50	8 mm

Splined Nutserts



- Wide flange

Part No.	Pack of	Size
965094	50	M6
965095	50	M8

Threaded Insert Tool Kit -



- Includes a selection of popular size nutserts & nose / bush mandrel kits

Part No.	Qty
965075	1 Kit

Threaded Insert Tool - Nose Bush / Mandrel Kits



- For nutsert tool.
- Suits 965075 (K92700 FOR FORCE!)

Part No.	Qty	Size
965085	Set of 2	4 mm
965086	Set of 2	5 mm
965087	Set of 2	6 mm
965088	Set of 2	8 mm

V-Coil Thread Repair Kit



- Complete thread repair system

Contains: Tap, Drill, Inserting tool, Tang Break, Stainless steel inserts (x 20)

Part No.	Qty	Size
815310	1	M5
815311	1	M6
815312	1	M8
815313	1	M10
815314	1	M12

V-Coil Thread Repair Inserts



- Stainless steel free-running inserts

Part No.	Pack of	Size
815320	10	M5
815321	10	M6
815322	10	M8
815323	10	M10
815324	10	M12

Spark Plug Thread Repair Kit



- Complete thread repair system for spark plugs

Contains: Pilot nose tap, Inserting tool, Inserts (8.4 mm, 12.4 mm, 16.4 mm)

Part No.	Pack of	Size
815325	1	M14 x 1.25 mm

BA Screws & Nuts - Round Head



- Steel.
- Zinc plated.
- BS 57

Part No.	Pack of	Size	Length
975139	100 Sets	2BA	1”
975141	100 Sets	2BA	1 1/2”
975140	100 Sets	2BA	2”

Steel BA Screws & Nuts - Round Head



- Zinc plated

Sizes: 6BA, 4BA, 2BA x 1”.
2BA x 2”

Part No.	Pack of
105111	300 Pairs

Machine Screws - Metric - PZD Countersunk Head



- Steel.
- Zinc plated.
- DIN 965

Part No.	Pack of	Size	Length
945336	200	M5	50 mm
945338	200	M6	50 mm

Machine Screws - Metric - Slotted Pan Head



- Steel.
- Zinc plated.
- DIN 85 / BS 4183

Part No.	Pack of	Size	Length
945311	100	M5	25 mm
945312	100	M5	40 mm
945316	50	M5	50 mm

Machine Screws - Metric - PZD Pan Head



- Steel.
- Zinc plated.
- DIN 7985

Part No.	Pack of	Size	Length
945323	200	M4	12 mm
945324	200	M4	35 mm
945325	200	M4	50 mm
945326	200	M5	16 mm
945327	200	M5	20 mm
945328	100	M5	40 mm
945329	100	M5	50 mm
945331	200	M6	10 mm
945332	200	M6	16 mm

Machine Screws & Nuts - Metric - Slotted Pan Head



- Zinc plated.
- BS 57

Part No.	Pack of	Size	Length
945407	100	M4	25 mm
945408	100	M4	40 mm
945411	100	M5	25 mm
945412	100	M5	40 mm
945416	100	M5	50 mm

Steel Machine Screws & Nuts - Pan Head



- Zinc plated

Sizes: M3 x 6, 20 mm. M4 x 8, 16, 25 mm. M5 x 12, 16, 25 mm

Part No.	Pack of
105122	300 Pairs

Taptite Screws - PZD - Metric - Countersunk Head.



- DIN 7500

Part No.	Pack of	Size	Length
925461	100	M5	25 mm
925462	100	M6	25 mm
925463	100	M6	40 mm

Taptite Screws - PZD - Metric - Pan Head



- DIN 7500
-

Part No.	Pack of	Size	Length
925466	100	M5	25 mm
925467	100	M6	25 mm
925468	100	M6	40 mm

CLEANING & JANITORIAL PRODUCTS ON PAGE 526



Body Screws - PZD Pan Head, Metric



- Zinc plated

Part No.	Pack of	Size	Length
945461	200	M5	20 mm
945464	200	M6	20 mm

Body Screws - PZD Pan Head



- Zinc plated

Sizes: M5 x 20, 25 mm. M6 x 20, 25 mm. M8 x 20, 25 mm

Part No.	Pack of
105119	300

Body Screws - Countersunk Head



- Zinc plated

Part No.	Pack of	Size	Length
945481	200	M5	20 mm
945485	200	M6	20 mm
945486	200	M6	25 mm

Body Screws - PZD Countersunk Head



- Zinc plated

Sizes: M5 x 20, 25 mm. M6 x 20, 25 mm. M8 x 20, 25 mm

Part No.	Pack of
105120	300

Self Tapping Screws - PZD Flange Head - Black



- Chemical black.
- BS 4174

Part No.	Pack of	Size	Length
925094	200	No. 6 (3.5 mm)	1/2" (12 mm)
925095	200	No. 6 (3.5 mm)	3/4" (19 mm)
925088	200	No. 6 (3.5 mm)	1" (25 mm)
925146	200	No. 8 (4.2 mm)	3/8" (10 mm)
925096	200	No. 8 (4.2 mm)	1/2" (12 mm)
925078	200	No. 8 (4.2 mm)	5/8" (16 mm)
925097	200	No. 8 (4.2 mm)	3/4" (19 mm)
925089	200	No. 8 (4.2 mm)	1" (25 mm)
925090	100	No. 8 (4.2 mm)	1 1/4" (31 mm)
925093	100	No. 8 (4.2 mm)	1 1/2" (38 mm)
925098	200	No. 10 (4.8 mm)	1/2" (12 mm)
925099	200	No. 10 (4.8 mm)	3/4" (19 mm)
925147	200	No. 10 (4.8 mm)	1" (25 mm)

Assorted Self Tapping Screws - PZD Flange Head - Black



- Chemical black

Flange Head: No. 6 x 1/2", 3/4".
No. 8 x 1/2", 3/4".
No. 10 x 1/2", 3/4".
Countersunk Head: No. 8 x 1 1/2"

Part No.	Pack of
105105	700

Self Tapping Screws - PZD Pan Head - Black



- Chemical black.
- DIN 7981

Part No.	Pack of	Size	Length
925075	200	No. 4 (2.9 mm)	3/4" (19 mm)
925076	200	No. 6 (3.5 mm)	5/8" (16 mm)
925079	200	No. 8 (4.2 mm)	1" (25 mm)
925080	100	No. 8 (4.2 mm)	1 1/4" (31 mm)
925081	200	No. 10 (4.8 mm)	3/4" (19 mm)
925082	100	No. 10 (4.8 mm)	1" (25 mm)

Self Tapping Screws - PZD Countersunk Head



- Zinc plated.
- DIN 7982

Part No.	Pack of	Size	Length
925101	200	No. 6 (3.5 mm)	1/2" (12 mm)
925102	200	No. 6 (3.5 mm)	3/4" (19 mm)
925103	200	No. 6 (3.5 mm)	1" (25 mm)
925114	200	No. 6 (3.5 mm)	1 1/4" (31 mm)
925104	200	No. 8 (4.2 mm)	1/2" (12 mm)
925105	200	No. 8 (4.2 mm)	3/4" (19 mm)
925106	200	No. 8 (4.2 mm)	1" (25 mm)
925110	200	No. 8 (4.2 mm)	1 1/2" (38 mm)
925115	200	No. 8 (4.2 mm)	2" (50 mm)
925107	200	No. 10 (4.8 mm)	1/2" (12 mm)
925108	200	No. 10 (4.8 mm)	3/4" (19 mm)
925109	200	No. 10 (4.8 mm)	1" (25 mm)
925116	200	No. 10 (4.8 mm)	1 1/4" (31 mm)
925111	200	No. 10 (4.8 mm)	1 1/2" (38 mm)
925117	200	No. 10 (4.8 mm)	2" (50 mm)
925125	200	No. 12 (5.5 mm)	3/4" (19 mm)
925126	200	No. 12 (5.5 mm)	1" (25 mm)
925127	200	No. 12 (5.5 mm)	1 1/2" (38 mm)

Assorted Self Tapping Screws - PZD Countersunk Head



- Zinc plated

Sizes: No. 6 x 1/2", 3/4", 1". No. 8 x 1/2", 3/4", 1".
No. 10 x 1/2", 3/4", 1"

Part No.	Pack of
105107	615

MM/Inch Conversion Chart Page 210

Self Tapping Screws - PZD Pan Head



- Zinc plated.
- DIN 7981

Part No.	Pack of	Size	Length
925255	750	No. 4 (2.9 mm)	1/2" (12 mm)
925271	200	No. 4 (2.9 mm)	3/4" (19 mm)
925256	200	No. 6 (3.5 mm)	1/2" (12 mm)
925131	200	No. 6 (3.5 mm)	5/8" (16 mm)
925257	200	No. 6 (3.5 mm)	3/4" (19 mm)
925130	200	No. 6 (3.5 mm)	1" (25 mm)
925134	200	No. 6 (3.5 mm)	1 1/4" (31 mm)
925258	200	No. 8 (4.2 mm)	1/2" (12 mm)
925132	200	No. 8 (4.2 mm)	5/8" (16 mm)
925259	200	No. 8 (4.2 mm)	3/4" (19 mm)
925260	200	No. 8 (4.2 mm)	1" (25 mm)
925261	100	No. 8 (4.2 mm)	1 1/2" (38 mm)
925262	200	No. 10 (4.8 mm)	1/2" (12 mm)
925133	200	No. 10 (4.8 mm)	5/8" (16 mm)
925263	200	No. 10 (4.8 mm)	3/4" (19 mm)
925264	200	No. 10 (4.8 mm)	1" (25 mm)
925135	200	No. 10 (4.8 mm)	1 1/4" (31 mm)
925265	200	No. 10 (4.8 mm)	1 1/2" (38 mm)
925184	200	No. 12 (5.5 mm)	1/2" (12 mm)
925266	200	No. 12 (5.5 mm)	3/4" (19 mm)
925267	100	No. 12 (5.5 mm)	1" (25 mm)
925268	100	No. 12 (5.5 mm)	1 1/2" (38 mm)
925137	100	No. 12 (5.5 mm)	2" (50 mm)
925138	100	No. 12 (5.5 mm)	3" (75 mm)
925269	100	No. 14 (6.3 mm)	3/4" (19 mm)
925178	100	No. 14 (6.3 mm)	1" (25 mm)
925136	100	No. 14 (6.3 mm)	1 1/2" (38 mm)

Assorted Self Tapping Screws - PZD Pan Head - No.4 - No.10



- Zinc plated

Sizes: No. 4 x 1/2". No. 6 x 1/2", 3/4". No. 8 x 1/2", 3/4", 1", 1 1/2". No. 10 x 1/2", 3/4", 1"

Part No.	Pack of
105102	700

Assorted Self Tapping Screws - PZD Pan Head - No.8 - No.12



- Zinc plated

Sizes: No. 8 x 1 1/2". No. 10 x 1/2", 3/4", 1", 1 1/2". No. 12 x 3/4", 1", 1 1/2"

Part No.	Pack of
105104	330

Self Tapping Screws - PZD Pan Head - Stainless Steel



- Grade A2 stainless steel.
- DIN 7981

Part No.	Pack of	Size	Length
991145	250	No. 8 (4.2 mm)	1/2" (12 mm)
991146	250	No. 8 (4.2 mm)	3/4" (19 mm)
991147	250	No. 8 (4.2 mm)	1" (25 mm)
991148	200	No. 8 (4.2 mm)	1 1/2" (38 mm)
991149	200	No. 10 (4.8 mm)	1/2" (12 mm)
991150	200	No. 10 (4.8 mm)	3/4" (19 mm)
991151	200	No. 10 (4.8 mm)	1" (25 mm)
991152	200	No. 10 (4.8 mm)	1 1/2" (38 mm)
991155	200	No. 12 (5.5 mm)	1" (25 mm)
991156	100	No. 12 (5.5 mm)	1 1/2" (38 mm)

Self Tapping Screws - Hex Head



- Zinc plated.
- DIN 7976

Part No.	Pack of	Size	Length
925141	100	No. 14 (6.3 mm)	1 1/2" (38 mm)

Self Tapping Screws - PZD Flange Head



- Zinc plated.
- BS 4174

Part No.	Pack of	Size	Length
925152	200	No. 6 (3.5 mm)	1/2" (12 mm)
925153	200	No. 8 (4.2 mm)	1/2" (12 mm)

Self Tapping Screws - Assorted Heads



- Zinc plated

Contains: PZD Pan Heads, Black PZD Flange Heads, AB Floorboard Screws, 'Acme' Screws, 'J' Nuts

Part No.	Pack of
105302	735

Screw Hooks



- Zinc Plated

Part No.	Pack of	Size	Length
955569	50	M10	60 mm

Floorboard Screws - AB Type



- PZD countersunk head.
- Zinc plated.
- DIN 7982

Part No.	Pack of	Size	Length
925280	200	No. 14 (6.3 mm)	1 1/2" (38 mm)
925281	200	No. 14 (6.3 mm)	1 3/4" (19 mm)
925279	200	No. 14 (6.3 mm)	2" (50 mm)

Floorboard Screws - B Type



- PZD countersunk head.
- Zinc plated.
- DIN 7982

Part No.	Pack of	Size	Length
925283	200	No. 14 (6.3 mm)	1 1/2" (38 mm)
925284	200	No. 14 (6.3 mm)	1 3/4" (19 mm)
925282	200	No. 14 (6.3 mm)	2" (50 mm)

Woodscrews - PZD Countersunk Head



- Zinc plated.
- DIN 7982

Part No.	Pack of	Size	Length
925273	200	No. 6 (3.5 mm)	3/4" (19 mm)
925274	200	No. 6 (3.5 mm)	1" (25 mm)
925278	200	No. 8 (4.2 mm)	3/4" (19 mm)
925287	200	No. 8 (4.2 mm)	1 1/2" (38 mm)
925289	200	No. 8 (4.2 mm)	2" (50 mm)
925290	200	No. 8 (4.2 mm)	2 1/2" (62 mm)
925292	200	No. 10 (4.8 mm)	1" (25 mm)
925293	200	No. 10 (4.8 mm)	1 1/2" (38 mm)
925294	200	No. 10 (4.8 mm)	2" (50 mm)
925296	200	No. 10 (4.8 mm)	3" (75 mm)
925299	200	No. 12 (5.5 mm)	3" (75 mm)

Woodscrews - PZD Flat Countersunk Head



- Zinc plated.
- DIN 97

Part No.	Pack of	Size	Length
925272	200	No. 10 (4.8 mm)	3 1/2" (88 mm)

'Classic 'Solo' Screws - PZD Countersunk Head



- Multi-purpose.
- Zinc plated

Part No.	Pack of	Size	Length
925305	200	4 mm	40 mm
925306	100	4 mm	60 mm
925309	50	6 mm	40 mm
925310	50	6 mm	60 mm

Assorted Classic 'Solo' Screws - PZD Countersunk Head



- Multi-purpose.
- Zinc plated

Sizes: 3 mm x 12, 25, 30 mm. 4 mm x 25, 40, 60 mm. 5 mm x 35, 60 mm. 6 mm x 40, 60 mm

Part No.	Pack of
105138	355

'Acme' Screws - Hexagon Head



- With captive washers.
- Zinc plated.
- DIN 7976

Part No.	Pack of	Size	Length
925185	100	No. 8 (4.2 mm)	3/4" (19 mm)
925187	100	No. 10 (4.8 mm)	1/2" (12 mm)
925188	100	No. 10 (4.8 mm)	3/4" (19 mm)
925190	100	No. 12 (5.5 mm)	1/2" (12 mm)
925191	100	No. 12 (5.5 mm)	3/4" (19 mm)
925170	100	No. 14 (6.3 mm)	3/4" (19 mm)

Assorted 'Acme' Screws - With Captive Washers



- Zinc plated.
- Hexagon head

Sizes: No. 8 x 3/4". No. 10 x 1/2", 3/4". No. 12 x 1/2", 3/4". No. 14 x 3/4"

Part No.	Pack of
105106	255

Self Drilling Screws - Washer Faced Hex Head



- Zinc plated.
- DIN 7504K

Part No.	Pack of	Size	Length
925401	200	No. 8 (4.2 mm)	1" (25 mm)
925403	200	No. 10 (4.8 mm)	1/2" (12 mm)
925404	200	No. 10 (4.8 mm)	3/4" (19 mm)
925405	200	No. 10 (4.8 mm)	1" (25 mm)
925407	200	No. 12 (5.5 mm)	1" (25 mm)
925408	100	No. 12 (5.5 mm)	1 1/2" (38 mm)
925409	100	No. 12 (5.5 mm)	2" (50 mm)
925415	100	No. 14 (6.3 mm)	1" (25 mm)
925418	100	No. 14 (6.3 mm)	2" (50 mm)

Self Drilling Screws - PH Pan Head



- Zinc plated.
- DIN 7504N

Part No.	Pack of	Size	Length
925441	200	No. 6 (3.5 mm)	5/8" (16 mm)
925442	200	No. 8 (4.2 mm)	3/4" (19 mm)
925451	200	No. 10 (4.8 mm)	3/4" (19 mm)
925452	200	No. 10 (4.8 mm)	1" (25 mm)
925454	100	No. 10 (4.8 mm)	2" (50 mm)

No. Plate Fixings - Nylon Nuts & Bolts



- Slotted nylon bolts

Part No.	Pack of	Length	Colour
975355	100 Sets	3/4"	White
975356	100 Sets	3/4"	Yellow
975357	100 Sets	3/4"	Black
975312	100 Sets	1"	White
975313	100 Sets	1"	Yellow
975314	100 Sets	1"	Black

No. Plate Fixings - Plastic Headed Screws



- PZD self tapping screws.
- Zinc plated

Part No.	Pack of	Length	Colour
975330	100	3/4"	Green
975320	100	3/4"	White
975321	100	3/4"	Yellow
975322	100	3/4"	Black
975323	100	3/4"	Blue
975329	100	1"	Green
975325	100	1"	White
975326	100	1"	Yellow
975327	100	1"	Black
975328	100	1"	Blue

No. Plate Fixings - 'Flip Top' Screws



- PZD self tapping screws.
- Zinc plated

Part No	Pack of	Size	Length	Colour
975309	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	White
975310	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Yellow
975311	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Black
975308	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Blue
975307	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Green

No. Plate Fixings - Caps, Domes & Screws



- PZD self tapping screws.
- Zinc plated

Part No.	Pack of	Size	Length	Colour
975315	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	White
975316	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Yellow
975317	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Black
975324	100 Sets	No. 8 (4.2 mm)	3/4" (19 mm)	Blue

No. Plate Fixings - Security 'Flip Top' Screws



- Security self tapping screws.
- Zinc plated

Part No.	Pack of	Size	Length	Colour
975332	25	No. 8 (4.2 mm)	3/4" (19 mm)	White
975333	25	No. 8 (4.2 mm)	3/4" (19 mm)	Yellow
975334	25	No. 8 (4.2 mm)	3/4" (19 mm)	Black
975335	25	No. 8 (4.2 mm)	3/4" (19 mm)	Blue

Assorted No. Plate Fixings



- Security self tapping screws.
- Zinc plated

Cap, Dome & Screws: PZD No.8 x 3/4" (Black, White, Yellow).
Nylon Nuts & Bolts: 1" (Black, White, Yellow)

Part No.	Pack of
105110	240 Sets

MM/Inch Conversion Chart Page 210

Split Cotter Pins - Imperial



- Zinc plated

Part No.	Pack of	Length	Diameter
905101	500	1”	1/16”
905141	500	2”	1/16”
905102	500	1”	5/64”
905142	500	1 1/2”	5/64”
905151	350	1 1/2”	3/32”
905103	500	1 1/2”	3/32”
905143	500	2”	3/32”
905104	500	1 1/2”	7/64”
905144	500	2”	7/64”
905152	250	1 1/2”	1/8”
905105	500	1 1/2”	1/8”
905112	500	2 1/4”	1/8”
905153	200	1 1/2”	9/64”
905106	500	1 1/2”	9/64”
905351	500	2 1/4”	9/64”
905154	150	1 5/8”	5/32”
905107	200	1 5/8”	5/32”
905352	200	2 1/4”	5/32”
905145	200	3”	5/32”
905146	200	2”	11/64”
905155	75	2”	3/16”
905108	200	2”	3/16”
905109	100	3”	3/16”
905113	100	2 3/4”	7/32”
905147	100	3”	7/32”
905110	100	3”	1/4”
905111	100	3”	5/16”

Split Cotter Pins - Imperial - Small Sizes



- Zinc plated

Sizes: 1/16”, 5/64” x 1”. 3/32”, 7/64”, 1/8”, 9/64” x 1 1/2”. 5/32” x 1 5/8”

Part No.	Pack of
105134	1000

Split Cotter Pins - Imperial - Commercial Sizes



- Zinc plated

Sizes: 1/8”, 9/64” x 1 1/2”. 5/32” x 1 5/8”. 3/16” x 2”. 1/8” x 2 1/4”. 3/16”, 1/4”, 5/16” x 3”

Part No.	Pack of
105137	220

Split Cotter Pins - Metric



- Zinc plated

Part No.	Pack of	Length	Diameter
905121	500	32 mm	1.6 mm
905122	500	40 mm	2 mm
905123	500	40 mm	2.5 mm
905129	250	32 mm	3.2 mm
905124	250	40 mm	3.2 mm
905125	200	50 mm	3.2 mm
905126	200	32 mm	4 mm
905127	200	50 mm	4 mm
905132	100	40 mm	5 mm
905128	100	50 mm	5mm

Clevis Pins - Metric



- Zinc plated

Part No.	Pack of	Length	Diameter
905208	50	20 mm	6 mm

MM/Inch Conversion Chart Page 210

Clevis Pins - Imperial



- Zinc plated

Part No.	Pack of	Length	Diameter
905201	50	5/8”	3/16”
905202	50	7/8”	3/16”
905203	50	1/2”	1/4”
905204	50	11/16”	1/4”
905205	50	7/8”	5/16”
905206	50	1”	5/16”
905207	50	1 1/4”	3/8”

Clevis Pins - Metric & Imperial



- Zinc plated

Sizes: 3/16” x 5/8”, 7/8”. 1/4” x 5/8”, 11/16”. 5/16” x 7/8”, 1”. 3/8” x 1 1/4”. 6 x 20 mm (diameter x length)

Part No.	Pack of
105135	175

Spring Roll Pins - Metric



- Zinc plated

Part No.	Pack of	Length	Diameter
945651	100	24 mm	2.5 mm
945652	100	40 mm	2.5 mm
945653	100	40 mm	3 mm
945654	50	40 mm	4 mm
945655	50	40 mm	5 mm
945656	25	40 mm	6 mm
945657	25	24 mm	8 mm
945658	20	55 mm	8 mm

Assorted Spring Roll Pins - Metric



- Zinc plated

Sizes: 2.5, 8 x 24 mm. 2.5, 3, 4, 5, 6 x 40 mm. 8 x 55 mm

Part No.	Pack of
105136	300

‘U’ Nuts



- Zinc plated

Part No.	Pack of	Size
925171	100	No. 6 (3.5 mm)
925172	100	No. 8 (4.2 mm)
925179	100	No. 8 Long
925173	100	No. 10 (4.8 mm)
925174	100	No. 12 (5.5 mm)
925177	100	No. 14 (6.3 mm)

‘J’ Nuts



- Zinc plated

Part No.	Pack of	Size
925193	100	No. 8 (4.2 mm)
925194	100	No. 10 (4.8 mm)
925195	100	No. 12 (5.5 mm)
925175	100	No. 14 (6.3 mm)

Assorted ‘U’ & ‘J’ Nuts



‘U’ Nuts: No. 6, 8, 10, 12, 14.
‘J’ Nuts: No. 14

Part No.	Pack of
105109	300

Chimney Nuts



Part No.	Pack of	Range	Length	Thread
925196	20	12 mm	21 mm	M5
925197	20	12 mm	24 mm	M6

MM/Inch Conversion Chart Page 210

Rivets - Standard Flange

- Aluminium.
- DIN 7337



Part No.	Pack of	Length	Diameter
965170	500	7.9 mm (5/16”)	3.2 mm (1/8”)
965151	1000	7.9 mm (5/16”)	3.2 mm (1/8”)
965171	500	11.0 mm (7/16”)	3.2 mm (1/8”)
965152	1000	11.0 mm (7/16”)	3.2 mm (1/8”)
965153	1000	9.5 mm (3/8”)	4 mm (5/32”)
965172	500	9.5 mm (3/8”)	4 mm (5/32”)
965173	500	12.7 mm (1/2”)	4 mm (5/32”)
965154	1000	12.7 mm (1/2”)	4 mm (5/32”)
965155	500	10.3 mm (3/8”)	4.8 mm (3/16”)
965156	500	16.9 mm (5/8”)	4.8 mm (3/16”)
965174	200	24.8 mm (1”)	4.8 mm (3/16”)
965157	500	24.8 mm (1”)	4.8 mm (3/16”)

Multigrip Rivets - Large Flange

- Aluminium.
- DIN 7337



Part No.	Pack of	Length	Diameter
965180	200	12.7 mm (1/2”)	4.8 mm (3/16”)
965181	200	20.0 mm (3/4”)	4.8 mm (3/16”)
965182	200	24.8 mm (1”)	4.8 mm (3/16”)

Serrated Rivets - Stainless Steel

- Grade A2 stainless steel



Part No.	Pack of	Length	Diameter
965130	100	16.0 mm (5/8”)	4.8 mm (3/16”)

Black Rivets - Standard Flange

- Black anodized aluminium.
- DIN 7337



Part No.	Pack of	Length	Diameter
965501	100	8.0 mm (5/16”)	3.2 mm (1/8”)
965508	100	8.0 mm (5/16”)	4 mm (5/32”)
965502	100	10.0 mm (3/8”)	4 mm (5/32”)
965509	100	12.0 mm (7/16”)	4 mm (5/32”)
965503	100	14.0 mm (9/16”)	4.8 mm (3/16”)
965510	100	20.0 mm (3/4”)	4.8 mm (3/16”)

Black Rivets - Large Flange

- Black anodized aluminium.
- DIN 7337



Part No.	Pack of	Length	Diameter
965504	100	10.0 mm (3/8”)	3.2 mm (1/8”)
965505	100	10.0 mm (3/8”)	4 mm (5/32”)
965506	100	14.0 mm (9/16”)	4.8 mm (3/16”)
965507	100	18.0 mm (3/4”)	4.8 mm (3/16”)
965511	100	25.0 mm (1”)	4.8 mm (3/16”)

Rivets - Stainless Steel

- Grade A2 stainless steel



Part No.	Pack of	Length	Diameter
965131	100	25.0 mm (1”)	4.8 mm (3/16”)

Countersunk Sealing Rivets -

- Aluminium



Part No.	Pack of	Length	Diameter
965132	500	12.0 mm (7/16”)	4 mm (5/32”)

POP Open Type Rivets - Standard Flange



- Carbon steel

Part No.	Pack of	Length	Diameter
965431	250	8.0 mm (5/16”)	3.2 mm (1/8”)
965432	250	11.5 mm (3/8”)	3.2 mm (1/8”)
965433	250	12.0 mm (1/2”)	4 mm (5/32”)
965434	250	12.5 mm (1/2”)	4.8 mm (3/16”)
965435	250	16.5 mm (5/8”)	4.8 mm (3/16”)

Peel Rivets - Standard Flange



- Aluminium

Part No.	Pack of	Length	Diameter
965412	250	13.0 mm (1/2”)	4.8 mm (3/16”)
965411	250	19.0 mm (3/4”)	4.8 mm (3/16”)

Open Type Rivets - Standard Flange



- Aluminium

Part No.	Pack of	Length	Diameter
965402	1000	8.0 mm (5/16”)	3.2 mm (1/8”)
965403	1000	11.5 mm (3/8”)	3.2 mm (1/8”)
965404	500	12.0 mm (1/2”)	4 mm (5/32”)
965405	500	12.5 mm (1/2”)	4.8 mm (3/16”)
965406	500	19.0 mm (3/4”)	4.8 mm (3/16”)
965413	100	25.5 mm (1”)	4.8 mm (3/16”)
965410	100	19.5 mm (3/4”)	6.5 mm (1/4”

Open Type Rivets - Large Flange



- Aluminium

Part No.	Pack of	Length	Diameter
965408	200	12.5 mm (1/2”)	4.8 mm (3/16”)
965409	300	16.5 mm (5/8”)	4.8 mm (3/16”)
965417	200	19.0 mm (3/4”)	4.8 mm (3/16”)
965407	200	25.5 mm (1”)	4.8 mm (3/16”)

Rivets & Washers - Open Type - Large & Standard Flange



- Aluminium rivets.
- Zinc plated washers

Standard Flange Rivets: 1/8” x 5/16”, 3/8”. 5/32” x 1/2”. 3/16” x 1/2”, 3/4”. Large Flange Rivets: 3/16” x 1/2”, 5/8”, 1”. Rivet Washers: 1/8”

Part No.	Pack of
105188	350

Closed End Rivets - Aluminium



- High vibration resistance.
- Pressure & water-tight

Part No.	Pack of	Length	Diameter
905148	200	10.0 mm (3/8”)	4.8 mm (3/16”)
905149	200	13.0 mm (1/2”)	4.8 mm (3/16”)
905150	200	14.5 mm (9/16”)	4.8 mm (3/16”)

Rivets - Aluminium



Part No.	Pack of	Length	Diameter
965420	250	16.0 mm (5/8”)	6.4 mm (1/4”)
965421	250	22.0 mm (7/8”)	6.4 mm (1/4”)
965422	250	25.0 mm (1”)	6.4 mm (1/4”)

Countersunk Rivets - Aluminium



Part No.	Pack of	Length	Diameter
965440	250	20.0 mm (3/4”)	4.8 mm (3/16”)

Monobolts



- 2771 series

Part No.	Pack of	Length	Diameter
955101	50	23.0 mm (7/8”)	6.4 mm (1/4”)
955102	50	32.0 mm (1 1/4”)	6.4 mm (1/4”)

Rivets - Large Flange



- Aluminium

Part No.	Pack of	Length	Diameter
965317	200	13.6 mm (1/2”)	4.8 mm (3/16”)
965308	200	19.6 mm (3/4”)	4.8 mm (3/16”)
965313	500	19.6 mm (3/4”)	4.8 mm (3/16”)
965309	200	27.6 mm (1”)	4.8 mm (3/16”)
965314	500	27.6 mm (1”)	4.8 mm (3/16”)

AVEX® Rivets - Standard Flange



- Aluminium

Part No.	Pack of	Length	Diameter
965302	500	10.4 mm (3/8”)	3.2 mm (1/8”)
965303	500	13.6 mm (1/2”)	3.2 mm (1/8”)
965304	500	12.5 mm (1/2”)	4 mm (5/32”)
965301	500	15.6 mm (5/8”)	4 mm (5/32”)
965305	500	13.9 mm (1/2”)	4.8 mm (3/16”)
965306	500	18.7 mm (3/4”)	4.8 mm (3/16”)
965307	200	28.2 mm (1”)	4.8 mm (3/16”)

Rivets & Washers - Multigrip



- Aluminium rivets.
- Zinc plated washers

Rivets: 1/8” x 3/8”, 1/2”. 5/32” x 7/16”, 9/16”. 3/16” x 1/2”, 3/4”, 1” (diameter x length). Rivet Washers: 1/8”

Part No.	Pack of
105166	500

BULBEX® Rivets - Standard Flange



- Aluminium.
- DIN 7337

Part No.	Pack of	Length	Diameter
965350	100	25.0 mm (1”)	4.8 mm (3/16”)

Repair Washers - Rivets



- Zinc plated.
- Mudguard type.
- BS 3410

Part No.	Pack of	I.D	O.D
965310	1000	1/8”	1/2”
965316	200	3/16”	3/4”



See page 691-699

Hand Gun Riveter

POP



- Suitable for use with 3, 4 & 5 mm rivets

Part No.	Qty	Type
965311	1	Riveter
965251	1 Kit	Repair Kit

Lazy Tong Riveter

POP



- Suitable for use with 3, 4 & 5 mm rivets

Part No.	Qty	Type
965312	1	Riveter


Long Arm Riveter

POP



- Suitable for use with 4, 5 & 6 mm rivets & 6 mm monobolts

Part No.	Qty	Type
965315	1	Riveter
965253	1 Kit	Repair Kit



CONVERSION CHART

INCH/MILLIMETER

CONVERSIONS ARE TO THE NEAREST 1/32" OR 1/64"

Inches	Millimetres
1/64	0.40
1/64	0.50
1/32	0.75
1/32	0.79
3/64	1.00
3/64	1.19
1/16	1.50
1/16	1.59
5/64	1.98
5/64	2.00
3/32	2.38
3/32	2.50
7/64	2.77
1/8	3.00
1/8	3.17
9/64	3.50
9/64	3.57
5/32	3.96
5/32	4.00
11/64	4.37
11/64	4.50
3/16	4.76
13/64	5.00
13/64	5.16
7/32	5.50
7/32	5.56
15/64	5.95
15/64	6.00
1/4	6.35

Inches	Millimetres
1/4	6.50
17/64	6.75
9/32	7.00
9/32	7.14
19/64	7.50
19/64	7.54
5/16	7.94
5/16	8.00
21/64	8.33
21/64	8.50
11/32	8.73
13/32	10.50
27/64	10.72
7/16	11.00
7/16	11.11
29/64	11.51
15/32	11.91
15/32	12.00
31/64	12.30
31/64	12.50
1/2	12.70
33/64	13.10
17/32	13.49
35/64	14.00
9/16	14.29
37/64	14.50
37/64	14.68
19/32	15.08
39/64	14.48

Inches	Millimetres
5/8	15.88
5/8	16.00
41/64	16.27
21/32	16.50
21/32	16.67
43/64	17.07
11/16	17.46
45/64	18.00
23/32	18.26
47/64	18.37
3/4	19.05
49/64	19.45
25/32	19.94
25/32	20.00
51/64	20.24
13/16	20.64
53/64	21.00
53/64	21.03
55/64	22.00
57/64	22.62
29/32	23.00
29/32	23.11
59/64	23.51
15/16	23.81
15/16	24.00
61/64	24.21
31/32	24.61
63/64	25.00
1	25.40

RGTOOLS



Professional Cordless Power Tools

ONE BATTERY FITS ALL RANGE

Impact Wrench | Drill | Impact Driver | Angle Grinder

SEE PAGES 720-721 FOR FULL RANGE

TRIM CLIPS





TRIM CLIPS

Trim Locking Nuts	216
Drive Rivets	219
Weatherstrip Clips	220
Metal Trim Fasteners	222
Panel Clips	226
Rivets & Push Rivets	230
Fir Tree Fixings	234
Screw Rivets	236



BRAND NEW

TRIM CLIP WORKSHOP KIT



A comprehensive range of trim clip essentials designed for use in a typical bodyshop environment



Complete kit Contains:

- Blue Storage Bins
- Louvred Panel
- Part Number Bin Labels
- 36 packs of Trim Clips
  (Turn over for full list and details)

PART NUMBER 110500







TRIM CLIP WORKSHOP KIT

CONTENTS



1 Louvred Panel, 36 Storage Bins & labels, 36 pack of Trim Clips

1 Additonal Louvred Panel and 4 Additional Storage Bins also supplied



TRIM LOCKING NUT

TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW
Head Diameter: 12mm,
Length: 12.5mm,
Fits Hole Size: 8mm



Part No.	Pack of
975701	25

STORAGE BINS - BLUE
Sturdy Polypropylene
Width: 100 mm. Height: 75 mm
Depth: 165 mm



Part No.	Pack of
895305	40

LOUVRED PANEL - GREY
Epoxy Powder Coated Steel
Double Indented for extra strength
Width: 457 mm. Height: 946 mm

Part No.	Pack of
895291	2

MOULDING CLIPS

MOULDING CLIP TO SUIT PSA
Head: 17.16mm x 11.78mm,
Length: 12.53mm,
Fits Hole Size: 9.0mm



Part No.	Pack of
975461	25

MOULDING CLIP TO SUIT HYUNDAI
Head: 19.92 x 13.90mm,
Length: 10.25mm,
Fits Hole Size: 9.0mm



Part No.	Pack of
975503	25

PANEL CLIP TO SUIT RENAULT
Head: (bottom head) 17.25mm,
Length: 12.40mm,
Fits Hole Size: 10.5mm



Part No.	Pack of
975780	25

PANEL CLIP TO SUIT AUDI, SEAT, SKODA & VW
Head: 22.70mm,
Length: 12.25mm,
Fits Hole Size: 7.8mm



Part No.	Pack of
975781	25

PANEL CLIP TO SUIT VAG / FORD
Head: 17.39mm,
Length: 16.0mm,
Fits Hole Size: 8.0mm



Part No.	Pack of
975782	25

DRIVE RIVETS

DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, OPEL / GM, RENAULT
Head: 9.8mm, Length: 11.5mm,
Fits Hole Size: 6mm



Part No.	Pack of
975531	25

DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, BMW, FORD, MERCEDES BENZ, GM / OPEL
Head: 16mm, Length: 11.5mm,
Fits Hole Size: 7.8mm



Part No.	Pack of
975535	25

DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, MERCEDES BENZ, OPEL / GM
Head: 13mm, Length: 15mm,
Fits Hole Size: 7.8mm



Part No.	Pack of
975634	25

DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, BMW, CITROEN, PEUGEOT, MERCEDES BENZ, RENAULT
Head: 10mm, Length: 11mm,
Fits Hole Size: 5mm



Part No.	Pack of
975536	25

METAL TRIM FASTENERS

METAL TRIM FASTENER TO SUIT AUDI, SEAT, SKODA & VW
Diameter: 30.00mm



Part No.	Pack of
975931	25

FIR TREE FIXINGS

Fir Tree Fixing to suit Ford & PSA
Head: 18.0mm, Length:
15.64mm, Fits hole size: 7.0mm



Part No.	Pack of
975432	25

Fir Tree Fixing to suit Ford
Head: 18.20mm, Length: 26.91,
Fits hole size: 6.5mm



Part No.	Pack of
975436	25

Fir Tree Fixing to suit Renault
Head: 34.55mm, Length:
22.62mm, Fits hole size: 10.0mm



Part No.	Pack of
975437	25

Fir Tree Fixing
Head: 15.92mm, Length:
14.52mm, Fits hole size: 6.5mm



Part No.	Pack of
975883	25

METAL TRIM FASTENER TO SUIT FORD, AUDI, SEAT, SKODA & VW
Diameter: 29.92mm



Part No.	Pack of
975932	25

PUSH RIVETS

PUSH RIVET TO SUIT MITSUBISHI / NISSAN
Head: 20mm, Length: 13.21mm,
Fits hole size 7.82mm



Part No.	Pack of
975560	25

PUSH RIVET TO SUIT TOYOTA
Head: 17.73mm, Length:
31.04mm, Fits hole size: 8.5mm



Part No.	Pack of
975561	25

PUSH RIVET TO SUIT HONDA
Head: 19.72mm, Length:
15.80mm, Fits hole size: 9.7mm



Part No.	Pack of
975563	25

PUSH RIVET TO SUIT BMW / MERCEDES / MITSUBISHI / VOLVO
Head: 20.0mm, Length:14.0mm,
Fits hole size: 8.0mm



Part No.	Pack of
975564	25

PUSH RIVET TO SUIT VAG / FORD / RENAULT / GM / OPEL
Head: 20.20mm, Length:
20.86mm, Fits hole size: 8.2mm



Part No.	Pack of
975569	25

PUSH RIVET TO SUIT MERCEDES
Head: 16.02mm, Length:
18.3mm, Fits hole size: 6.10mm



Part No.	Pack of
975570	25

PUSH RIVET TO SUIT TOYOTA / PSA
Head: 20.46mm, Length:
11.44mm, Fits hole size: 6.5mm



Part No.	Pack of
975976	25

WEATHERSTRIP CLIP TO SUIT HONDA / HYUNDAI
Head: 9.30mm, Length: 11mm,
Fits Hole Size: 4.0mm



Part No.	Pack of
975463	25

WEATHERSTRIP CLIP TO SUIT HYUNDAI
Head: 14.45mm, Length:
12.60mm, Fits Hole Size: 4mm



Part No.	Pack of
975476	25

Screw Rivet to suit Ford
Head: 15.78mm, Length:
17.58mm, Fits hole size: 6.5mm



Part No.	Pack of
975410	25

PUSH RIVET TO SUIT HONDA
Head: 19.60mm,
Length: 9.38mm,
Fits hole size: 7.69mm



Part No.	Pack of
975983	25

PUSH RIVET TO SUIT PEUGEOT CITROEN
Head: 20.0mm,
Length: 13.23mm,
Fits hole size: 7.5mm



Part No.	Pack of
975984	25

WEATHERSTRIP CLIP TO SUIT CITROEN, PEUGEOT, RENAULT
Head: 17.17 x 8.41mm, Length:
9.14mm, Fits Hole Size: 4.0mm



Part No.	Pack of
975478	25

WEATHERSTRIP CLIP TO SUIT HONDA
Head: 14.42mm, Length:
9.83mm, Fits Hole Size: 4.0mm



Part No.	Pack of
975720	25

Screw Rivet to suit BMW & Honda
Head: 20.03mm, Length:
14.12mm, Fits hole size: 9.5mm



Part No.	Pack of
975412	25

PUSH RIVET TO SUIT PSA / NISSAN / TOYOTA
Head: 17.92mm,
Length: 13.0mm,
Fits hole size: 7.8mm



Part No.	Pack of
975990	25

PUSH RIVET TO SUIT FORD / OPEL
Head: 18.14mm,
Length: 17.29mm,
Fits hole 7.32mm



Part No.	Pack of
975991	25

WEATHERSTRIP CLIP TO SUIT HONDA
Head: 14.88mm, Length:
10.26mm, Fits Hole Size: 4mm



Part No.	Pack of
975721	25

WEATHERSTRIP CLIP TO SUIT HONDA, NISSAN
Head: 14.91mm, Length:
13.48mm, Fits Hole Size: 4mm



Part No.	Pack of
975722	25

Screw Rivet to suit Ford
Head: 15.58mm, Length:
22.47mm, Fits hole size: 6.0mm



Part No.	Pack of
975416	25

Images are NOT actual size, for full range with OEM codes & actual size images see our A1 Trim Clip Chart or product catalogue.

TRIM LOCKING NUTS

ACTUAL SIZE IMAGES 1:1



TRIM LOCKING NUT TO SUIT TOYOTA

Head: 17mm, Length: 10mm

Replacement OE:
TOYOTA 9018906006

Part No.	Pack of
975400	25



TRIM LOCKING NUT TO SUIT FIAT, ALFA ROMEO, IVECO

Head Diameter: 13mm, Length: 7.5mm, Fits Hole Size: 7mm

Replacement OE:
FIAT, ALFA ROMEO, IVECO 14115980

Part No.	Pack of
975401	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head: 16mm, Length: 18mm, Fits Hole Size: 8.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW 321813998A

Part No.	Pack of
975402	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head: 12mm x 7mm, Length: 10.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW 811807577C

Part No.	Pack of
975403	25



TRIM LOCKING NUT TO SUIT TOYOTA

Head: 20mm, Length: 17mm, Fits Hole Size: 8.5mm

Replacement OE:
TOYOTA 9018906013. SUBARU 9018906013. DAIHATSU 9018906013

Part No.	Pack of
975462	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 15mm, Length: 20mm, Fits Hole Size: 7.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW N90821401

Part No.	Pack of
975464	25



TRIM LOCKING NUT TO SUIT BMW & MERCEDES BENZ

Head Diameter: 23.73mm, Length: 8mm

Replacement OE:
BMW 51711958025. MERCEDES BENZ A2019900050

Part No.	Pack of
975465	25




TRIM LOCKING NUT TO SUIT BMW & MERCEDES BENZ

Head Diameter: 16mm, Length: 8mm

Replacement OE:
BMW 16131176747. MERCEDES BENZ A0039900251

Part No.	Pack of
975467	25



TRIM LOCKING NUT TO SUIT FORD

Head Diameter: 22.5mm, Length: 18.50mm, Fits Hole Size: 12mm

Replacement OE:
TOYOTA 1659672

Part No.	Pack of
975470	25



TRIM LOCKING NUT TO SUIT GM/OPEL

Head Diameter: 11mm, Length: 11mm, Fits Hole Size: 7.5mm

Replacement OE:
GM / OPEL 1216957

Part No.	Pack of
975700	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 12mm, Length: 12.5mm, Fits Hole Size: 8mm

Part No.	Pack of
975701	25



TRIM LOCKING NUT TO SUIT HONDA, HYUNDAI & KIA

Head Diameter: 14.2mm, Length: 14.6mm, Fits Hole Size: 7.2mm

Replacement OE:
HONDA 906726718110M. HYUNDAI 9751922000. KIA 9751922000

Part No.	Pack of
975702	25



TRIM LOCKING NUT TO SUIT TOYOTA

Head Diameter: 16mm, Length: 17.5mm :Fits Hole Size: 8.3mm

Replacement OE:
TOYOTA 9018906224

Part No.	Pack of
975703	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 16mm, Length: 20mm, Fits Hole Size: 8.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW 357827998

Part No.	Pack of
975704	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 16mm, Length: 24mm, Fits Hole Size: 8mm

Replacement OE:
AUDI, SEAT, SKODA, VW 357868143

Part No.	Pack of
975705	25



TRIM LOCKING NUT TO SUIT TOYOTA

Head Diameter: 18mm, Length: 18mm, Fits Hole Size: 8.5mm

Replacement OE:
TOYOTA 9018906001

Part No.	Pack of
975706	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 15mm, Length: 14.5mm, Fits Hole Size: 8mm

Part No.	Pack of
975707	25



TRIM GROMMET TO SUIT OPEL, MERCEDES BENZ, AUDI, SEAT, SKODA, VW, CITROEN, PEUGEOT, FIAT, ALFA ROMEO

Head Diameter: 6.2mm, Length: 11.6mm, Fits Hole Size: 4.76mm

Replacement OE:
OPEL 174610. AUDI, SEAT, SKODA, VW 113853615. CITROEN PEUGEOT 9629547080. FIAT 4234280. MERCEDES BENZ A0009880027

Part No.	Pack of
975708	25



TRIM LOCKING NUT TO SUIT TOYOTA

Head: 14mm, Length: 7mm, Fits Hole Size: 9mm

Replacement OE:
TOYOTA 9018906018

Part No.	Pack of
975709	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA, VW, CITROEN, PEUGEOT & MERCEDES BENZ

Head: 9.5mm x 9.5mm, Length: 7mm, Fits Hole Size: 6.7mm

Replacement OE:
AUDI, SEAT, SKODA, VW 441035555. CITROEN PEUGEOT 9629041880. MERCEDES BENZ A0009886725

Part No.	Pack of
975710	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 12mm, Length: 15mm, Fits Hole Size: 7.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW 867809966

Part No.	Pack of
975711	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter: 14.3mm, Length: 16mm, Fits hole 7m

Replacement OE:
AUDI, SEAT, SKODA, VW N10318001

Part No.	Pack of
975712	25

TRIM LOCKING NUTS & DRIVE RIVETS



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head: 9.35mm,
Length: 10mm,
Fits Hole Size: 6.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW 811807577F

Part No.	Pack of
975713	25



TRIM LOCKING NUT TO SUIT FIAT. ALFA ROMEO, IVECO

Head: 11mm,
Length: 7mm,
Fits Hole Size: 8mm

Replacement OE:
FIAT, ALFA ROMEO, IVECO 14215282

Part No.	Pack of
975714	25



TRIM LOCKING NUT TO SUIT BMW

Head: 12mm,
Length 8mm,
Fits Hole Size: 7mm

Replacement OE:
BMW 51135680113

Part No.	Pack of
975715	25



TRIM LOCKING NUT TO SUIT FORD

Head: 9.5mm x 9.5mm,
Length: 7mm,
Fits Hole Size: 6.5mm

Replacement OE:
FORD 1416795

Part No.	Pack of
975716	25



TRIM LOCKING NUT TO SUIT AUDI, SEAT, SKODA & VW

Head Diameter:
10.8mm, Length: 12.5m,
Fits Hole Size: 6.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW 165827592

Part No.	Pack of
975717	25



TRIM LOCKING NUT TO SUIT FORD

Head: 13mm,
Length: 20mm,
Fits Hole Size: 10mm

Replacement OE:
FORD 6549354

Part No.	Pack of
975718	25

DRIVE RIVETS





DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, FORD, MERCEDES BENZ, OPEL / GM, VOLVO

Head: 16mm, Length: 10.5mm,
Fits Hole Size: 5.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE N10219501. FORD OE 1009164. MERCEDES BENZ OE A0009905592. OPEL / GM OE 2317703. VOLVO OE 3923475

Part No.	Pack of
975632	25



DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, MERCEDES BENZ, OPEL / GM

Head: 13mm, Length: 15mm,
Fits Hole Size: 7.8mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE N10032301. MERCEDES BENZ OE A0009903792. OPEL / GM 1104881

Part No.	Pack of
975634	25



DRIVE RIVET TO SUIT VOLVO

Head: 15.92mm, Length: 13.5mm,
Fits Hole Size: 8mm

Replacement OE:
VOLVO OE 9133417

Part No.	Pack of
975636	25



DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, MERCEDES BENZ

Head: 17.8mm, Length: 16mm,
Fits Hole Size: 7mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE 171885767.
MERCEDES BENZ OE A0019944145

Part No.	Pack of
975638	25



DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, MERCEDES BENZ, OPEL / GM

Head: 18.7mm, Length: 14.5mm,
Fits Hole Size: 8mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE N10552001. MERCEDES BENZ OE A0019901692. OPEL / GM 1104882

Part No.	Pack of
975640	25



DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, OPEL / GM, RENAULT

Head: 9.8mm, Length: 11.5mm,
Fits Hole Size: 6mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE N0385012. OPEL / GM OE 1719242. RENAULT OE 7703072172

Part No.	Pack of
975531	25



DRIVE RIVET TO SUIT MERCEDES BENZ, VOLVO

Head: 16mm, Length: 14mm,
Fits Hole Size: 6mm

Replacement OE:
MERCEDES BENZ OE A0009904592. VOLVO OE 1268176

Part No.	Pack of
975532	25



PUSH RIVET TO SUIT MITSUBISHI, TOYOTA

Head: 15mm, Length: 13mm,
Fits Hole Size: 7mm

Replacement OE:
MITSUBISHI OE MB476821. TOYOTA OE 9046707041

Part No.	Pack of
975533	25



DRIVE RIVET TO SUIT OPEL / GM, SAAB, FIAT, ALFA ROMEO, DAEWOO

Head: 16mm, Length: 10mm, Fits
Hole Size: 7.8mm

Replacement OE:
OPEL / GM OE 1719245. SAAB OE 90138810. FIAT / ALFA ROMEO OE 51751429. DAEWOO OE 94530507

Part No.	Pack of
975534	25



DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, BMW, FORD, MERCEDES BENZ, GM / OPEL

Head: 16mm, Length: 11.5mm,
Fits Hole Size: 7.8mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE 16186729901C. BMW OE 51471916670. FORD OE 6136889. MERCEDES BENZ A0009902992. GM / OPEL 1104880. SAAB OE 92152321

Part No.	Pack of
975535	25



DRIVE RIVET TO SUIT AUDI, SEAT, SKODA, VW, BMW, CITROEN, PEUGEOT, MERCEDES BENZ, RENAULT

Head: 10mm, Length: 11mm,
Fits Hole Size: 5mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE N10259301. BMW OE 07149807127. CITROEN PEUGEOT 7903072170. MERCEDES BENZ A0009903492

Part No.	Pack of
975536	25



DRIVE RIVET TO SUIT BMW

Head: 20mm, Length: 14.5mm,
Fits Hole Size: 6mm

Replacement OE:
BMW OE 51111944537

Part No.	Pack of
975537	25



DRIVE RIVET TO SUIT CITROEN, PEUGEOT, MERCEDES BENZ, RENAULT

Head: 7.8m, Length: 7.5mm,
Fits Hole Size: 3.9mm

Replacement OE:
CITROEN PEUGEOT OE 9608351380. MERCEDES BENZ OE A0019902492. RENAULT OE 7703072224

Part No.	Pack of
975622	25



DRIVE RIVET TO SUIT CITROEN, PEUGEOT, MERCEDES BENZ, GM / OPEL, RENAULT, VOLVO

Head: 10mm, Length: 7mm,
Fits Hole Size: 4.5mm

Replacement OE:
CITROEN PEUGEOT OE 7903072116. MERCEDES BENZ OE A0009900392. OPEL / GM OE 167935. RENAULT OE 7703072173. VOLVO OE 947098

Part No.	Pack of
975627	25



DRIVE RIVET TO SUIT RENAULT

Head: 9.7mm, Length: 15mm,
Fits Hole Size: 5mm

Replacement OE:
RENAULT OE 7703072144

Part No.	Pack of
975630	25

WEATHERSTRIP CLIPS





WEATHERSTRIP CLIP TO SUIT HONDA / HYUNDAI

Head: 9.30mm, Length: 11.0mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 90651S4N003. HYUNDAI OE 8213227100

Part No.	Pack of
975463	25



WEATHERSTRIP CLIP TO SUIT AUDI, SEAT, SKODA, VW

Head: 17.03mm, Length: 7.63mm, Fits Hole Size: 4.0mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE 1H0823717

Part No.	Pack of
975468	25



WEATHERSTRIP CLIP TO SUIT HYUNDAI

Head: 14.45mm, Length: 12.60mm, Fits Hole Size: 4.0mm

Replacement OE:
HYUNDAI OE 8213222100

Part No.	Pack of
975476	25




WEATHERSTRIP CLIP TO SUIT CITROEN, PEUGEOT, RENAULT

Head: 17.17 x 8.41mm, Length: 9.14mm, Fits Hole Size: 4.0mm

Replacement OE:
CITROEN OE 699786. PEUGEOT OE 699786. CITROEN OE 6990E0. PEUGEOT OE 6990E0. RENAULT OE 7701044547

Part No.	Pack of
975478	25



BUTTON CLIP TO SUIT CITROEN, PEUGEOT, FIAT, ALFA ROMEO, LANCIA, IVECO

Head: 12.09mm, Length: 10.0mm, Fits Hole Size: 4.0mm

Replacement OE:
CITROEN OE 6992K8 . CITROEN OE 6999A3. CITROEN OE 6999T4. PEUGEOT OE 6992K8. PEUGEOT OE 6999A3. PEUGEOT OE 6999T4. FIAT OE 9467047580. ALFA ROMEO OE 9467047580. LANCIA OE 9467047580. IVECO OE 9467047580

Part No.	Pack of
975482	25



BUTTON CLIP TO SUIT FIAT, ALFA ROMEO, LANCIA, IVECO

Head: 13.97mm, Length: 10.06mm, Fits Hole Size: 6mm

Replacement OE:
FIAT OE 7677865. ALFA ROMEO OE 7677865. LANCIA OE 7677865. IVECO OE 7677865

Part No.	Pack of
975761	25



BUTTON CLIP TO SUIT AUDI, SEAT, SKODA, VW

Head: 13.68mm, Length: 17.45mm, Fits Hole Size: 8.0mm

Replacement OE:
AUDI OE 80186729901C. SEAT OE 80186729901C. SKODA OE 80186729901C. VW OE 80186729901C

Part No.	Pack of
975762	25



WEATHERSTRIP CLIP TO SUIT HONDA

Head: 14.42mm, Length: 9.83mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 906646710030

Part No.	Pack of
975720	25



WEATHERSTRIP CLIP TO SUIT HONDA

Head: 14.88mm, Length: 10.26mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 72311S5S003

Part No.	Pack of
975721	25



WEATHERSTRIP CLIP TO SUIT HONDA, NISSAN

Head: 14.91mm, Length: 13.48mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 91568TR0003.
NISSAN 8085089923

Part No.	Pack of
975722	25



WEATHERSTRIP CLIP TO SUIT HONDA

Head: 16.21mm, Length: 11.22mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 90664671003

Part No.	Pack of
975723	25



WEATHERSTRIP CLIP TO SUIT RENAULT

Head: 14 x 7 mm. Length: 13.5 mm. Fits hole size: 4 mm

Replacement OE:
RENAULT OE 8200176228

Part No.	Pack of
975724	25



BUTTON CLIP TO SUIT MAZDA

Head: 9.37mm, Length: 7.46mm, Fits Hole Size: 4.0mm

Replacement OE:
MAZDA OE BP4K58762

Part No.	Pack of
975760	25



WEATHERSTRIP CLIP TO SUIT AUDI, SEAT, SKODA, VW

Head: 11.20mm, Length: 9.34mm, Fits Hole Size: 4.0mm

Replacement OE:
AUDI OE 3B0839723. SEAT OE 3B0839723. SKODA OE 3B0839723. VW OE 3B0839723

Part No.	Pack of
975725	25



WEATHERSTRIP CLIP TO SUIT HONDA

Head: 14.90mm, Length: 7.54mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 91530SP1003

Part No.	Pack of
975726	25



WEATHERSTRIP CLIP TO SUIT HONDA

Head: 15.20mm, Length: 10.10mm, Fits Hole Size: 4.0mm

Replacement OE:
HONDA OE 91530ST5003


Part No.	Pack of
975727	25

RG Tools Trim Clip Remover Set



- Handy general purpose trim clip removal kit.
- Kit contains -1 x standard clip remover, 1 x narrow clip remover, 1 x dual clip remover, 1 x bumper clip remover & 1 wide type clip remover.

Part No.	Qty
RG10700	5 Pce Set





METAL U NUT TO SUIT AUDI, SEAT, SKODA, VW, BMW, MERCEDES, RENAULT & FORD

4.2 Screw. Dimensions: 16.65mm x 11.08mm

Replacement OE:
AUDI OE N0154292. SEAT OE N0154292 . SKODA OE N0154292 . VW OE N0154292 . BMW OE 07129925709. BMW OE 07129901644. MERCEDES BENZ OE A1409941045. FORD OE 222026. RENAULT OE 7703046115

Part No.	Pack of
975952	25




METAL U NUT TO SUIT AUDI, SEAT, SKODA, VW , MERCEDES BENZ & BMW

4.8 Screw. Dimensions: 15.88mm x 14.77mm

Replacement OE:
AUDI OE N0154452. SEAT OE N0154452. SKODA OE N0154452. VW OE N0154452. BMW OE 7129904223. MERCEDES BENZ OE A0009940545

Part No.	Pack of
975953	25



METAL CHIMNEY NUT TO SUIT AUDI, SEAT, SKODA, VW, BMW, RENAULT, FIAT, LANCIA, ALFA ROMEO & IVECO

M6 Thread. Dimensions: 24.05mm x 16.17mm

Replacement OE:
AUDI OE N90168602. SEAT OE N90168602. SKODA OE N90168602. VW OE N90168602. BMW OE 51127070202. RENAULT OE 7703046034. FIAT OE 7731367 . LANCIA OE 7731367. ALFA ROMEO OE 7731367. IVECO OE 7731367

Part No.	Pack of
975950	25



METAL U NUT TO SUIT AUDI, SEAT, SKODA & VW

6.3 Screw. Dimensions: 27.25mm x 14.32mm

Replacement OE:
AUDI OE N0154322.
SEAT OE N0154322.
SKODA OE N0154322.
VW OE N0154322

Part No.	Pack of
975954	25



METAL U NUT TO SUIT BMW & FORD

4.8 Screw. Dimensions: 20.41mm x 12.85mm

Replacement OE:
BMW OE 07129925738.
BMW OE 07129901654.
FORD OE 1450293.
FORD OE 0207266

Part No.	Pack of
975955	25



METAL U NUT TO SUIT MERCEDES BENZ

4.2 Screw. Dimensions: 21.80mm x 11.15mm

Replacement OE:
MERCEDES BENZ OE A1239940845

Part No.	Pack of
975956	25



METAL CHIMNEY NUT TO SUIT BMW, FORD & MERCEDES BENZ

M8 Thread. Dimensions: 28.29mm x 18.27mm

Replacement OE:
FORD OE 6103426. BMW OE 61331459545. MERCEDES BENZ OE A0039941545

Part No.	Pack of
975951	25



METAL BODY SCREW TO SUIT MERCEDES

Thread: m6 x Length: 21mm, 20mm Washer

Replacement OE:
MERCEDES BENZ OE A2019900936

Part No.	Pack of
975810	25



METAL BODY SCREW TO SUIT MERCEDES

Thread: m6 x Length: 20mm, 18mm Washer

Replacement OE:
MERCEDES BENZ OE 914007006014

Part No.	Pack of
975811	25



METAL BODY SCREW TO SUIT MERCEDES

Thread: m6 x Length: 10mm, 18.06 mm Washer

Replacement OE:
MERCEDES BENZ OE 9140070060

Part No.	Pack of
975812	25



METAL BODY SCREW TO SUIT MERCEDES

5.0 Screw x Length: 15mm, 22mm Washer

Replacement OE:
MERCEDES BENZ OE N914031006300

Part No.	Pack of
975813	25



METAL BODY SCREW TO SUIT MERCEDES

4.8 Screw x Length: 19mm, 26mm Washer

Replacement OE:
MERCEDES BENZ OE A2019900536

Part No.	Pack of
975814	25



METAL BODY SCREW TO SUIT MERCEDES

4.8 Screw.
Length: 22mm x Washer 25.72mm

Replacement OE:
MERCEDES BENZ OE A0019906036

Part No.	Pack of
975815	25



METAL BODY SCREW TO SUIT MERCEDES

5.0 Screw x 21mm Length

Replacement OE:
MERCEDES BENZ OE A0019903836

Part No.	Pack of
975816	25



METAL BODY SCREW TO SUIT MERCEDES

M8 Thread, Length: 30mm
Replacement OE:
MERCEDES BENZ OE N000000001410

Part No.	Pack of
975817	25



METAL BODY SCREW TO SUIT BMW

4.8 Screw x Length: 16mm

Replacement OE:
BMW OE 7119901299

Part No.	Pack of
975818	25



METAL BODY SCREW TO SUIT BMW

5.0 Screw x 17mm Length

Replacement OE:
BMW OE 7149126886

Part No.	Pack of
975819	25



METAL TX25 BODY SCREW TO SUIT AUDI, SEAT, SKODA & VW

4.8 Screw x Length: 16mm

Replacement OE:
AUDI OE N90775001. SEAT OE N90775001. SKODA OE N90775001. VW OE N90775001

Part No.	Pack of
975821	25



METAL TX25 BODY SCREW TO SUIT AUDI, SEAT, SKODA & VW

5.0 Screw x Length: 16mm

Replacement OE:
AUDI OE N90974701. SEAT OE N90974701. SKODA OE N90974701. VW OE N90974701

Part No.	Pack of
975822	25

METAL TRIM FASTENERS



METAL SCREW FASTENER TO SUIT VW & MERCEDES

Head 18.0mm, Length: 18.0mm

Replacement OE:
AUDI OE 8D0805121. SEAT OE 8D0805121. SKODA OE 8D0805121. VW OE 8D0805121. MERCEDES BENZ OE A0009845636

Part No.	Pack of
975823	25



METAL SELF TAPPER TO SUIT BMW

3.9 Screw x Length: 13mm

Replacement OE:
BMW OE 51131823634

Part No.	Pack of
975936	25



METAL BODY SCREW TO SUIT BMW, OPEL

4.8 Screw x Length: 19mm, 15mm Washer

Replacement OE:
BMW OE 7119916949 . OPEL OE 2020005. GM OE 2020005. OPEL OE 11071511. OPEL OE 11071511

Part No.	Pack of
975820	25



METAL TRIM FASTENER TO SUIT AUDI, SEAT, SKODA & VW

Diameter: 30.00mm

Replacement OE:
AUDI OE N90796501. SEAT OE N90796501. SKODA OE N90796501. VW OE N90796501

Part No.	Pack of
975931	25



METAL TRIM FASTENER TO SUIT FORD, AUDI, SEAT, SKODA & VW

Diameter: 29.92mm

Replacement OE:
AUDI OE N90335004. SEAT OE N90335004. SKODA OE N90335004. VW OE N90335004. FORD OE 6715468

Part No.	Pack of
975932	25



METAL TRIM FASTENER TO SUIT FORD

Diameter: 22.08mm

Replacement OE:
FORD OE W703505. FORD OE W703505S442. FORD OE 1075307

Part No.	Pack of
975933	25



METAL TRIM FASTENER TO SUIT AUDI, SEAT, SKODA & VW

Diameter: 29.84

Replacement OE:
AUDI OE N90796502. SEAT OE N90796502. SKODA OE N90796502. VW OE N90796502

Part No.	Pack of
975860	25



METAL H/D SPRING CLIP TO SUIT AUDI, SEAT, SKODA & VW

Width 24.73mm, Length: 24.70mm

Replacement OE:
AUDI OE 8D0805960. SEAT OE 8D0805960. SKODA OE 8D0805960. VW OE 8D0805960. MERCEDES BENZ A9069940045

Part No.	Pack of
975934	25



METAL SPRING CLIP TO SUIT AUDI, SEAT, SKODA & VW

Overall Length: 24.97 x Band width 9.10mm

Replacement OE:
AUDI OE 1J6867276. SEAT OE 1J6867276. SKODA OE 1J6867276. VW OE 1J6867276

Part No.	Pack of
975935	25



METAL TRIM RIVET TO SUIT FORD

Diameter: 4.8mm, Length: 20.5mm

Replacement OE: FORD OE 07000412

Part No.	Pack of
975844	25



ALUMINIUM RIVET TO SUIT FORD, OPEL, RENAULT, AUDI, SEAT, SKODA & VW

2.4mm x 8mm Aluminium Rivet

Replacement OE: FORD OE 6028434 . OPEL OE 90033713. GM OE 90033713. OPEL OE 164361. GM OE 164361. RENAULT OE 7703072177

Part No.	Pack of
975842	25



METAL RIVET TO SUIT VOLVO

Diameter: 5.0mm, Length: 20.0mm

Replacement OE: VOLVO OE 979878

Part No.	Pack of
975840	25



METAL RIVET TO SUIT FORD

Diameter: 6.0mm, Length: 21mm

Replacement OE: FORD OE 1071415. FORD OE 1229061

Part No.	Pack of
975841	25



METAL TRIM RIVET TO SUIT FORD

Diameter: 4.76mm, Length: 20.5mm

Replacement OE: FORD OE N805592S100

Part No.	Pack of
975845	25



METAL TRIM RIVET TO SUIT MERCEDES, FIAT, LANCIA, ALFA ROMEO & IVECO

Diameter: 6.1mm, Length: 11.70mm

Replacement OE: MERCEDES BENZ OE A0049902897. FIAT OE 51750705. ALFA ROMEO OE 51750705. LANCIA OE 51750705. IVECO OE 51750705

Part No.	Pack of
975843	25



METAL TRIM RIVET TO SUIT OPEL / GM

Diameter: 4.76mm, Length: 12.0mm

Replacement OE: GM OE 11086102. OPEL OE 11086102

Part No.	Pack of
975846	25



METAL TRIM RIVET TO SUIT OPEL / GM

Diameter: 4.0mm, Length: 14.0mm

Replacement OE: OPEL OE 1406528. GM OE 1406528. OPEL OE 90589346. GM OE 90589346

Part No.	Pack of
975847	25



METAL TRIM RIVET TO SUIT MERCEDES

Diameter: 4.0mm, Length: 18.8mm

Replacement OE: MERCEDES BENZ OE A0039909497

Part No.	Pack of
975848	25

PANEL CLIPS





PANEL CLIP TO SUIT RENAULT

Head: (bottom head) 17.25mm, Length: 12.40mm, Fits Hole Size: 10.5mm

Replacement OE:
RENAULT OE 7703077476. OPEL OE 95508766. GM OE 95508766. CITROEN OE 9345ZN. PEUGEOT OE 9345ZN. CITROEN OE 9345.ZN. PEUGEOT OE 9345.ZN

Part No.	Pack of
975780	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA & VW

Head: 22.70mm, Length: 12.25mm, Fits Hole Size: 7.8mm

Replacement OE:
AUDI OE 6Q0868243. SEAT OE 6Q0868243. SKODA OE 6Q0868243. VW OE 6Q0868243

Part No.	Pack of
975781	25



PANEL CLIP TO SUIT VAG / FORD

Head: 17.39mm, Length: 16.0mm, Fits Hole Size: 8.0mm

Replacement OE:
AUDI OE 7M0867299K . SEAT OE 7M0867299K. SKODA OE 7M0867299K. VW OE 7M0867299K. FORD OE 1008068

Part No.	Pack of
975782	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA & VW

Head: 18.0mm, Length: 14.0mm, Fits Hole Size: 8.0mm

Replacement OE:
AUDI OE 823867299. SEAT OE 823867299. SKODA OE 823867299. VW OE 823867299

Part No.	Pack of
975783	25



PANEL CLIP TO SUIT BMW & MERCEDES

Head: 18.19mm, Length: 14.0mm, Fits Hole Size: 8.5mm

Replacement OE:
BMW OE 51411973500 . MERCEDES BENZ OE A0009917171

Part No.	Pack of
975504	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA, VW, GM, OPEL & FORD

Head: 15.05 x 5.79mm, Length: 17.16, Fits Hole Size: 5.77mm

Replacement OE:
AUDI OE 1H0837719. SEAT OE 1H0837719. SKODA OE 1H0837719. VW OE 1H0837719. FORD OE 1065204. GM OE 157979. OPEL OE 157979. GM OE 90579619. OPEL OE 90579619

Part No.	Pack of
975784	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA, VW / FORD

Head: 22.70mm, Length: 12.25mm, Fits Hole Size: 7.8mm

Replacement OE:
AUDI OE 7L6868243 .
SEAT OE 7L6868243.
SKODA OE 7L6868243.
VW OE 7L6868243

Part No.	Pack of
975785	25



PANEL CLIP TO SUIT FORD

Head: 17.80mm, Length: 12.15mm, Fits Hole Size: 7.88mm

Replacement OE:
FORD OE 1257376

Part No.	Pack of
975786	25



PANEL CLIP TO SUIT RENAULT, GM & OPEL

Head: 14.78mm, Length: 7.98mm,
Fits Hole Size: 8.0mm

Replacement OE:
RENAULT OE 7703077430. GM OE 91169651. OPEL OE 91169651. GM OE 4414667. OPEL OE 4414667

Part No.	Pack of
975787	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA, VW, CITROEN, PEUGEOT, RENAULT & VOLVO

Head: 18.32mm, Length: 11.59mm,
Fits Hole Size: 11.0mm

Replacement OE:
RENAULT OE 7701056846. AUDI OE 8E9867299. SEAT OE 8E9867299. SKODA OE 8E9867299. VW OE 8E9867299. CITROEN OE 6991S6. PEUGEOT OE 6991S6. VOLVO OE 30648141

Part No.	Pack of
975502	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA, VW, FORD, MERCEDES & MITSUBISHI

Head: 18.18mm, Length: 12.48mm,
Fits Hole Size: 8.5mm

Replacement OE:
MERCEDES BENZ OE A0069884378. MERCEDES BENZ OE A0119887678. AUDI OE 2E0867059. SEAT OE 2E0867059. SKODA OE 2E0867059. VW OE 2E0867059. FORD OE 6117693. MITSUBISHI OE M283083

Part No.	Pack of
975788	25



PANEL CLIP TO SUIT GM, OPEL & SUBARU

Head: 17.05mm, Length: 12.80mm,
Fits Hole Size: 8.20mm

Replacement OE:
OPEL OE 2345957. GM OE 2345957. OPEL OE 90321122. GM OE 90321122. SUBARU OE 90244506. SUBARU OE 90321122

Part No.	Pack of
975501	25



PANEL CLIP TO SUIT BMW

Head: 18mm, Length: 20 mm,
Fits hole size: 8 mm

Replacement OE:
BMW OE 51418224768

Part No.	Pack of
975506	25



PANEL CLIP TO SUIT BMW & RENAULT

Head: 18.0mm, Length: 14.45mm,
Fits Hole Size: 8.5mm

Replacement OE:
BMW OE 51437001491.
RENAULT OE 6001549265

Part No.	Pack of
975525	25



PANEL CLIP TO SUIT BMW

Head: 17.88mm, Length: 11.82mm,
Fits Hole Size: 7.5mm

Replacement OE:
BMW OE 51411870718.
BMW OE 51541885961

Part No.	Pack of
975789	25



PANEL CLIP TO SUIT TOYOTA, CITROEN, PEUGEOT & MITSUBISHI

Head: 17.75mm, Length: 13.42mm,
Fits Hole Size: 9mm

Replacement OE:
TOYOTA OE 9046710161. CITROEN OE 6822LL. PEUGEOT OE 6822LL. CITROEN OE 6822.LL. PEUGEOT OE 6822.LL. MITSUBISHI OE MU000504

Part No.	Pack of
975523	25



PANEL CLIP TO SUIT MERCEDES

Head: 18.33mm, Length: 13.54mm,
Fits Hole Size: 7.5mm

Replacement OE:
MERCEDES BENZ OE A0009912771

Part No.	Pack of
975790	25



PANEL CLIP TO SUIT CITROEN & PEUGEOT

Head: 20.0mm, Length: 9.7mm,
Fits Hole Size: 9.5mm

Replacement OE:
CITROEN OE 856548.
PEUGEOT OE 856548

Part No.	Pack of
975521	25



PANEL CLIP TO SUIT RENAULT

Head: 21.42mm, Length: 12.40mm,
Fits Hole Size: 5.42mm

Replacement OE:
RENAULT OE 7701047661

Part No.	Pack of
975526	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA, VW, OPEL & GM

Head: 17.94mm, Length: 17mm,
Fits Hole Size: 8mm

Replacement OE:
AUDI OE 357853575. SEAT OE 357853575. SKODA OE 357853575. VW OE 357853575

Part No.	Pack of
975480	25



PANEL CLIP TO SUIT AUDI, SEAT, SKODA, VW & MERCEDES

Head: 18.08mm, Length: 14.85mm,
Fits Hole Size: 8.5mm

Replacement OE:
AUDI OE 893867290. SEAT OE 893867290. SKODA OE 893867290. VW OE 893867290. MERCEDES BENZ OE A0009911000

Part No.	Pack of
975524	25



PANEL CLIP TO SUIT CITROEN & PEUGEOT

Head: 18.16mm, Length: 13.27mm,
Fits Hole Size: 7.0mm

Replacement OE:
CITROEN OE 699050.
PEUGEOT OE 699050

Part No.	Pack of
975522	25



PANEL CLIP TO SUIT RENAULT, OPEL

Head: 20.0mm, Length: 8.0mm,
Fits Hole Size: 6.0mm

Replacement OE:
RENAULT OE 7703077422. FIAT OE 500326896. LANCIA OE 500326896 . ALFA ROMEO OE 500326896. IVECO OE 500326896. OPEL OE 93160023. GM OE 93160023. OPEL OE 4412053. GM OE 4412053

Part No.	Pack of
975500	25



PANEL CLIP TO SUIT FORD

Head: 19.60mm, Length: 18.48mm,
Fits Hole Size: 6.0mm

Replacement OE:
FORD OE N8011925S

Part No.	Pack of
975520	25



PANEL CLIP TO SUIT TOYOTA

Head: 18.07mm, Length: 10.85mm,
Fits Hole Size: 8.4mm

Replacement OE:
TOYOTA OE 9046710167

Part No.	Pack of
975791	25



PANEL CLIP TO SUIT PSA & RENAULT

Head: 20mm, Length: 9.76mm,
Fits Hole Size: 10mm

Replacement OE:
CITROEN OE 856540 . PEUGEOT OE 856540 . RENAULT OE 7701049270

Part No.	Pack of
975460	25



PANEL CLIP TO SUIT CHRYSLER

Head: 17.95mm, Length: 16.0mm,
Fits Hole Size: 6.0mm

Replacement OE:
CHRYSLER OE 6504014

Part No.	Pack of
975471	25



PANEL CLIP TO SUIT OPEL / GM

Head: 12.07mm, Length: 10.80mm,
Fits Hole Size: 6.8mm

Replacement OE:
OPEL OE 149910. GM OE 149910

Part No.	Pack of
975792	25



PANEL CLIP TO SUIT HONDA

Head: (bottom head) 15.05mm, Length: 12.93mm, Fits Hole Size: 9mm

Replacement OE:
HONDA OE 91560S9AA01

Part No.	Pack of
975793	25



PANEL CLIP TO SUIT VAG

Head: 13.95mm (bottom head), Length: 13.30mm, Fits Hole Size: 7.30mm

Replacement OE:
AUDI OE 3C0853585. SEAT OE 3C0853585. SKODA OE 3C0853585. VW OE 3C0853585

Part No.	Pack of
975794	25



PANEL CLIP TO SUIT VAG

Head: 18mm, Length: 21 mm,
Fits Hole Size: 8mm

Replacement OE:
AUDI OE 171867299B. SEAT OE 171867299B. SKODA OE 171867299B. VW OE 171867299B

Part No.	Pack of
975508	25



PANEL CLIP TO SUIT VAG / FORD

Head: 17.95mm, Length: 14.13mm,
Fits hole 7.7mm

Replacement OE:
AUDI OE 703867299 . SEAT OE 703867299 . SKODA OE 703867299 . VW OE 703867299 . FORD OE 7229420. FORD OE 95VWA2814AA

Part No.	Pack of
975795	25



PANEL CLIP TO SUIT RENAULT

Head: 14.78mm, Length: 7.98mm,
Fits Hole Size: 8.0mm

Replacement OE:
RENAULT OE 7701050734. LAND ROVER DYC101420. GM 4414720. GM 93176656. OPEL 4414720. OPEL 93176656

Part No.	Pack of
975796	25



PANEL CLIP TO SUIT VAG

Head: 27mm, Length: 30 mm,
Fits hole size: 10 mm

Replacement OE:
AUDI OE 8E0868243. SEAT OE 8E0868243. SKODA OE 8E0868243. VW OE 8E0868243

Part No.	Pack of
975473	25



PANEL CLIP TO SUIT FORD

Head: 18.60mm, Length: 15.90mm,
Fits Hole Size: 8mm

Replacement OE:
FORD OE 6176723

Part No.	Pack of
975797	25



MOULDING CLIP TO SUIT TOYOTA

Head: 16.93mm, Length: 16.20mm,
Fits Hole Size: 8.5mm

Replacement OE:
TOYOTA OE 7539735010

Part No.	Pack of
975740	25



MOULDING CLIP TO SUIT PSA

Head: 17.16mm x 11.78mm,
Length: 12.53mm, Fits Hole Size: 9.0mm

Replacement OE:
CITROEN OE 856543.
PEUGEOT OE 856543

Part No.	Pack of
975461	25



MOULDING CLIP TO SUIT HYUNDAI

Head: 19.92 x 13.90mm, Length: 10.25mm,
Fits Hole Size: 9.0mm

Replacement OE:
HYUNDAI OE 877562E000.
KIA OE 877562E000

Part No.	Pack of
975503	25



MOULDING CLIP TO SUIT HYUNDAI

Head: 18.08 x 14.40 (bottom head),
Length: 10.05mm, Fits Hole Size: 9.24mm

Replacement OE:
HYUNDAI OE 877583D000

Part No.	Pack of
975741	25



MOULDING CLIP TO SUIT HYUNDAI

Head: 15.85mm, Length: 12.50mm,
Fits Hole Size: 10.34mm

Replacement OE:
HYUNDAI OE 87702H1000

Part No.	Pack of
975742	25




MOULDING CLIP TO SUIT HYUNDAI

Head: 18.00 x 20mm, Length: 14.92mm,
Fits Hole Size: 11.88mm

Replacement OE:
HYUNDAI OE 877583L000

Part No.	Pack of
975743	25



MOULDING CLIP TO SUIT VAG

Head: 17.46mm, Length: 11.23mm,
Fits Hole Size: 11.78mm

Replacement OE:
AUDI OE 5J0867276. SEAT OE 5J0867276. SKODA OE 5J0867276. VW OE 5J0867276

Part No.	Pack of
975744	25



MOULDING CLIP TO SUIT FORD

Head: 13.85mm, Length: 10.78mm,
Fits Hole Size: 9.00mm

Replacement OE:
FORD OE 2T14V35312AB

Part No.	Pack of
975528	25

RIVETS & PUSH RIVETS





PLASTIC RIVET TO SUIT BMW

Flange: 19.66mm, Overall Length: under the head: 20.35mm, Diameter: 5.85mm

Replacement OE: BMW OE 51717002953

Part No.	Pack of
975970	25



PLASTIC RIVET TO SUIT CHRYSLER

Flange: 12.30mm, Overall Length: under the head: 20.18mm, Diameter: 4.78mm

Replacement OE: CHRYSLER OE 6500898

Part No.	Pack of
975971	25



PLASTIC RIVET TO SUIT FORD & GM

Flange: 13.0mm, Overall Length: under the head: 29.21mm, Diameter: 6.1mm

Replacement OE: FORD OE N803862S

Part No.	Pack of
975972	25



PLASTIC RIVET TO SUIT FORD & GM

Flange: 16.86mm, Overall Length: under the head: 28.67mm, Diameter: 6.01mm

Replacement OE: FORD OE 14063981. FORD OE N803043S. FORD OE 6500911. BMW OE 07142151750

Part No.	Pack of
975973	25



PLASTIC RIVET UNIVERSAL

Flange: 17.60mm, Overall Length: under the head: 20.70mm, Diameter: 6.64mm

Replacement OE: UNIVERSAL

Part No.	Pack of
975974	25

PUSH RIVET TO SUIT TOYOTA

Head: 17.73mm, Length: 31.04mm, Fits hole size: 8.5mm

Replacement OE: TOYOTA OE 5216120010

Part No.	Pack of
975561	25



PUSH RIVET TO SUIT MERCEDES

Head: 20.72mm, Length: 21.0mm, Fits hole size: 8.0mm

Replacement OE: MERCEDES BENZ OE A1269900192

Part No.	Pack of
975986	25





PUSH RIVET TO SUIT MITSUBISHI & TOYOTA

Head: 15mm, Length: 13mm,
Fits Hole Size: 7mm

Replacement OE:
MITSUBISHI OE MB476821.
TOYOTA OE 9046707041

Part No.	Pack of
975533	25



PUSH RIVET TO SUIT PSA

Head: 20.0mm, Length: 11.36mm,
Fits hole size: 8.0mm

Replacement OE:
CITROEN OE 8211WV.
PEUGEOT OE 8211WV

Part No.	Pack of
975567	25



PUSH RIVET TO SUIT TOYOTA

Head: 19.82mm, Length: 9.17mm,
Fits hole size: 6.92mm

Replacement OE:
TOYOTA OE 9046707214

Part No.	Pack of
975975	25



PUSH RIVET TO SUIT TOYOTA / PSA

Head: 20.46mm, Length: 11.44mm,
Fits hole size: 6.5mm

Replacement OE:
TOYOTA OE 9046707201. CITROEN OE 6822N2. PEUGEOT OE 6822N2

Part No.	Pack of
975976	25



PUSH RIVET TO SUIT MITSUBISHI / NISSAN

Head: 20mm, Length: 13.21mm,
Fits hole size 7.82mm

Replacement OE:
MITSUBISHI OE MR328954.
NISSAN OE 0155309321

Part No.	Pack of
975560	25



PUSH RIVET TO SUIT TOYOTA

Head: 20.30mm, Length: 10.40mm,
Fits hole size: 6.8mm

Replacement OE:
TOYOTA OE 9046707166. CITROEN OE 6822NK. PEUGEOT OE 6822NK

Part No.	Pack of
975562	25



PUSH RIVET TO SUIT BMW

Head: 20.0mm, Length: 8.32mm,
Fits hole size: 6.5mm

Replacement OE:
BMW OE 51481938725

Part No.	Pack of
975977	25



PUSH RIVET TO SUIT HONDA

Head: 19.81mm, Length: 10.89,
Fits hole size: 9.7mm

Replacement OE:
HONDA OE 91503S7A003

Part No.	Pack of
975978	25



PUSH RIVET TO SUIT HONDA

Head: 19.92mm, Length: 16.32,
Fits hole size: 9.8mm

Replacement OE:
HONDA OE 91505S9A003

Part No.	Pack of
975979	25



PUSH RIVET TO SUIT NISSAN & SUBARU

Head: 20.0mm, Length: 12.20mm,
Fits hole size: 7.7mm

Replacement OE:
SUBARU OE 59114AG000 . RENAULT OE 769843448R. NISSAN OE 155305323

Part No.	Pack of
975980	25



PUSH RIVET TO SUIT MERCEDES

Head: 16.02mm, Length: 18.3mm,
Fits hole size: 6.10mm

Replacement OE:
MERCEDES BENZ OE A1249900492

Part No.	Pack of
975570	25



PUSH RIVET TO SUIT NISSAN & TOYOTA

Head: 18.12mm Length: 16.06mm,
Fits hole size: 6.70mm

Replacement OE:
TOYOTA OE 9046707043C0

Part No.	Pack of
975981	25



PUSH RIVET TO SUIT HONDA

Head: 19.72mm, Length: 15.80mm,
Fits hole size: 9.7mm

Replacement OE:
HONDA OE 91503SZ3003.
HONDA OE 90658SG0004

Part No.	Pack of
975563	25



PUSH RIVET TO SUIT MITSUBISHI

Head: 17.75mm, Length: 16.50mm,
Fits hole size: 8.7mm

Replacement OE:
MITSUBISHI OE MR200300

Part No.	Pack of
975565	25



PUSH RIVET TO SUIT HONDA & TOYOTA

Head: 19.92mm, Length: 10.60mm,
Fits hole size: 6.9mm

Replacement OE:
TOYOTA OE 9046707164 . HONDA OE 73155SS0004. SUBARU OE 940907332. FIAT OE 71741883. ALFA ROMEO OE 71741883

Part No.	Pack of
975982	25



PUSH RIVET TO SUIT HONDA

Head: 19.60mm, Length: 9.38mm,
Fits hole size: 7.69mm

Replacement OE:
HONDA OE 91512SX0003

Part No.	Pack of
975983	25



PUSH RIVET TO SUIT PEUGEOT CITROEN

Head: 20.0mm, Length: 13.23mm,
Fits hole size: 7.5mm

Replacement OE:
CITROEN OE 856553. PEUGEOT OE 856553. AUDI OE WHT004750. SEAT OE WHT004750. SKODA OE WHT004750. VW OE WHT004750

Part No.	Pack of
975984	25



PUSH RIVET TO SUIT TOYOTA

Head: 18.40, Length: 13.37mm,
Fits hole size: 6.90mm

Replacement OE:
TOYOTA OE 5325920030

Part No.	Pack of
975985	25



PUSH RIVET TO SUIT VAG

Head: 10.0mm, Length: 10.3mm,
Fits hole size: 4.75mm

Replacement OE:
AUDI OE N90536901. SEAT OE N90536901. SKODA OE N90536901. VW OE N90536901

Part No.	Pack of
975988	25



PUSH RIVET TO SUIT RENAULT / NISSAN

Head: 17.85mm, Length: 14.0mm,
Fits hole size: 8.0mm

Replacement OE:
RENAULT OE 7703072360. NISSAN OE 0151500Q0C. NISSAN 0151500QAB

Part No.	Pack of
975992	25



PUSH RIVET TO SUIT HONDA / NISSAN

Head: 20.0mm, Length: 16.40mm,
Fits hole size: 9.5mm

Replacement OE: OE 91545SE0003 HONDA

Part No.	Pack of
975989	25



PUSH RIVET TO SUIT PSA / NISSAN / TOYOTA

Head: 17.92mm, Length: 13.0mm,
Fits hole size: 7.8mm

Replacement OE:
CITROEN OE 6822N3. PEUGEOT OE 6822N3. NISSAN OE 155309611. TOYOTA OE 9046708185

Part No.	Pack of
975990	25



PUSH RIVET TO SUIT BMW

Head: 20.0mm, Length: 16.22mm,
Fits hole size: 5.9mm

Replacement OE:
BMW OE 5111874185

Part No.	Pack of
975566	25



PUSH RIVET TO SUIT BMW / MERCEDES / MITSUBISHI / VOLVO

Head: 20.0mm, Length: 14.0mm,
Fits hole size: 8.0mm

Replacement OE:
BMW OE 51471911992. MERCEDES BENZ OE A2019900292. MITSUBISHI OE M820141. VOLVO OE 30820141

Part No.	Pack of
975564	25



PUSH RIVET TO SUIT HONDA

Head: 19.85mm, Length: 21.00mm,
Fits hole size: 9.82mm

Replacement OE:
HONDA OE 91503SZ5003. HONDA OE 91514SP1003

Part No.	Pack of
975987	25



PUSH RIVET TO SUIT FORD / OPEL

Head: 18.14mm, Length: 17.29mm,
Fits hole 7.32mm

Replacement OE:
FORD OE 4855809 . OPEL OE 4811301. GM OE 4811301. OPEL OE 4811301 . GM OE 11589289

Part No.	Pack of
975991	25



PUSH RIVET TO SUIT BMW

Head: 14.70mm, Length: 19.50mm,
Fits hole size: 5.9mm
Replacement OE:
BMW OE 51111964186

Part No.	Pack of
975568	25



PUSH RIVET FOR VAG, BMW & MERCEDES

Head: 14.95mm, Length: 15.0mm,
Fits hole size: 5.9mm

Replacement OE:
AUDI OE N90359101. SEAT OE N90359101. SKODA OE N90359101. VW OE N90359101. BMW OE 51111908077. MERCEDES BENZ OE A0009905492

Part No.	Pack of
975452	25



PUSH RIVET TO SUIT VAG / FORD / RENAULT / GM / OPEL

Head: 20.20mm, Length: 20.86mm, Fits hole size: 8.2mm

Replacement OE: AUDI OE 8E0825267 . SEAT OE 8E0825267 . SKODA OE 8E0825267 . VW OE 8E0825267 . FORD OE 1039463. FORD OE W704433S300. RENAULT OE 7701049271

Part No.	Pack of
975569	25




PUSH RIVET TO SUIT PEUGEOT CITROEN

Head: 20.07mm, Length: 13.45mm, Fits hole size: 8.0mm

Replacement OE: CITROEN OE 6991X7. CITROEN OE 9642874480. PEUGEOT OE 6991X7. PEUGEOT OE 9642874480

Part No.	Pack of
975571	25





Fir Tree Fixing to suit Renault

Head: 34.55mm, Length: 22.62mm, Fits hole size: 10.0mm

Replacement OE:
CITROEN OE 7518N8. PEUGEOT OE 7518N8. RENAULT OE 7703077225

Part No.	Pack of
975437	25



Fix Tree Fixing

Head: 18.2mm, Length: 20.4mm, Fits hole size: 6.5mm

Part No.	Pack of
975435	25



Fix Tree Fixing to suit Land Rover

Head: 13.60mm, Length: 16.47mm, Fits hole size: 5.5mm

Replacement OE:
LAND ROVER OE MWC9134

Part No.	Pack of
975477	25



Fir Tree Fixing to suit VAG

Head: 19.3mm, Length: 19.3mm, Fits hole size: 8.5mm

Part No.	Pack of
975919	25



Fir Tree Fixing to suit VAG

Head: 23.04mm, Length: 16.22mm, Fits hole size: 6.0mm

Replacement OE:
AUDI OE 1H0819055B01C. SEAT OE 1H0819055B01C. SKODA OE 1H0819055B01C. VW OE 1H0819055B01C

Part No.	Pack of
975920	25



Fir Tree Fixing to suit VAG

Head: 17.08mm x 5.67mm, Length: 7.19mm, Fits hole size: 3.5mm

Replacement OE:
AUDI, SEAT, SKODA, VW OE 1H0823717

Part No.	Pack of
975468	25



Fir Tree Fixing to suit Ford & PSA

Head: 18.0mm, Length: 15.64mm, Fits hole size: 7.0mm

Replacement OE:
CITROEN OE 7518C0. PEUGEOT OE 7518C0. MERCEDES BENZ OE A0009881128. OPEL OE 4805252

Part No.	Pack of
975432	25



Fir Tree Fixing to suit VAG & Ford

Head: 24.10mm, Length: 18.24mm, Fits hole size: 6.5mm

Part No.	Pack of
975438	25



Fir Tree Fixing to suit Fiat

Head: 22.35mm, Length: 19.6mm, Fits hole size: 7.0mm

Replacement OE:
CITROEN OE 8748Y6. PEUGEOT OE 8748Y6

Part No.	Pack of
975430	25

RG Tools Trim Clip Remover Set



- Handy general purpose trim clip removal kit.
- Kit contains -1 x standard clip remover, 1 x narrow clip remover, 1 x dual clip remover, 1 x bumper clip remover & 1 wide type clip remover.

Part No.	Qty
RG10700	5 Pce Set



Fir Tree Fixing

Head: 11.15mm, Length: 12.0mm,
Fits hole size: 4.5mm

Part No.	Pack of
975894	25



Fir Tree Fixing to suit GM

Head: 21.16mm, Length: 20.70mm,
Fits hole size: 11.0mm

Part No.	Pack of
975922	25



Fir Tree Fixing

Head: 15.92mm, Length: 14.52mm,
Fits hole size: 6.5mm

Part No.	Pack of
975883	25



Fir Tree Fixing

Head: 18.25mm, Length: 23 mm,
Fits hole size: 7.5mm

Replacement OE:
FORD OE 1629082

Part No.	Pack of
975431	25



Fir Tree Fixing to suit Ford & PSA

Head: 18.0mm, Length: 15.64mm,
Fits hole size: 7.0mm

Replacement OE:
CITROEN OE 7518C0. PEUGEOT OE 7518C0. MERCEDES BENZ OE A0009881128. OPEL OE 4805252

Part No.	Pack of
975432	25



Fir Tree Fixing to suit Ford

Head: 18.2mm, Length: 15.82mm,
Fits hole size: 8.0mm

Replacement OE:
FORD OE 1018434

Part No.	Pack of
975923	25



Fir Tree Fixing to suit Ford

Head: 18.2mm, Length: 15.82mm,
Fits hole size: 8.0mm

Replacement OE:
FORD OE 06725950.
FORD OE 1629279

Part No.	Pack of
975924	25



Fir Tree Fixing to suit PSA & OPEL

Head: 14.07mm, Length: 15.40mm,
Fits hole size: 7.0mm

Replacement OE:
CITROEN OE 896457. CITROEN OE 896481. PEUGEOT OE 896457. PEUGEOT OE 896481. OPEL OE 2338955. OPEL OE 90431553

Part No.	Pack of
975441	25



Fir Tree Fixing to suit VAG

Head: 19.3mm, Length: 19.3mm,
Fits hole size: 8.5mm

Replacement OE:
AUDI OE N90201601. SEAT OE N90201601. SKODA OE N90201601. VW OE N90201601. BMW OE 51461805542. BMW OE 51471904317. FORD OE 1079129. FORD OE 6998849. MERCEDES BENZ OE A0009880328. OPEL OE 2207713

Part No.	Pack of
975921	25



Fir Tree Fixing to suit BMW

Head: 17.85mm, Length: 17.20mm,
Fits hole size: 7.5mm

Replacement OE:
BMW OE 52201964201

Part No.	Pack of
975434	25



Fir Tree Fixing to suit Ford

Head: 18.20mm, Length: 26.91,
Fits hole size: 6.5mm

Part No.	Pack of
975436	25



Fir Tree Fixing to suit Ford

Head: 21.13mm, Length: 28.24mm,
Fits hole size: 10.0mm

Replacement OE:
FORD OE N804379S

Part No.	Pack of
975889	25

SCREW RIVETS





Screw Rivet to suit BMW & Honda

Head: 20.03mm, Length: 14.12mm,
Fits hole size: 9.5mm

Replacement OE:
BMW OE 7130702966. HONDA OE 91503SP0003. OPEL OE 4803742. OPEL OE 94530623

Part No.	Pack of
975412	25



Screw Rivet to suit VAG

Head: 18.41mm, Length: 10.75mm,
Fits hole size: 8.5mm

Replacement OE:
AUDI OE 70186729901C. SEAT OE 70186729901C. SKODA OE 70186729901C. VW OE 70186729901C

Part No.	Pack of
975928	25



Screw Rivet to suit Mazda

Head: 17.60mm, Length: 11.85mm,
Fits hole size: 8.0mm

Replacement OE:
HYUNDAI OE 8659028000. MAZDA OE B09251833

Part No.	Pack of
975415	25



Screw Rivet to suit Mitsubishi

Head: 17.19mm, Length: 9.19mm,
Fits hole size: 7.01mm

Replacement OE:
MITSUBISHI OE MB253964

Part No.	Pack of
975421	25



Screw Rivet to suit Mercedes

Head: 16.47mm, Length: 10.59mm,
Fits hole size: 6.5mm

Replacement OE:
VOLVO OE 3120254

Part No.	Pack of
975419	25



Screw Rivet to suit Ford

Head: 15.58mm, Length: 22.47mm,
Fits hole size: 6.0mm

Replacement OE:
FORD OE 1354124

Part No.	Pack of
975416	25



Screw Rivet to suit Ford

Head: 15.78mm, Length: 17.58mm,
Fits hole size: 6.5mm

Replacement OE:
FORD OE 1007932

Part No.	Pack of
975410	25



Screw Rivet to suit Honda & Toyota

Head: 14.98mm, Length: 11.22mm,
Fits hole size: 6.0mm

Replacement OE:
HONDA OE 90684SA5003. TOYOTA OE 5578552020

Part No.	Pack of
975414	25



Screw Rivet to suit Honda

Head: 19.88mm, Length: 25.08mm, Fits hole size: 9.5mm

Replacement OE:
HONDA OE 91502SP0003

Part No.	Pack of
975925	25



Screw Rivet to suit Honda

Head: 17.92mm, Length: 21.58mm, Fits hole size: 7.5mm

Replacement OE:
HONDA OE 9050SM4003

Part No.	Pack of
975926	25



Screw Rivet to suit Honda & Toyota

Head: 20.0mm, Length: 8.31mm, Fits hole size: 8.0mm

Replacement OE:
HONDA OE 90675SB0003. TOYOTA OE 9046708145

Part No.	Pack of
975927	25



Screw Rivet to suit Mazda

Head: 19.72mm, Length: 17.78mm, Fits hole size: 7.5mm

Replacement OE:
MAZDA OE NA0156145

Part No.	Pack of
975411	25



Screw Rivet to suit Ford & OPEL

Head: 14.60mm, Length: 19.66mm, Fits hole size: 8.0mm

Replacement OE:
FORD OE W706264S300. GM OE 10053182

Part No.	Pack of
975417	25



Screw Rivet to suit Mitsubishi

Head: 15mm, Length: 13mm, Fits hole size: 6mm

Replacement OE:
MITSUBISHI OE MB344728

Part No.	Pack of
975929	25



Screw Rivet to suit Mercedes

Head: 12.12mm, Length: 11.0mm, Fits hole size: 5.0mm

Replacement OE:
MERCEDES BENZ OE A1249900592. MERCEDES BENZ OE A0009904092

Part No.	Pack of
975687	25


RG Tools Trim Clip Remover Set

- Handy general purpose trim clip removal kit.
- Kit contains:
  1 x standard clip remover, 1 x narrow clip remover,
  1 x dual clip remover,
  1 x bumper clip remover
  & 1 wide type clip remover.



Part No.	Qty
RG10700	5 Pce Set

ACE HOSE CLIPS





ACE HOSE CLIPS

Hose Clips - W1	240
British Type Hose Clips	244
Hose Clips - W4	246
Banding System	248
Miniclamps	249
T-Bolts	250
P Clips	252
'O' Clips	253
CV Boot Clips	253
Dispensers & Handipacks	254

Ace®

Advanced • Connections • Europe

Hose Clips - Worm Drive
Non Perforated band
9 / 12 mm Band

W1
DIN 3017



DESCRIPTION:
Band, housing and screw: white zinc plated steel.
No chromium VI treatment.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

USES:
Miscellaneous repairs and assembly, industries, automotive & domestic uses

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

9 mm BAND WIDTH. SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1025	12 (000)	8 - 12 mm	9 mm	10
ACE1026	16 (M00)	10 - 16 mm	9 mm	10
ACE1027	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE1028	27 (0X)	16 - 27 mm	9 mm	10
ACE1029	32 (1A)	20 - 32 mm	9 mm	10
ACE1030	35 (1)	23 - 35 mm	9 mm	10
ACE1031	40 (1X)	25 - 40 mm	9 mm	10
ACE1032	45 (1M)	30 - 45 mm	9 mm	10
ACE1033	50 (2A)	32 - 50 mm	9 mm	10
ACE1034	60 (2 & 2X)	40 - 60 mm	9 mm	10
ACE1035	70 (3)	50 - 70 mm	9 mm	10
ACE1036	80 (3X)	60 - 80 mm	9 mm	10
ACE1037	90 (4)	70 - 90 mm	9 mm	10
ACE1038	100 (4X)	80 - 100 mm	9 mm	10
ACE1039		90 - 110 mm	9 mm	10
ACE1040	120 (5)	100 - 120 mm	9 mm	10
ACE1042	140 (6)	120 - 140 mm	9 mm	10

12 mm BAND WIDTH. SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1102	27 (0X)	16 - 27 mm	12 mm	10
ACE1103	32 (1A)	20 - 32 mm	12 mm	10
ACE1104	35 (1)	23 - 35 mm	12 mm	10
ACE1105	40 (1X)	25 - 40 mm	12 mm	10
ACE1106	45 (1M)	30 - 45 mm	12 mm	10
ACE1107	50 (2A)	32 - 50 mm	12 mm	10
ACE1108	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE1109	70 (3)	50 - 70 mm	12 mm	10
ACE1110	80 (3X)	60 - 80 mm	12 mm	10
ACE1111	90 (4)	70 - 90 mm	12 mm	10
ACE1112	100 (4X)	80 - 100 mm	12 mm	10
ACE1114	120 (5)	100 - 120 mm	12 mm	10
ACE1116	140 (6)	120 - 140 mm	12 mm	10
ACE1118	160 (7)	140 - 160 mm	12 mm	10
ACE1120		160 - 180 mm	12 mm	5

MINI CLIPS - PIPE CLIPS SCREW: 4 mm



PART NO.	SIZE Ø mm*	QTY
ACE1362	07 -11 mm	10
ACE1363	10 -19 mm	10

Hose Clip Driver
7 mm Flexi Driver

7mm 7mm



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

Hose Clip Dispenser Rack - With Pipe Clips

9 / 12 mm Band

W1
DIN 3017



DESCRIPTION:

Hose clip dispenser rack with pipe clips.
Band, housing and screw:
white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:

Hose Clips: 10 of each size:
12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).

Pipe Clips: 20 of each size:
7 - 11 mm, 10 - 19 mm

See Top-Up packs below.

PART NO.	QTY
ACE1361	Set of 140

TOP-UP PACKS

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1025	12 (000)	8 - 12 mm	9 mm	10
ACE1026	16 (M00)	10 - 16 mm	9 mm	10
ACE1027	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE1102	27 (0X)	16 - 27 mm	12 mm	10
ACE1103	32 (1A)	20 - 32 mm	12 mm	10
ACE1104	35 (1)	23 - 35 mm	12 mm	10
ACE1105	40 (1X)	25 - 40 mm	12 mm	10
ACE1106	45 (1M)	30 - 45 mm	12 mm	10
ACE1107	50 (2A)	32 - 50 mm	12 mm	10
ACE1108	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE1109	70 (3)	50 - 70 mm	12 mm	10
ACE1110	80 (3X)	60 - 80 mm	12 mm	10
ACE1111	90 (4)	70 - 90 mm	12 mm	10
ACE1112	100 (4X)	80 - 100 mm	12 mm	10
ACE1114	120 (5)	90 - 110 mm	12 mm	10
ACE1116	140 (6)	100 - 120 mm	12 mm	10
ACE1118	160 (7)	120 - 140 mm	12 mm	10

MINI CLIPS - PIPE CLIPS

SCREW: 4 mm



PART NO.	SIZE Ø mm*	QTY
ACE1362	07 -11 mm	10
ACE1363	10 -19 mm	10

Hose Clip Handipack

100 Pieces

W1
DIN 3017



DESCRIPTION:

Plastic box assortment.
Band, housing and screw:
white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:

For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10

Hose Clip Dispenser Rack - Gravity Fed

9 / 12 mm Band

W1
DIN 3017



DESCRIPTION:

Gravity fed hose clip dispenser rack - dispenses boxes of 10 hose clips.
Band, housing and screw:
white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:

12 (00) - 6 boxes of 10 (60). 16 (M00) - 6 boxes of 10 (60), 22 (00 & 0) - 7 boxes of 10 (70), 27 (0X) - 6 boxes of 10 (60)

See Top-Up packs below.

PART NO.	QTY
ACE1511	Set of 250

TOP-UP PACKS

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1025	12 (000)	8 - 12 mm	9 mm	10
ACE1026	16 (M00)	10 - 16 mm	9 mm	10
ACE1027	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE1102	27 (0X)	16 - 27 mm	12 mm	10



Hose Clip Handipack

100 Pieces

W1
DIN 3017



DESCRIPTION:

Plastic box assortment.
Band, housing and screw:
white zinc plated steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:

For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10

Hose Clip Dispenser Rack - Chimney Boxes

9 / 12 mm Band

W1
DIN 3017



DESCRIPTION:

Chimney Box fed hose clip dispenser rack - dispenses single hose clips.
Band, housing and screw:
white zinc plated mild steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:

12 (00) - 70 Pieces. 16 (M00) - 70 Pieces, 22 (00 & 0) - 70 Pieces, 27 (0X) - 30 Pieces x 2 (60)

See Top-Up chimney boxes below.

PART NO.	QTY
ACE1510	Set of 270

TOP-UP CHIMNEY BOXES

SCREW: 

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1075	12 (000)	8 - 12 mm	9 mm	70
ACE1301	16 (M00)	10 - 16 mm	9 mm	70
ACE1302	22 (00 & 0)	12 - 22 mm	9 mm	70
ACE1528	27 (0X)	16 - 27 mm	12 mm	30

Hose Clip Driver

7 mm Flexi Driver



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

Hose Clip Handipack

100 Pieces

W1
DIN 3017



DESCRIPTION:

Plastic box assortment.
Band, housing and screw:
white zinc plated steel.
48 hours in salt spray.
Worm drive screw.
Manufactured to DIN 3017.

RECOMMENDATIONS:

For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4 Nm
Width 12 mm : 5 Nm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10

British Type
Hose Clips - Worm Drive
Non Perforated band
10 / 12 mm Band

W1



DESCRIPTION:
British Type.
Band, housing and screw: white zinc plated mild steel.
No chromium VI treatment.
48 hours in salt spray.
Worm drive screw.

USES:
Miscellaneous repairs and assembly, industries, automotive & domestic uses

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 10 mm : 4 Nm
Width 12 mm : 5 Nm

BRITISH TYPE, 10 mm BAND WIDTH. **SCREW:** 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1806	12 (000)	9.5 - 12 mm	10 mm	10
ACE1807	16 (M00)	11 - 16 mm	10 mm	10
ACE1808	20 (00)	13 - 20 mm	10 mm	10

BRITISH TYPE, 12 mm BAND WIDTH. **SCREW:** 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1809	22 (0)	16 - 22 mm	12 mm	10
ACE1810	25 (0X)	18 - 25 mm	12 mm	10
ACE1811	30 (1A)	22 - 30 mm	12 mm	10
ACE1812	35 (1)	25 - 35 mm	12 mm	10
ACE1813	40 (1X)	30 - 40 mm	12 mm	10
ACE1814	45 (1M)	32 - 45 mm	12 mm	10
ACE1815	50 (2A)	35 - 50 mm	12 mm	10
ACE1816	55 (2)	40 - 55 mm	12 mm	10
ACE1817	60 (2X)	45 - 60 mm	12 mm	10
ACE1818	70 (3)	55 - 70 mm	12 mm	10
ACE1819	80 (3X)	60 - 80 mm	12 mm	10
ACE1820	90 (4)	70 - 90 mm	12 mm	10
ACE1821	100 (4X)	85 - 100 mm	12 mm	10
ACE1822	5 (120)	90 - 120 mm	12 mm	10
ACE1823	6 (140)	110 - 140 mm	12 mm	10
ACE1824	165 (7)	135 - 165 mm	12 mm	10

British Type
Hose Clip Dispenser Rack 10 / 12 mm Band

W1



DESCRIPTION:
British Type hose clip dispenser rack.
Band, housing and screw: white zinc plated mild steel
Worm drive screw.

CONTAINS:
Hose Clips: 10 of each size:
12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A) & 60 (2X).

PART NO.	QTY
ACE1830	Set of 100

British Type
Hose Clips - Worm Drive
Non Perforated band
10 / 12 mm Band

W4

100%
STAINLESS STEEL



DESCRIPTION:
British Type
Band, housing and screw:
100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.

USES:
Demanding, corrosive and humid environments. Industrial, marine, food, chemical, hydrocarbon uses and general industry.

RECOMMENDATIONS:
For use on hard and soft materials.

Recommended tightening:
Width 10 mm : 4.5 Nm
Width 12 mm : 5.5 Nm

BRITISH TYPE, 10 mm BAND WIDTH. SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4505	12 (000)	9.5 - 12 mm	10 mm	10
ACE4506	16 (M00)	11 - 16 mm	10 mm	10
ACE4507	20 (00))	13 - 20 mm	10 mm	10

BRITISH TYPE, 12 mm BAND WIDTH. SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4508	22 (0)	16 - 22 mm	12 mm	10
ACE4509	27 (0X)	18 - 25 mm	12 mm	10
ACE4510	30 (1A)	22 - 30 mm	12 mm	10
ACE4511	35 (1)	25 - 35 mm	12 mm	10
ACE4512	40 (1X)	30 - 40 mm	12 mm	10
ACE4513	45 (1M)	32 - 45 mm	12 mm	10
ACE4514	50 (2A)	35 - 50 mm	12 mm	10
ACE4515	55 (2)	40 - 55 mm	12 mm	10
ACE4516	60 (2X)	45 - 60 mm	12 mm	10
ACE4517	70 (3)	55 - 70 mm	12 mm	10
ACE4520	80 (3X)	60 - 80 mm	12 mm	10
ACE4521	90 (4)	70 - 90 mm	12 mm	10
ACE4522	100 (4X)	85 - 100 mm	12 mm	10
ACE4523	120 (5)	90 - 120 mm	12 mm	10
ACE4524	140 (6)	110 - 140 mm	12 mm	10
ACE4525	165 (M00)	135 - 165 mm	12 mm	10

British Type
Hose Clip Dispenser Rack - Stainless Steel
10 / 12 mm Band

W4



DESCRIPTION:
British Type Stainless steel hose clip dispenser rack.
Band, housing and screw:
100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.

CONTAINS:
Hose Clips: 10 of each size:
12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A) & 60 (2X).

PART NO.	QTY
ACE4519	Set of 100

Hose Clips - Worm Drive Non Perforated band

9 / 12 mm Band

W4
DIN 3017

100%
STAINLESS STEEL



DESCRIPTION:

Band, housing and screw:
100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.
Manufactured to DIN 3017.

USES:

Demanding, corrosive and humid environments. Industrial, marine, food, chemical, hydrocarbon uses and general industry.

RECOMMENDATIONS:

For use on hard and soft materials.

Recommended tightening:
Width 9 mm : 4.5 Nm
Width 12 mm : 5.5 Nm

9 mm BAND WIDTH. SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4070	12 (000)	8 - 12 mm	9 mm	10
ACE4071	16 (M00)	10 - 16 mm	9 mm	10
ACE4072	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE4073	27 (0X)	16 - 27 mm	9 mm	10
ACE4074	32 (1A)	20 - 32 mm	9 mm	10
ACE4075	35 (1)	23 - 35 mm	9 mm	10
ACE4076	40 (1X)	25 - 40 mm	9 mm	10
ACE4077	45 (1M)	30 - 45 mm	9 mm	10
ACE4078	50 (2A)	32 - 50 mm	9 mm	10
ACE4079	60 (2 & 2X)	40 - 60 mm	9 mm	10
ACE4080	70 (3)	50 - 70 mm	9 mm	10
ACE4081	80 (3X)	60 - 80 mm	9 mm	10
ACE4082	90 (4)	70 - 90 mm	9 mm	10
ACE4083	100 (4X)	80 - 100 mm	9 mm	10
ACE4084		90 - 110 mm	9 mm	10
ACE4085	120 (5)	100 - 120 mm	9 mm	10
ACE4086		110 - 130 mm	9 mm	10
ACE4087	140 (6)	120 - 140 mm	9 mm	10

12 mm BAND WIDTH. SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4096	27 (0X)	16 - 27 mm	12 mm	10
ACE4097	32 (1A)	20 - 32 mm	12 mm	10
ACE4098	35 (1)	23 - 35 mm	12 mm	10
ACE4099	40 (1X)	25 - 40 mm	12 mm	10
ACE4100	45 (1M)	30 - 45 mm	12 mm	10
ACE4101	50 (2A)	32 - 50 mm	12 mm	10
ACE4102	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE4103	70 (3)	50 - 70 mm	12 mm	10
ACE4104	80 (3X)	60 - 80 mm	12 mm	10
ACE4105	90 (4)	70 - 90 mm	12 mm	10
ACE4106	100 (4X)	80 - 100 mm	12 mm	10
ACE4107		90 - 110 mm	12 mm	10
ACE4108	120 (5)	100 - 120 mm	12 mm	10
ACE4109		110 - 130 mm	12 mm	10
ACE4110	140 (6)	120 - 140 mm	12 mm	10
ACE4111		130 - 150 mm	12 mm	10
ACE4112	160 (7)	140 - 160 mm	12 mm	10
ACE4113		150 - 170 mm	12 mm	10
ACE4114		160 - 180 mm	12 mm	10
ACE4115	190 (7 1/2)	170 - 190 mm	12 mm	10

Hose Clip Dispenser Rack - Stainless Steel

9 / 12 mm Band

W4
DIN 3017

100%
STAINLESS STEEL



DESCRIPTION:

Stainless steel hose clip dispenser rack.
Band, housing and screw:
100% AISI 304/A2 (18/8) Stainless Steel
Worm drive screw.
Manufactured to DIN 3017.

CONTAINS:

Hose Clips: 10 of each size:
12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).

See Top-Up packs below.

PART NO.	QTY
ACE4192	100

TOP-UP PACKS

SCREW: 7mm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4070	12 (000)	8 - 12 mm	9 mm	10
ACE4071	16 (M00)	10 - 16 mm	9 mm	10
ACE4072	22 (00 & 0)	12 - 22 mm	9 mm	10
ACE4096	27 (0X)	16 - 27 mm	12 mm	10
ACE4097	32 (1A)	20 - 32 mm	12 mm	10
ACE4098	35 (1)	23 - 35 mm	12 mm	10
ACE4099	40 (1X)	25 - 40 mm	12 mm	10
ACE4100	45 (1M)	30 - 45 mm	12 mm	10
ACE4101	50 (2A)	32 - 50 mm	12 mm	10
ACE4102	60 (2 & 2X)	40 - 60 mm	12 mm	10
ACE4103	70 (3)	50 - 70 mm	12 mm	10
ACE4104	80 (3X)	60 - 80 mm	12 mm	10
ACE4105	90 (4)	70 - 90 mm	12 mm	10
ACE4106	100 (4X)	80 - 100 mm	12 mm	10
ACE4108	120 (5)	100 - 120 mm	12 mm	10
ACE4110	140 (6)	120 - 140 mm	12 mm	10
ACE4112	160 (7)	140 - 160 mm	12 mm	10

Hose Clip Handipack

60 Pieces

W4
DIN 3017

DESCRIPTION:

Plastic box assortment.
Band, housing and screw:
100% AISI 304/A2 (18/8)
Stainless steel.
Worm drive screw.
Manufactured to DIN 3017.



RECOMMENDATIONS:

For use on hard and soft materials.


Recommended tightening:
Width 9 mm : 4.5 Nm
Width 12 mm : 5.5 Nm

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4223	12 (000)	8 - 12 mm	9 mm	10
	16 (M00)	10 - 16 mm	9 mm	20
	22 (00 & 0)	12 - 22 mm	9 mm	12
	27 (0X)	16 - 27 mm	12 mm	12
	40 (1X)	25 - 40 mm	12 mm	6

Banding Systems
Stainless Steel

W2

MAKE YOUR OWN CLIPS, TO YOUR MEASUREMENTS



DESCRIPTION:
9 mm banding system.
Band and housing: 17C stainless steel (AISI 430).
Screw: zinc-plated steel, without chromium VI treatment.
Hex head screw - Quick release head clips.

USES:
Ventilation and automotive industry. Ideal for multi-diameter mounting sheaths of air conditioning.



FULL KIT, ROLL BAND WIDTH **9** mm.

PART NO.	DESCRIPTION	PCS	TYPE
ACE2314	30M Band, Housing & Screws	1 Kit	Full Kit

Full Kit including 30 m strips, in plastic dispensers & Quick release heads: W2: 17C stainless steel (AISI 430).

ROLL BAND WIDTH **9** mm.

PART NO.	DESCRIPTION	PCS	TYPE
ACE2357	NPSQR9 30M	1	Stainless steel band in Plastic Reel



30 m strips, in plastic dispensers: W2: 17C stainless steel (AISI 430).



QUICK RELEASE HEADS **W2** SCREW : 7mm

PART NO.	DESCRIPTION	PCS	TYPE
ACE2358	HNPS9 QR 30	30	Quick release heads in Plastic Box

Quick release heads, in plastic boxes: W2: Case in 17C steel (AISI 430), screws in zinc-plated steel.



Hose Clip Driver
7 mm Flexi Driver

7mm 7mm



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

Miniclamp®
Mild Steel / Stainless Steel

W1 W4

Miniclamp® Dispenser Rack
Mild Steel



100 Miniclamps - W1

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1657	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Miniclamp® Dispenser Rack
Stainless Steel

100% STAINLESS STEEL



100 Miniclamps - W4

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE4193	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Miniclamp® Top-Ups
Mild Steel

W1

DESCRIPTION W1:
Band, housing and screw: white zinc plated mild steel.
48 hours in salt spray.
One-piece strip, folded: captive nut

USES:
Fuel hoses: cars, motorcycles,
agricultural tractors, mowers, brush cutters.
Small diameter assembly.

RECOMMENDATIONS:
Recommended tightening: 2 Nm

9 mm BAND WIDTH. W1 **SCREW:** 7mm

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE1234	07 - 09 mm	9 mm	10
ACE1235	08 - 10 mm	9 mm	10
ACE1236	09 - 11 mm	9 mm	10
ACE1237	10 - 12 mm	9 mm	10
ACE1238	11 - 13 mm	9 mm	10
ACE1239	12 - 14 mm	9 mm	10
ACE1240	13 - 15 mm	9 mm	10
ACE1241	14 - 16 mm	9 mm	10
ACE1242	15 - 17 mm	9 mm	10
ACE1243	16 - 18 mm	9 mm	10

Miniclamp® Top-Ups
Stainless Steel

W4

100% STAINLESS STEEL

DESCRIPTION W4:
Band, screw and nut:
100% AISI 304/A2 (18/8) Stainless Steel
One-piece strip, folded: captive nut

USES:
All corrosive, humid environments, marine,
agriculture, food, aquarium.
Small diameter assembly.

RECOMMENDATIONS:
Recommended tightening: 2.5 Nm

9 mm BAND WIDTH. W4 **SCREW:** 7mm

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE4120	07 -09 mm	9 mm	10
ACE4121	08 - 10 mm	9 mm	10
ACE4122	09 - 11 mm	9 mm	10
ACE4123	10 - 12 mm	9 mm	10
ACE4124	11 - 13 mm	9 mm	10
ACE4125	12 - 14 mm	9 mm	10
ACE4126	13 - 15 mm	9 mm	10
ACE4127	14 - 16 mm	9 mm	10
ACE4128	15 - 17 mm	9 mm	10
ACE4129	16 - 18 mm	9 mm	10
ACE4130	17 - 19 mm	9 mm	10
ACE4131	18 - 20 mm	9 mm	10
ACE4132	19 - 21 mm	9 mm	10
ACE4138	25 - 27 mm	9 mm	10

T-Bolts
TB

W1



DESCRIPTION:
Band, plate with raised edges.
Band, screw, bridge, plate:
White zinc-plated mild steel.
Solid trunnions.
Hex head screw.
48 hours in salt spray.

USES:
Irrigation, agricultural machinery, pumping, concrete pipes, trucks, hydraulics, public works.
All powerful tightenings.

RECOMMENDATIONS:
Tighten firmly.
If necessary, place two collars side by side, heads reversed, at each end.

9 mm BAND WIDTH. **SCREW:**

PART NO.	SIZE Ø mm*	SCREW MM		BAND MM		QTY
		Ø	LENGTH	WIDTH	THICKNESS	
ACE1020	17 - 19 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1021	20 - 22 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1171	23 - 25 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1172	26 - 28 mm	M5	40 mm	18 mm	0.6 mm	10
ACE1173	29 - 31 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1174	32 - 35 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1175	36 - 39 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1176	40 - 43 mm	M6	50 mm	20 mm	0.8 mm	10
ACE1177	44 - 47 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1178	48 - 51 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1179	52 - 55 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1180	56 - 59 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1181	60 - 63 mm	M6	55 mm	22 mm	1.2 mm	10
ACE1182	64 - 67 mm	M8	70 mm	22 mm	1.2 mm	10
ACE1183	68 - 73 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1184	74 - 79 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1185	80 - 85 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1186	86 - 91 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1187	92 - 97 mm	M8	70 mm	24 mm	1.5 mm	10
ACE1189	104 - 112 mm	M8	80 mm	24 mm	1.5 mm	10
ACE1190	113 - 121 mm	M8	80 mm	24 mm	1.5 mm	10

T-Bolt Dispenser Rack



DESCRIPTION:
Band, plate with raised edges.
Band, screw, bridge, plate: white zinc-plated mild steel.
Solid trunnions. Hex head screw. 48 hours in salt spray.

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1309	17 - 19, 20 - 22, 23 - 25, 26 - 28, 29 - 31, 32 - 35, 36 - 39, 40 - 43, 44 - 47, 48 - 51, 52 - 55, 56 - 59, 60 - 63, 64 - 67	5 of each

T-Bolts
TBS

PART NO.	SIZE Ø mm*	SCREW MM		BAND MM		QTY
		Ø	LENGTH	WIDTH	THICKNESS	
ACE2471	17 - 19 mm	M5	40 mm	18 mm	0.6 mm	10
ACE2472	20 - 22 mm	M5	40 mm	18 mm	0.6 mm	10
ACE2473	23 - 25 mm	M5	40 mm	18 mm	0.6 mm	10
ACE2474	26 - 28 mm	M5	40 mm	18 mm	0.6 mm	10
ACE2475	29 - 31 mm	M6	50 mm	20 mm	0.6 mm	10
ACE2476	32 - 35 mm	M6	50 mm	20 mm	0.6 mm	10
ACE2477	36 - 39 mm	M6	50 mm	20 mm	0.6 mm	10
ACE2478	40 - 43 mm	M6	50 mm	20 mm	0.6 mm	10
ACE2479	44 - 47 mm	M6	55 mm	22 mm	0.8 mm	10
ACE2480	48 - 51 mm	M6	55 mm	22 mm	0.8 mm	10
ACE2481	52 - 55 mm	M6	55 mm	22 mm	0.8 mm	10
ACE2482	56 - 59 mm	M6	55 mm	22 mm	0.8 mm	10
ACE2483	60 - 63 mm	M6	55 mm	22 mm	0.8 mm	10
ACE2484	64 - 67 mm	M8	70 mm	22 mm	0.8 mm	10
ACE2485	68 - 73 mm	M8	70 mm	24 mm	0.8 mm	10
ACE2486	74 - 79 mm	M8	70 mm	24 mm	0.8 mm	10
ACE2487	80 - 85 mm	M8	70 mm	24 mm	0.8 mm	10
ACE2488	86 - 91 mm	M8	70 mm	24 mm	0.8 mm	10
ACE2489	92 - 97 mm	M8	70 mm	24 mm	0.8 mm	10



W2

DESCRIPTION:
Band, plate with raised edges.
Band and plate: 17C stainless steel (AISI 430).
Screw, bridge:
Zinc-plated mild steel
Solid trunnions.
Hex head screw.

USES:
Irrigation, agricultural machinery, pumping, concrete pipes, trucks, hydraulics, public works.
All powerful tightenings.

RECOMMENDATIONS:
Tighten firmly.
If necessary, place two collars side by side, heads reversed, at each end.

T-Bolts
TBSS

PART NO.	SIZE Ø mm*	SCREW MM		BAND MM		QTY
		Ø	LENGTH	WIDTH	THICKNESS	
ACE4219	17 - 19 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4220	20 - 22 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4040	23 - 25 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4041	26 - 28 mm	M5	40 mm	18 mm	0.6 mm	5
ACE4042	29 - 31 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4043	32 - 35 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4044	36 - 39 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4045	40 - 43 mm	M6	50 mm	20 mm	0.8 mm	5
ACE4046	44 - 47 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4047	48 - 51 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4048	52 - 55 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4049	56 - 59 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4050	60 - 63 mm	M6	55 mm	22 mm	1.2 mm	5
ACE4051	64 - 67 mm	M8	70 mm	22 mm	1.2 mm	5
ACE4052	68 - 73 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4053	74 - 79 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4054	80 - 85 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4055	86 - 91 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4056	92 - 97 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4057	98 - 103 mm	M8	70 mm	24 mm	1.5 mm	5
ACE4058	104 - 112 mm	M8	80 mm	24 mm	1.5 mm	5



W4

100%
STAINLESS STEEL

DESCRIPTION:
Band, plate with raised edges.
Band, screw, bridge, plate: 100% AISI 304/A2 (18/8) stainless steel.
Solid trunnions.
Hex head screw.

USES:
Irrigation, agricultural machinery, pumping, concrete pipes, trucks, hydraulics, public works.
All powerful tightenings.

RECOMMENDATIONS:
Tighten firmly.
If necessary, place two collars side by side, heads reversed, at each end.

P Clips
Rubber Lined

W1
DIN 3016



DESCRIPTION:
White galvanized steel band.
Double thickness at the end: reinforced attachment point.
Rubber: EPDM
Bandwidths: 12 mm.
Manufactured to DIN 3016.

USES:
Fixing tubes, pipes, cables and groups of cables.
Protection of surfaces in contact.
Anti-vibration.

RECOMMENDATIONS:
Appropriate selection of diameter and firm clamping: stable fixing.

12 mm BAND WIDTH.

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE1769	5 mm	12 mm	50
ACE1770	6 mm	12 mm	50
ACE1771	8 mm	12 mm	50
ACE1772	10 mm	12 mm	50
ACE1774	13 mm	12 mm	50
ACE1776	16 mm	12 mm	50
ACE1779	21 mm	12 mm	50
ACE1782	25 mm	12 mm	50
ACE1785	29 mm	12 mm	50
ACE1789	35 mm	12 mm	50





‘O’ Clips
Twin Ear

W1



DESCRIPTION:
White zinc plated mild steel.
Diameter marking on the band.

USES:
Welding pipes.
Compressed air hoses.
Agricultural machinery.

RECOMMENDATIONS:
Quick assembly, with standard clamps.
Disassembly: collar not reusable.

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE1319	5 - 7 mm	6 mm	10
ACE1320	7 - 9 mm	7 mm	10
ACE1321	9 - 11 mm	7 mm	10
ACE1322	11 - 13 mm	7 mm	10
ACE1323	13 - 15 mm	7.5 mm	10
ACE1324	14 - 17 mm	7.5 mm	10
ACE1325	15 - 18 mm	7.5 mm	10
ACE1326	17 - 20 mm	7.5 mm	10
ACE1327	18 - 21 mm	7.5 mm	10
ACE1328	20 - 23 mm	9 mm	10
ACE1329	22 - 25 mm	9 mm	10
ACE1330	23 - 27 mm	9 mm	10

CV Boot Clip
Universal

W4

100%
STAINLESS STEEL



DESCRIPTION:
100% AISI 304/A2
(18/8) stainless steel.

Diameter adjustment according to the need.
Amplitudes:
- Small collar: 20 to 45 mm
- Large collar: 45 to 120 mm.

USES:
Clips are used to secure CV Boots in place

RECOMMENDATIONS:
Quick assembly, with standard clamps.
Disassembly: collar not reusable.

SINGLE SIZE CV CLIPS .

PART NO.	SIZE Ø mm*	BAND WIDTH	QTY
ACE4907	20 - 45 mm	6.4 mm	100
ACE4908	45 - 120 mm	8 mm	100

CV BOOT CLIP KIT

PART NO.	SIZE Ø mm*	QTY
ACE4579	20 - 45 & 45 - 120 mm	1 pair (1 of each size)

Dispensers & Handipacks

Hose Clip Dispenser Rack - With Pipe Clips

W1 DIN 3017

9 / 12 mm Band



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE1361	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each
	Pipe Clips	7 - 11 mm, 11 - 19 mm	20 of each

Hose Clip Dispenser Rack - Stainless Steel

W4 DIN 3017

100% STAINLESS STEEL

9 / 12 mm Band



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE4192	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each

British Type Hose Clip Dispenser Rack

W1

10 / 12 mm Band



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE1830	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each

British Type Hose Clip Dispenser Rack - Stainless Steel

W4

100% STAINLESS STEEL

10 / 12 mm Band



PART NO.	CLIPS	COMPOSITION	
		SIZE Ø mm*	QTY
ACE4519	Hose Clips	12 (00), 16 (M00), 22 (00 & 0), 27 (0X), 32 (1A), 35 (1), 40 (1X), 45 (1M), 50 (2A) & 60 (2 & 2X).	10 of each

Miniclamp® Dispenser Rack
Mild Steel

W1



100 Miniclamps - W1

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1657	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Miniclamp® Dispenser Rack
Stainless Steel

100% STAINLESS STEEL

W4



100 Miniclamps - W4

PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE4193	07 - 09, 08 - 10, 09 - 11, 10 - 12, 11 - 13, 12 - 14, 13 - 15, 14 - 16, 15 - 17, 16 - 18	10 of each

Hose Clip Handipacks



W1 DIN 3017

W4 DIN 3017

HANDIPACK W1

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE1869	12 (000)	8 - 12 mm	9 mm	20
	16 (M00)	10 - 16 mm	9 mm	30
	22 (00 & 0)	12 - 22 mm	9 mm	20
	27 (0X)	16 - 27 mm	12 mm	20
	40 (1X)	25 - 40 mm	12 mm	10

HANDIPACK W4

PART NO.	SIZE GUIDE	SIZE Ø mm*	BAND WIDTH	QTY
ACE4223	12 (000)	8 - 12 mm	9 mm	10
	16 (M00)	10 - 16 mm	9 mm	20
	22 (00 & 0)	12 - 22 mm	9 mm	12
	27 (0X)	16 - 27 mm	12 mm	12
	40 (1X)	25 - 40 mm	12 mm	6

T-Bolt Dispenser Rack



PART NO.	COMPOSITION	
	SIZE Ø mm*	QTY
ACE1309	17 - 19, 20 - 22, 23 - 25, 26 - 28, 29 - 31, 32 - 35, 36 - 39, 40 - 43, 44 - 47, 48 - 51, 52 - 55, 56 - 59, 60 - 63, 64 - 67	5 of each

Hose Clip Driver
7 mm Flexi Driver



PART NO.	SIZE	LENGTH	QTY
ACE6020	7 mm	280 mm	1

TUBE & LUBE





TUBE & LUBE

Hose Clips	258
CV Boot Clips	262
P Clips	263
Tube Couplings	264
Brake Tubing & Nuts	270
Hose & Tubing	272
Air Line Couplings	278
Air Tools	281
Inflators & Gauges	284
Tyre Care	288
Funnels & Jugs	295
Drain Pans	296
Grease Products	297
Pumps & Taps	301

JUBILEE® Hose Clips



- Zinc plated mild steel.
- 13 mm band (*9 mm).
- († in branded boxes)

Part No.	Qty	Size	Range
505251	10	12* (000)	9.5 - 12 mm (3/8" - 1/2")
505301	25	12* (000)	9.5 - 12 mm (3/8" - 1/2")
505252	10	16* (M00)	11 - 16mm (1/2" - 5/8")
505302	25	16* (M00)	11 - 16mm (1/2" - 5/8")
505253	10†	20* (00)	13 - 20 mm (1/2" - 3/4")
505303	25	20* (00)	13 - 20 mm (1/2" - 3/4")
505254	10†	22 (0)	16 - 22 mm (5/8" - 7/8")
505304	25	22 (0)	16 - 22 mm (5/8" - 7/8")
505255	10†	25 (0X)	18 - 25 mm (3/4" - 1")
505305	25	25 (0X)	18 - 25 mm (3/4" - 1")
505256	10†	30 (1A)	22 - 30 mm (7/8" - 1 1/8")
505306	25	30 (1A)	22 - 30 mm (7/8" - 1 1/8")
505257	10†	35 (1)	25 - 35 mm (1" - 1 3/8")
505307	25	35 (1)	25 - 35 mm (1" - 1 3/8")
505258	10†	40 (1X)	30 - 40 mm (1 1/8" - 1 5/8")
505308	25	40 (1X)	30 - 40 mm (1 1/8" - 1 5/8")
505261	10	45 (1M)	32 - 45 mm (1 1/4" - 1 3/4")
505295	25	45 (1M)	32 - 45 mm (1 1/4" - 1 3/4")
505259	10†	50 (2A)	35 - 50 mm (1 1/4" - 1 7/8")
505260	10†	55 (2)	40 - 55 mm (1 1/2" - 2 1/8")
505262	10	60 (2X)	45 - 60 mm (1 3/4" - 2 1/4")
505296	25	60 (2X)	45 - 60 mm (1 3/4" - 2 1/4")
505263	10	70 (3)	55 - 70 mm (2 1/8" - 2 3/4")
505297	25	70 (3)	55 - 70 mm (2 1/8" - 2 3/4")
505264	10	80 (3X)	60 - 80 mm (2 1/4" - 3")
505314	10	90 (4)	70 - 90 mm (2 3/4" - 3 1/2")
505315	10	100 (4X)	85 - 100 mm (3 1/4" - 4")
505316	10	120 (5)	90 - 120 mm (3 3/4" - 4 1/2")
505290	5	140 (6)	110 - 140 mm (4 1/4" - 5 1/2")
505291	5	150 (6X)	130 - 150 mm (5 1/8" - 5 7/8")
505292	5	165 (7)	135 - 165 mm (5 1/4" - 6 1/2")

JUBILEE® Mini Hose Clips



- Zinc plated mild steel

Part No.	Qty	Range
505161	50	7 - 9 mm
505162	50	8 - 10 mm
505163	50	9 - 11 mm
505164	50	10 - 12 mm
505165	50	11 - 13 mm
505166	50	12 - 14 mm
505167	50	13 - 15 mm
505168	50	14 - 16 mm
505169	50	15 - 17 mm
505170	50	16 - 18 mm

Hose Clips - Small Sizes



- Zinc plated mild steel

Sizes: 12 (000), 16 (M00), 20 (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 9 mm banding

Part No.	Qty
110153	50

Hose Clips - Large Sizes



- Zinc plated mild steel

Sizes: 60 (2X), 70 (3), 80 (3X), 90 (4), 100 (4X)

Part No.	Qty
110177	25

Hose Clip Dispenser Pack - With 3 Flexi Drivers



- Zinc plated mild steel

Contains 10 of each size: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 9 mm banding

Part No.	Qty
110163	Set of 100

Hose Clip Box - Dispenser Pack



- Zinc plated mild steel

Contains 10 of each size: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 9 mm banding

Part No.	Qty
110154	Set of 100

NEW ACE CLIP BROCHURE

INCLUDING NEW & EXTENDED RANGES

SEE PAGES 238 - 255
OR
SCAN QR TO VIEW FLIPBOOK
OR ORDER YOUR COPY NOW!

Ace
Advanced • Connections • Europe



HI-GRIP Hose Clips



- Heavily zinc plated mild steel.
- 13 mm band (*10 mm)

Part No.	Qty	Size	Range
505181	30	12* (000)	9.5 - 12 mm (3/8” - 1/2”)
505182	30	16* (M00)	11 - 16 mm (1/2” - 5/8”)
505183	30	20* (00)	13 - 20 mm (1/2” - 3/4”)
505184	30	22 (0)	14 - 22 mm (5/8” - 7/8”)
505185	30	25 (0X)	17 - 25 mm (3/4” - 1”)
505186	30	30 (1A)	22 - 30 mm (7/8” - 1 1/8”)
505187	20	35 (1)	25 - 35 mm (1” - 1 3/8”)
505188	20	40 (1X)	30 - 40 mm (1 1/8” - 1 5/8”)
505189	20	45 (1E) - Fits Top Hose	35 - 45 mm (1 3/8” - 1 3/4”)
505190	20	50 (2A)	35 - 50 mm (1 1/4” - 1 7/8”)
505191	20	55 (2)	40 - 55 mm (1 1/2” - 2 1/8”)
505192	20	60 (2X)	45 - 60 mm (1 3/4” - 2 3/8”)
505193	20	70 (3X)	55 - 70 mm (2” - 2 3/4”)
505194	20	80 (3X)	60 - 80 mm (2 3/8” - 3 1/8”)
505195	15	90 (4)	70 - 90 mm (2 3/4” - 3 1/2”)
505196	15	100 (4X)	80 - 100 mm (3 1/8” - 4”)
505197	10	120 (5)	90 - 120 mm (3 3/4” - 4 1/2”)
505198	10	140 (6)	110 - 140 mm (4 1/4” - 5 1/2”)
505199	10	160 (7)	130 - 160 mm (5 1/8” - 6 1/4”)

HI-GRIP Hose Clips - Small Sizes

- Heavily zinc plated mild steel

Sizes: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 50 (2A), 55 (2). * = 10 mm banding



Part No.	Qty
110136	50

HI-GRIP Hose Clips - Large Sizes

- Heavily zinc plated mild steel

Sizes: 60 (2X), 70 (3), 80 (3X), 90 (4), 100 (4X), 120 (5), 140 (6), 160 (7)



Part No.	Qty
110137	24

HI-GRIP Hose Clip Dispenser



- Heavily zinc plated mild steel

Contains 10 of each size: 12* (000), 16* (M00), 20* (00), 22 (0), 25 (0X), 30 (1A), 35 (1), 40 (1X), 45 (1E), 50 (2A). * = 10 mm banding

Part No.	Qty
110150	Set of 100

HI-GRIP Hose Clips - Stainless Steel



- 18/8 marine quality stainless steel.
- 13 mm band (*10 mm)

Part No.	Qty	Size	Range
505201	10	12* (000)	9.5 - 12 mm (3/8” - 1/2”)
505202	10	16* (M00)	11 - 16 mm (1/2” - 5/8”)
505203	10	20* (00)	13 - 20 mm (1/2” - 3/4”)
505204	10	22 (0)	14 - 22 mm (5/8” - 7/8”)
505205	10	25 (0X)	17 - 25 mm (3/4” - 1”)
505206	10	30 (1A)	22 - 30 mm (7/8” - 1 1/8”)
505207	10	35 (1)	25 - 35 mm (1” - 1 3/8”)
505208	10	40 (1X)	30 - 40 mm (1 1/8” - 1 5/8”)
505209	10	50 (2A)	35-50 mm (1 3/8” - 1 3/4”)
505210	10	55 (2)	40 - 55 mm (1 1/2” - 2 1/8”)
505211	10	60 (2X)	45 - 60 mm (1 3/4” - 2 3/8”)
505212	10	70 (3)	55 - 70 mm (2” - 2 3/4”)
505213	5	80 (3X)	60 - 80 mm (2 3/8” - 3 1/8”)
505214	5	90 (4)	70 - 90 mm (2 3/4” - 3 1/2”)
505215	5	100 (4X)	80 - 100 mm (3 1/8” - 4”)
505216	5	120 (5)	90 - 120 mm (3 3/4” - 4 1/2”)
505217	5	140 (6)	110 - 140 mm (4 1/4” - 5 1/2”)
505218	5	160 (7)	130 - 160 mm (5 1/8” - 6 1/4”)

Assorted HI-GRIP Hose Clips - Stainless Steel



- 18/8 marine quality stainless steel

Sizes: 12 (000), 20 (00), 22 (0), 25 (0X), 30 (1A), 35(1), 40 (1X)

Part No.	Qty
110205	24

CV BOOT CLIPS

Boot Ear Clip - Single Ear`



Part No.	Qty	Size
505130	20	Large (Clamp Range 45-120mm)
505132	20	Small (Clamp Range 19-45mm)

CV Clips - Stainless Steel

Sizes: 25 - 50 mm x 5.
40 - 110 mm x 10



Part No.	Qty
110165	Set of 15

CV Boot Kit - Universal



- Fits most cars as well as some 4x4s and light commercial vehicles.
- Fits joinings measuring: Shaft 18-26mm; Joint 56-116mm; Length 58-128mm.
- Made in the UK.
- Boot comes complete with 2 single ear clips and sachet of grease.

Part No.	Qty	Type	Shaft	Joint	Length
405370	1	Standard Kit	18-26 mm	56-116 mm	58-128 mm
405372	1	Large Kit	27-37 mm	78-130 mm	81-152 mm

Duragun CV Boot Fitting Tool

- Air Operated.
- Lightweight for easy operation.
- Ideal for quick installation.
- Made in the UK.
- Gun is fitted with a ¼ BSP connector ready for use.



Part No.	Qty
980270	1

ACE CV BOOT CLIPS
PAGE 253
PART NOS: ACE4907, ACE4908 & ACE4579

P-Clips - Rubber Lined



- EPDM rubber.
- Zinc plated mild steel

Part No.	Qty	Cable Diameter
255299	50	6 mm
255300	50	8 mm
255301	50	10 mm
255302	50	13 mm
255303	50	16 mm
255304	25	21 mm
255307	25	25 mm
255305	25	29 mm
255306	25	35 mm

Assorted P-Clips - Rubber Lined



- EPDM rubber.
- Zinc plated mild steel

Sizes: 6 mm. 8 mm. 10 mm. 13 mm. 16 mm. 21 mm. 29 mm. 35 mm (cable diameter)

Part No.	Qty
110152	50

ACE® Hose Clip Driver - 7 mm Flexi Driver



- 280 mm long

Part No.	Qty
ACE6020	1

Hose Clip Drivers - Flexible



- 7 mm Nut spinners

Part No.	Qty
505273	1

Petrol Pipe Clips



- Zinc plated.
- 5 mm band

Part No.	Qty	Range
505136	20	7 - 11 mm
505137	20	11- 19 mm



Push Fit Couplings - Metric Equal Straights



Part No.	Qty	Hose O.D
625700	10	4 mm
625701	10	5 mm
625702	10	6 mm
625703	10	8 mm
625704	5	10 mm
625705	5	12 mm
625706	5	15 mm

Push Fit Couplings - Metric Equal Elbows



Part No.	Qty	Hose O.D
625730	5	4 mm
625731	5	5 mm
625733	5	6 mm
625734	5	8 mm
625735	5	10 mm
625736	5	12 mm

Push Fit Couplings - Metric Equal Tees



Part No.	Qty	Hose O.D
625720	5	4 mm
625721	5	5 mm
625722	5	6 mm
625723	5	8 mm
625724	5	10 mm
625726	5	12 mm

SPEEDFIT Couplings - Imperial Equal Straights

John Guest



Sizes: 5/32", 3/16", 1/4", 5/16", 3/8", 1/2"

Part No.	Qty
105172	24

SPEEDFIT Couplings - Metric Equal Straights

John Guest



Part No.	Qty	Hose O.D
625201	10	4 mm
625200	10	5 mm
625202	10	6 mm
625203	10	8 mm
625204	5	10 mm
625205	5	12 mm
625199	5	15 mm

Assorted SPEEDFIT Couplings - Metric Equal Straights

John Guest



Sizes: 4, 5, 6, 8, 10, 12 mm

Part No.	Qty
105173	24

SPEEDFIT Couplings - Metric Equal Elbows

John Guest



Part No.	Qty	Hose O.D
625229	5	4 mm
625242	5	5 mm
625230	5	6 mm
625231	5	8 mm
625232	5	10 mm
625233	5	12 mm

SPEEDFIT Couplings - Metric Equal Elbows & Tees

John Guest

Sizes: 4, 6, 8, 10, 12 mm



Part No.	Qty
105150	26

SPEEDFIT Couplings - Metric Equal Tees

John Guest



Part No.	Qty	Hose O.D
625218	5	4 mm
625241	5	5 mm
625219	5	6 mm
625220	5	8 mm
625221	5	10 mm
625222	5	12 mm

Reducing Straight Connector

John Guest



Part No.	Qty	Size
625245	5	10 - 8 mm

Straight Connectors - Plastic

NORGREN



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D
625631	5	4 mm
625632	5	5 mm
625633	5	6 mm
625634	5	8 mm
625635	3	10 mm
625636	3	12 mm
625638	3	16 mm

Tee Connectors - Plastic

NORGREN



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D
625651	5	4 mm
625652	5	6 mm
625653	5	8 mm
625654	3	10 mm
625655	3	12 mm

Elbow Connectors - Plastic

NORGREN



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D
625671	5	6 mm
625672	3	12 mm

Straight Studs

NORGREN



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D	Thread
625641	5	4 mm	1/8" BSPT
625642	5	6 mm	1/8" BSPT
625643	5	8 mm	1/8" BSPT
625644	5	6 mm	1/4" BSPT
625645	5	8 mm	1/4" BSPT
625646	3	10 mm	1/4" BSPT
625647	3	10 mm	3/8" BSPT
625648	3	12 mm	3/8" BSPT
625649	3	10 mm	1/2" BSPT
625650	3	12 mm	1/2" BSPT

Swivel Elbows - Plastic

NORGREN



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D	Thread
625661	5	4 mm	1/8" BSPT
625662	5	6 mm	1/8" BSPT
625663	5	8 mm	1/8" BSPT
625664	5	6 mm	1/4" BSPT
625665	5	8 mm	1/4" BSPT
625666	3	10 mm	1/4" BSPT
625667	3	12 mm	3/8" BSPT
625668	3	10 mm	1/2" BSPT
625669	3	12 mm	1/2" BSPT

Plastic Plugs



Part No.	Qty	Hose O.D
625621	5	6 mm
625622	5	8 mm
625623	3	10 mm
625624	3	12 mm

'Y' Connectors - Plastic

NORGREN



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D
625681	5	6 mm
625682	5	8 mm

Stem Reducers - Plastic



- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D
625602	5	6 - 4 mm
625601	5	8 - 6 mm
625603	5	10 - 8 mm

Brass Tube Couplings - Imperial



- With Stepped Olives

Part No.	Qty	Size
615227	10	3/16"
615228	10	1/4"
615229	10	5/16"
615130	10	3/8"
615231	5	1/2"

Brass Tube Couplings - Imperial



Sizes: 3/16", 1/4", 5/16", 3/8", 1/2"

Part No.	Qty
105270	25 Sets

Brass Tube Couplings - Metric



- With Stepped Olives

Part No.	Qty	Size
615279	10	4 mm
615178	10	5 mm
615280	10	6 mm
615181	10	8 mm
615282	10	9 mm
615182	10	10 mm
615283	5	12 mm

Brass Tube Couplings - Metric



- With Stepped Olives

Sizes: 4, 5, 6, 8, 10, 12 mm

Part No.	Qty
105269	25 Sets

Brass Straight Connectors - Metric - Push-In

NORGREN



- For secure seals on air braking & suspension systems

Working pressure: 0 to 100 bar.
Temperature: -40˚C - 100˚C

Part No.	Qty	Size
625301	5	4 mm
625302	5	5 mm
625303	5	6 mm
625304	5	8 mm
625307	3	9 mm
625305	3	10 mm
625321	3	11 mm
625306	3	12 mm
625322	3	15 mm
625323	3	16 mm

Brass Straight Studs - Metric - Push-In

NORGREN



Part No.	Qty	Hose O.D	Thread
625351	5	6 mm	M10 x 1
625352	5	8 mm	M10 x 1
625353	5	10 mm	M10 x 1
625354	3	6 mm	M12 x 1.5
625355	3	8 mm	M12 x 1.5
625356	3	10 mm	M12 x 1.5
625357	3	12 mm	M12 x 1.5
625359	3	8 mm	M14 x 1.5
625360	3	10 mm	M14 x 1.5
625361	3	12 mm	M14 x 1.5
625362	3	6 mm	M16 x 1.5
625363	3	8 mm	M16 x 1.5
625364	3	10 mm	M16 x 1.5
625365	3	12 mm	M16 x 1.5
625366	3	16 mm	M16 x 1.5
625367	3	6 mm	M22 x 1.5
625368	3	8 mm	M22 x 1.5
625369	3	10 mm	M22 x 1.5
625370	3	12 mm	M22 x 1.5
625371	3	15 mm	M22 x 1.5
625372	3	16 mm	M22 x 1.5

Brass Tee Connectors - Metric - Push-In

NORGREN



Part No.	Qty	Hose O.D
625331	5	6 mm
625332	5	8 mm
625333	3	10 mm
625334	3	12 mm

Brass Elbow Connectors - Metric - Push-In

NORGREN



Part No.	Qty	Hose O.D
625341	5	6 mm
625342	5	8 mm
625343	3	10 mm
625344	3	12 mm

Brass Elbow Studs - Metric - Push-In

NORGREN



Part No.	Qty	Hose O.D	Thread
625381	3	6 mm	M12 x 1.5
625382	3	8 mm	M12 x 1.5
625383	3	10 mm	M12 x 1.5
625384	3	8 mm	M16 x 1.5
625385	3	10 mm	M16 x 1.5
625386	3	12 mm	M16 x 1.5
625387	3	8 mm	M22 x 1.5
625388	3	10 mm	M22 x 1.5
625389	3	12 mm	M22 x 1.5
625390	3	16 mm	M22 x 1.5

Straight Adaptors

NORGREN

- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools



Part No.	Qty	Hose O.D	Thread
625481	3	8 mm	1/4" BSP
625482	5	10 mm	1/4" BSP
625483	3	12 mm	1/4" BSP

Brass Straight Connectors

NORGREN

- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools



Part No.	Qty	Hose O.D
625501	5	6 mm
625502	5	8 mm
625503	3	10 mm
625504	3	12 mm
625505	3	14 mm

Brass Tee Connectors

NORGREN

- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools



Part No.	Qty	Hose O.D
625511	5	6 mm
625512	5	8 mm
625513	3	10 mm

Brass Elbow Connectors

NORGREN

- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools



Part No.	Qty	Hose O.D
625521	5	6 mm
625522	5	8 mm
625523	3	10 mm

Brass Bulkhead Connectors



- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D
625531	5	6 mm
625532	5	8 mm

Brass Straight Studs



- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D	Thread
625541	5	4 mm	1/8" BSP
625542	5	5 mm	1/8" BSP
625543	5	6 mm	1/8" BSP
625544	5	8 mm	1/8" BSP
625546	5	6 mm	1/4" BSP
625547	5	8 mm	1/4" BSP
625548	3	10 mm	1/4" BSP
625549	5	8 mm	3/8" BSP
625550	3	10 mm	3/8" BSP
625551	3	10 mm	1/2" BSP

Brass Couplings - High Quality - Metric



Part No.	Qty	Size
615270	10	10 mm

Brass Swivel Elbow Studs



- Nickel plated brass.
- Provides a secure joint.
- Quick & easy to fit without the use of tools

Part No.	Qty	Hose O.D	Thread
625561	5	4 mm	1/8" BSP
625562	5	6 mm	1/8" BSP
625563	5	8 mm	1/8" BSP
625564	3	10 mm	1/8" BSP
625565	5	6 mm	1/4" BSP
625566	5	8 mm	1/4" BSP
625567	3	10 mm	1/4" BSP
625568	5	8 mm	3/8" BSP

Steel Adaptors



Part No.	Qty	Thread
625422	3	M22 x 1.5 - M16 x 1.5

Thrust Rings



Part No.	Qty	Size
625441	25	M10
625442	25	M12
625443	25	M14
625444	25	M16
625445	25	M18
625446	25	M22

'O' Rings



Part No.	Qty	Size
625451	50	M10
625452	50	M12
625453	50	M14
625454	50	M16
625455	50	M18
625456	50	M22

Reducing Sockets



- Malleable iron

Part No.	Qty	Thread
625475	5	1/4" BSP - 3/8" BSP
625476	5	1/4" BSP - 1/2" BSP



Brake Nuts 1mm pitch



- 10 mm (1.00 mm Pitch).
- Suits 3/16" pipe

Part No.	Qty	Type
305110	50	Short Male
305122	50	Long Male
305123	50	Fully Threaded Male
305111	50	Female

Brake Nuts - Male & Female



Male: 10 x 1 mm (Short, Fully Threaded Short, Long). 3/8" UNF x 24 tpi. Female: 10 x 1 mm. 3/8" UNF x 24 tpi

Part No.	Qty
105145	135

Brake Tubing Connectors - 1mm Pitch



- 10 mm (1.00 mm Pitch).
- Suits 3/16" pipe

Part No.	Qty	Type
305146	25	Male 2-way
305147	25	Female 2-way
305148	3	Female 3-way


Brake Nuts UNF



- 3/8" UNF (24 tpi).
- Suits 3/16" pipe

Part No.	Qty	Type
305141	50	Short Male
305109	50	Female
305108	50	Long Male

Brake Tubing Connectors UNF



- 3/8" UNF (24 tpi)

Part No.	Qty	Type
305149	25	Female 2-way
305150	3	Female 3-way

Brake Nuts 1.25 mm pitch



- 10 mm (1.25 mm Pitch).
- Suits 3/16" pipe

Part No.	Qty	Type
305121	50	Short Male
305120	50	Long Male
305142	50	Fully Threaded Male

Brake Nuts - Male - 1mm Pitch



- 12 mm (1.0 mm Pitch).
- Suits 3/16" pipe

Part No.	Qty
305143	50

Brake Nuts 7/16" UNF



- 7/16" UNF (20 tpi).
- Suits 1/4" pipe

Part No.	Qty	Type
305112	25	Male
305113	25	Female

Brake Bleed Screws



Part No.	Qty	Size	Length	Pitch
305226	25	1/4" UNF	28 mm	28 tpi
305227	25	3/8" UNF	31 mm	24 tpi
305236	25	M6	26 mm	1 mm
305233	25	M7	21.7 mm	1 mm
305234	25	M8	26.5 mm	1.25 mm
305235	25	M10	30 mm	1 mm

Flaring Tool Set - Hand Held



- Simple step by step instructions for perfect flares.
- One Piece construction adapts to all pipe sizes without the need to dismantle

Part No.	Qty
305140	1 Set

Pipe Flaring, Punch & Die Box Set



Fast action cam, spring return for a faster punch operation

- Complete with 3/16" & 4.75 mm punches & dies.
- Suitable for bench mounting

Part No.	Qty
305130	1 Set

Brake Tubing - Cupro-Nickel



- Seamless 90/10 cupro-nickel
- 100% electronically and pressure tested
- Guaranteed against the effects of weather and seasonal salt
- Internal cleanliness exceeds BLS-30-JC-101
- Conforms to BS 2871 PT2 CN102

Part No.	Qty	Length	O.D
305201	1	25 ft	6 mm
305202	1	25 ft	8 mm
305203	1	25 ft	10 mm
305103	1	25 ft	3/16”
305104	1	25 ft	1/4”
305105	1	25 ft	5/16”
305106	1	25 ft	3/8”
305107	1	25 ft	1/2”

Copper Piping



- 22 gauge
- High quality copper pipe
- Designed for strength and durability

Part No.	Qty	Length	O.D
605116	1	25 ft	3/16”
605117	1	25 ft	1/4”
605118	1	25 ft	5/16”
605119	1	25 ft	3/8”

NEW VISION BROCHURE
INCLUDING EXCITING NEW WEARABLES
Go to page 104, scan the QR code or Contact us to order your copy now!



Fuel Hose - Rubber



- Resists oil, diesel & petrol.
- Working pressure: 120 psi (8 bar).
- Approved to BSAU 108/2

Part No.	Qty	Length	I.D	Colour
605001	1	1 m	5 mm (3/16")	Black
605002	1	1 m	6 mm (1/4")	Black
605004	1	1 m	9.5 mm (3/8")	Black

Fuel Hose - Rubber 10 m



- Temperature range: -20˚C - 100˚C.
- Approved to BSAU 108/2/ L4/C4R

Part No.	Qty	Length	I.D
605105	1	10 m	5 mm (3/16")
605106	1	10 m	6 mm (1/4")
605107	1	10 m	8 mm (5/16")
605108	1	10 m	9.5 mm (3/8")

Fuel Injection Hose



- Black rubber fuel injection hose

*Complete with 2 mini hose clips

Part No.	Qty	Length	I.D	O.D
605110	1 m*	1 m*	4.8 mm	11.6 mm
605111	1 m*	1 m*	5.6 mm	12.6 mm
605112	1 m*	1 m*	7.6 mm	14.6 mm
605113	1 m*	1 m*	9.5 mm	16.5 mm
605160	1	5 m	5.6 mm	12.6 mm
605162	1	5 m	7.6 mm	14.6 mm
605164	1	5 m	9.5 mm	16.5 mm

Fuel Hose - Overbraided



- Nitrile lining resists oil, diesel & petrol.
- Working temperature of up to 100˚C

Part No.	Qty	Length	I.D
605141	1	5 m	3.5 mm
605142	1	5 m	5 mm
605143	1	5 m	6 mm
605144	1	5 m	7 mm
605145	1	5 m	8 mm
605146	1	5 m	10 mm

Diesel Leakoff Kit



- 2 x 3.4mm Bore Diesel Injector Plugs.
- 1 x 1m Over braided Hose

Part No.	Qty
605120	1


Servo Hose



- 5 bar working pressure.
- 25 bar burst pressure

Part No.	Qty	Length	I.D
605130	1	4 m	9.5 mm (3/8")

PVC Tubing - Clear



- Suitable for windscreen washers

Part No.	Qty	Length	I.D
775111	1	30 m	3 mm (1/8")
775113	1	30 m	4 mm (5/32")
775112	1	30 m	5 mm (3/16")
775108	1	30 m	6 mm (1/4")
775109	1	30 m	8 mm (5/16")
775115	1	30 m	13 mm (1/2")

Rubber Tubing - Black



- Suitable for windscreen washers

Part No.	Qty	Length	Size
775110	1	30 m	3 mm

Semi Rigid Nylon Tubing - Imperial



- Suitable for lube, air & fuel lines

Part No.	Qty	Length	O.D
605220	1	30 m	1/8”
605221	1	30 m	3/16”
605222	1	15 m	1/4”
605223	1	15 m	5/16”
605224	1	15 m	3/8”
605225	1	15 m	1/2”

Semi Rigid Nylon Tubing - Metric



- Yellow.
- Suitable for lube, air & fuel lines

Part No.	Qty	Length	O.D
605295	1	30 m	4 mm
605296	1	30 m	5 mm
605297	1	15 m	6 mm
605298	1	15 m	8 mm
605299	1	15 m	10 mm
605300	1	15 m	12 mm

Heater Hose



- Coolant resistant from -40˚C to 100˚C

Part No.	Qty	Length	I.D
605070	1	1 m	13 mm (1/2”)
605090	1	20 m	13 mm (1/2”)
605072	1	1 m	16 mm (5/8”)
605091	1	20 m	16 mm (5/8”)
605074	1	1 m	19 mm (3/4”)
605093	1	20 m	19 mm (3/4”)
605077	1	1 m	25 mm (1”)

Nylon Tubing - Clear - Braided



- Reinforced PVC

Part No.	Qty	Length	I.D
605096	1	30 m	5 mm (3/16”)
605097	1	30 m	6 mm (1/4”)
605098	1	30 m	8 mm (5/16”)
605099	1	30 m	10 mm (3/8”)
605100	1	30 m	13 mm (1/2”)
605101	1	30 m	16 mm (5/8”)
605102	1	30 m	19 mm (3/4”)
605103	1	30 m	25 mm (1”)

Advance / Retard Tubing



- Vacuum hose.
- PVC / nitrile rubber

Part No.	Qty	Length	I.D	O.D
605151	1	10 m	3 mm (1/8”)	9 mm
605152	1	10 m	4 mm (5/32”)	10 mm

RG Tools Hose Reel



- Heavy duty auto retractable air hose reel.
- Rubber air hose & includes 3ft lead-in-hose.
- 300 PSI working pressure.
- Features - 12 point ratcheting gearing system & adjustable guide arm.

Part No.	Qty	Size	Length	Fitting
RG60030	1	10 mm	20 Metres	1/4”
RG60035	1	10 mm	15 Metres	1/2”

RG Tools Air Hose



- Professional rubber air hose, 20% lighter than conventional hoses.
- Constructed with high strength polyester woven braided reinforcement, OZONE resistant.
- 80 BAR burst pressure.
- Working Temp Range - 40° to 85°C.

Part No.	Qty	Size	Length	Fitting
RG60000	1	6 mm	15 Metres	1/4”
RG60002	1	8 mm	15 Metres	1/4”
RG60004	1	10 mm	15 Metres	1/4”
RG60006	1	13 mm	15 Metres	1/2”

PCL Workshop Pro Air Hose Reel

Workshop Pro Hose Reels, specifically designed for use with compressed air in garages, workshops and industrial applications. The reels are available with different lengths and diameters of hose to suit user needs



- Slow retraction - up to 9 seconds to retract - ensures safety in the workplace.
- Easy to use adjustable hose stopper -Reduces non-value added time.
- Auto retract - Easily and smoothly rewinds the hose.
- Built-in cleaning brush as standard to keep the hose clean.
- High impact polypropylene construction for maximum durability.
- Stylish product and packaging.
- Copper tail outlet thread with dust cap
- Steel wall mounting 180 swivel bracket
- Supplied with fitted leader& adjustable hose stopper

Part No.		L x W x H	Inlet & Outlet	Hose Length	Max Working Pressure
805330	1	355 x 180 x 490 mm	1/4” BSPT	15 m	250 psi / 17 bar

Air Line Hoses



- Rubber.
- 20 bar

Part No.	Qty	Length	I.D
805301	1	15 m	6 mm (1/4")
805302	1	15 m	8 mm (5/16")
805303	1	15 m	10 mm (3/8")
805304	1	15 m	12.5 mm (1/2")

Air Line Hoses - With BSP Swivel Nuts



- Black rubber.
- 300 psi

Part No.	Qty	Length	Size	I.D
805311	1	10 m	1/4" BSP	6 mm (1/4")
805312	1	10 m	1/4" BSP	8 mm (5/16")
805313	1	10 m	3/8" BSP	10 mm (3/8")

Overbraided Air Line Hoses - With 1/4" BSP Swivel Nuts



- Black PVC.
- 300 psi

Part No.	Qty	Length	O.D
805101	1	10 m	8 mm (5/16")
805102	1	20 m	8 mm (5/16")

Air Line Hose - Hi-Vis



- High visibility PVC.
- Highly flexible & durable.
- Oil & abrasion resistance

Temperature range: -20˚C to 70˚C

Part No.	Qty	Length	I.D
805321	1	10 m	8 mm (1/4")
805320	1	10 m	10 mm (3/8")

Air Tool Hose - with Vertex Coupling



- Black rubber PVC alloy.
- Working pressure: 300 psi / 21 bar.
- Burst pressure: 63 bar. (3:1 Safety factor).
- Temperature range: 10C - 60 C.

Part No.	Qty	Length
805260	1	5 m
805261	1	10 m
805262	1	15 m
805263	1	20 m

Air Line Hose - Hi-Vis



- Vertex Coupling & standard adaptor
- Black rubber PVC alloy
- Working pressure: 300 psi / 21 bar
- Burst pressure: 63 bar. (3:1 Safety factor).
- Temperature range: 10C - 60 C.

Part No.	Qty	Length	I.D
805264	1	10 m	8 mm (1/4")
805265	1	20 m	10 mm (3/8")

Air Tool Hose - with XF Coupling



- Black rubber PVC alloy.
- Working pressure: 300 psi / 21 bar.
- Burst pressure: 63 bar (3:1 Safety factor).
- Temperature range: 10C- 60 C.

Part No.	Qty	Length
805266	1	5 m
805267	1	10 m
805268	1	15 m
805269	1	20 m

Recoiled Air Line - Nylon



- Spring ends with 1/4" BSP swivel nuts

Part No.	Qty	O.D	Work length
805103	1	10 mm (3/8")	25 ft

'O' Clips - 2-Ear



- Zinc plated

Part No.	Qty	Range	I.D
505150	50	5 - 7 mm	1/4"
505151	50	7 - 9 mm	5/16"
505138	50	8 - 11 mm	3/8"
505139	50	9 - 11 mm	7/16"
505140	50	11 - 13 mm	1/2"
505141	50	13 - 15 mm	9/16"
505142	50	15 - 18 mm	5/8"
505146	25	17 - 20 mm	3/4"
505147	25	20 - 23 mm	7/8"
505148	20	23 - 27 mm	1"

Assorted 'O' Clips - 2-Ear



- Zinc plated

Sizes: 3/8" (8 - 11), 7/16" (9 - 11), 1/2" (11 -13), 9/16" (13 - 15), 5/8" (15 - 18), 3/4" (17 - 20), 7/8" (20 - 23 mm)

Part No.	Qty
105159	125

'O' Clip Pliers



- Plastic coated handles.
- Side closing type

Part No.	Qty
505145	1

Pipe Joiners



- Zinc plated

Part No.	Qty	Hose O.D
625147	10	1/4"
625148	10	5/16"
625149	10	3/8"
625150	10	1/2"
625151	10	5/8"

Pipe Repair Kit - 'O' Clips & Pipe Joiners



- Zinc plated

Pipe Joiners: 1/4", 5/16", 3/8", 1/2", 5/8". 'O' Clips: 1/2", 9/16", 5/8", 3/4", 7/8"

Part No.	Qty
105168	72

Nylon Tube Cutter



- Quick square cut action.
- For up to 13 mm diameter

Part No.	Qty
985351	1

Airflow Couplings

- Single action. Benchmark in the UK for quality & reliability.
- Steel construction with corrosive resistant finish.
- Maximum working pressure : 14 bar/ 200 psi.
- Designed for fixed applications



Part No.	Qty	Thread Type	Thread
805104	3	Female (Parallel)	1/4" BSP
805125	3	Male (Taper)	1/4" BSP
805058	3	Female	3/8" BSP
805060	3	Male	3/8" BSP
805062	3	Female	1/2" BSP
805064	3	Male	1/2" BSP

Vertex Couplings

- Compatible with standard adapters



Part No.	Qty	Thread Type	Thread
805106	3	Female (Parallel)	1/4" BSP
805118	3	Male (Taper)	1/4" BSP

Vertex Coupling Sets

Contains: Coupling Body. Screwed Adapter. Integral Adapter / Tailpiece



Part No.	Qty	Hole Size
110212	3 Piece Set	6.35 mm
110211	3 Piece Set	7.90 mm
110213	3 Piece Set	9.50 mm

Airflow Twin Couplings - With standard Male Adaptor

- Compatible with standard adapters.
- For producing two supplies from a single source



Part No.	Qty
805107	1

XF Series Couplings



Part No.	Qty	Thread	Thread Type
805141	1	1/4" BSP	Female (Parallel)
805142	1	1/4" BSP	Male (Taper)

60 Series Couplings

- For general industrial applications



Part No.	Qty	Thread	Thread Type
805201	1	1/4" BSP	Female (Taper)
805205	1	1/4" BSP	Male (Taper)
805202	1	3/8" BSP	Female (Taper)
805206	1	3/8" BSP	Male (Taper)

M100 Series Couplings

- For industrial applications



Part No.	Qty	Thread	Thread Type
805161	1	3/8" BSP	Female (Taper)
805098	1	1/2" BSP	Female (Taper)
805133	1	1/2" BSP	Male (Taper)

M100 SERIES Couplings - Assorted Pack



Contains: Coupling Body. Screwed Adapter. Integral Adapter / Tailpiece

Part No.	Qty	Hole Size
110214	3 Piece Set	12.7 mm

Standard Screwed Adaptors

- The most used air connector within the garage / workshop environments.
- Benchmark in the UK for quality & reliability. Steel construction with corrosive resistant finish. Maximum working pressure : 14 bar / 200 psi. The most popular fitting for workshop air tools.



Part No.	Qty	Thread Type	Thread
805109	5	Female (Parallel)	1/4" BSP
805108	5	Male (Taper)	1/4" BSP
805050	5	Female	3/8" BSP
805052	5	Male	3/8" BSP
805054	5	Female	1/2" BSP
805056	5	Male	1/2" BSP

XF Series Screwed Adaptors



Part No.	Qty	Thread	Thread Type
805144	5	1/4" BSP	Female (Parallel)
805143	5	1/4" BSP	Male (Taper)

Reducing Bushes



Part No.	Qty	Thread	Thread Type
805151	3	3/8" BSP x 1/4" BSP	Male (Taper) x Female (Parallel)
805150	3	1/2" BSP x 1/4" BSP	Male (Taper) x Female (Parallel)

Reducing Unions



Part No.	Qty	Thread	Thread Type
805154	3	1/2" x 1/4" BSP	Male (Taper)

Double Unions



Part No.	Qty	Thread	Thread Type
805112	5	1/4" BSP	Male (Parallel)

60 Series Screwed Adaptors



Part No.	Qty	Thread	Thread Type
805211	3	1/4" BSP	Male (Taper)
805212	3	3/8" BSP	Male (Taper)

M100 Series Screwed Adaptors



Part No.	Qty	Thread	Thread Type
805162	3	3/8" BSP	Male (Taper)
805099	3	1/2" BSP	Male (Taper)

Union Nuts



Part No.	Qty	Thread
805158	5	1/4" BSP

Standard Integral Adaptors / Tailpieces



- For use with Airflow & Vertex couplings

Part No.	Qty	Bore	Hose Size
805110	5	6.35 mm	1/4"
805126	5	7.90 mm	5/16"
805120	5	9.50 mm	3/8"

XF Series Integral Adaptors / Tailpieces



Part No.	Qty	Bore	Hose Size
805145	5	7.90 mm	5/16"
805146	5	9.50 mm	3/8"
805147	3	12.7 mm	1/2"

60 Series Integral Adaptors / Tailpieces



Part No.	Qty	Bore	Hose Size
805218	3	9.50 mm	3/8"
805219	3	12.7 mm	1/2"

M100 Series Integral Adaptors / Tailpieces



Part No.	Qty	Hose Size
805163	3	3/8"
805100	3	1/2"

Coned Tailpiece - With Union Nuts



Part No.	Qty	Thread	Bore	Hose Size
805105	5 Sets	1/4" BSP	6.5 mm	1/4"

Screwed Tailpieces



Part No.	Qty	Thread	Bore	Hose Size
805111	5	1/4" BSP	6.35 mm	1/4"
805127	5	1/4" BSP	7.90 mm	5/16"
805122	5	1/4" BSP	9.50 mm	3/8"
805139	5	1/4" BSP	12.7 mm	1/2"
805136	3	1/2" BSP	12.7 mm	1/2"

Hose Connectors



Part No.	Qty	Bore	Hose Size
805171	5	6.35 mm	1/4"
805172	5	7.90 mm	5/16"
805173	5	9.50 mm	3/8"
805174	5	12.7 mm	1/2"

Parallel Socket - 1/4" Female



- For straight female to female connections.
- Benchmark in the UK for quality & reliability.
- Steel construction with corrosive resistant finish.

Part No.	Qty	Thread Size
805070	5	1/4" BSP

Impact Wrench



- Torque at 90 psi: 540 Nm

Part No.	Qty	Size
985521	1	1/2”

Impact Wrench - With Extended Shank



- Torque at 90 psi: 2450 Nm

Part No.	Qty	Size
985526	1	1”

Ratchet



- Torque at 90 psi: 60 Nm

Part No.	Qty	Size
985522	1	3/8”

Reversible Air Drill



- Chuck Size: 3/8” (10 mm).
- Free Speed: 1800 rpm

Part No.	Qty	Size
985523	1	3/8”

Die Grinder



- Collect Size: 6 mm.
- Free Speed: 22000 rpm

Part No.	Qty
985524	1

Orbital Sander



- Stroke Orbit Size: 8 mm.
- Free Speed: 10000 rpm

Part No.	Qty
985525	1

Mini Die Grinder

Small, lightweight series of hand-tools allowing access to tight, hard to reach places



- Fits standard 6 mm grinding bits.
- Safety lever to prevent accidental start-up.
- Very lightweight.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Thread
985510	1	1/4”

Mini Angle Die Grinder

Small, lightweight series of hand-tools allowing access to tight, hard to reach places



- Allows small areas to be cut or ground away, e.g.
- areas of heavy rust or sirt penetration.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Thread
985514	1	1/4"

Mini Ratchet

Small, lightweight series of hand-tools allowing access to tight, hard to reach places



- 17 Nm of power for easy 'running-up'.
- Small sizes allows operator to reach very tight spaces in the engine bay or underbody work.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Size	Thread
985513	1	3/8"	1/4"



Blowgun



- Conical nozzle

Part No.	Qty
805191	1

Blowgun - With Safety Nozzle



- High quality die-cast alloy.
- Pressure: 28 psi

Part No.	Qty
805113	1


PCL Safety Blow Gun - 2 Bar



- Sturdy UK-designed mid-range Ergo blowgun.
- Sound 90 dBa.
- Maximum supply pressure 10 bar / 140 psi.
- Comes with a standard conical nozzle.
- Equipped with an automatic pressure reduction which enables the air inlet to reduce to 2 bar.

Part No.	Qty
805220	1


PCL Safety Blow Gun - 10 Bar



- Sturdy UK-designed mid-range Ergo blowgun.
- Sound 94 dBa.
- Maximum supply pressure 10 bar / 140 psi.
- Comes with a standard conical nozzle.

Part No.	Qty
805221	1

PCL Low Noise Blow Gun



- Designed to reduce the risk associated with noise exposure.
  Sound 90 dBa.
- Maximum supply pressure 10 bar / 140 psi.
- Low noise safety nozzle designed to prevent blockages.

Part No.	Qty
805222	1

Blowgun - Pistol Grip

Molded special acetalyc resin to resist damage for use with air & water



- Max supply pressure: 10 bar / 140 lbf/in².
- Connection: 1/4" Female.
- Air Flow: 270 l/min / 9.3 cfm.
- Temperature Range: 0 to 80˚C

Part No.	Qty
805132	1

Service Tyre Pressure Gauge - Universal



- Dual calibrated: 10 - 160 lbf/in² & 0.8 - 11.0 bar

Part No.	Qty
805188	1

Pocket Service Tyre Pressure Gauge



- Dual calibrated: 10 - 120 lbf/in² & 0.8 - 8.2 bar

Part No.	Qty
805160	1

Pocket Tyre Pressure Gauge - With Angled Head



- Dual calibrated: 6 - 50 lbf/in² & 0.5 - 3.4 bar

Part No.	Qty
805187	1

Compressor - Direct Drive



- Fitted with genuine single stage 2 HP motor.
- Air receiver: 24 l.
- Air Flow: 206 l/min / 7.3 cfm.
- Noise: 82 Dba.
- Dimensions: 59 x 28 x 62 cm.
- Weight: 26 kg

Fitted with genuine PCL 'Airflow' couplings on the outlet. Supplied with full CE certification, test certificates & operating manual. Solid, stable and completely portable.

Part No.	Qty
805250	1

Tyre Inflator - Economy Tyre Inflator



- General purpose tyre inflator with rubber protected gauge.
- Euro style tyre valve connector with 0.5 m of air hose

Part No.	Qty
805192	1

Tyre Inflator - Dial Type Tyre Inflator



- Fast inflation / deflation rates.
- Shock resistance.
- Clear dial display

Part No.	Qty
805194	1

Tyre Inflator - Digital Hand Held Tyre Inflator



- Light weight.
- Shock resistance.
- Easy to read digital display

Part No.	Qty
805193	1

Tyre Inflator - DTI Tyre Inflator



- Large, clear, easy to read display with backlight.
- Reliable accuracy (+/- 1psi up to 60 psi, then 2 psi up to 150 psi) with individual testing and certification.
- Suitable for all applications including tyreshop environments.
- 1.8 m hose

Part No.	Qty
805240	1

Digital Tyre Pressure Gauge

- 4 measurement options - psi /bar / kPa / kg/cm².
- Clear, large, easy to read display.
- Requires 2 x AAA / LR03 batteries.
- Comes with a Twin Hold-on connector & 0.5m hose.
- Calibration 0-174 psi.



Part No.	Qty
805198	1

Dial Tyre Pressure Gauge

- Twin hold-on (open end).
- Dual calibrated: 0 - 170 lbf/in² & 0 - 12 bar



Part No.	Qty
805189	1

Tyre Tread Depth Gauge

- 1.0 - 6.0 mm markings



Part No.	Qty
805119	3

Digital Tyre Pressure & Depth Gauge

- Self-calibrating with a 90 second auto power off function



Part No.	Qty
805196	1

Tyre Valve Connectors - Twin Clip-On

- Open End



Part No.	Qty
805128	1

Tyre Valve Connectors - Twin Hold-On (Open end)

- Open End



Part No.	Qty
805115	1

Tyre Valve Connectors - Twin Hold-On (Closed end)

- Closed End



Part No.	Qty
805116	1

Tyre Valve Connectors - Straight Single Clip-On (Open End)



Part No.	Qty
805117	1

Foot Pump - E35

- Preset dial gauge.
- Single steel barrel.
- Complete with air bed, cycle valve & football adapters



Part No.	Qty
805184	1

Regulator - 1/4" Female

- Polycarbonate bowl with protective metal surrounds.
- Manual / semi-automatic drains.
- Complete with wall brackets & pressure gauges



Part No.	Qty
805140	1

MK4 Tyre Inflator - Digital

- Extremely robust aluminium body with protective rubber bumper.
- Small 'stubby' body is the lightest metal bodied digital inflator on the market.
- Higher pressure range for multiple applications: 4 - 250 PSI.
- Permanently backlit in use, auto off after 10 seconds no use.
- IP54 - can be used indoors and outdoors.



Part No.	Qty	Type	Hose Size
805230	1	Twin Hold-On	0.53 m / 21"
805233	1	Single Clip-On	0.53 m / 21"
805236	1	Twin Clip-On	1.8 m / 6 ft
805239	1	Single Clip-On	1.8 m / 6 ft

AIRFORCE MK4 Tyre Inflator - Digital

- Larger window gives 20% greater field of viewing.
- Gauge body weighs only 1kg / 2lbs, less work strain and easier for repetitive use.
- Ergonomic, easier to use and less prone to damage when dropped.
- Simplified 2 stage mechanism design prevents user having to "push" against full line pressure on deflate preventing fatigue.
- New design, less drag, reduced friction & less movement inertia means no internal corrosion, no sticking and no skewing of accuracy - Longer life and accuracy Greater magnification providing faster and more accurate reading of results.
- Highest reliability tested on all hose lengths vs other gauges.
- Tested to over 400,000 cycles at 100% accuracy, and compliant with EN12645:2014



Part No.	Qty	Type	Hose Size
805129	1	Twin Hold-On	0.53 m / 21"
805181	1	Single Clip-On	0.53 m / 21"
805130	1	Twin Clip-On	2.7 m / 9 ft
805182	1	Single Clip-On	2.7 m / 9 ft

MK3 Whip Hose - 0.53 m (21") Length

PCL

- For MK3 Air Line Gauge



Part No.	Qty
805185	1

Whip Hose - 0.6m (2ft) Length

PCL

- For prevention of vibration on air tools & couplings



Part No.	Qty	O.D	Bore	Type
805135	1	14 mm	7 mm	1/4" BSPT male & standard adaptor
805138	1	17 mm	10 mm	3/8" BSPT male & standard adaptor
805137	1	21 mm	13 mm	1/2" BSPT male & 100 series adaptor

RG

ENGINEERED FOR PERFORMANCE

EMERGENCY TYRE REPAIR KIT

COMPRESSOR + LIQUID

Part No.	Qty	Description
RG10040	1	Emergency tyre repair kit Compressor and Liquid



Part No.	Qty	Description
RG10042	1	Emergency tyre repair kit replacement liquid



- TPMS SAFE & COMPATIBLE
- WORKS IN UNDER 10 MINUTES
- NO LIFTING OR TOOLS REQUIRED
- WORKS AS A REGULAR INFLATOR

Can repair a flat tyre caused by a puncture of up to 6mm diameter. Natural rubber sealant, means tyres can be washed out at the point of a professional repair.

Allows cars, vans and small trucks (7t) to drive up to 125 Miles before repair/replacement.

KIT INCLUDES:

- 12V compressor
- 450ml sealant bottle (replacements available - RG10042)
- accessories for inflatables
- instructions and zipped storage bag

Marker Crayon - All Surface



- Multi-purpose

Part No.	Qty	Colour
895109	3	Blue
895110	3	Yellow

Crayon Marker - Waterproof



- Multi-purpose

Part No.	Qty	Colour
405356	3	Yellow
405357	3	White

French Chalk Sticks



Part No.	Qty	Colour
405358	144	White

Marker Pen



- Liquid paint marker.
- Weather resistant for marking almost any surface

Part No.	Qty	Colour	Size
895008	3	White	3 mm

Permanent Marker



- Xylene free permanent paint marker.
- Suitable for indoor & outdoor use on steel, rubber, timber, plastic & other materials

Part No.	Qty	Colour	Size
940831	1	White	2.3 mm
940832	1	Yellow	2.3 mm

Vulcanizing Rubber Solution



- Rubber repair solution (cement)

Part No.	Qty	Size
405355	1	15 g Tube
405205	1	250 ml Tin

Puncture Repair Kit



Contains: Vulcanising Fluid (Cement). Waterproof Crayon Marker: Yellow. Patches: 45, 60, 80 mm diameter. 55 mm square

Part No.	Qty
105178	33 Piece Kit

Tyre Tube Repair Patches



Part No.	Qty	Size	Type
405351	20	45 mm o.d.	Round
405352	10	60 mm o.d.	Round
405353	5	80 mm o.d.	Round

Easi-Seal 'Ultra' Pin Plugs - 6mm



- For minor tread area puncture repairs in radial passenger & truck tyres

Part No.	Qty
895423	40

Tyre Sealant & Instant Repair



- Permanent puncture protection for the life of the tyre for tubed & tubeless tyres.
- For caravans, trailers, forklift trucks, mowers, cycles, wheel chairs & tractors

Part No.	Qty	Size
895221	1	1 ltr

Wax Tyre Paste - Easi Lube



- Wax based bead lubricant for everyday use prior to fitting & de-mounting of tyres

Part No.	Qty	Size
895422	1	5 kg

Leak Detector



- Finds punctures

Part No.	Qty	Size
405207	1	1 ltr

Bead Sealer



- Seals tyre beads

Part No.	Qty	Size
405208	1	1 ltr

Buffer Spray



- Pre tyre repair cleaner.
- CFC free

Part No.	Qty	Size
405209	1	500 ml Aerosol

Valve Mounting Tool



- Screw-on

Part No.	Qty
405210	1

RG Tools Wheel Weight Plier - Heavy Duty

RGTOOLS



- Heavy duty multipurpose wheel weight plier.
- Designed for the safe installation & removal of wheel weights.
- Includes flat blade for removing wheel trims.
- Chrome vanadium steel. Phosphated finish, PVC grips.
- Overall length - 255mm

Part No.	Qty
RG10340	1

Wheel Weight Pliers



- Fits & removes wheel weights

Part No.	Qty
405216	1

Car Wheel Chocks



- Durable rubber

Part No.	Qty
405217	1 Pair

Valve Core Screwdriver



- Nickel plated.
- Plastic handle.
- To remove seized cores

Part No.	Qty
405211	5

Tyre Paste Brush



- Wooden handle

Part No.	Qty
405212	1

Tyre Patch Stitcher



- For 35 mm wheel

Part No.	Qty
405213	1

Rotary Mill Cutter



- 6 mm steel cutter

Part No.	Qty
405214	1

Golf Ball Buffing Stone



- 6 mm fixed shaft.
- Spherical rasp

Part No.	Qty
405215	1

Tyre Probe



Part No.	Qty
405185	1

Pre-Buff Cleaner



- Formulated to remove contaminants & silicone from the inner liner of the tyre prior to buffing.
- Contains no ozone depleting chemicals

Part No.	Qty	Size
405186	1	1 ltr

Mounting Lubricant Brush



Part No.	Qty
405188	1

Valve Repair Tool - 4-Way



Part No.	Qty
405199	1

Re-Grooving Blades



Part No.	Qty	Size
405244	20	W1 (3 - 4 x 7 mm)
405245	20	W3 (6 - 8 x 10 mm)

Tyre Lever Bar



Part No.	Qty	Size
405220	1	16”
405221	1	29”

Brake Pipe Corrosion Tool

- 3 scraping positions for removal of grime & debris enabling detection of deteriorating or corroded brake pipes.
- MOT compliant & VOSA approved.
- Suitable for service maintenance & pre-MOT inspection




Part No.	Qty
405222	1

Parts Cleaning Brush

- Double ended cleaning brush with solvent resistant bristles.
- Suitable for all types of water-soluble degreasing solvents.
- Excellent for applying cutting oils when drilling & machining



Part No.	Qty	Length
980142	1	300 mm



Standard Valves



Part No.	Qty	Size	Type
405309	25	40 mm	Short reach
405306	25	50 mm	Short reach
405307	10	65 mm	Long reach

Tyre Valve Extensions

- Brass with caps



Part No.	Qty	Length
405219	10	75 mm (3”)
405255	10	110 mm (4”)

Plastic Valve Caps



Part No.	Qty
405301	100

Tyre Valve Caps - Metal



Part No.	Qty
405252	25

Tyre Valve Cores



Part No.	Qty	Type
405302	25	Standard
405303	10	Long

Valve Extensions



Part No.	Qty	Type	Length
405305	10	Plastic	32 mm
405304	5	Metal	22 mm

Tubeless Tyre Valves - For Motorcycles



Part No.	Qty	Size
405189	100	33 mm

Snap-In Valve

- For light commercial vehicles



Part No.	Qty	Size
405190	1	44 mm

Clamp-In Valve

- For standard alloys



Part No.	Qty	Size
405191	1	42 mm

Bolt-In Valves



- For EVA safety hump rims

Part No.	Qty
405192	1
405193	1
405194	1

Valve Caps - High Pressure



- Hexagonal

Part No.	Qty
405195	100

Valve Extensions - Metal



Part No.	Qty	Length
405196	1	40 mm
405197	1	140 mm

Valve Extensions - Rubber



Part No.	Qty	Length
405181	1	140 mm
405182	1	180 mm
405183	1	210 mm

Flexible Valve Extension Holder



Part No.	Qty
405198	1

Plastic Valve Extension



Part No.	Qty	Length
405241	1	110 mm

Tyre Valves, Cores & Accessories



Extensions: Metal, Plastic.
Valve Cores: Short, Long.
Tubeless Valves:
Short (50 mm), Long (65 mm).
Valve Caps: Plastic, Key. Tyre Valve Tool

Part No.	Qty
105183	115

ADHESIVES AND SEALANTS
FIXT
See page 472

Balance Weights - Steel - Adhesive



Part No.	Qty	Weight
705010	10	60g

Balance Weights - Standard



Part No.	Qty	Weight
705020	50	5g
705021	50	10g
705022	50	15g
705023	50	20g
705024	50	25g
705025	50	30g
705026	50	35g
705027	50	40g
705028	25	45g
705029	25	50g

Wheel Weights - Steel Coated

- Coated for steel rims

Sizes: 5, 10, 15, 20, 25, 30, 35, 40, 45, 50 g



Part No.	Qty
105235	60

Coated Balance Weights - For Alloy Wheels



Part No.	Qty	Weight
705040	50	5g
705041	50	10g
705042	50	15g
705043	50	20g
705044	50	25g
705045	50	30g
705046	25	35g
705047	25	40g
705048	25	45g
705049	25	50g

Wheel Weights - Alloy Coated

- Coated for alloy wheels

Sizes: 5, 10, 15, 20, 25, 30, 35, 40 g



Part No.	Qty
105237	60

Wheel Nut Indicators - Yellow



Part No.	Qty	Size
405171	100	19 mm
405172	100	21 mm
405173	100	22 mm
405174	100	24 mm
405175	100	27 mm
405176	100	28 mm
405177	100	29 mm
405178	100	30 mm
405179	100	32 mm
405180	100	33 mm

Measuring Jugs



- Heavy duty polypropylene

Part No.	Qty	Size
895088	1	1.5 ltr
895089	1	5 ltr

Measuring Jugs - Clear



- Chemical resistant.
- Calibrated in ml

Part No.	Qty	Size
895072	1	0.5 ltr
895010	1	1 ltr
895011	1	2 ltr
895012	1	3 ltr
895013	1	5 ltr

Measuring Jugs - With Flexible Spout



- Heavy duty polypropylene

Part No.	Qty	Size
895067	1	1 ltr
895068	1	2 ltr
895069	1	3 ltr
895070	1	5 ltr (1 Gallon)

Trigger Spray Applicator



- Suitable for use with solvent based chemicals

Part No.	Qty	Size
895090	6	500 ml

Round Funnels - With Removable Flexible Spout



Part No.	Qty	Diameter
895086	1	150 mm (6”)
895087	1	230 mm (9”)

Round Funnel - With Offset Spout



Part No.	Qty	Diameter
895063	1	162 mm (6 1/2”)

Round Funnel - With Detachable Flexible Spout



Part No.	Qty	Diameter
895064	1	162 mm (6 1/2”)

Round Funnels



Part No.	Qty	Diameter
895057	3	100 mm (4”)
895061	3	150 mm (6”)

Round Funnel Set



Sizes: 50, 75, 100, 120 mm diameter

Part No.	Qty
895065	Set of 4

DRAIN PANS

Rectangular Funnel



- Complete with stainless steel filter

Part No.	Qty	Size
895062	1	300 mm (12”)

Drip Tray

Ideal for cars, van and trucks with an oil capacity of less than 10L, featuring built in handles on each side for ease of carrying and a corner outlet spout for a clean pour. The tray has an integrated canister stand with triple-channel outlets for fast, easy draining of canister oil filters. Manufactured from rugged polypropylene, a practical addition to the automotive workshop.



- Oil drip & drain tray with a capacity of 10L.
  Canister oil filter stand & drainage channels for faster, easier clean-up.
  Built in handles & corner discharge outlet spout.
  Manufactured from Polypropylene (PP) with stackable design.
  Size: 105 x 570 x 320mm.

Part No.	Qty	Size
895073	1	10 ltr

Chemical Resistant Drain Pan



- High-density polyethylene with UV stabiliser.
- Heavy-walled construction stays rigid, even with hot oil.
- Excess capacity helps prevent overflow

Part No.	Qty	Size
895019	1	17 ltr

Drain Pan - Multi-purpose



- High density polyethylene.
- Includes oil filter drainer shelf.
- Resistant to petrol, oil, diesel & solvents

Part No.	Qty	Size	Height	Diameter
895050	1	5 ltr	10 cm (4”)	33 cm (13”)
895075	1	8 ltr	10 cm (4”)	40 cm (16”)

Drain Pan - Chemical Resistant



- Stays rigid when used with hot engine oil

Part No.	Qty	Size
895020	1	14 ltr

Oil Can - Steel Body



- Steel pump.
- Supplied with flexible spout

Part No.	Qty	Size
895177	1	500 ml

Oil Can - Polythene Body



- Steel pump.
- Supplied with flexible metal spout

Part No.	Qty	Size
895071	1	500 ml

Grease Nipples - Metric Straight



Part No.	Qty	Size	Pitch
635164	50	6 mm	1 mm
635166	50	8 mm	1 mm
635184	50	8 mm	1.25 mm
635168	50	10 mm	1 mm
635204	50	10 mm	1.5 mm

Grease Nipples - Metric 45° Angled



Part No.	Qty	Size	Pitch
635165	50	6 mm	1 mm
635167	50	8 mm	1 mm
635182	50	8 mm	1.25 mm
635169	50	10 mm	1 mm
635205	50	10 mm	1.5 mm

Grease Nipples - Metric 90° Angled



Part No.	Qty	Size	Pitch
635181	25	6 mm	1 mm
635189	25	8 mm	1 mm
635183	25	8 mm	1.25 mm
635191	25	10 mm	1 mm
635185	25	10 mm	1.5 mm

Grease Nipples - Imperial Straight



Part No.	Qty	Size
635152	50	1/4" UNF
635155	50	5/16" UNF
635158	50	1/8" Gas / BSP
635161	25	1/4" Gas / BSP
635195	50	1/4" BSF
635197	50	5/16" BSF
635201	50	3/8" BSF

Grease Nipples - Imperial 45° Angled



Part No.	Qty	Size
635153	50	1/4" UNF
635156	50	5/16" UNF
635159	50	1/8" Gas / BSP
635162	25	1/4" Gas / BSP
635196	50	1/4" BSF
635198	50	5/16" BSF
635202	50	3/8" BSF

Grease Nipples - Imperial 90° Angled



Part No.	Qty	Size
635187	25	1/4" UNF
635186	25	1/8" Gas / BSP

Grease Nipples - Imperial Round & Hexagon Head Tap

- Suits G65420 & G65410



Part No.	Qty	Size
635160	50	1/8" Gas / BSP
635193	25	1/4" Gas / BSP
635163	50	3/8" BSF

Grease Coupler - Quick Release

- Max. Bursting pressure: 15,000 PSI/1034 bar.
- Working pressure: 10,000 PSI/690.
- Easy to use in narrow areas.
- Use for air, hand or battery powered grease guns/pumps



Part No.	Qty
635145	1

Grease Nipples - Long Straight



Part No.	Qty	Size
635154	50	1/4" UNF

Hexagon Extension Pieces



Part No.	Qty	Size	Length
635157	20	1/8" BSP / Gas	1 1/4"

Grease Nipples - Metric

- Angled & straight.
- Zinc plated

Sizes: M6 x 1 mm (straight, 45˚, 90˚). M8 x 1 (straight). M8 x 1.25 mm (straight, 45˚, 90˚). M10 x 1 (straight). M10 x 1.5 mm (90˚)



Part No.	Qty
105256	135

Grease Nipples - Imperial (UNF & BSP)

- Angled & straight.
- Zinc plated

BSP: 1/8" (hex, straight, 45˚, 90˚), 1/4" (straight). UNF: 1/4" (straight, long straight, 45˚, 90˚)



Part No.	Qty
105255	121

Hydraulic Connectors - 4-Jaw



Part No.	Qty	Type
635173	5	Standard
635179	5	Heavy Duty

Hook-On Connectors



Part No.	Qty	Thread
635174	3	1/8" BSP / Gas

Swivel Connectors - Slide-On



Part No.	Qty	Thread
635175	2	1/8" BSP / Gas

Flexible Rubber Hoses - Standard

- 400 bar working pressure.
- 900 bar burst pressure



Part No.	Qty	Length	Thread
635171	3	300 mm (12")	1/8" BSP / Gas
635172	3	450 mm (18")	1/8" BSP / Gas

Flexible Rubber Hoses - Swivel End

- 400 bar working pressure.
- 900 bar burst pressure



Part No.	Qty	Length	Thread
635177	2	300 mm (12")	1/8" BSP / Gas
635178	2	450 mm (18")	1/8" BSP / Gas

Flexible Rubber Hoses - Snap-On

- With 4-jaw hydraulic connector.
- 400 bar working pressure.
- 900 bar burst pressure



Part No.	Qty	Length
635176	2	300 mm (12")

Grease Gun - Air Driven

- Rigid stem four jaw connector.
- Bulk fill or cartridge.
- 120 psi, max 6 Bar



Part No.	Qty
635200	1

Lever Grease Gun

- Side lever.
- Takes cartridges or bulk grease



Part No.	Qty
635180	1

Lever Grease Gun - Heavy Duty

- With rigid tube & four-jaw connector.
- Takes cartridges (400cc) or bulk grease (500cc)



Part No.	Qty
635170	1

Grease Gun - Twin Handled

- Dispenses 400g & 500g screw threaded or standard grease cartridges



Part No.	Qty
635276	1

Grease Gun - Vacuum Side Lever



- Takes 400g standard and screw thread cartridges

Part No.	Qty
635270	1

Grease Gun - Vacuum Pistol Grip



- Takes 400g standard and screw thread cartridges

Part No.	
635272	1

Copper Grease Compound

FIXT

- Premium quality grease designed specifically for use on moving metal parts for protection against heat, seizure, corrosion, water & acid.
- Once applied, product applies a protective film that will not burn or wash off



Part No.	Qty	Size
FX081155	1	500g Tin
FX081156	6	500g Tins

CV Joint Grease

FIXT

- Designed for use in modern constant velocity joints found on trucks, vans, & cars.
- The solid additives adhere to metal surfaces where required under pressure, to provide a long life lubricant film



Part No.	Qty	Size
FX081157	6	500g Tins

Lithium Grease

FIXT

- Premium quality Lithium based EP2 grease for use in all anti-friction & plain bearings subjected to high load conditions



Part No.	Qty	Size
FX081160	6	500g Tins

Lithium Grease Cartridge

FIXT

- Designed for use in modern constant velocity joints found on trucks, vans & cars.
- The solid additives adhere to metal surfaces where required under pressure, to provide a long life lubricant film



Part No.	Qty	Size
FX081158	12	400g Cartridges
FX081159	3	400g Cartridges

Red Rubber Grease

- Ideal for use on hydraulic systems, especially braking systems



Part No.	Qty	Size
865124	1	400 ml

Piston Oil Pump



- Piston gear & lube oil pump.
- For most 20 & 25 litre drums.
- Complete with DIN 61 drum adaptor, 1.7 m hose & shut-off nozzle

Part No.	Qty
635255	1

Grease Pump - High Pressure



- For mounting directly onto original grease kegs.
- Equipped with cover, pump adapter, follower disc, handle & 1.5 m hose connector tube with 4-jaw hydraulic connector.
- 2 cc delivery per stroke

Part No.	Qty
635251	1 Set

Rotary Barrel Pump



- Cast iron pump.
- Dispenses higher volumes than standard lever pumps.
- Delivers 250 cc/rev

Part No.	Qty
635259	1

ADBLUE Hose



- Polyester braid reinforcement.
- Temperature Range: -20c - 70c

Part No.	Qty	Length
605170	1	10 m

Drum Pump - Lever Action



- Transfers all types of light lubricants & other non corrosive fluids.
- For 50 to 205 litre drums.
- Steel pump body, delivery spout & telescopic suction tube.
- 0.45 litre delivery per stroke.
- M2"G drum connection

Part No.	Qty
635252	2 Piece Set

ADBLUE Barrel Lever Pump - Manual



- 2" BSP.
- Suits 205l barrel.
- 70cm Length

Part No.	Qty
635281	1

ADBLUE Gravity Hose Kit



- Self assembly

Part No.	Qty
635285	1

ADBLUE Delivery Nozzle - Plastic



- 19 mm Spout.
- 3/4" BSP

Part No.	Qty
635283	1

Oil Suction Gun



- Galvanized zinc end caps.
- 350 mm flexible hose

Part No.	Qty
635190	1

Barrel Tap



Part No.	Qty	Thread
895225	1	3/4"

TRUMEX Barrel Tap



- Lockable

Part No.	Qty	Thread
895226	1	3/4" BSP

Aeroflo Tap



- Suitable for most 20 litre drums.
- Self-venting for fast, smooth flow

Part No.	Qty	Thread
895025	1	61 mm


Barrel Tap - 205 Litre Drums



- For use with 205 litre barrels

Part No.	Qty	Thread
895463	1	2" BSP

Barrel Adaptor



- Polypropylene.
- Converts 2" BSP threads to 2" Male Trisure threads

Part No.	Qty
895680	1

INCREDIBLE RANGE OF ASSORTMENT BOXES


Electrical, Washers, 'O' Rings, Screws & Fixings, Hardware and Tyre Care to mention a few.





TAILORED FOR YOUR NEEDS

In addition to our standard assortment boxes we have a range of Mini and Maxi boxes to ensure you have the right product to hand.






TYRE CARE





TYRE CARE

Balance Weights	306
Tyre Valves & Inflation	308
Caps, Cores & Valve Tools	312
Bead Breakers	314
Bead Seaters	318
Tyre Levers	319
Regrooving	320
Chemical Products	321
Repair & Sealing Materials	326
Temporary Repair	323
Tyre Fillers	326
Retreading	337
TPMS	338
Wheel Safety	341



Uncoated Steel Balance Weight - For Steel Rims



Part No.	Qty	Weight
5655106	100	5 g
5655113	100	10 g
5655120	100	15 g
5655137	100	20 g
5655144	100	25 g
5655151	100	30 g
5655168	50	35 g
5655175	50	40 g


Uncoated Zinc Balance Weight - For Alloy Rims



Part No.	Qty	Weight
5655209	100	5 g
5655216	100	10 g
5655223	100	15 g
5655230	100	20 g
5655247	100	25 g
5655254	100	30 g
5655278	50	35 g
5655285	50	40 g

Adhesive Balance Weight Roll - Steel Roll

- Self Adhesive Wheel Balance Weights 6Kg Dispenser Roll.
- Lead Free.
- 1200w x 5 gram sections.
- Saves time, money & wastage.



Part No.	Qty	Segments
5656158	1	1200 x 5g

Premium Uncoated Zinc Balance Weight - For Steel Rims



Part No.	Qty	Weight
5657438	100	5 g
5657445	100	10 g
5657452	100	15 g
5657459	100	20 g
5657466	100	25 g
5657473	100	30 g
5657480	50	35 g
5657487	50	40 g
5657494	50	45 g
5657501	50	50 g

Adhesive Balance Weight - Steel



- Steel.
- 4x5g + 4x10g Segments

Part No.	Qty	Size	Weight	Colour
5656050	100	19 x 4 mm	60 g	Chrome
5656095	100	19 x 4 mm	60 g	Grey
5656102	50	15 x 4.8 mm	60 g	Black
5656151	50	15 x 4.8 mm	60 g	Chrome
5656200	100		60 g	Black
5656207	50		60 g	Black

Adhesive Balance Weight - Zinc



- PREMIUM-LINE.
- Zinc.
- Size W x H: 15 x 6.1 mm.
- Temperature range: -40 to +250 °C



Part No.	Qty	Weight	Segments
5657921	100	45g	3x5g + 3x10g

Adhesive Lead Balance Weights - For Motorcycles

- The perfect all rounder in the field of adhesive weights for motorcycles.
- Equipped with speed liner adhesive tape.



- Temperature range: -40 to +250 °C.
- Size W x H: 11 x 6.2 mm.

Part No.	Qty	Weight	Segments
7052587	25	50g	7x5g + 6x2.5g

Adhesive Balance Weight - Aluminium Rims

- Type 706.
- 40 grams adhesive weight, made up of 8 x 5 grams segments.



- Total height including adhesive tape: 4,8 mm.
- Width: 10 mm.

Part No.	Qty	Weight	Colour
5656186	50	40g	Black

Balance Weight Pliers



- For mounting, removing and relocating balance weights on the rim.
- For expanding and compressing of clips

Part No.	Qty	Length
7502903	1	10”

Coated Zinc Balance Weight - For Alloy Rims - Premium



Part No.	Qty	Weight
5657515	100	5 g
5657522	100	10 g
5657529	100	15 g
5657536	100	20 g
5657543	100	25 g
5657550	100	30 g
5657557	50	35 g
5657564	50	40 g
5657571	50	45 g
5657578	50	50 g

Balance Weight Removal Tool

- For easy removal of Adhesive weights without damage to the rim



Part No.	Qty
5654468	1

FULL EV TOOLS & CONSUMABLES ON PAGES 146 - 169
OR SCAN THE QR CODE TO VIEW OUR EV CONSUMABLES & TOOLS BROCHURE!



Snap-In Motorcycle Valve



- Snap-In valves for passenger cars/motorbikes.
- ETRTO no: V2-03-6.
- TR no: 412

Part No.	Qty	Rim hole	Pressure	Length
2126442	10	11.3 mm	Max. 4.5 Bar	33 mm

Snap-In Motorcycle Valve - Angled



Part No.	Qty	Rim Hole	Pressure	Length	Bend Angle
5622713	10	11.5 mm	Max. 4.5 Bar	33 mm	90°

Clamp-In Motorcycle Valve - Angled



All motorcycle valves have a sealed cap and a special valve core

That makes them reliable and safe

Note: Always use a valve core with increased opening pressure for replacement.

Part No.	Qty	Rim Hole	Pressure	Bend Angle	Colour
5629820	5	8.3 mm	Max.14 Bar	90°	Black
5629834	5	11.3 mm	Max.14 Bar	90°	Black



Snap-in valve



- Snap-In valves for passenger cars.
- Rim Hole: 11.3 mm.
- Pressure: Max.
- 4.5 bar

Part No.	Qty	ETRTO No.	TR no.	Length	Rim Thickness
2122413	100	V2.03.1	413	43 mm	1,8 - 4 mm
2122414	100	V2.03.2	414	49 mm	1,8 - 4 mm
2122396	100	V2.03.4	418	61.5 mm	1,8 - 4 mm

Valve Van Snap-In Transit HP AV

Valves for difficult applications and high standards

Utilization: commercial vehicle, mobile homes.

- Length: 43 mm



Part No.	Qty	TR No.	Rim Hole	Pressure
2122464	10	600	11.3 mm	Max.7 Bar

Valve Van Snap-In Transit HP AV

Valves for difficult applications and high standards

Utilization: commercial vehicle, mobile homes

- Length: 43 mm



Part No.	Qty	TR No.	Rim Hole	Pressure
2126655	10	600	11.5 mm	Max.5.5 Bar

Valve van snap-in Transit HP AV

Valves for difficult applications and high standards

Utilization: commercial vehicle, mobile homes

- Length: 43 mm



Part No.	Qty	TR No.	Rim Hole	Pressure
2126421	10	600	11.5 mm	Max.5.5 Bar

Clamp-In Truck Valve



- Length: 90 mm.
- Installation torque 13 - 15 Nm

Part No.	Qty	ETRTO No.	Rim Hole	Pressure
2126449	10	V3-20-3	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - 27° Angle



- Length: 90 mm.
- Bend angle: 27°.
- Installation torque 13 - 15 Nm

Part No.	Qty	ETRTO No.	Rim Hole	Pressure
2126456	10	V3-20-4	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - 42MA AV



Clamp-in truck valve 42MS AV

Part No.	Qty	Rim Hole	Pressure
2126494	10	11.3 mm	Max. 14 Bar

Clamp-In Truck Valve - 45° Angle - Safety Hump



- Length: 28 mm.
- Bend angle: 45°.
- Installation torque 13 - 15 Nm

Part No.	Qty	ETRTO No.	Rim Hole	Pressure
2126606	10	V3-22-1	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - 42MS AV



- Length: 36 mm.
- Rim Hole: 9.7 mm.
- Installation torque 13 - 15 Nm

Part No.	Qty	ETRTO No.	TR No.	Pressure
2126753	10	V3-20-1	964	Max. 14 Bar

Clamp-In Truck Valve - 42MS AV - Angled



- Length: 42 mm.
- Bend angle: 90°.
- Installation torque 4 - 6 Nm.
- Rim thickness: 6,0 - 9,0

Part No.	Qty	ETRTO No.	TR No.	Rim Hole	Pressure
2126620	10	V3.21.9	570 C	15.7 mm	14 Bar

Clamp-In Truck Valve - 70MS AV



- Length: 70 mm.
- Bend angle: 27°.
- Installation torque 13-15 Nm.
- Rim thickness: 3,0 - 6,0

Part No.	Qty	ETRTO No.	TR No.	Rim Hole	Pressure
2126760	10	V3-20-5	1486	9.7 mm	14 Bar

Clamp-In Truck Valve - 40MSF



- Offers straight and single, double and triple bent commercial vehicle valves in high-quality brass.
- Nickel-plated versions must be used for aluminium rims.
- Installation torque 25 - 31 Nm.
- Rim valve Pressure: 14 bar.
- Tube valve Pressure: 10.5 bar

Part No.	Qty	ETRTO No.	Rim Hole	Length
5626609	5	V3.12.1	16 mm	40 mm

Clamp-In Truck Valve - 32MS AV



- TR no. 575.
- Length: 32 mm.
- Installation torque 4 - 6 Nm

Part No.	Qty	ETRTO No.	Rim Hole	Pressure
2126781	5	V3.21.1	15.7 mm	Max. 14 Bar

Clamp-In Truck Valve - Alcoa MS70-7



Truck and bus tubeless tyre valves Nickel plated valves for light alloy rims New version replacing valve 1340

- Length: 70 mm.
- Bend angle: 7°.
- Installation torque 9 - 14 Nm

Part No.	Qty	Rim Hole	Pressure
5622707	5	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - Alcoa - Short



- Length: 38mm.
- Installation torque 9 - 14 Nm

Part No.	Qty	Rim Hole	Pressure
5622651	5	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - Alcoa - Angled



- Length: 70 mm.
- Bend angle: 153°.
- Installation torque 9 - 14 Nm

Part No.	Qty	ETRTO No.	Rim Hole	Pressure
2126315	5	V3.20.5	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - Alcoa 60MS-00



- Length: 60 mm.
- Installation torque 9 - 14 Nm

Part No.	Qty	Rim Hole	Pressure
5629848	5	9.7 mm	Max.14 Bar

Clamp-In Truck Valve - Alcoa 40MS



- Installation torque 9 - 14 Nm

Part No.	Qty	Rim Hole	Pressure
5629855	5	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - Alcoa 54MS-00



- Length: 54 mm.
- Installation torque 9 - 14 Nm

Part No.	Qty	Rim Hole	Pressure
5622803	5	9.7 mm	Max. 14 Bar

Clamp-In Truck Valve - Alcoa TR542



TR542 Nickel Plated Commercial Vehicle Valve

- Length: 32 mm.
- Installation torque 9 - 14 Nm

Part No.	Qty	Rim Hole	Pressure
5629806	5	9.7 mm	Max. 14 Bar

Motorcycle Valve Extension - 90°

- Rigid extensions Bent metal type.
- Bend angle: 90°



Part No.	Qty	Michelin No.	Installation Torque
5624292	5	1197	0.3÷0.5 Nm

Valve extension motorcycle

- Rigid extensions Bent metal type.
- Bend angle: 45°



Part No.	Qty	Installation Torque
5624299	5	0.3÷0.5 Nm

Truck Valve Extension - Rigid, Metal



Part No.	Qty	Length
2126543	5	112 mm
2126536	5	126 mm

Truck Valve Extension - Rigid, Brass

Rigid extensions
Straight metal type



Part No.	Qty	Length	Installation Torque
5624003	5	160 mm	0.4÷0.7 Nm

Truck Valve Extension - Flexible



Part No.	Qty	Length
2126564	5	105 mm
2126571	5	140 mm
2126578	5	180 mm
2126585	5	210 mm

Flexible Valve Extension - Rubber Hose



- Valve extension.
- Flexible valve extension with straight connection piece.
- When attaching the valve extension, make sure that the rim hole is free from sharp edges to avoid damaging the valve extension while driving.

Part No.	Qty	Length
5624340	5	180 mm

Flexible Valve Extension - Steel Braided Rubber Hose



- Valve extension.
- Flexible valve extension with straight connection piece.
- When attaching the valve extension, make sure that the rim hole is free from sharp edges to avoid damaging the valve extension while driving.

Part No.	Qty	Length
5624412	5	150 mm

Truck Valve Extension - PVC



- Valve extension.
- Rigid valve extension made of plastic with support tube, valve cap without seal

Part No.	Qty	Length
5624553	10	70 mm
5624560	10	115 mm
5624577	10	150 mm
5624584	10	170 mm

Double seal valve caps

The V2B valve cap does not have to be unscrewed to check and adjust air pressure

Seal concept: The integrated check valve with two high-temperature seals prevents pressure loss even when the valve core is damaged or dirty

The end surface is completely sealed and insensitive to dirt and water



Part No.	Qty
5624151	100

High Pressure Metal Valve Caps



Part No.	Qty	Colour
5636242	100	Nickel
5635054	100	Blue
5636249	100	Yellow

Metal Valve Cap



- Chrome colour

Part No.	Qty	Material
2126477	100	Brass (Nickel plated)

Valve cap car plastic



Part No.	Qty	Colour
2126484	100	Black
5620313	100	Green

Valve Cores - Car & Truck



- Chrome colour

Part No.	Qty	TR No.	Operating Pressure
2126470	100	C1	3 bar ± 25%
5620045	100	C1	3 bar ± 25%

Double Sided Valve Core Screwdriver



- Plastic grip, nickel-plated metal parts.
- Car, truck and EM

Part No.	Qty
5628102	10

Single Valve Core Screwdriver



- Plastic grip, nickel-plated metal parts

Part No.	Qty
5628116	10

Valve mounting tool, alloy plastic handle



- Lever Puller Plastic lever

Part No.	Qty
5628322	1

Valve fishing tool (Euro)



- Designed to assist valve hole location when fitting tubes

Part No.	Qty
5628346	1


Valve repair tool, 3-piece



- 3 Piece valve repair tool.
- For the repair of damaged valve threads.
- Core removal tool.
- External thread VG8.
- Internal thread VG5

Part No.	Qty
5628054	10





BEAD BREAKERS

A bead breaker is a tool used for seperating tyres from rims, which are available in hydraulic and manual versions. The inner-most diameter of the tyre that interfaces with a wheel is called the tyre bead. The tyre bead is a thicker section of rubber. and is reinforced with braided steel cable called the bead bundle.

Combi Tyre Bead Breaker Kit 12020

Bead Breaker:

- Most popular tool for breaking beads on all agricultural wheels.
- Used on construction wheels up to 25".
- Tool clamps hydraulically to the wheel and then breaks bead with 11 tons of force.
- 3.75" (9.5 cm) stroke length.
- Used with 10,000psi (700 bar) air/hydraulic pump

Hydraulic Hose:

- 10,000 psi (700 bar) working pressure hydraulic hose.
- Equipped with 3/8" NPT ends, including one swivel end.
- Meets IJ100 Jack Hose specification.
- Each hose is tagged with laminated 'Do Not Remove' tags for OSHA compliance.
- Hose Lengths: 8'.
- Hi Flow Male.

Hydraulic Pump:

- Builds 10,000 PSI of pressure to fit the majority of tools on the market.
- Operates on 80-120 PSI of inlet air pressure.
- (Standard on most compressors and shop air).
- Durable Metal Air Motor Assemblies.
- Designed specific for conditions normally associated with OTR sites.
- Oil Capacity: 5 Quarts (4.7 Liters).
- Reservoir Type: Steel



Part No.	Qty	For Use With	Max Pressure	Breaking Force
5191705	1	Agricultural Wheels	700 Bar	11T

Bead breaker - Modified Combi 11020

- This is the tool operators are most familiar with.
- Most parts interchange with common bead breakers in the market.
- Least expensive bead breaker for new 3 piece wheels.
- Larger clamp and feet allow tool to easily clamp onto wheels.
- Compact design allows the tool to be used on the front or back side of wheel.
- Weight 38 lbs (17 kg)



Part No.	Qty	For Use With	Max Pressure	Breaking Force
5191777	1	Agricultural Wheels	700 Bar	11T

Bead breaker - Hydraulic Combi 11010



- Most popular tool for breaking beads on all agricultural wheels.
- Used on construction wheels up to 25".
- Tool clamps hydraulically to the wheel and then breaks bead with 11 tons of force.
- 3.75" (9.5 cm) stroke length.
- Weight 34 lbs (15.5 kg)

Part No.	Qty	Max Pressure	Breaking Force
5191712	1	700 Bar	11T

Pneumatic bead breaker - GTABB-01



- TABB-01 Gaither's Pneumatic Bead Breaker with is designed to be used on agricultural, ATV, small OTR and most truck tyres.
- The tool includes a blow case for storage and requires a minimum of 85 psi / 6 bar.
- Recommended for Agricultural, small OTR, and most truck tyres.
- Extremely Fast – saves time over conventional hydraulic bead breakers.
- Lighter weight than conventional bead breakers – only 17 lbs.
- Includes blow case for storage.
- Requires a minimum of 85psi

Part No.	Qty
5193926	1

Bead breaker TITAN - 11015



- Ideal for tyre dealers who requires occasional use of bead breaker.
- 10 ton cylinder has enough force to break most beads.
- 4" (10 cm) stroke length.
- Unit will break all single and 2 piece and most 3 piece wheels.
- Weight 34 lbs (15.5 kg)

Part No.	Qty
5191952	1

Bead Breaker Aluminium Diamondback - 11076



- Lightweight Aluminium reduces weight by 40%.
- Longer feet allow better fit onto wheel/rim.
- Feet fully engage rim flange and push against the bead of the tyre.
- Comes with protective carrying case.
- Weight 31 lbs (14kg)

Part No.	Qty
5191938	1

Air-Hydraulic Bead Breaker

- This heavy-duty self-retracting bead breaker works on all single, two and three-piece, 2-5-10 hole budd wheels, 7.50x16s, and all tubeless truck tyres/rims, including new designs.
- The unit comes with 3 different claws which ensures a perfect installation.
- The bead is broken using 5 Tons of force with a working range of up to 130mm



Part No.	Qty
5191847	1

Mini-lem bead breaker

- The MINI-LEM can be used on the inner and outer beads of all types of tyres up to 24": trucks, combine harvesters and tractors up to 150 HP.
- Max Operating Pressure: 700 bar.
- 1Adjustable claw.
- Dimensions: 50x11x32 cm.
- Clamping power: 2120 to 4950 kg



Part No.	Qty	Breaking Force
5191819	1	2830 kg

Bead breaker GIANT EM/OTR 11000

- Most popular tool for breaking beads on earthmover tyres, sizes 25"-51".
- Works only on 5 piece wheels with bead loosening pockets.
- 4 ¼" (10.8 cm) stroke ram.
- Use with any 10,000 psi (700 bar) air/hydraulic pump.
- Weight: 33lbs (14.5kg)



Part No.	Qty	Maximum Pressure
5191763	1	700 Bar

Hydraulic hose 16040

- 10,000 psi (700 bar) working pressure hydraulic hose.
- Equipped with 3/8" NPT ends, including one swivel end.
- Meets IJ100 Jack Hose specification.
- Each hose is tagged with laminated 'Do Not Remove' tags for OSHA compliance



Part No.	Qty
5191726	1

Hydraulic Foot Pump - 15920

- Builds 10,000 PSI of pressure to fit the majority of tools on the market.
- Operates on 80-120 PSI of inlet air pressure (standard on most compressors and shop air).
- Durable metal air motor assemblies.
- Reinforced heavy duty reservoir for application in tough environments.
- Designed specific to conditions normally associated with OTR sites.
- Oil capacity: 5 quarts (4.7 litres)



Part No.	Qty	Weight	Operating Pressure
5191719	1	10.4 kg	700 Bar


Pump foot hydraulic

- High strength reinforced alloy reservoir is lightweight and corrosion resistant.
- Pressure relief valve for overload protection.
- Suggested air pressure range: 110-175 psi.
- / 7.5-12 bar.
- Dust cover protection for the release control valve.
- Maximum working pressure: 10,000 psi / 700 bar



Part No.	Qty	Operating Pressure
5191529	1	700 Bar

Bead Breaker EVA/EVH



- This tool has been developed specifically to displace the tyre bead on EVA, EVH, Actros and other commercial vehicle wheels which have an internal rib.
- However it may also be used to displace the tyres on all commercial wheels to which it may be correctly fitted by experienced or properly trained tyre fitters.
- The EVA Bead Breaker can be used with an air wrench or hand spanner to give over five tons of force.
- Even the toughest tyre can be displaced quickly and easily

Part No.	Qty
5184715	1

Commercial bead knocker



- Double handled bead breaker with heavy duty, strengthened construction for a longer life.
- Overall length closed: 38" open: 62".

Part No.	Qty
3111037	1

Hand bead breaker BBO



- Chisel type bead breaker with plastic grip handle.

Part No.	Qty	Length
3111147	1	20"
3111288	1	10"

Tyre removing tool



- For breaking the adhesion between truck tyres and wheel rims.
- Weight: 2 kg

Part No.	Qty	Length
5950698	1	300 mm



Bead wedge



- The bead wedge is profiled from high grade steel and is designed to assist in the removal of a tyre from the rim.
- It is placed on the bead of the rim whilst using the tyre levers to work around the rim removing the tyre.
- The wedge prevents the tyre from slipping back onto the rim in the process.

Part No.	Qty
8759346	1

Lubricant super slick EM



- Gaither's Super Slick'em® should be applied to all tyres before being mounted or before deflation if being dismounted.
- Super Slick'em® is a special non-water based lubricant that penetrates and aids in breaking the tyre bead from the wheel by eating away rust and grease.
- Because it does not contain water, Super Slick'em® will not freeze or cause rust to form.

Part No.	Qty	Size
5184708	1	3.8 Litres

Pump ring 22,5"



- REMA TIP TOP pump rings allow all common sizes of tubeless car and truck tyres to be inflated safely and quickly.
- They are especially useful for tyres which have been deformed during storage

Part No.	Qty	Size
5193778	1	22.5"

Truck Tyre filler



- Correct bead seating is no longer a problem by means of the contact free air blast between tyre and rim.
- The truck tyre filler can be used to inflate tyres in both a horizontal and upright positions.
- Lightweight

Part No.	Qty	Capacity
5193947	1	18.92 Litre

Bead seater (bazooka)



- The legendary BEAD BAZOOKA® is back and here to stay.
- The most powerful tyre bead seating tool in the world, with its incredibly convenient trigger release, makes seating the bead on even the most stubborn tyre effortless.
- Lighter, faster, and more powerful than any other bead seater on the market, the BEAD BAZOOKA® is a must for anyone serious about tyre service.

Part No.	Qty	Capacity
5193919	1	6 Litre
5193933	1	9 Litre

Bead Seater (Bazooka) 38L



- Correct bead seating is no longer a problem by means of the contact free air blast between tyre and rim.
- The truck tyre filler can be used to inflate tyres in both a horizontal and upright positions.
- Lightweight

Part No.	Qty	Description	Capacity
5193954	1	Bead seater (Bazooka)	38 Litre
5193675	1	Truck tyre filler gauge	
5193651	1	Truck tyre filler valve small	

Tyre Lever Chrome-V



- Type 1.
- Double T-profile for high stability.
- Chrome-vanadium steel

Part No.	Qty	Length
8400451	1	600 mm
8400444	1	500 mm

Tyre lever Ken-Tool 45A



Part No.	Qty	Length
8702348	1	37”

Tyre lever HALTI



Part No.	Qty	Length
8702898	1	800 mm

Tyre lever FORCE



Part No.	Qty	Length
5199026	1	750 mm

Tyre lever FACE



Part No.	Qty	Length
8702960	1	530 mm

Tyre lever TTL55



Part No.	Qty	Length
8702290	1	15.25”

Tyre lever TTL1



Part No.	Qty	Length
8702300	1	34”

Tyre lever TTL5



Part No.	Qty	Length
8702795	1	37”

Tyre lever TTL40



Part No.	Qty	Length
8702207	1	19.5”

Tyre lever TTL6



Part No.	Qty	Length
8702283	1	39”



REGROOVING TOOLS

Regrooving effectively regenerates the tread depth and pattern of a tyre, while reducing costs. The short time it takes can equal many months of extra service on the road. With the REMA TIP TOP RUBBER CUT 414 and the compatible accessories kit, you are perfectly equipped to carry out professional regrooving services

Rubbercut Regroover RC414

- Ergonomic design for fatigue-proof regrooving.
- 4-step temperature switch on main transformer with MIN/MAX-selector allows 8 heating levels for different cutting speeds.
- Automatic overheating cutout according to DIN 30600.
- Insulated cutting head.
- Greater freedom of movement and easy guiding due to separation of handle and transformer.
- Cutting width with FIX regrooving blades 3 - 28 mm.
- Prepared for wall mounting.
- GS-tested, meets recognized safety standards.
- Power/connection: 230V / 3300W



Part No.	Qty	Weight
5641220	1	3.8 kg

Rubbercut - Regroover Fix Blades

- Improved cutting performance and materials.
- Long service life.
- R Fix = round blade.
- W Fix = angle blade



Part No.	Qty	Type	Cutting Width	Cutting Depth
5642803	20	R1 Round	3 - 4 mm	max.7 mm
5642810	20	R2 Round	5 - 6 mm	max.8 mm
5642827	20	R3 Round	6 - 8 mm	max.10 mm
5642834	20	R4 Round	9 - 10 mm	max.14 mm
5642858	20	W1 Angle	3 - 4 mm	max.7 mm
5642865	20	W2 Angle	5 - 6 mm	max.8 mm
5642872	20	W3 Angle	6 - 8 mm	max.10 mm
5642889	20	W4 Angle	9 - 10 mm	max.14 mm
5642896	20	W5 Angle	10 - 14 mm	max.16 mm
5642906	10	W6 Angle	22 - 28 mm	max.16 mm

Rubbercut blade holder set



Part No.	Qty
5640820	1

REMAXX MONT 2000



- For all standard mounting applications to car and truck tyres.
- Cost-effective for big order quantities

Part No.	Qty	Size
5931851	1	5 kg Bucket

Bead paste



- Tip Top Black Bead Paste may be used for mounting and demounting all types and sizes of tyres.
- Due to its colour, it leaves no visible residue on the tyre after mounting.

Part No.	Qty	Size	Colour
5930546	1	5 kg Bucket	White
5930044	1	5 kg Bucket	Black

REMAXX UNIVERSAL



- Approved by MERCEDES-BENZ (trucks) and PORSCHE.
- For fast, gentle and easy fitting and demounting of all standard tyre/rim combinations.
- Non-spattering.
- Chemically neutral with respect to rubber and metal.
- Excellent lubrication for mounting and demounting operations = fewer injuries.
- Promotes adhesion between rim and tyre, 593 0632 prevents tyre slippage

Part No.	Qty	Size	Colour
5930632	1	5 kg Bucket	White
5931765	1	5 kg Bucket	Black

Tyre Compound



- Can be used as a “flexible pump ring” for all tyre mounting operations.
- Stiff paste with stable viscosity to seal the gap between tyre bead and rim edge

Part No.	Qty	Size
5966081	1	10 kg Bucket

REMAXX TRUCK



- Developed for long sliding distances with high friction between tyres and rims, extreme mounting conditions etc.
- New, effective sliding coat.
- Makes tyre mounting/ demounting easier, thus reducing wear to the equipment.
- Chemically neutral to rubber, steel and aluminium.
- Economic usage Caution: Due to the high sliding effect, not to be used for car or motorcycle tyres, tractor driving wheels, industrial or EM tyres with hose!

Part No.	Qty	Size
5930515	1	5 kg Bucket



REMAXXX CREAM-WAX



- Higher viscosity combining the properties of a paste and a cream.
- Application to the side wall of SE tyres ensures the turn-up effect

Part No.	Qty	Size
5930508	1	5 kg Bucket

REMAXX CREAM WAX-EM



- Wax earth remover.
- Mounting cream for large EM tyres.
- Cream-type viscosity allows quick application to large areas

Part No.	Qty	Size
5930539	1	5 kg Bucket

Bead Grease



Part No.	Qty	Description	
5966187	1	Mounting bead grease EM	16 kg
5966201	1	Tyre Grease HD	5 kg

REMAXX WAX-H



- For all standard mounting applications on two-wheel vehicle and car tyres.
- Becomes transparent when dry

Part No.	Qty	Description	Size
5930553	1	REMAXX WAX-H HQ	5 kg
5930798	1	Bead Wax	5 kg

Liquid bead lubricant



- Formulated for the easy mounting of all tyre types.
- Dilutable.

Part No.	Qty	Size
5930663	1	5 Litre
5930670	1	25 Litre

REMAXX Demounting-Fluid



- Demounting-Fluid with excellent flow properties for demounting tyres which are stuck on their rims.
- Demounted tyre stays completely serviceable.
- REMA TIP TOP Demounting-Fluid does not attack the rubber structure of the beads.
- Free from mineral oil.
- Extremely economical

Part No.	Qty	Size
5935541	1	5 litre can

Mounting Paste Brush



- The thickness of the brush and the hardness of the bristles have a determining influence on the quality and economy of the coat of cement in the skive, on the inner liner and on the patch

Part No.	Qty	Type
5930625	1	Car
5930618	1	Truck

SVS-VULC



- Free of CHC/aromatic compounds.
- For the vulcanisation of tube patches, valve patches, fabric-reinforced valve patches and rubber base valves (hot vulcanisation)

Part No.	Qty	Size
5059056	1	10 g Tube
5059197	1	175g can w/ brush top

CEMENT FD-BL



• This accelerator solution dries twice as fast as CEMENT SC-BL

• Especially suitable for fast and smaller repairs such as to tread-area punctures and for one-step repairs with REMA TIP TOP RAD, PN and UP repair patches

• Can be used for self-vulcanisation from 18 °C (65 °F) through to hot vulcanization at 150 °C (300 °F)

• Transparent and easy to distinguish from the blue CEMENT SC-BL if used in the same way

Part No.	Qty	Size
5159570	1	175 g



CEMENT SC-BL



- Accelerator solution for the application of REMA TIP TOP RAD, PN and UP repair patches, MINICOMBI, REMA STEM, SVbonding rubber, SEALASTIC, VULC COMPOUND.
- SPECIAL CEMENT BL can be used for self-vulcanisation starting from 18 °C (65 °F) through to hot vulcanisation up to 150 °C (300 °F)

Part No.	Qty	Size
5159341	1	40 Tin
5159334	1	30 g Tube
5159365	1	200 g Tin

INNERLINER SEALER - Brush Top Can



- Free of CHC/aromatic compounds.
- Sealing porous innerliners and edges of repair areas.
- Coating excessively buffed repair areas on the tyre inside

Part No.	Qty	Size
5159028	1	175 g Tin

Solvent Liquid Buffer



- Free of CFC and aromatic compounds.
- For quick and easy cleaning and buffing of tubes.
- For chemical cleaning before mechanical buffing

Part No.	Qty	Size
5059692	1	500 ml Spray
5059702	1	1000 ml Can

Bead Sealer



Part No.	Qty	Description	Size
5930735	1	Bead sealer heavy duty	945 ml
5930687	1	Bead sealer	1 Litre

Rim Sealants



- Creates an airtight seal on both alloy wheels and corroded steel rims.

Part No.	Qty	Size	Colour
5966077	1	5 kg	White
5966180	1	5 kg	Black

Tyre paint new look+



- Can be painted or sprayed onto retreaded tyres to give the appearance of a new tyre.
- Water-based.
- Dries quickly.
- High solids content for excellent coverage - will not wash off in the rain.
- Use less paint for coverage - get more tyres painted per gallon.
- Freeze-thaw stable.
- Offers a matte finish identical to a new tyre.
- Not streaky or blotchy in appearance.
- One 5 gallon pail paints roughly 225-250 tyres

Part No.	Qty	Size
5930742	1	18.93 Litre

Leak detector



- Clearly visible, high foam quality thanks to very stable, micro porous foam.
- Instantly shows up leakages up to a flow rate of 0.0015 cm^3/sec (even at a pressure of under 5 mbar).
- Detects the smallest leaks e.g. in gas and compressed air lines, pressurized tanks, pipes, valves and screw fittings.
- Easy to use and reliable

Part No.	Qty	Size
9999442	1	1 Litre





Grippaz®

‘Grippaz’ Orange Nitrile Gloves

Part No.	Qty	Colour Size
GRIPPAZ246M	Box of 50	Orange M
GRIPPAZ246L	Box of 50	Orange L
GRIPPAZ246XL	Box of 50	Orange XL
GRIPPAZ246XXL	Box of 50	Orange XXL

Chemical Resistant • Silicone Free • 100% Nitrile • Touch Screen Friendly

Tough & Durable

LASTS UP TO 5 TIMES LONGER THAN DISPOSABLE GLOVES

REMA TIP TOP //ONE BRAND //ONE SOURCE //ONE SYSTEM


//SERVICE //MATERIAL PROCESSING //SURFACE PROTECTION //AUTOMOTIVE

MINICOMBI

MINOR DAMAGE TYRE REPAIR CHART

VALID IN ACCORDANCE WITH BS AU 159g : 2013


Motorcycle and Scooter



Cross Ply and Radial Ply	Area 'T'	Area 'W'
All sizes up to and including a speed rating of 63mph (i.e 'J' Rated)	6mm Max (Two Only)	Not Allowed
Up to and including 'V'	3mm Max (One Only)	Not Allowed

Area 'T' is defined as 50% of the nominal section width.

Car and Light Van



Cross Ply and Radial Ply	Area 'T'	Area 'W'
All sizes and Speed Ratings	6mm Max	Not Allowed


NOTE: There shall be no limit to the number of MINOR REPAIRS in Area 'T' providing that the repair patches do not overlap.

Area 'T' is defined as a percentage of the nominal section width.

NOMINAL SECTION WIDTH	Area 'T'
Up to and including 155mm	60%
Above 155mm to 200mm	65%
Above 200mm	70%

NOTE: For SST (Runflat) Construction tyres also take into account - Manufacturers Recommendations

Commercial Vehicles



Cross Ply and Radial Ply	Area 'T'	Area 'W'
All sizes and Speed Ratings	10mm Max	Not Allowed


NOTE: There shall be no limit to the number of MINOR REPAIRS in Area 'T' providing that the repair patches do not overlap.

Area 'T' is defined as a percentage of the nominal section width.

NOMINAL SECTION WIDTH	Area 'T'
Up to and including 225mm	60%
Above 225mm to 305mm	65%
Above 305mm	70%

NOTE: Commercial vehicle tyres exhibiting a 10mm injury after preparation should be restricted to 50% of the nominal section width in 'Area T'.

Agricultural Vehicles



Cross Ply and Radial Ply	Area 'T'	Area 'W'
All sizes and Speed Ratings	10mm Max	Not Allowed

NOTE: There shall be no limit to the number of MINOR REPAIRS in Area 'T' providing that the repair patches do not overlap.

Area 'T' is defined as a percentage of the nominal section width.

NOMINAL SECTION WIDTH	Area 'T'
Above 305mm	70%
Agricultural - All Sizes	70%

NOTES

1. The measurement of Area 'T' is to be divided equally either side of the tyre centre line.
2. Injuries in excess or outside of those above should be submitted to an approved major repairer.

NOTE:
For combination plug-patch repair the maximum angle from the perpendicular shall be 15°. For angles greater than this a two piece repair shall be used to a maximumangle of 25°.

Use this chart on tyre repairs in conjunction with:

REMA TIP TOP - MINICOMBI

511 1956 - QTY 25 - Minicombi A3 Kit
511 3208 - QTY 20 - Minicombi A4.5 Kit
511 2151 - QTY 25/20 - Minicombi A3/A6 Kit
511 2209 - QTY 20/20 - Minicombi A6/B8 Kit
511 1963 - QTY 50 - Minicombi A3 Refill
511 3057 - QTY 40 - Minicombi A6 Refill
511 3105 - QTY 20 - Minicombi B8 Refill
511 3143 - QTY 20 - Minicombi B10 With Pilot

CALCULATED VALUES FOR AREA 'T'

Nominal Section Width	Area 'T' as a percentage of nominal section width		
	60%	65%	70%
125	75	PR-	PR-
135	81		
145	87		
155	93	101	
165	99	107	
175	105	114	
185	111	120	
195	117	127	
205	123	133	144
215	129	140	151
225	135	146	158
235		153	165
245		159	172
255		166	179
265		172	186
275		179	193
285		185	200
295		192	207
305		198	214
315			221
325			228
335			235
345			242
355			249
365			256
375			263
385			270
395			277
405			284
415			291
425			298
435			305
445			312
475			333
495			347
525			366
605			424

SPEED SYMBOL TABLE

Speed Symbol	Speed	Load capacity reduction (V, W and Y tyres)	
	Km/h (mph)	Speed km/h (mph)	Load Capacity
A1	≤5 (3)		
A2	≤10 (6)		
A3	≤15 (9)		
A4	≤20 (12)		
A5	≤25 (16)		
A6	≤30 (19)		
A7	≤35 (22)		
A8	≤40 (25)		
B	≤50 (31)		
C	≤60 (37)		
D	≤65 (40)		
E	≤70 (44)		
F	≤80 (50)		
G	≤90 (56)		
J	≤100 (62)		
K	≤110 (69)		
L	≤120 (75)		
M	≤130 (81)		
N	≤140 (87)		
P	≤150 (93)		
Q	≤160 (100)		
R	≤170 (106)		
S	≤180 (113)		
T	≤190 (118)		
U	≤200 (125)		
H	≤210 (130)		
V	≤240 (150)	210 (130)	100% of LI load
		220 (137)	97% of LI load
		230 (143)	94% of LI load
		240 (150)	91% of LI load
W	≤270 (168)	240 (150)	100% of LI load
		250 (156)	95% of LI load
		260 (162)	90% of LI load
		270 (168)	85% of LI load
Y	≤300 (187)	270 (168)	100% of LI load
		280 (174)	95% of LI load
		290 (180)	90% of LI load
		300 (187)	85% of LI load

All Subject to technical alterations.



Tube repair kit TT20

- Universal patches stabilize the tyre casing at the injury and seal the injury

Contents:
8 patches size 1
2 patches size 2
1 patch size 3
1 patch size 4
1 patch size 5
4 patches size 7
2 patches size 7B
1 Tube of SVS solution
3 Rasps
3 Short valve cores
1 Instruction manual



Part No.	Qty
5060911	1

Tube repair kit TT21

- Universal patches stabilize the tyre casing at the injury and seal the injury

Contents:
14 patches size 1
4 patches size 2
2 patches size 3
2 patches size 4
1 patch size 5
4 patches size 7
2 patches size 7B
1 PN 03

1 Tube of SVS solution



Part No.	Qty
5070011	1



Tube repair kit TT30

Contents:
12 patches size 1
6 patches size 3
2 patches size 4
1 patch size 5
3 patches size 7
2 patches size 7B
2 PN 03
1 Tube of SVS solution 50g
2 Rasps
1 Rasp handle
1 Stitcher
1 Instruction manual



Part No.	Qty
5070310	1

Tube repair kit TT40 workshop kit

Contents:
- 70 patches size 1
- 50 patches size 2
- 40 patches size 3
- 10 patches size 4
- 30 patches size 7
- 5 patches size 7B
- 1 SVS solution 175g
- 2 Rasps
- 1 Rasp handle
- 1 Stitcher
- 3 Rubber-based valves
- 1 Instruction manual



Part No.	Qty
5070602	1

Tube repair kit TT42 workshop kit

Contents:
- 30 patches F2
- 100 patches size 1
- 40 patches size 2
- 20 patches size 3
- 50 patches size 7
- 1 SVS solution 175g
- 2 Rasps
- 1 Rasp handle
- 1 Stitcher
- 1 Can of LIQUID BUFFER 250ml
- 1 Instruction manual



Part No.	Qty
5079706	1

Tube Patches - Red Edge

- REMA TIP TOP tube patches with double-scalloped edge ensure perfect bonding and 100% vulcanisation.
- Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated



Part No.	Qty	Size
5000036	100	Ø 30 mm
5000043	30	Ø 35 mm
5000050	30	Ø 45 mm
5000067	30	Ø 54 mm
5000081	30	Ø 75 mm
5000108	10	Ø 94 mm

Euro Tube Patches - Black Edge

- REMA TIP TOP tube patches with single layer edge ensure perfect bonding and 100% vulcanisation.
- Due to the stepped multi-layer structure of the patch body they stretch evenly in all directions when the tube is inflated.
- They leave no edges on the repair area



Part No.	Qty	Size	Euro
5038053	100	Ø 45 mm	Euro No.2
5038060	100	Ø 54 mm	Euro No.3
5038084	50	Ø 75 mm	Euro No.4



RAD 100 Series Patches



- Repair patches for durable repairs to all radial tyre sizes and for all applications.
- Suitable for hot- or self-vulcanisation due to the unique bonding layer in conjunction with the appropriate REMA TIP TOP accelerator cements or solutions

Part No.	Qty	Size	Plies
5121104	20	75 L x 55 W mm	1
5121159	20	90 L x 75 W mm	1
5121160	10	104 L x 67 W mm	1
5121207	10	125 L x 80 W mm	2
5121221	10	175 L x 75 W mm	2
5121252	10	125 L x 115 W mm	3
5121360	10	130 L x 180 W mm	4

Universal Patch (UP)



- Universal patches (UP) for the repair of small injuries to tube or tubeless radial and cross-ply tyres.

Part No.	Qty	Size
5125020	100	Ø 27 mm
5125040	100	Ø 37 mm
5125060	50	Ø 43 mm
5125080	50	Ø 55 mm
5125100	50	Ø 63 mm
5125120	30	Ø 63 mm

CROSS-PLY Repair Patches - Series PN




- Repair patches for durable repairs to cross-ply tyres of all sizes, especially for tread, shoulder and sidewall injuries.
- Suitable for both self-vulcanising and hot vulcanising processes due to the fully integrated bonding layer.
- Use in conjunction with the appropriate REMA TIP TOP accelerator solutions

Part No.	Qty	Diameter	Plies
5126037	10	100 mm	2
5126044	10	120 mm	2



TYRE REPAIR

with REMA TIP TOP MINICOMBI



Locate and mark the damage. Take or screw out the foreign object.



*Determine the direction of the puncture channel.



Clean the repair area using LIQUID BUFFER and a scraper.

*NOTE:
For combination plug-patch repair the maximum angle from the perpendicular shall be 15°. For angles greater than this a two piece repair shall be used to a maximum angle of 25°.




Prepare the puncture channel first from the tyre inside outwards, then from the outside to the inside.




Buff the inner liner until you get a completely smooth surface (RMA-2) and clean the buffed area.




Apply CEMENT FD-BL on the buffed surface, fill the puncture channel with fresh cement and immediately insert the MINICOMBI plug.



Pull the MINICOMBI plug outwards as far as possible and stitch the MINICOMBI base.



Seal the MINICOMBI base and any still exposed buffed areas with INNERLINER SEALER, reinflate mounted tyre and then cut the stem.



Maximum number of repairs carried out with MINICOMBI repair plugs in one tyre. Always check whether repairs already carried out in the tyre are defective. Axial distance between repairs: minimum 15 cm/6".

VALID IN ACCORDANCE WITH BS AU 159g:2013

Repairable area in % of the tread width (Nominal Section Width)	Speed Index	3	4,5	6	8	10	
		Ø= max. damage size Minicombi					
50%	-J 6mm max	●	●	●			2
	K-T 3mm max	●					
	H-ZR 3mm max	●					1
60% to 70% 6mm max	-V	●	●	●			
Nominal Section Width up to 155mm - 60% 155mm - 200mm - 65% Above 200mm - 70% For SST Runflat - Construction tyres also taken into account	-V	●	●	●			
	ZR-W	●	●	●			
max. LI = 177 60% to 70% 10mm max							
Nominal Section Width up to 225mm - 60% 225mm - 305mm - 65% Above 305mm - 70% Commercial vehicle tyres exhibiting a 10mm injury after preparation should be restricted to 50% of the nominal section width in the grey area illustrated.		●	●	●	●	●	
70% 10mm max		●	●	●	●	●	

REPAIR CHART SUBJECT TO TECHNICAL ALTERATIONS

For detailed guidance on repair limits please consult the MINICOMBI MINOR DAMAGE TYRE REPAIR CHART

Minicombi Repair Plugs



MINICOMBI repair plugs seal the tyre inside and the puncture channel in one operation. The ingression of moisture, dirt, stones or all materials that lead to premature deterioration of the casing and belts is prevented. Finishing the repair process, the tyre can immediately be put back into operation

Part No.	Qty	Size	Metal Pilot
5111964	50	A3 P	YES
5113058	40	A6 P	YES
5113106	20	B8 P	YES
5113144	20	B10 P	YES
5113216	40	A4, 5 P	YES

Minicombi A6/B8 Kit



- Combi Pack A3/A6.
- Combined patch/plug tyre repair for punctures to the tread of both radial and cross-ply tyres.
- Repair units vulcanise in the tyre.
- The tyre inside and the puncture channel are repaired in one operation.
- The ingression of moisture, dirt, stones or all materials that lead to premature deterioration of the casing and belts is prevented.
- Available with a practical and time-saving metal pilot.
- All MINICOMBI Combi Packs and workshop kits are supplied with FAST DRY CEMENT BL Repair chart valid at the moment of printing.
- Always refer to the repair chart and safety advice packed with the product!
  * Instructions for RUN-FLAT, MINICOMBI, SEALASTIC, SUPER SEALASTIC, REMA SEAL and SEALFIX: Follow the guidelines and legal regulations of your country when using the product(s)

Contains: • 20 Repair units A6 • 20 Repair units B8 • 1 HSS steel cutter Ø 6 mm • 1 HSS steel cutter Ø 8 mm • 1 Instruction manual • 4 Tubes of SPECIAL CEMENT FAST DRY 25 g each

Part No.	Qty
5112200	1

SEE PAGES 90-100
FOR OUR FULL RANGE
OF AUTO BULBS

Tyre sealant (Off Road) OKO



OKO Off Road Heavy Duty can be found in the toughest environments in the World, so there's nowhere in Great Britain that it won't go

'Fit it and Forget Punctures' in the tread area of the tyre

Designed to seal punctures up to 10mm in diameter (can often achieve more depending on use and conditions)

Best used tubeless: but will function with inner tubes

For most applications, replaces the need for solid fill: much cheaper, lighter and does not worsen the ride

Can be used on road up to 80 km/hr (50 mph)

Lasts the life of the tyre in most normal applications (subject to usage conditions): will not dry out or separate unlike some others

Washes out after use.

Part No.	Qty	Content
5931260	1	25 Litre
5931267	1	Pump Unit (OKO)

TT Seal



- Preventive tyre sealant for tube-type and tubeless tyres.
- Helps to avoid costs arising from the break-down of expensive vehicles and machines.
- Reduces the risk of tyre failures due to slow air loss, e.g. from smaller punctures.
- Automatically seals smaller injuries.
- Stays effective during the whole servic
- Affects neither existing tyre repairs nor the repair ability of a tyre.
- Contains anti-corrosive agents for protection of rims and metal parts.
- Free of CFC and aromatic compounds
- A detailed list of quantities required for each tyre sizes is enclosed Caution: Approved for a maximum speed of 80 km/h

Part No.	Qty	Size
5932670	1	1 Litre Bottle

CHEMICALS
OILS & PAINTS



FIXT

PAGES 458 - 491

ADHESIVES
AND SEALANTS



FIXT

FIXT
for an even better solution

SEALASTIC Kit Car/Van



- Multi-layer repair units for temporary repair of mounted cross-ply tyres.
- For a permanent repair, use the REMA TIP TOP patches corresponding to the valid repair chart.
- Scope of delivery: 25 SUPER SEALASTIC Plugs (grey), 1 Special Cement BL 40g, 1 Chalk, 1 Inserting tool car, 1 Rasp

Part No.	Qty
5103517	1

SEALFIX String



- SEALFIX strings for temporary repairs of tread punctures.
- We recommend demounting the tyre from the rim in order to determine the actual damage size.
- Observe local rules and guidelines for the repair of tyres.
- Permanent repairs should be performed from the inside of the tyre, for example with MINICOMBI.
- For safety reasons, we also warn you not to carry out a sidewall repair with SEALFIX.
- Please use it with SPECIAL CEMENT SC-BL

Part No.	Qty	Type	Colour
5101801	50	Short Type	Brown
5101808	25	Long Type	Brown
5101815	50	Thin	Black
5101839	25	Long Type, Thick	Black

SEALFIX Workshop Kit



- SEALFIX strings for temporary repairs of tread punctures.
- We recommend demounting the tyre from the rim in order to determine the actual damage size.
- Observe local rules and guidelines for the repair of tyres.
- Permanent repairs should be performed from the inside of the tyre, for example with MINICOMBI.
- For safety reasons, we also warn you not to carry out a sidewall repair with SEALFIX.
- Please use it with SPECIAL CEMENT SC-BL.
- Scope of delivery: 25 Strings, 1 Hand rasp, 1 Inserting tool, 1 Special cement SC-BL 40g can, 1 Chalk, 1 Knife & 1 Instruction manual

Part No.	Qty
5101832	1

SEALASTIC Plugs Car/Van



- Multi-layer repair units for temporary repair of mounted cross-ply tyres.
- For a permanent repair, use the REMA TIP TOP patches corresponding to the valid repair chart

Part No.	Qty	Contents
5103108	50	50 SUPER SEALASTIC plugs, grey

SEALASTIC TT612 Plugs EM



- Temporary nail hole repair for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm).
- Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the “carbide mill cutter, pointed” is used).
- For larger injuries, use the corresponding REMA TIP TOP repair patches according to the relevant repair chart.

  * Instructions for RUN-FLAT, MINICOMBI, SEALASTIC, SUPER SEALASTIC, REMA SEAL and SEALFIX: Follow the guidelines and legal regulations of your country when using the product(s)

Part No.	Qty
5102161	20

SEALASTIC Kit EM



- mounted on the rim (max. injury size 8 mm) as well as EM and agricultural tyres (max. injury size 15 mm).
- Also suitable for tubeless radial EM tyres (up to a maximum speed of 40 km/h, if the “carbide mill cutter, pointed” is used).
- For larger injuries, use the corresponding REMA TIP TOP repair patches according to the relevant repair chart.
- Scope of delivery: 10 repair units, 2 Special Cement BL 40g cans, 1 Inserting tool for EM, 1 Rasp & 1 instruction manual

  * Instructions for RUN-FLAT, MINICOMBI, SEALASTIC, SUPER SEALASTIC, REMA SEAL and SEALFIX: Follow the guidelines and legal regulations of your country when using the product(s).

Part No.	Qty
5101155	1

Fibre Seal



- Chemical Curing Fibre Seal Inserts / Temporary Repairs, Regular

Part No.	Qty	Contents
5102305	50	3.75” x 1/4”

Chemi-Cure



- Multi-layer repair units for temporary repair of mounted cross-ply tyres.
- For a permanent repair, use the REMA TIP TOP patches corresponding to the valid repair chart.
- Chemicure is economical and easy to use .
- It contains no solvents, only rubber solids impregnated into cotton cord.
- Chemicure will:
  - Mold to fit irregular punctures
  - Cure into and last for the life of the tubeless tyre
  - Repair the tread, shoulder or sidewall of a bias ply tyre
  - Repair the tread of the radial ply tyre

Part No.	Qty	Description
5103415	1	Chemi-cure truck
5103414	1	Chemi-cure EM
5103421	1	Chemi-cure EM needle

SRAS Profi Kit



- The PLUG SRAS-PROFI sealing system from REMA TIP TOP is used for a temporary sealing without demounting the wheel.
- Quick sealing on the road.
- No need to demount the wheel - sealing from outside.
- Supplied in a convenient plastic box.
- Includes all tools required.
- Comes with detailed instructions.
- This sealing system enables the driver to carefully continue the journey at a maximum speed of 80 km/h, until the tyre can be repaired professionally and permanently

Part No.	Qty
5103610	1

SEALASTIC TT611 Plugs Truck

- Temporary nail hole fast sealing for cross-ply truck tyres mounted on the rim (max. injury size 8 mm) as well as agricultural tyres (max. injury size 15 mm).
- For larger injuries, use the corresponding REMA TIP TOP repair patches according to the relevant repair chart



Part No.	Qty
5102147	20

SEALASTIC Hand Rasp EM

- For precise injury preparation



Part No.	Qty	Diameter	Blade Length
5958944	1	6 mm	190 mm

SEALASTIC Insert Tool with Jack Grip

- For precise injury preparation.
- For use with: RAS, SRAS, SEALISTIC, REMSEAL



Part No.	Qty
5102202	1

SEALASTIC Insert Tool EM

- For precise injury preparation



Part No.	Qty	Blade Length
5102233	1	230 mm

Insert tool side load heavy duty

- Heavy duty



Part No.	Qty	Length
5102457	1	200 mm

Remacure inserting tool

- For precise injury preparation.
- Blade length: 3”



Part No.	Qty
5102336	1

Rasp pistol grip

- For precise injury preparation.
- Blade length: 4”



Part No.	Qty	Diameter
5102381	1	6 mm

Remacure spiral awl

- For precise injury preparation.
- Blade length: 4”



Part No.	Qty	Diameter
5102343	1	6 mm

T-handle chrome + allen key shank

- For precise injury preparation



Part No.	Qty	Diameter
5100021	1	6 mm

Tyre fill

- A flexible, rapid curing two part repair system.
- The product is dispensed using the true mix cartridge system to guarantee proper mixing and ease of use.
- Tyre Fill is ideal for repairs to conveyors, tyres, bumpers and other heavy duty rubbers



Part No.	Qty	Description
5172000	1	Tyre Fill
5172014	10	Tyre Fill spare nozzle

Rubber fill

- A one part flexible black Polyurethane based compound, offers excellent adhesion without primer on most materials.
- It is easy to apply, when cured the sealer may be sanded/buffed.
- First-rate resistance to UV rays, water, salt-water, oil and grease.
- Ideal for cosmetic repairs to rubber



Part No.	Qty	Type
5171058	1	310 ml Cartridge
865246	1	Sealant Gun

Tyre fill applicator gun

- A flexible, rapid curing two part repair system.
- The product is dispensed using the true mix cartridge system to guarantee proper mixing and ease of use.
- Tyre Fill is ideal for repairs to conveyors, tyres, bumpers and other heavy duty rubbers



Part No.	Qty	Description
5172007	1	Tyre Fill applicator gun

Brush wire rotary twisted strands

- Limestones for buffing soft rubber grades such as inner liners.
- Max. speed 4500 rpm



Part No.	Qty	Diameter	Speed (RPM)
5950083	1	38 mm	Max.4500

Mill cutter HSS

- For cylindrical enlargement and cleaning of smaller tread-area punctures.
- HSS mill cutters have to be replaced after max. 25 repairs because of wear.
- Diameter: 6 mm.
- Blade Length: 40 mm



Part No.	Qty	Length	
5111781	1	110 mm	Max.2500

Mill cutter carbide short



- For precise injury preparation on radial and cross-ply tyres.
- Special profile adapted to steel cord preparation allows professional grinding out of the injury.
- Long service life.
- All HM cutters are packed individually in a robust plastic box

Part No.	Qty	Diameter	Length	Blade Length	Speed
5954924	1	6 mm	65 mm	35 mm	max.2500

Mill cutter carbide



- For precise injury preparation on radial and cross-ply tyres.
- Special profile adapted to steel cord preparation allows professional grinding out of the injury.
- Long service life.
- All HM cutters are packed individually in a robust plastic box

Part No.	Qty	Diameter	Length	Blade Length	Speed
5111925	1	6 mm	90 mm	40 mm	max.2500
5954962	1	6 mm	90 mm	50 mm	
5954948	1	8 mm	100 mm	50 mm	max.2500
5954941	1	8 mm	100 mm	50 mm	
5111944	1	10 mm	100 mm	50 mm	max.25000

Knife skiving 11132



- For the preparation of damages on tyres of every type

Part No.	Qty	Length
5952057	1	100 mm

Knife skiving blade



- For the preparation of damages on tyres of every type

Part No.	Qty	Length
5952074	1	125 mm

Stitcher - Standard Corrugated



- For smooth application of repair patches or rubber

Part No.	Qty	Width
5961027	1	4 mm

Stitcher - Ball Bearing - Corrugated



- For smooth application of repair patches or rubber.
- with ball bearings

Part No.	Qty	Width
5951044	1	4 mm

Tyre Prodder - Straight



- For verifying damages, course of injuries and removing small foreign objects from the tread

Part No.	Qty	Length
8365606	1	140 mm



TYRE PRESSURE MONITORING SYSTEMS

Tyre Pressure Monitoring Systems ('TPMS') are used to check and monitor the air pressure inside a vehicle's tyres. They are designed to enhance vehicle safety and efficiency, using a system that alerts the driver when tyre pressure falls below the minimum value for the vehicle by displaying an alert on the dashboard. These systems can be either Direct or Indirect, depending on the vehicle

TPMS General Information

A tyre pressure monitoring system constantly monitors the pressure and temperature of a vehicle's tyres. If the tyre pressure drops or is below the recommended minimum pressure, the driver is alerted either by an audible signal and/or warning symbol lighting up on the dash, depending on vehicle model. The TPMS system helps to prevent accidents, improve fuel economy and decrease carbon emissions



TPMS & the law in Europe

Commission Directive 2010/48EC confirmed that since November 2012 all NEW type M1 vehicles will be required by law to have a pressure based TPMS (Tyre Pressure Monitoring System) installed. From November 2014 all type M1 vehicles sold in Europe are required by law to have a TPMS system installed (Category M1: Vehicles designed and constructed for the carriage of passengers and comprising no more than eight seats in addition to the driver's seat). TPMS is part of the European National Car test, for all newly registered cars from January 1st 2012.





HAM-D006 - H46 OBDII Module



- H46 OBDII Module for connecting Hamaton H46 to Vehicle's ECU to enable TPMS relearns where applicable.

Part No.	Qty
5628734	1

TPMS Tool kit and carry case



- This TPMS Tool Kit contains all of the workshop tools required for servicing or replacing TPMS sensors.
- This TPMS Tool Kit comes complete with: Calibrated Torque Tool including: 7mm Hex Socket, 11mm Hex Socket, 12mm Hex Socket, Torx 10 Bit, Torx 15 Bit, Torx 20 Bit.
- 3-150T Valve Core Torque Tool.
- 3-164 Grommet Removal Tool.
- 3-180 T6 Torx Screwdriver

Part No.	Qty
5628538	1

TPMS valve starter kit



- Deeper Box.
- 40 Replacement Parts.
- 28 Bolt In Valves.
- 12 Rubber snap-in Valves

Part No.	Qty
5611085	1

Replacement TPMS Valves - Clamp-In



- 1 Valve Stem.
- 1 Nut.
- 1 Rubber Grommet.
- 1 Plastic Washer.
- 1 Valve Cap.
- 1 Valve Core.
- These valves are suitable for use with HUF Gen 1 type sensors.

Part No.	Qty	Compatibility	Hamaton
5628468	10	Gen 1 Huf	6-220B
5628441	10	Gen 2 huf	6-240
5628456	10	Schrader Gen Gamma	6-235
5628496	10	VDO TG1B	6-201
5628475	10	VDO TG1C	6-231
5628580	10	VDO TG1C	6-231C

Replacement Snap-In Valves for Schrader Gen 4



- These valves are self-threading and suitable for use with Schrader Genb 4 type sensors.
- 1 valve stem.
- 1 screw.
- 1 valve cap

Part No.	Qty	Compatibility	Hamaton
5628461	10	Schrader Gen 4	6-207
5628741	10	VDO TG1D	6-208
5628650	10	High Speed/ Schrader	6-210H
5628748	10	Pacific N11	6-503

EU-Pro Hybrid 3.5 3200 Clamp-In Sensor



- The fastest configurable universal sensor in the market boasts higher vehicle coverage besides programmable technology.
- 99% coverage of new European direct TPMS-enabled vehicles plus the opportunity to future-proof stock with programmable protocols.
- Pre-programmed with a time-saving multi-app code so they come ready to fit a wide selection of BMW and Mercedes-Benz models without programming.
- Compatible with leading manufacturer's diagnostic tools, including ATEQ and Bartec.
- Housing enhanced to accommodate most popular aftermarket Snap-In valve.
- Designed for optimum compatibility with OE and aftermarket wheels.
- Reliable Maxell battery with the latest NXP chipset .
- Only 26g overall; laser-welded rear cover minimises weight.
- Auto-location functionality for LOS, WAL, PAL and SAL.

Part No.	Qty	Nut Torque
5628720	1	5.0 Nm

EU-Pro Hybrid 3.5 3200 Snap-In Sensor



- The fastest configurable universal sensor in the market boasts higher vehicle coverage besides programmable technology.
- 99% coverage of new European direct TPMS-enabled vehicles plus the opportunity to future-proof stock with programmable protocols.
- Pre-programmed with a time-saving multi-app code so, they come ready to fit a wide selection of BMW and Mercedes-Benz models without programming.
- Compatible with leading manufacturer's diagnostic tools, including ATEQ and Bartec.
- Housing enhanced to accommodate most popular aftermarket Snap-In valve.
- Designed for optimum compatibility with OE and aftermarket wheels.
- Reliable Maxell battery with the latest NXP chipset.
- Only 26g overall; laser-welded rear cover minimises weight.
- Auto-location functionality for LOS, WAL, PAL and SAL.

Part No.	Qty
5628727	1

Wheel chocks



- A combined wheel nut indicator and dust cap designed for wheels without trims and step rings.
- Dustite® provides an indication of nuts loosening on a wheel or when a wheel is overheating with the added benefit of protecting from extreme outdoor weather elements, corrosion and general wear and tear.
- An instant visual indicator of nut movement.
- Melts at a specific temperature to highlight problems with brakes overheating or any bearing defects.
- Protection from weather, corrosion and general wear and tear

Part No.	Qty	Size
54500	2	150 x 110 x 80 mm
CWC8	1	210 x 230 x 160 mm

Dustite®LR top indicator



- A combined wheel nut indicator and dust cap designed for wheels without trims and step rings.
- Dustite® provides an indication of nuts loosening on a wheel or when a wheel is overheating with the added benefit of protecting from extreme outdoor weather elements, corrosion and general wear and tear.
- An instant visual indicator of nut movement.
- Melts at a specific temperature to highlight problems with brakes overheating or any bearing defects.
- Protection from weather, corrosion and general wear and tear

Part No.	Qty	Size
8704707Y	10	33 mm
8704714Y	10	32 mm



Wheel Nut Indicators - Yellow



Part No.	Qty	Size
405171	100	19 mm
405172	100	21 mm
405173	100	22 mm
405174	100	24 mm
405175	100	27 mm
405176	100	28 mm
405177	100	29 mm
405178	100	30 mm
405179	100	32 mm
405180	100	33 mm

WORKSHOP





WORKSHOP

Cloths, Sponges & Rags	344
Cleaning Products	349
Vehicle Cleaning	352
Vehicle Protection	354
Absorbents	357
Tapes	361
Paint Brushes	365
Welding, Brazing & Soldering	367
Security	370

Cleaning Cloth



- Stockinette roll.
- Coloured

Part No.	Qty	Type
896672	1	2 kg

Polishing Cloth



- Stockinette roll.
- White

Part No.	Qty	Type
110121	1 Roll	800 g
896670	1	2 kg

Polishing Dusters



Part No.	Qty
110126	10

Chamois Leather



- Large size

Part No.	Qty
895355	1

Chamois Leather - Synthetic



Part No.	Qty
895356	3

Dish Cloths



Part No.	Qty
895354	10

Scouring Pads - Nylon



- Strengthened fibre.
- Prevents loading

Part No.	Qty	Colour	Finish
895373	10	Red	Medium
895357	10	Green	General
895374	10	Grey	Fine

Microfibre Cloth



- Lint free

Part No.	Qty
895384	5

Microfibre Towels - Mega Dry Giant Towel



- Absorbs 8 times its weight in water.
- Use to dry large areas quickly.
- Super soft edging, will not scratch.
- Super soft and plush feel.
- High pile on one side for effective drying.
- Short pile other side for detailing.
- Low lint and clear coat safe

Part No.	Qty	Size	Colour
895791	1	101 x 63 cm	Blue

Microfibre Towel

- Absorbs 8 times it weight in water.
- Use to dry large areas quickly.
- Satin edge will not scratch.
- Super soft and plush feel.
- Low lint and clear coat safe.



Part No.	Qty	Size	Colour
895792	1	60 x 80 cm	Yellow

Microfibre Cloths - Heavy Duty

- Can be used both wet & dry.
- High absorption capacity, provides an effortless cleaning solution.
- Cleans glass and stainless steel surfaces easily, as well as collecting dust, dirt and food.
- Dirt particles stay locked inside the microfibre cloth until washed in hot water.
- Machine washable and reusable.



Part No.	Qty	Size	Colour
895793	10	40 x 40 cm	Blue
895794	10	40 x 40 cm	Red
895795	10	40 x 40 cm	Green
895796	10	40 x 40 cm	Yellow

Microfibre Cloths - Assorted Pack

- x2 Blue, x2 Red and x2 Yellow.
- Ultra fine fibres effortlessly attract, hold and lift dirt, dust and grease from any surface.



Part No.	Qty	Size
895790	6	30 x 40 cm

Buffing Buddy - Microfibre Drying Towel

- Super soft and super thick absorbent coral blue microfibre cloth.
- Super easy to use and leaves a great finish.
- Takes polish and wax off very easily.
- Very good to use in conjunction with a good detailing spray.
- Machine washable at 40c with no fabric conditioner



Part No.	Qty	Size
896676	1	40 x 40 cm
896678	1	50 x 80 cm

Edgeless Microfibre

- Absorbs 8 times its weight in water.
- Use to dry large areas quickly.
- Super-soft 'weft knitted' microfibre.
- Edgeless design to reduce swirl marks and smearing.
- 100% safe - Will not scratch.
- Low lint and clear coat safe



Part No.	Qty	Size
896680	1	50 x 80 cm

Polishing Bonnet - Tie Cord

- Suits all makes of electric & air polishing machines

Uses a 100% pure new wool pile to obtain a professional deep polishing effect



Part No.	Qty	Size
980220	1	180 mm

Cellulose Sponge



- Soft cellulose.
- Highly absorbent

Part No.	Qty
895666	1

Jumbo Sponge



Part No.	Qty	Size
895665	2	250 x 120 x 70 mm

Wash Mitt



- Split varied length polyester strands for optimum contaminant removal.
- Thick foam core soaks up shampoo suds for maximum wash potential.
- Helps prevent swirl marks and scratches due to softness yet very durable

Part No.	Qty
896674	1

Valeting Kit



Contains: Builders bucket, Microfibre Cloth, Jumbo Sponge, Cellulose Sponge, Synthetic Wash Leather, Wheel Brush, Small Vehicle Dust & Paint Brush

Part No.	Qty
895668	1 Kit

'Rags-In-A-Bag' - General Purpose



- Cotton rich material.
- Great for mopping up water, oil and service fluids from tools, machinery, and surfaces.
- Cost effective solution for varying applications.

Part No.	Qty
895416	2 x 10kg
P20100	60 x 10kg On Pallet

'Rags-In-A-Bag' - Coloured Cotton



- Coloured cotton rags including t-shirt materials

Part No.	Qty
895778	2 x 10kg
P20200	60 x 10kg On Pallet

'Rags-In-A-Bag' - General Purpose Polishing



- White cotton / polyester.
- For wiping & polishing

Part No.	Qty
895415	2 x 10kg
P20150	60 x 10kg On Pallet


Polishing Rags - High Quality



- White cotton.
- For wiping & polishing

Part No.	Qty
895417	5kg

Blue Paper Roll - 2 Ply



- Continuous sheet

Part No.	Qty	Size
895230	2 Rolls	280 mm x 400 m
P40200	Pallet of 42	280 mm x 400 m

Small Blue Paper Roll Dispenser - Wall Mounted



- Complete with lock & key.

Part No.	Qty
895235	1


Small Blue Paper Roll - 2 Ply



- Centre feed continuous sheet.
- Suits 895235

Part No.	Qty	Size
895234	6 Rolls	185 mm x 150 m
P40100	Pallet of 77	185 mm x 150 m
895239	6 Rolls	185 mm x 125 m
P40900	Pallet of 77	1850 mm x 125 m


Eco Blue Roll - 2 Ply - Pallet



- Continuous sheet
- Pallet Qty: 84 packs of 6

Part No.	Qty	Size
P40400	Pallet of 84	170 mm x 150 m
P40700	Pallet of 84	170 mm x 100 m

3 Ply Blue Paper Roll - Pallet



- 3 ply

Part No.	Qty	Size
P40800	Pallet of 45	220 mm x 150 m

Blue Roll Dispenser - Floor standing



- White.
- Floor standing paper towel dispenser

Part No.	Qty
895420	1

= Direct From Manufacturer - Contact your supplier

Paper Towels



- Available in Z, V or C Fold, all suit 895200

Part No.	Qty	Type	Colour
895238	240	C-Fold	Green
P40600	Pallet of 80x2880	C-Fold	Green
895655	250	Z-Fold	Blue
895657	240	V-Fold	Blue

Paper Towel Dispenser - Wall Mounted



- Suits 895238

Part No.	Qty
895200	1

Toilet Rolls - Soft 2 Ply



- 3" core

Part No.	Qty	Size
895191	36	90 mm x 33m
895880	36	92 mm x 22m
P40500	Pallet of 77	92 mm x 22m

Refuse Sacks - Black

Part No.	Qty	Size
895296	50	18" x 29" x 34"
895896	200	18" x 29" x 34"

Jumbo Toilet Rolls



- 2 1/4" core

Part No.	Qty	Size
895265	12	95 mm x 150 m
P40550	Pallet of 77	95 mm x 150 m

Jumbo Toilet Roll Dispenser - Wall Mounted



- Suits 895265

Part No.	Qty
895479	1

Office Bin Liners - White



Part No.	Qty	Size
895407	1000	11" x 17" x 17"



Dustpan & Clip-on Brush - Plastic



- Soft nylon bristles

Part No.	Qty
895462	2 Piece Set

Hooded Dustpan - Metal



Part No.	Qty
895461	1

Hand Brushes - Wooden



- Soft bristles

Part No.	Qty
895173	3

Hand Shovels - Metal With Wooden Handles



- Large size

Part No.	Qty
895174	2

Hygiene Shovel



- T Grip polypropylene shovel.
- Metal free, shock & crack resistant.
- Light, strong & easily cleaned.
- Ideal for the food industry.

Part No.	Qty	Length	Blade
895720	1	1150 mm	259 mm wide

Snow Shovel



- Large size

Part No.	Qty
895715	1

Folding Shovel



- Serated Blade
- Folding Length: 230 mm
- Overall Length: 580 mm
- Include soft storage pouch

Part No.	Qty
895199	1

Brown Rock Salt - Pallet



- Ideal for preventing ice and snow on pathways.
- Conforms to BS 3247 I 1991.
- 23 - 25 kg Bags.
- 40 Bags on a pallet

Part No.	Qty	Size
P70600	40 Bags on pallet	23 - 25 kg bags

White De-Icing Salt - Pallet



- High quality granulated salt.
- Anti-caking agent for long term storage.
- Perfect for spreading.
- 23-25 kg bags.
- 40 Bags on a pallet

Part No.	Qty	Size
P70650	40 Bags on pallet	23 - 25 kg bags

Floor Scraper - Wooden Handle



Part No.	Qty
895597	1

General Use Mops & Brushes - Wooden Handles



- For mop & brush heads

Part No.	Qty	Length	Diameter
895171	5	1.22 m (4 ft)	15/16”

General Use Sweeping Brush Heads



- Soft coco bristles.
- Suits 895171

Part No.	Qty	Width	Hole Size
895168	2	300 mm (12”)	15/16”

General Use Stiff Bass Yard Brush Heads



- Stiff coco bristles.
- Suits 895171

Part No.	Qty	Width	Hole Size
895169	2	300 mm (12”)	15/16”

General Use Mop Heads



- Size 14.
- Suits 895171

Part No.	Qty	Hole Size
895170	3	15/16”

Heavy Duty Brushes & Brooms - Wooden Handles



- For brush heads

Part No.	Qty	Length	Diameter
895453	3	1.52 m (5 ft)	1 1/8”

Heavy Duty Stiff Bass Yard Brush Heads



- Stiff bristles.
- Suits 895453

Part No.	Qty	Width	Hole Size
895456	2	300 mm (12”)	1 1/8”

Heavy Duty Scavenger Brush Heads



- Polypropylene bristles.
- Suits 895453

Part No.	Qty	Width	Hole Size
895451	2	330 mm (13”)	1 1/8”

Heavy Duty Sweeping Broom Head



- Soft coco bristles.
- Suits 895453

Part No.	Qty	Width	Hole Size
895452	1	610 mm (24”)	1 1/8”

Heavy Duty Metal Stays



- For Broom Heads.
- Suits 895452

Part No.	Qty	Hole Size
895450	3	1 1/8”

Broom Head - Soft PVC



- Cream bristles.
- Suits 895171

Part No.	Qty	Width	Hole Size
895595	1	275 mm (11”)	15/16”

Broom Head - Stiff PVC



- Brown bristles.
- Suits 895453

Part No.	Qty	Width	Hole Size
895660	1	400 mm (16”)	1 1/8”
895661	1	630 mm (25”)	1 1/8”

Wire Broom - Steel



- Suits 895453

Part No.	Qty	Width
895596	1	300 mm (12”)

Floor Squeegee Head - Rubber



- 22” wooden back.
- 24” rubber blade.
- Suits 895453

Part No.	Qty	Hole Size
895175	2	1 1/8”

Kentucky Mops



- Suits 895691 & 895692

Part No.	Qty	Type
895690	1	Handle
895691	1	Mop Fitting
895692	1	Mop Head

Mop Bucket - Steel



Part No.	Qty
895185	1

CLEANING & JANITORIAL PRODUCTS ON PAGE 526



VEHICLE CLEANING BRUSHES

Vehicle Wash Brush



- Rubber construction.
- Nylon bristles.
- Complete with hand piece for hosing down

Part No.	Qty	
895358	1	
895359	1	3 ft Extension Handle

Vehicle Wash Brush - Extending Handle



- Professional extendable wash brush with rubber head.
- Long life soft nylon filling.
- Suitable for 1/2" bore hose

Part No.	Qty	Type
895350	1	3 ft Wash Brush
895376	1	Replacement Head

Vehicle Brush



Part No.	Qty	Size
895650	1	57 x 410 mm
895651	1	74 x 245 mm

Vehicle Dust & Paint Brush



Part No.	Qty	Size
895653	1	Large

Squeegee & Sponge - Telescopic

- Telecscoping twist & lock handle - from 460 mm to 725 mm.
- 200 mm wide rubber squeegee blade.
- Foam sponge on the opposing side



Part No.	Qty
896700	1

Alloy Wheel Brush



- Coated rubber stem.
- Bonded vinyl tip.
- Rubber protective knuckle

Part No.	Qty	Size
896690	1	Small
896692	1	Large

Wheel Brush



- Specially designed super soft flexible bristles.
- Cleans all hard to reach areas.
- Pro-grade, non-scratch safety tip

Part No.	Qty
895649	1



Brake Calliper Brushes



- For the removal of brake dust and debris from the brake callipers.
- Brass bristle brush for damage free cleaning on Aluminium callipers.
- Brush for cleaning dust and debris from disc brakes.
- Ergonomic "finger grip" profiled handles.
- Set Contains 1 of each brush.

Part No.	Qty	Type
896688	2 pc	2 Piece Set (1 of each)
896685	1	Brass Calliper Brush
896686	1	Steel Calliper Brush

Builders Buckets



- With handle & pouring lip.
- Heavy duty polythene

Part No.	Qty	Size
895099	5	14 Ltr

Watering Can



- With watering rose.
- Polythene

Part No.	Qty	Size
895076	1	10 Ltr

Tarpaulin



- Polythene woven cover

Part No.	Qty	Size
895298	1	3.6 m x 5.4 m

Window Cleaners Kit



Contains: Bucket, Scrim, Squeegee, Window Washer

Part No.	Qty
895591	1

Dustbins & Lids



Part No.	Qty	Size	Type
895592	1	90 Ltr	Galvanised
895593	1	90 Ltr	Plastic

FIXT VALETING
PAGES 458 - 477

Disposable Car Seat Covers - Standard



- In a dispenser box.
- Thickness: 10 Micron

Part No.	Qty	Size
895058	Box of 500	1300 mm x 800 mm
P30500	30 x 500 On Pallet	1270 mm x 820 mm

Disposable Car Seat Covers - Heavy Duty



- Heavy Duty.
- In a dispenser box.
- Thickness: 25 Micron

Part No.	Qty	Size
895056	Box of 100	1325 mm x 840 mm
P30400	100 x 100 On Pallet	1325 mm x 840 mm

Disposable Car Seat Covers - Centre Feed - Standard



- In a centre feed dispenser box

Part No.	Qty	Size	Thickness	Type
895080	Box of 100	1300 mm x 800 mm	14 Micron	Dispenser Box
P30300	140 x 100 On Pallet	1300 mm x 800 mm	14 Micron	Dispenser Box
895083	Box of 100	1300 mm x 800 mm	10 Micron	Dispenser Box
895082	1	Metal Wall Bracket		

Biodegradable Seat Covers



- White disposable car seat covers ideal for protecting seats during a service, MOT, or valet.
- Made using 2% D2W additive making the seat covers oxo-biodegradable.
- Successfully tested for side air-bag deployment at Millbrook Proving Ground.

Part No.	Qty	Size
895066	100	1300 mm x 820 mm

Disposable Car Seat Covers - HGV



Part No.	Qty	Size
895120	100	1400 mm x 850 mm

Seat Cover - Technicians

- Used by many motor mechanics and technicians to protect the seats of vehicles in a garage environment.
- Very quick & easy to fit.
- Easily wiped clean.
- 100% waterproof.
- Made from super tough hardwearing 210 denier nylon with waterproof PVC backing.
- Parachute thread for added long term strength



Part No.	Qty	Type	Colour
895027	1	Front Seat	Black

Air Bag Compatible Seat Cover

- Single air bag compatible or passengers universal seat cover for most cars & vans.
- Extremely strong & heavy duty.
- Elasticated base and velcro sides for easy fit.
- 100% waterproof.
- Made from super tough hardwearing 210 denier nylon with waterproof PVC backing.
- Parachute thread for added long term strength



Part No.	Qty	Type	Colour
895026	1	Front Seat	Black

Front Seat Cover - Heavy Duty PVC-free Polyester

- Waterproof membrane.
- Elasticated base.
- Suitable for a wide range of standard seats.
- Washable.
- Resistant to mud, oil, grease, sticky food, sweets & drinks etc

May impede the operation of seat mounted air bags



Part No.	Qty	Colour
940799	1	Grey

Front Seat Cover - Universal

- Hard wearing 600 dennier polyester material.
- stronger, more comfortable & non sweaty compared to nylon.
- Water resistant & PVC free.
- Fits most vehicles & accepts arm rests & seat adjustment controls



Part No.	Qty	Colour	Type
895021	1	Black	Front Seat

Front Seat Cover - Van Passenger

- Hard wearing 600 dennier polyester material.
- Stronger, more comfortable & non sweaty compared to nylon.
- Water resistant & PVC free.
- Fits most vehicles & accepts arm rests & seat adjustment controls



Part No.	Qty	Colour	Type
895022	1	Black	Van Passenger Seat

Truck Seat Covers - Universal

- Waterproof seat protection for every vehicle.
- Resistant to oil, paint, mud, dust food, drink & more



Part No.	Qty	Type	Colour
895032	1	Front Seat	Black
895033	1	Double Seat	Black

Rear Seat Cover - Fast Fit

- Heavy duty fast fit rear seat cover that can be used as a boot liner.
- Reduces seat wear & tear.
- Waterproof.
- 218 x 147 cm



Part No.	Qty	Colour
895029	1	Black

Floor Mats - Paper

- Disposable.
- 375 x 500 mm



Part No.	Qty	Colour	Weight
895081	500	White	90 GSM
P30110	132 x 500 On Pallet	White	90 GSM
895178	500	Brown	90 GSM
P30100	100 x 500 On Pallet	Brown	90 GSM
895179	200	Brown	90 GSM
P30190	250 x 200 On Pallet	Brown	90 GSM

Interior Vehicle wrap - Stretch Type

- Stretch type interior vehicle cover complete with handle for ease of wrapping.
- Size: 125 mm x 210 m
  For use on:
  Steering wheels
  Hand brakes
  Gear levers



Part No.	Qty	Type
895722	2	2 reels & 1 handle
895724	2	2 handles

Wing Protectors - Black

- Protects vehicle wings whilst work is being carried out.
- Nylon with rubber grip



Part No.	Qty
895910	1

Steering Wheel Covers - Disposable

- Stretch type.
- Protects the steering wheel from grime and grease



Part No.	Qty
895721	500

Dispenser Trolley - With 2 Bars & Tray

Allows quick and mobile removal of automotive consumables

- Mobile service trolley.
- 2 cross bars.
- 1 storage shelf.
- 1 wrapping film holder.
- Mobile thanks to 4 swivel castors.
- Unit only, products must be ordered separately



Part No.	Qty	Size	Colour
895905	1	55 x 86 x 120 cm	Grey

Vehicle Interior Protection Set - 5 in 1



Our 5-in-1 valeting kits are ideal for use by garages to protect your customers interior whilst performing MOT's, Services or general valet

Each kit contains: 1 x Disposable car seat cover 1 x Disposable elasticated steering wheel cover 1 x Disposable paper floor mat 1 x Disposable gear stick cover 1 x Disposable hand brake cover

Part No.	Qty
895030	100

5 in 1 Vehicle Interior Protection Set - For HGV's



Part No.	Qty
895034	100

FIXT
INTERIOR CLEANING
ON PAGE 483

MULTI-ZORB - Absorbent Granules

Ideal for use in car bays, machine shops, factory floors, warehouses, oil refineries, packaging plant, garages, forecourts

- Non-toxic, non-abrasive & relatively dust free.
- Requires no special precautions during handling.
- Provides sure footing on slippery surfaces



Part No.	Qty	Size
895293	1 Bag	20 ltr

Isol8 - Organic Absorbent

Suitable for use on lubrication oil, hydraulic oil, petrol, diesel, grease, anti-seize, paint, mild acids & alkalines

- Isol8 is one of the most effective & advanced absorbents available.
- Unique amongst loose absorbents, being 100% organic, recycled waste material from totally sustainable resources.
- Absorbs up to 6 times more than clay granules.
- Non-leach properties keep contaminates locked inside



Part No.	Qty	Size
895295	1 Bag	1.3 kg
P50100	Pallet of 200 bags	1.3 kg

Absodan - Absorbent Granules



- Maximum absorption for all workplace spillages.
- Certified for road usage.
- Covers large areas of spillage.
- High skid resistance & great performance, even on rough surfaces.
- Suitable for use on strong chemicals

Part No.	Qty	Size
895303	1 Bag	20 ltr

New Safety Tread - Absorbent Granules

Suitable for use on strong chemicals



- Premium quality, non-dusting, Danish pink absorbent granule.
- Remains granular even when saturated.
- Conforms to the highest industry specifications for spillage absorbent's & certified for European road safety

Part No.	Qty	Size
865180	1 Bag	30 ltr

EVO Wood Fibre Absorbent Bags


Fire retardant recycled wood fibre absorbent. For use on industrial spillages and general clean-up duties. The lightweight loose particulate is easy to handle and absorbs liquids quickly and easily.



- Leaves surfaces safe, clean and dry.
- Enviro-friendly (recycled material).
- Lightweight product to transport and use.
- Fireproof.
- Harmless to humans, animals and plants

Part No.	Qty	Size
895292	1 Bag	30 Litres
P50500	Pallet of 70 bags	30 Litre bags on pallet

EVO Absorbent Pads



- Manufactured from 85% recycled natural fibres.
- Higher capacity than omparable polypropylene absorbents.
- Greater fluid retention avoids secondary contamination during clean-up.
- Low carbon footprint with ully recyclable packaging.
- Can be used in all sectors of industry to absorb hydraulic oil, engine oil, gear oil, lubricating oil, coolant, fuels and mild acids

Part No.	Qty	Size
865176	50 Pads	500 x 400 mm

EVO Absorbent Roll



- Suitable for coolant, anti-freeze, oil, water, weak chemicals & solvents.
- Provides a unique solution for companies pursuing higher ethical and environmental standards without compromising performance and value.
- Manufactured from recycled or sustainable material.
- Absorbs an average 25% more than standard polypropylene rolls.
- Absorbent capacity 98 litres

Part No.	Qty	Size
865166	1 Roll	38 xm x 40 m

Absorbent Roll - General Purpose

- For use on all non-hazardous workshop liquids.
- Strong wicking action for easy clean-up of everyday spills and leaks.
- Hard wearing finish making these rolls ideal for use in industrial applications.
- Central perforation for easy tearing.
- Absorbent capacity 45 litres



Part No.	Qty	Size
865165	1	38 cm x 39m

Absorbent Pads

- Universal industrial grade absorbent pads.
- 500 x 400 mm



Part No.	Qty	Type	Absorption Capacity
865173	100	Heavyweight	1.0 ltr
865174	200	Lightweight	0.5 ltr

Absorbent Roll

- Industrial grade universal absorbent.
- Provides excellent floor & bench protection against liquid spills.
- Cut amount required from dispenser pack



Part No.	Qty	Size
865175	1	130 mm x 15 m

Absorbent Socks

- Designed to surround & contain spills & leaky machines with flexible knitted outer barriers for bending around tight corners.



- Provides maximum protection against potential hazards

Part No.	Qty	Size	Type	Absorption Capacity
865177	2	80 mm x 1.2 m	Universal	5 Ltr

Spillage Control Kits

- Lightweight contains: Socks & pads.
- Heavyweight contains: Socks, pads & cushions



Lightweight contains: Socks & Pads. Heavyweight contains: Socks, Pads & Cushions

Part No.	Qty	Type	Absorption Capacity
865181	1	Universal Lightweight	30 ltr
865182	1	Oil Lightweight	30 ltr
865183	1	Chemical Lightweight	30 ltr
865160	1	Chemical Heavyweight	50 ltr
865161	1	Oil Heavyweight	50 ltr

Absorbent Spill Kits

- For use on leaks and spills in the workplace for quick and efficient clean-up.
- Includes absorbent socks to contain spills and protect drains and absorbent pads to soak up spilled liquids.



- Disposal bag and zip-tie included.
- General purpose kits can be used on: Coolant, Antifreeze, Oil, Water, Weak Chemicals & Solvents

Part No.	Qty	Type	Size
865187	1	General purpose kit	20 litre
865188	1	Oil & fuel kit	20 litre
865200	1	General purpose kit with drip tray	20 litre
865202	1	Oil & fuel kit with drip tray	20 litre

Wheelie Bin Spill Kits - Absorbent Kits

- For use on leaks and spills in the workplace for quick and efficient clean-up.
- Kits include absorbent socks to contain spills and protect drains and absorbent pads to soak up spilled liquids.
- Disposal bag and zip-tie included.
- General purpose kits are suitable for Coolants, Antifreeze, oil, water, weak chemicals & solvents



Part No.	Qty	Type	Size
778252	1	Oil	120 ltr
778254	1	Universal	120 ltr
778256	1	Universal	240 ltr
778258	1	Oil	240 ltr
778259	1	Adblue	240 ltr

Spill Pallets

- Spill pallet for 2 x 205 litre or 4 x 205 litre drums.
- Removable platform for easy sump access and cleaning.
- Complies with Oil storage regulation.
- Compatible with most forklift & pallet trucks.
- Made from fully recyclable, chemical resistant & UV stabilised PE



Part No.	Qty	Type	Size
778262	1	General purpose kit	20 litre
778264	1	Oil & fuel kit	20 litre

Drum Topper


- Universal absorbent
- Absorbs 5 litres.
- Great for absorbing drips from leaking pumps.
- Will handle any spill from many solvents to oils and common fluids



Part No.	Qty
865178	5

Drum Bunded Work Floor

- 2 or 4 Drum Bunded Workfloor.
- Removable grid deck for easy cleaning of the sump.
- Slip resistant texture on grid deck for safety.
- Can be joined together to form large contained area.
- Ideal as a contained dispensing platform



Part No.	Qty	Type	Size
778266	1	General purpose kit	20 litre
778268	1	Oil & fuel kit	20 litre

Low Level Spill Pallet

- Spill Pallet with removable grating.
- Easy to relocate and compliant with Oil Storage Regulations.
- Provides effective secondary containment in drum storage areas.
- Reduces the risk of ground contamination from leaks and spills.
- Ideal as a 'quarantine' point for leaking or damaged drums.
- Removable grid deck for easy cleaning



Part No.	Qty	Type	Absorption Capacity	Size
778270	1	2 Drum	135 litres	127 x 87 x 16 cm
778272	1	4 Drum	250 litres	122 x 162 x 16 cm

Anti-Slip Tape



- Resin bonded grit.
- Ideal for entrances, stairs, steps & ramps.
- For indoor & outdoor use.
- 18 m roll

Part No.	Qty	Width	Colour
895328	1	50 mm (2”)	Black
895329	1	50 mm (2”)	Black / Yellow

Floor Marking Tapes



- A self coloured plasticised PVC tape coated with an aggressive rubber based pressure sensitive adhesive.
- 33m long rolls

Part No.	Qty	Type	Width
896262	1	Arrow tape	50 mm (2”)

Lane & Aisle Marking Floor Tape - Self-Adhesive



- PVC.
- 33 m roll

Part No.	Qty	Width	Colour
895330	1	50 mm (2”)	Red
895331	1	50 mm (2”)	Blue
895332	1	50 mm (2”)	Green
895333	1	50 mm (2”)	Yellow
895334	1	50 mm (2”)	Black
895335	1	50 mm (2”)	White

Hazard Warning Tape - Self-Adhesive Backed



- 33 m roll

Part No.	Qty	Width	Colour
895345	1	50 mm (2”)	Black / Yellow
895346	1	50 mm (2”)	Red / White
895347	1	50 mm (2”)	Green / White

Chevron Barrier Tape - Non-Adhesive



- 500 m roll.
- In dispenser box

Part No.	Qty	Width	Colour
895348	1	70 mm (2 3/4”)	Red / White
895349	1	70 mm (2 3/4”)	Black / Yellow


Reflective Tape



- 10 m roll.
- Class 1 commercial grade self adhesive tape for safety markings and barriers.
- Ideal for the temporary road sign, safety markings and barriers etc.
- Lasts for 3 to 5 years

Part No.	Qty	Width	Colour
896212	1	50 mm (2”)	Red/White
896213	1	50 mm (2”)	Black/Yellow

Masking Tape - General Use



- 50 m rolls

Part No.	Qty	Width
895338	12	25 mm (1”)
895336	72	25 mm (1”)
895339	6	48 mm (2”)
895337	24	48 mm (2”)

Masking Tape - High Quality



- 50 m rolls

Part No.	Qty	Width
895227	6	24 mm (1”)
895229	3	48 mm (2”)

Masking Tape - High Temperature

White saturated crepe paper tape, coated with a solvent rubber resin adhesive



- 50 m roll.
- 80°C Temperature resistance.
- Suitable for any painting in building, construction and industrial applications.
- Ideal for automotive bobyshop applications requiring up to 80°c

Part No.	Qty	Width
896250	9	24 mm (1”)
896255	5	48 mm (2”)

Masking Tape - High Quality



- 50 m rolls

Part No.	Qty	Width
895236	6	25 mm (1”)
895237	3	50 mm (2”)

RUBAWRAP - Self-Amalgamating Tape



- Forms a solid synthetic rubber layer.
- Black.
- 5 m rolls

Part No.	Qty	Width
895115	1	25 mm (1”)
895107	1	50 mm (2”)

Extreme Silicone Tape




- 10 m roll.
- Permanent air-tight, moisture-proof seal.
- Fuel & oil resistant.
- Better than heat shrinkable tubing.
- Insulates 8,000 volts (per unstretched layer).
- Functions -50 C to +260 C.
- Suitable for potable water

WRAS approved

Part No.	Qty	Width	Length
896210	1	25 mm (1”)	3 m

Adhesive Tape - Clear



- 66 m rolls

Part No.	Qty	Width
895103	3	25 mm (1”)


Linen Loom Tape



- General purpose linen cloth tape, uncoated with pressure sensitive adhesive.
- High quality tape offering excellent abrasion resistance.
- Easy to tear by hand with good unwinding properties.
- Strong & durable

Part No.	Qty	Width	Length
895108	2	19 mm	50 m

Loom Tape - PVC Non-Adhesive



- 40 m roll

Part No.	Qty	Width
895007	1	19 mm (3/4”)

Cross-weave Tape

- 50 m roll.
- Clear polypropylene tape reinforced with cross-weave glass fibre, coated with a synthetic rubber resin adhesive.
- High tensile strength for heavy duty bundling and packaging.
- Recommended for packing of pallets and for high level reinforcements



Part No.	Qty	Width
896220	1	50 mm (2”)

Gaffer Tape - (Tank) Cloth Tape



- 50 m rolls

Part No.	Qty	Width	Colour
895134	2	50 mm (2”)	Black
895135	2	50 mm (2”)	Silver
895006	2	50 mm (2”)	Red
895005	2	100 mm (4”)	Black

Gaffer Tape - ‘AT171’ (Tank) Cloth Tape



- 50 m rolls

Part No.	Qty	Width	Colour
895002	2	50 mm (2”)	White
895001	24	50 mm (2”)	Silver
895002	2	50 mm (2”)	Silver
895003	24	50 mm (2”)	Black
895004	2	50 mm (2”)	Black

Foam Tape - Double Sided Adhesive



- Black.
- 10 m rolls.
- For external / automotive use

Part No.	Qty	Width	Colour
895095	5	9 mm (3/8”)	Black
895096	2	12 mm (1/2”)	Black
895097	2	19 mm (3/4”)	Black
895098	2	25 mm (1”)	Black
895102	1	50 mm (2”)	Black
895091	3	12 mm (1/2”)	White
895094	3	25 mm (1”)	White

Foil Tape - For Cold Weather



A soft, conformable aluminium foil which has been approved to class 'O' rating, used widely in the insulation marketplace on foil-faced pipe and slab sections and protects against the effects of fire, dust and moisture

- Excellent in challenging conditions such as low temperatures and humidity applications.
- Soft foil conforms to irregular surfaces.
- Certified to BS476

Part No.	Qty	Width
896230	1	50 mm (2")

All Weather Tape



Polythene tape used for splicing and repairing of polytunnels, greenhouses, polythene film and sheets, reinforcement of horticultural PVC structures and suitable for a variety of long-ageing, indoor and outdoor repairing and sealing applications

- 10 m roll.
- Outside UV resistant for 9 months.
- Repairs polythene sheeting, greenhouse glass, car lamps.
- Multi-purpose outdoor use

Part No.	Qty	Width
896232	3	50 mm (2")

Silage Farmers Tape



- High strength tape for repairing around the farm including silage patching, electrical insulation and banding.
- Good resistance to abrasion, corrosion and moisture.
- High dielectric strength.
- Excellent conformability

Part No.	Qty	Width
896234	3	75 mm (3")

Parcel Tape



- 66 m rolls.
- Brown polypropylene

Part No.	Qty	Width
895079	3	50 mm (2")
895077	36	50 mm (2")

Parcel Tape Dispenser Gun



- For 66 mm rolls.
- Suits 895079 & 895077

Part No.	Qty
895078	1

Hook & Loop Tape



- 1 m. Hook & Loop fastening system.
- Many uses around the house, school, office and workshop.
- Suitable for many smooth surfaces such as plastics, glass, metal & wood

Part No.	Qty	Width	Colour
896240	2	20 mm	White
896242	2	20 mm	Black

Anti-Corrosion Tape



- 10 m roll

Part No.	Qty	Width
895009	1	50 mm (2")

PTFE Gas Sealing Tape



- 5 m rolls on plastic spools

Part No.	Qty	Width
895104	10	12 mm (1/2")

PTFE Thread Sealing Tape



- 12 m rolls on plastic spools

Part No.	Qty	Width
865130	10	12 mm (1/2")

Paint Brushes - General Use



- Pure bristles.
- Black wooden handles

Part No.	Qty	Size
895149	10	1/2"
895150	10	1"
895151	10	1 1/2"
895152	10	2"
895153	5	3"
895458	3	4"

Assorted Paint Brushes - General Use



- Pure bristles.
- Black wooden handles

Sizes: 1/2", 1", 1 1/2", 2", 3"

Part No.	Qty
110119	10

Paint Brushes - High Quality



- Pure bristles.
- Maroon lacquered wooden handles

Part No.	Qty	Size
895186	5	1/2"
895586	10	1/2"
895187	5	1"
895587	10	1"
895188	5	1 1/2"
895588	10	1 1/2"
895189	4	2"
895589	8	2"
895190	2	3"
895590	4	3"

Assorted Paint Brushes - High Quality



- Pure bristles.
- Maroon lacquered wooden handles

Sizes: 1/2", 1", 1 1/2", 2", 3"

Part No.	Qty
110156	5
110157	10

Paint Brushes - Professional



- P100 professional quality.
- Pure black bristles.
- Clear lacquered mahogany handles

Part No.	Qty	Size
895340	4	1/2”
895341	4	1”
895342	4	1 1/2”
895343	2	2”
895344	2	3”

Assorted Paint Brushes - Professional Quality



- Pure bristles.
- Maroon polished handles

Sizes: 1/2”, 1”, 1 1/2”, 2”, 3”

Part No.	Qty
110207	5

Mini Roller Kit



Part No.	Qty	Size	Type
895571	1	4”	Kit
895572	10	4”	Replacement Sleeves

Roller Kit



- 12” roller complete
- 1 spare sleeve and 1 scuttle

Part No.	Qty	Size	Type
895573	1	12”	Kit
895574	1	12”	Replacement Sleeve

Touch-Up Paint Brushes - High Quality



- Pure bristles.
- Wooden handles

Part No.	Qty	Size
895195	20	No. 2
895196	20	No. 4
895197	20	No. 6
895198	20	No. 8

Assorted Touch-Up Paint Brushes - High Quality



- Wooden handles

Sizes: No. 2, 4, 6, 8

Part No.	Qty
110114	10

Touch-Up Paint Brushes - General Use



- Plastic handles

Sizes: No.2, 4, 6

Part No.	Qty
110173	24

Large Roller Kit



- Suits 895171

Part No.	Qty	Size	Type
895575	1	12”	Kit
895576	1	12”	Replacement Sleeve

Welding Rods



- Copper coated mild steel.
- For mild steel & wrought iron

Part No.	Qty	Diameter
845123	2 kg Pack	1.6 mm (1/16")
845124	2 kg Pack	2.4 mm (3/32")
845125	2 kg Pack	3.2 mm (1/8")

Welding Electrodes - Steel General Rutile



- 300 mm long.
- Universal for welding in all positions, including vertical downwards.
- Especially suitable for construction & general fabrication work

AWS: E6013. DIN: E 20 .OR (c) 3

Part No.	Qty	Diameter
845130	5 kg Pack	2.0 mm (5/64")
845133	5 kg Pack	2.5 mm (3/32")
845134	5 kg Pack	3.2 mm (1/8")
845135	5 kg Pack	4.0 mm (5/32")

Mig Welding Wire



- Copper coated de-oxidized steel.
- For semi-automatic welding

Part No.	Qty	Diameter	Weight
845201	1	0.6 mm	0.7 kg
845202	1	0.6 mm	5.0 kg
845205	1	0.8 mm	0.7 kg
845206	1	0.8 mm	5.0 kg
845207	1	0.8 mm	15 kg
845220	1	0.9 mm	0.45 kg
845208	1	1.0 mm	15 kg

Brazing Rods - Flux Coated



- BS 18415

Part No.	Qty	Diameter
845092	1 kg Pack	1.6 mm (1/16")
845096	1 kg Pack	2.4 mm (5/64")
845097	1 kg Pack	3.2 mm (1/8")

Welding Cable



- Flexible

Part No.	Qty	Size
215271	1	10 m

Tinmans Solder Sticks



- Grade 'C'.
- Approximately 1/4 kg per stick

Part No.	Qty
845117	2

Body Solder



- Approximately 1/2 kg

Part No.	Qty
845115	3

Solder Wire



- 1/2 kg coil.
- 40% tin / 60% lead.
- Flux core

Part No.	Qty	Diameter
845118	2	3.5 mm (10 swg)
845119	2	1.6 mm (16 swg)

Assorted Solder Wire



- 1/2 kg coil.
- For fine soldering

Part No.	Qty	Diameter
845111	2	0.7 mm (22 swg)
845112	2	1.2 mm (18 swg)

Solder Wire - Assorted



- 1/2 kg coils.
- 40% tin, 60% lead.
- Flux core

Diameters: 1.6 mm. 3.5 mm

Part No.	Qty
110132	2

Soldering Flux - Paste



- 1/2 kg coils.
- 40% tin, 60% lead.
- Flux core

Part No.	Qty	Size
845114	1	250 g

Soldering Fluxes - Fluid



- For soldering & tinning

Part No.	Qty	Size
845122	1	500 ml

Brazing Flux



- A powder flux for brazing and welding of copper alloys

Part No.	Qty	Size
845091	1	500 g Tub

Cutting Nozzles - Light Duty



- AFN type

Part No.	Qty	Size
845158	1	1/32"
845159	1	3/64"

Cutting Nozzles - Heavy Duty



- AMN6 short pattern

Part No.	Qty	Size
845160	1	1/32"
845161	1	3/64"

Nozzle Cleaners



- For the removal of welding material from nozzles.
- Contained in metal pocket case

Part No.	Qty
845101	1 Kit

Mig Welding Shroud



- Binzel type No 15

Part No.	Qty
845215	2

Mig Welding Tips



- Binzel type No 15

Part No.	Qty	Size
845211	5	0.6 mm
845212	5	0.8 mm
845213	5	1.0 mm

Welding Nozzles



- Lightweight.
- Swagged copper tube

Part No.	Qty	Size
845151	3	No. 3
845152	3	No. 5
845153	3	No. 7

Electrode Holder - Crocodile Type



- 400 amp

Part No.	Qty
845172	1

Electrode Holder - Twist Type



- 400 amp

Part No.	Qty
845149	1

Earthing Clamp



- 400 amp

Part No.	Qty
845148	1

Combination Spanner / Cylinder Key



Part No.	Qty
845102	1

Lighter - Triple Flint



- Complete with triple flints

Part No.	Qty	Type
845286	1	Lighter
845288	5	Replacement Flints

Flint Lighter - Gun Type



- Complete with flint

Part No.	Qty	Type
845291	1	Lighter
845292	10	Replacement Flints

Soldering Iron - 30 w / 240 v



- 2 m lead with mains plug

Part No.	Qty
845116	1

Padlocks - Iron Body



- Hardened shackle.
- Complete with 3 keys

Part No.	Qty	Size
895040	1	38 mm
895041	1	50 mm
895042	1	63 mm

Padlocks - Brass Body



- Hardened shackle.
- Complete with 3 keys

Part No.	Qty	Size
895084	1	38 mm
895085	1	50 mm
895043	1	60 mm

Padlock - Long Shackle



- Brass.
- Hardened shackle.
- Complete with 3 keys

Part No.	Qty	Size
895047	1	40 mm

Padlock - Brass Block



- Hardened shackle.
- Complete with 2 keys

Part No.	Qty	Size
895046	1	63 mm

Disk Padlock - Stainless Steel



- Hardened shackle.
- Complete with 2 keys

Part No.	Qty	Size
895044	1	70 mm

Padlocks - Keyed Alike



- Hardened shackle.
- Complete with 3 keys

Part No.	Qty	Size
895038	1	40 - 65 mm
895039	1	50 - 65 mm

Combination Padlock



- Hardened shackle.
- 4 number wheels.
- Resettable combination

Part No.	Qty	Size
895035	1	40 mm

Hasp & Staples



- Battleship grey

Part No.	Qty	Size
895052	1	90 x 40 mm
895053	1	120 x 40 mm
895054	1	140 x 40 mm
895055	1	180 x 50 mm

Key Fob - Brass



- Gold plated

Part No.	Qty	Size
895480	5	1 1/2”

Fire Extinguishers - Dry Powder



- Complete with mounting bracket

Part No.	Qty	Size
895273	1	600 g (Mini)
895289	1	1 kg (A, B & C Class)

NEW VISION BROCHURE
INCLUDING EXCITING NEW WEARABLES
Go to page 104, scan the QR code or Contact us to order your copy now!


ABRACS

abrasives and accessories





ABRACS

Cutting & Grinding Discs	376
Flap Discs	382
Poly Products	384
Holesaws	386
Drill Bits	390
Carbide Burrs	396
Saw Blades	398
Spindle Mounted Range	402
Quick Lock Range	404
Fibre Discs	408
Coated Abrasives	410
Wire Brushes	418

ABRACS
abrasives and accessories

CUTTING & GRINDING RANGE

We offer one of the most comprehensive bonded abrasives ranges available in the UK market. Our signature Cutting, Grinding & Extra Thin discs are available in a range of quality levels and sizes for use on a wide range of applications. We also offer an extensive range of specialist products including Vitrified Wheels and our Multi Discs & Grinding Range offering maximum efficiency, versatility & performance.



CUT AND GRIND

PRODUCT DEMONSTRATION VIDEO

DISC TYPES & APPLICATIONS

We stock a comprehensive range of premium quality Cutting, Grinding and Extra Thin Discs available for every application.

RANGE **INFORMATION**

All Abracs discs are subject to our rigorous quality control procedures and are manufactured to European safety standards. We have classified the range into 3 star, 5 star and 'Black Edition' quality levels & application types to make selecting the right product as easy as possible.



ABRASIVE CUTTING DISCS

Our Cutting Discs offer consistent and smooth cutting, maximum product lifespan, performance and quality. Available in a comprehensive range of sizes for a wealth of applications including metal, stone, stainless steel and aluminium cutting supplied in both Proflex and Phoenix quality levels.



ABRASIVE GRINDING DISCS

Our Grinding Discs offer heavy duty abrasive grinding, excellent performance and incredible product life. Available in a comprehensive range of sizes for a wealth of applications including metal, stone, stainless steel and aluminium grinding supplied in both Proflex and Phoenix quality levels.



EXTRA THIN CUTTING DISCS

Our Extra Thin Cutting Discs are INOX, designed for fast and precise low vibration cutting. They are both high performance and long lasting. Suitable for a wealth of metal cutting applications including stainless steel available in Proflex Trade, Phoenix Pro & Black Edition Expert quality levels.

QUALITY **LEVELS**

PROFLEX TRADE Cutting, Grinding and Extra Thin Discs are extended performance, professional quality products manufactured using high quality materials with an attractive price-performance ratio for the price conscious consumer.

PHOENIX PRO Cutting, Grinding and Extra Thin Discs are ultimate performance, produced to O.S.A. Safety standards & manufactured using premium quality materials, giving excellent life, offering one of the best cost per cut ratios in the market.

BLACK EDITION EXPERT Extra Thin Discs are 30% Extra Performance, reduced vibration & ultimate performance, produced to O.S.A. safety standards & manufactured using premium quality materials, our highest quality cutting disc produced to date.

APPLICATION **GUIDE**

METAL

Metal cutting discs are suitable for a wide range of metal applications including mild steel, iron, sheet steel & construction steel.

INOX


INOX cutting discs are specially designed for use on stainless steel as well as a wide range of non-ferrous metals.

ALUMINIUM

Aluminium cutting discs are specially designed for use on Aluminium as well as a wide range of non-ferrous metals.

ABRASIVE **MARKING SYSTEM**

Training and additional information on the safe use and fitting of abrasive wheels is available from Abracs.



SAFETY **ICONS**

ALWAYS OBSERVE INSTRUCTIONS

ALWAYS WEAR EAR PROTECTION

ALWAYS WEAR A DUST MASK

ALWAYS WEAR SAFETY GOGGLES

ALWAYS WEAR SAFETY GLOVES

GRADE **EXPLANATION**

INDICATES THE ABRASIVE GRAIN
A = Aluminium Oxide
C = Silicon Carbide

INDICATES THE HARDNESS OF THE DISC


A 30 S BF

INDICATES THE GRIT SIZE
The higher the number, the finer the grade

INDICATES THE NATURE OF THE BOND
'BF' stands for reinforced bond

SHAPE **EXPLANATION**

Abrasive discs are available in several different types, the most commonly used are shown below.



F41
Flat Centre for Cutting

F42
DPC Centre for Cutting

F27
DPC Centre for Grinding

METAL CUTTING DISCS

Abracs Cutting Discs are available in both Proflex Trade & Phoenix Pro quality levels for metal applications in an extensive range of sizes. Our experience in manufacturing processes developed over nearly 3 decades, combined with the use of premium quality raw materials enables us to produce cutting discs with significant increases in product lifespan, performance and quality. All Abracs cutting discs are manufactured to European safety standards and marked with EN12413.

Proflex discs offer professional quality performance and are a great value product, priced competitively with an exceptional cost per-cut ratio.

Phoenix discs are produced to O.S.A. Safety standards. Manufactured using premium quality materials, Phoenix II discs offer ultimate performance, long life & outstanding value.



FOR USE ON	MILD STEEL	STEEL PIPE	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
		PROFLEX		
835294	5	100mm x 3.0mm x 16mm DPC Metal Cutting Disc	A30RBF	15,300
835295	25	100mm x 3.0mm x 16mm DPC Metal Cutting Disc	A30RBF	15,300
835321	5	100mm x 3.0mm x 16mm Flat Metal Cutting Disc	A30RBF	15,300
835296	25	100mm x 3.0mm x 16mm Flat Metal Cutting Disc	A30RBF	15,300
835298	5	115mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	13,300
835299	25	115mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	13,300
835322	5	115mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	13,300
835393	25	115mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	13,300
835394	5	125mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	12,250
835550	25	125mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	12,250
835323	5	125mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	12,250
835555	25	125mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	12,250
835253	5	230mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	6,650
835560	25	230mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	6,650
835325	5	230mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	6,650
835565	25	230mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	6,650
		PHOENIX		
835350	5	100mm x 3.0mm x 16mm DPC Metal Cutting Disc	A30RBF	15,300
835351	25	100mm x 3.0mm x 16mm DPC Metal Cutting Disc	A30RBF	15,300
835385	5	100mm x 3.0mm x 16mm Flat Metal Cutting Disc	A30RBF	15,300
835395	25	100mm x 3.0mm x 16mm Flat Metal Cutting Disc	A30RBF	15,300
835353	5	115mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	13,300
835354	25	115mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	13,300
835386	5	115mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	13,300
835396	25	115mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	13,300
835356	5	125mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	12,250
835357	25	125mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	12,250
835387	5	125mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	12,250
835397	25	125mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	12,250
835380	10	178mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	8,600
835382	5	230mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	6,650
835360	25	230mm x 3.0mm x 22mm DPC Metal Cutting Disc	A30RBF	6,650
835389	5	230mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	6,650
835398	25	230mm x 3.0mm x 22mm Flat Metal Cutting Disc	A30RBF	6,650
835361	5	300mm x 3.5mm x 20mm Flat Metal Cutting Disc	A30RBF	5,100
835362	5	300mm x 3.5mm x 22mm Flat Metal Cutting Disc	A30RBF	5,100
835363	5	350mm x 2.5mm x 25.4mm Flat Metal Cutting Disc	A30RBF	4,000

FULL ABRACS CUTTING & GRINDING RANGE AVAILABLE
CONTACT US FOR MORE DETAILS



METAL GRINDING DISCS

Abracs Grinding Discs offer heavy duty abrasive grinding, professional performance and outstanding product life. All Abracs Grinding Discs are manufactured to European safety standards and marked with EN12413. Proflex Grinding Discs are an incredibly good value product with an exceptional cost per cut ratio. Abracs Phoenix Grinding Discs are produced to O.S.A. Safety standards and are a premium quality European manufactured product.

FOR USE ON	MILD STEEL	STEEL PIPE	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
		PROFLEX		
835297	10	100mm x 6.0mm x 16mm DPC Metal Cutting Disc	A24RBF	15,500
835261	10	115mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24RBF	13,300
835252	10	125mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24RBF	12,250
835305	10	230mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24RBF	6,650
		PHOENIX		
835420	10	100mm x 6.0mm x 16mm DPC Metal Cutting Disc	A24/30SBF	15,300
835333	10	115mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24/30SBF	13,300
835335	10	125mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24/30SBF	12,250
835338	10	178mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24/30SBF	8,600
835341	10	230mm x 6.0mm x 22mm DPC Metal Cutting Disc	A24/30SBF	6,650



ALI CUTTING & GRINDING DISCS

PHOENIX

Phoenix Ali are expert quality, heavy duty specialist Cutting and Grinding Discs designed specifically for use on aluminium and other non-ferrous materials. The composition of this specialist disc is designed so it is highly resistant to clogging and will protect against overheating the material. Made to O.S.A. Safety standards and marked with EN12413.

FOR USE ON	MILD STEEL	ALUMINIUM	COPPER	NON-FERROUS METALS

Part No.	Pack Qty	Specification	Grade	Max RPM
835570	5	115mm x 1.0mm x 22mm Flat Aluminium Extra Thin Cutting Disc	54A30RBF	13,300
835572	5	115mm x 3.0mm x 22mm DPC Aluminium Cutting Disc	54A30RBF	13,300
835574	5	115mm x 6.0mm x 22mm DPC Aluminium Grinding Disc	54A30RBF	13,300



PHOENIX

SILVER CUTTING & GRINDING DISCS

Phoenix Silver is a European manufactured disc range free from Iron, Sulphur and Chlorine. Similar to our Extra Thin Cutting Discs range the Phoenix Silver range of cutting and grinding discs is designed specifically for use on stainless steel as these specialist discs do not leave residue or contamination. Produced to O.S.A. Safety standards and marked with EN12413. Silver discs are popular for use within the food, nuclear and petrochemical industries.

FOR USE ON	STAINLESS STEEL	SHEET METAL	MILD STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
835580	5	115mm x 3.0mm x 22mm DPC INOX Cutting Disc	20A24P4BF	13,300
835585	5	115mm x 6.0mm x 22mm DPC INOX Cutting Disc	20A24P4BF	13,300

PROFLEX

EXTRA THIN CUTTING DISCS

Proflex Extra Thin are an incredibly good value product with an exceptional cost per cut ratio. Manufactured to European quality standards, a high performance disc designed for speed, accuracy and long life. Our Proflex Extra Thin Discs do not contain iron, sulphur or chlorine so are suitable for stainless steel cutting applications.



FOR USE ON	STAINLESS STEEL	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
835450	10	100mm x 1.0mm x 16mm Flat INOX Extra Thin Cutting Disc	A60RBF	15,300
835451	10	115mm x 1.0mm x 22mm Flat INOX Extra Thin Cutting Disc	A60RBF	13,300
835245	10	115mm x 1.0mm x 22mm Flat INOX Extra Thin Cutting Disc (In Tin)	A60RBF	13,300
835399	100	115mm x 1.0mm x 22mm Flat INOX Extra Thin Cutting Disc (In Tub)	A60RBF	13,300
835452	10	115mm x 1.6mm x 22mm Flat INOX Extra Thin Cutting Disc	A60RBF	13,300
835453	10	125mm x 1.0mm x 22mm Flat INOX Extra Thin Cutting Disc	A60RBF	12,250
835454	10	125mm x 1.6mm x 22mm Flat INOX Extra Thin Cutting Disc	A60RBF	12,250
835455	10	230mm x 1.8mm x 22mm Flat INOX Extra Thin Cutting Disc	A60RBF	6,650

PHOENIX

EXTRA THIN CUTTING DISCS

Our Phoenix discs are one of our signature products. A superior quality European manufactured range of extra thin cutting discs produced to O.S.A. Safety standards. Extremely fast and precise cutting with minimal effort required. Phoenix discs have been developed for precision cutting sheet metal and with strengthened core stability for reduced vibration. Our Phoenix Extra Thin Discs do not contain iron, sulphur or chlorine so are suitable for stainless steel cutting applications.



FOR USE ON	STAINLESS STEEL	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
835275	10	50mm x 1.0mm x 10mm Flat Inox Extra Thin Cutting Disc	20A60RBF	30,600
835276	10	75mm x 1.0mm x 10mm Flat Inox Extra Thin Cutting Disc	A46TBF	20,400
835277	10	75mm x 1.6mm x 10mm Flat Inox Extra Thin Cutting Disc	A46TBF	20,400
835411	10	100mm x 1.0mm x 16mm Flat Inox Extra Thin Cutting Disc	20A60RBF	15,300
835241	10	100mm x 1.6mm x 16mm Flat Inox Extra Thin Cutting Disc	20A46RBF	15,300
835412	10	115mm x 1.0mm x 22mm Flat Inox Extra Thin Cutting Disc	20A60RBF	13,300
835416	10	115mm x 1.0mm x 22mm Flat Inox Extra Thin Cutting Disc (In Tin)	20A60RBF	13,300
835414	25	115mm x 1.0mm x 22mm Flat Inox Extra Thin Cutting Disc	20A60RBF	13,300
835242	10	115mm x 1.6mm x 22mm Flat Inox Extra Thin Cutting Disc	20A46RBF	13,300
835255	10	125mm x 1.0mm x 22mm Flat Inox Extra Thin Cutting Disc	20A60RBF	12,200
835243	10	125mm x 1.6mm x 22mm Flat Inox Extra Thin Cutting Disc	20A46RBF	12,200
835413	10	230mm x 1.8mm x 22mm Flat Inox Extra Thin Cutting Disc	20A46RBF	6,600

BLACK EDITION

EXTRA THIN CUTTING DISCS

Introducing the Abracs Black Edition range. A combination of strengthened webbing and integrated bore and compound stability. Delivering the smoothest and lowest vibration INOX cutting. Designed for the highest precision, exceptional speed & controlled cutting.



FOR USE ON	STAINLESS STEEL	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
835441	10	115mm x 1.0mm x 22mm Flat Inox Extra Thin Cutting Disc (In Tin)	11A6087BF	13,300
835443	10	125mm x 1.0mm x 22mm Flat Inox Extra Thin Cutting Disc (In Tin)	11A6087BF	12,250
835445	10	230mm x 1.8mm x 22mm Flat Inox Extra Thin Cutting Disc	11A6087BF	6,650



MULTI MATERIAL 5-IN-1 CUTTING DISCS

The "5 in 1" Multi Material disc has been designed for cutting applications on virtually all materials including metal, stone, stainless steel, aluminium and plastic/PVC Professionals using this disc will no longer need to change discs for different materials leading to higher productivity, reduced product issues and increased operator safety.

FOR USE ON	METAL	STAINLESS STEEL	STONE	ALUMINIUM	PLASTIC

Part No.	Pack Qty	Specification	Grade	Max RPM
835432	10	115mm x 1.6mm x 22mm Flat Multi-Material Cutting Disc	AC36-RBF	13,300



MULTI-PURPOSE 3-IN-1 DISCS

The "3-in-1" Multi Purpose disc can be used for cutting, grinding and finishing applications simply by altering the angle at which the disc is used. 90 degrees for cutting, 30 degrees for grinding and 15 degrees for finishing. An extra layer of reinforcing has been added to the disc to ensure that it can cope with additional side pressure from grinding. The disc is also INOX (iron, sulphur and chlorine free) meaning that it can be used on stainless steel without any risk of material contamination or rust formation.

FOR USE ON	STAINLESS STEEL	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Grade	Max RPM
835434	5	115mm x 2.5mm x 22mm DPC Multi-purpose Disc	A36SUF	13,300



BENCH GRINDER WHEELS

Made from premium quality, high grade aluminium oxide or silicon carbide abrasive grit. Abracs Vitrified AL/OX Bench Grinder Wheels are engineered with precision for extensive product life and cool and consistent grinding on a wide range of metals. Designed for use on a bench grinder or pedestal grinder for deburring and sharpening.

Part No.	Pack Qty	Specification	Grade	Max RPM
AL/OX - Suitable For Use On Mild Steel & Hard Steel				
895402	1	150mm x 20mm x 36g Al/OX Bench Grinder Wheel	11A 36/80/120	5,095
895401	1	150mm x 20mm x 80g Al/OX Bench Grinder Wheel	11A 36/80/120	5,095
895404	1	150mm x 20mm x 120g Al/Ox Bench Grinder Wheel	11A 36/80/120	5,095
895410	1	200mm x 25mm x 36g Al/OX Bench Grinder Wheel	11A 36/80/120	3,820
895411	1	200mm x 25mm x 80g Al/OX Bench Grinder Wheel	11A 36/80/120	3,820
895412	1	200mm x 25mm x 120g Al/OX Bench Grinder Wheel	11A 36/80/120	3,820
SILICON CARBIDE - Suitable For Use On Mild Steel, Hard Steel, Hardened Steel & Tungsten Carbide				
895403	1	150mm x 20mm x 80g Silicon Carbide Bench Grinder Wheel	10C80	5,095
895413	1	200mm x 25mm x 80g Silicon Carbide Bench Grinder Wheel	10C80	3,820



GENERAL PURPOSE DIAMOND BLADES TRADE ★★★☆☆

Trade-line General Construction Materials Diamond Blades are suitable for a variety of building materials. With a 10mm segment for increased lifespan this entry level professional combination blade has been designed to offer excellent value for money with a good cost per cut ratio. Key hole gullets to aid stock removal and clear debris from the cutting surface.

FOR USE ON	CONCRETE	BRICKS	NATURAL STONE	TILES

Part No.	Pack Qty	Specification	Segment	Max RPM
835281	1	115mm x 10mm x 22mm GCM Diamond Blade - TRADE	10mm	13,300
835284	1	125mm x 10mm x 22mm GCM Diamond Blade - TRADE	10mm	12,200
835282	1	230mm x 10mm x 22mm GCM Diamond Blade - TRADE	10mm	6,650
835285	1	350mm x 10mm x 20mm GCM Diamond Blade - TRADE	10mm	5,500
835286	1	350mm x 10mm x 25.4mm GCM Diamond Blade - TRADE	10mm	4,400

ABRACS
abrasives and accessories

MULTI MATERIAL MULTI DISCS MULTI PURPOSE



MULTI-MATERIAL.
HIGHLY VERSATILE.
EXTREME LIFETIME.

FLAP DISCS RANGE

Abracs Flap Discs Range offers high performance, professional quality products in a range of quality levels to suit market demands. The Abracs Flap discs range includes products designed for a wide range of stock removal, finishing and polishing applications. All abracs flap discs are manufactured to EN standards and Zirconium and Ceramic Flap Discs carry the O.S.A safety mark.




CUT AND GRIND

PRODUCT DEMONSTRATION VIDEO

AL/OX FLAP DISCS

TRADE ★★★☆☆



Premium quality aluminium oxide grain flap discs are engineered for extended performance stock removal, blending and finishing. The lightweight fibreglass backing absorbs vibration and improves strength and durability. Trade-line AL/OX flap discs are very cost effective & suitable for a full range of metal applications.

FOR USE ON	CARBON STEEL	MILD STEEL	WOOD

Part No.	Pack Qty	Specification	Max RPM
835462	10	115mm x 22mm x 40g Aluminium Oxide Flap Disc	13,300
835461	10	115mm x 22mm x 60g Aluminium Oxide Flap Disc	13,300
835460	10	115mm x 22mm x 80g Aluminium Oxide Flap Disc	13,300

ZIRCONIUM FLAP DISCS

PRO ★★★★☆



Premium quality Zirconium grain flap discs are engineered for maximum performance stock removal, blending and finishing. The lightweight fibreglass backing absorbs vibration and makes this product incredibly strong and durable. Pro-line Zirconium flap discs are long life & suitable for a full range of metal applications including stainless steel. Abracs Zirconium Flap Discs discs are manufactured to O.S.A. Safety standards.

FOR USE ON	STAINLESS STEEL	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Max RPM
835201	5	100mm x 16mm x 40g Zirconium Flap Disc	15,300
835202	5	100mm x 16mm x 60g Zirconium Flap Disc	15,300
835203	5	100mm x 16mm x 80g Zirconium Flap Disc	15,300
835204	5	115mm x 22mm x 40g Zirconium Flap Disc	13,300
835213	25	115mm x 22mm x 40g Zirconium Flap Disc	13,300
835205	5	115mm x 22mm x 60g Zirconium Flap Disc	13,300
835214	25	115mm x 22mm x 60g Zirconium Flap Disc (25pc Pack)	13,300
835206	5	115mm x 22mm x 80g Zirconium Flap Disc	13,300
835215	25	115mm x 22mm x 80g Zirconium Flap Disc (25pc Pack)	13,300
835207	5	115mm x 22mm x 120g Zirconium Flap Disc	13,300
835228	5	125mm x 22mm x 40g Zirconium Flap Disc	12,250
835229	5	125mm x 22mm x 60g Zirconium Flap Disc	12,250
835230	5	125mm x 22mm x 80g Zirconium Flap Disc	12,250
835227	5	125mm x 22mm x 120g Zirconium Flap Disc	12,250

NON-WOVEN FLAP DISCS



Non-Woven Flap Discs discs are premium quality, manufactured using strengthened synthetic fibre and bonded by a specialist smear resistant adhesive which prevents clogging. This product is specifically designed for cleaning, polishing & finishing a wide range of materials. Available in 3 levels of coarseness to suit a variety of applications.

FOR USE ON	STAINLESS STEEL	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Colour	Max RPM
835291	5	115mm x 22mm Coarse Non-Woven Flap Discs	Brown	13,300
835292	5	115mm x 22mm Medium Non-Woven Flap Discs	Maroon	13,300
835293	5	115mm x 22mm Fine Non-Woven Flap Discs	Green	13,300

POLY PRODUCTS RANGE

With our Poly Disc range you can bring old and rusty materials back to their former glory without damaging the applications surface. They are a unique and versatile product designed for removal of rust, paint, thermal blueing and other contaminants. Made from a non-woven nylon web covered in a specialist synthetic resin. Poly Products can be used on a wide range of applications including metal, wood, concrete, aluminium and stainless steel.



CUT AND GRIND

PRODUCT DEMONSTRATION VIDEO

POLY DISCS & WHEELS



Abracs ultimate performance Poly Products have a unique structure and synthetic resin coating which enables effective removal of rust, paint, thermal bluing and other contaminants. The lightweight fibreglass backing absorbs vibration and makes this product incredibly strong and durable. The design of these unique products ensures a minimal risk of scratching the work piece. Suitable for a wide range of materials.

FOR USE ON	STAINLESS STEEL	METAL	CONCRETE	ALUMINIUM

Part No.	Pack Qty	Specification	Max RPM
835240	2	115mm x 22mm Black Poly Disc	13,300
835648	1	100mm x 13mm x 6mm Spindle Mounted Poly Wheels	4,500

HUB CLEANING TOOL



The Abracs Brake Hub Cleaning Kit product gives operators a quick and effective means of removing rust from the brakes, rotor and hub. The anti-clogging design keeps the abrasive minerals cutting at higher performance. The system removes rust and corrosion quickly, even in hard to reach places. The attachment provides quick disc changes with the convenience of running on high-speed tools. All this adds up to saving time, increasing speed and effectiveness.

FOR USE ON	ALLOYS	METAL	STAINLESS STEEL	ALUMINIUM

Part No.	Pack Qty	Specification	Max PSI
835624	2 Pc	2pc Brake Hub Cleaning Kit (1x 1/2" Drive Socket, 4x 50mm Threaded Poly Disc)	90
835629	6 Pc	6pc 50mm Hub Cleaning Threaded Poly Disc Replenishment Pack	90



HOLESAWS & ACCESSORIES RANGE

Extensive range of expert quality Cobalt Holesaws for use on a wide range of applications. Within the range we offer a full range of individual holesaws in the most popular market sizes and a range of specialist kits containing a range of popular holesaws and all the accessories you need.



POWER TOOL ACCESSORIES

PRODUCT DEMONSTRATION VIDEO

COBALT HOLESAWS



Abracs extensive range of expert quality Cobalt Holesaws for use on a wide range of applications. Our Cobalt Holesaws are designed for use by professional trades people and manufactured from premium quality materials. We use Bi-metal construction with 8% Cobalt for extreme strength, durability and performance. Abracs Holesaws are manufactured with high speed variable pitch teeth for fast and clean cutting and are suitable for use on a full range of materials.

FOR USE ON	MILD STEEL	STAINLESS STEEL	CAST IRON	NON FERROUS	ALUMINIUM	WOOD

Part No.	Pack Qty	Specification
825202	1	Cobalt (M42) Hole Saw 16mm
825203	1	Cobalt (M42) Hole Saw 19mm
825204	1	Cobalt (M42) Hole Saw 20mm
825206	1	Cobalt (M42) Hole Saw 22mm
825208	1	Cobalt (M42) Hole Saw 25mm
825210	1	Cobalt (M42) Hole Saw 29mm
825211	1	Cobalt (M42) Hole Saw 30mm
825212	1	Cobalt (M42) Hole Saw 32mm
825214	1	Cobalt (M42) Hole Saw 35mm
825216	1	Cobalt (M42) Hole Saw 38mm
825217	1	Cobalt (M42) Hole Saw 40mm
825220	1	Cobalt (M42) Hole Saw 44mm
825222	1	Cobalt (M42) Hole Saw 48mm
825223	1	Cobalt (M42) Hole Saw 51mm
825226	1	Cobalt (M42) Hole Saw 57mm
825227	1	Cobalt (M42) Hole Saw 60mm
825229	1	Cobalt (M42) Hole Saw 64mm
825231	1	Cobalt (M42) Hole Saw 70mm
825233	1	Cobalt (M42) Hole Saw 76mm
825235	1	Cobalt (M42) Hole Saw 83mm
825241	1	Cobalt (M42) Hole Saw 102mm
825243	1	Cobalt (M42) Hole Saw 114mm

HOLE SAW ARBORS & PILOT DRILL BITS



A range of premium quality Arbors and Pilot Drill Bits to work in conjunction with the full range of Abracs Holesaws.

Part No.	Pack Qty	Specification	Type	Thread Size
825261	1	A1 Arbor to fit Holesaw sizes 14mm - 30mm	A1	1/2" - 20UNF
825262	1	A2 Arbor to fit Holesaw sizes 32mm - 152mm	A2	5/8" - 18UNF
825264	1	Quick Release Universal Hole Saw Arbor	A1/A2	1/2" - 20UNF / 5/8" - 18UNF
825266	10	1/4" x 3" HSS Pilot Drill Bit	-	-



COBALT HOLESAW KIT 5PC

Expert quality Cobalt Holesaws in 4 of the most popular sizes, plus a compatible A1 Arbor. Supplied in a sturdy plastic case

FOR USE ON	MILD STEEL	STAINLESS STEEL	CAST IRON	NON FERROUS	ALUMINIUM	WOOD

Part No.	Pack Qty	Specification
825253	1	**5pc Mini Cobalt Holesaw Kit -** 20mm, 22mm, 25mm, 29mm Cobalt Holesaws + A1 Arbor



ELECTRICIANS COBALT HOLESAW KIT 11PC

Expert quality Cobalt Holesaws and accessories in a range of sizes suited to Electricians applications, packed in a re-usable hard fabric case.

FOR USE ON	MILD STEEL	STAINLESS STEEL	CAST IRON	NON FERROUS	ALUMINIUM	WOOD

Part No.	Pack Qty	Specification
825254	1	**11pc Electricians Cobalt Holesaw Kit -** 1x 16mm, 20mm, 22mm, 25mm, 32mm, 64mm Cobalt Holesaws 2x Arbor 1x A1 1x A2, 2x HSS Pilot Drill Bits, 1x Arbor Adaptor



PLUMBERS COBALT HOLESAW KIT 17PC

Expert quality Cobalt Holesaws and accessories in a range of sizes suited to Plumbers applications, packed in a re-usable hard fabric case.

FOR USE ON	MILD STEEL	STAINLESS STEEL	CAST IRON	NON FERROUS	ALUMINIUM	WOOD

Part No.	Pack Qty	Specification
825255	1	**17pc Plumbers Cobalt Holesaw Kit -** 1x 16mm, 20mm, 22mm, 25mm, 32mm, 38mm, 44mm, 51mm, 57mm, 64mm, 76mm Cobalt Holesaws 2x Arbors 1x A1 1x A2 - 2x HSS Pilot Drill Bits, 1x Ejection Spring 1x Extension Bar



ABRACS
abrasives and accessories

CLEAR-CUT PERFORMANCE COBALT.



THE PREMIUM **COBALT HOLESAW RANGE** FROM ABRACS WITH **8% COBALT** FOR ADDED STRENGTH & DURABILITY.

DRILL & S/D BITS RANGE

Abracs Ultimate Performance & Comprehensive Drill Bits Range contains an extensive selection of the most popular drill bits for use across a wide range of material applications. Every Abracs Drill Bits product group has been designed with the specific performance features required to enhance productivity, product lifetime, speed and efficiency on each material type. All drill bits product groups are available in both individual drill sizes and multi size kits.



POWER TOOL ACCESSORIES

PRODUCT DEMONSTRATION VIDEO

HSS COBALT DRILL BITS



Abracs HSS Cobalt Drill Bits are precision ground for high performance. The addition of 5% cobalt into the High Speed Steel increases lifetime, strength & wear resistance, keeping the drill bit sharper for longer. A key performance feature is their Split Point cutting head. The Split Point allows the drill bit to instantly grip the material resulting in higher precision, accuracy and significantly faster drilling speeds.

FOR USE ON	HARDENED STEEL	ALLOYS	CAST IRON	STAINLESS STEEL

Part No.	Pack Qty	Specification
825311	10	1.0mm Cobalt (M35) HSS Drill Bit
825312	10	1.5mm Cobalt (M35) HSS Drill Bit
825313	10	2.0mm Cobalt (M35) HSS Drill Bit
825314	10	2.5mm Cobalt (M35) HSS Drill Bit
825315	10	3.0mm Cobalt (M35) HSS Drill Bit
825316	10	3.3mm Cobalt (M35) HSS Drill Bit
825317	10	3.5mm Cobalt (M35) HSS Drill Bit
825318	10	4.0mm Cobalt (M35) HSS Drill Bit
825319	10	4.2mm Cobalt (M35) HSS Drill Bit
825320	10	4.5mm Cobalt (M35) HSS Drill Bit
825321	10	5.0mm Cobalt (M35) HSS Drill Bit
825322	10	5.5mm Cobalt (M35) HSS Drill Bit
825323	10	6.0mm Cobalt (M35) HSS Drill Bit
825324	10	6.5mm Cobalt (M35) HSS Drill Bit
825325	10	6.8mm Cobalt (M35) HSS Drill Bit
825326	10	7.0mm Cobalt (M35) HSS Drill Bit
825327	10	7.5mm Cobalt (M35) HSS Drill Bit
825340	5	8.0mm Cobalt (M35) HSS Drill Bit
825341	5	8.5mm Cobalt (M35) HSS Drill Bit
825330	5	9.0mm Cobalt (M35) HSS Drill Bit
825331	5	9.5mm Cobalt (M35) HSS Drill Bit
825332	5	10.0mm Cobalt (M35) HSS Drill Bit
825333	5	10.2mm Cobalt (M35) HSS Drill Bit
825334	5	10.5mm Cobalt (M35) HSS Drill Bit
825335	5	11.0mm Cobalt (M35) HSS Drill Bit
825336	5	11.5mm Cobalt (M35) HSS Drill Bit
825337	5	12.0mm Cobalt (M35) HSS Drill Bit
825338	5	12.5mm Cobalt (M35) HSS Drill Bit
825339	5	13.0mm Cobalt (M35) HSS Drill Bit

HSS COBALT DRILL BITS KITS



Abracs HSS Cobalt Drill Bits Kits include all popular sizes to suit all drilling applications. Supplied in a handy and durable metal case.

FOR USE ON	HARDENED STEEL	ALLOYS	CAST IRON	STAINLESS STEEL

Part No.	Pack Qty	Specification
825345	1	**19pc HSS Cobalt Drill Bit Set Contents:** 1-10mm (0.5mm Increments)
815288	1	**170pc Cobalt M35 HSS Drill Bit Kit Contents:** **10x** 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, **5x** 8.5, 9.0, 9.5, 10.0



HSS-G DRILL BITS

Abracs HSS-G Drill Bits are precision ground for high performance. Best suited for use on common steel material applications, but will also drill plastic. Manufactured with a Split Point allowing the bit to instantly grip the material resulting in higher precision, accuracy and increased drilling speeds.

FOR USE ON	MILD STEEL	SHEET METAL	PLASTIC	STAINLESS STEEL

Part No.	Pack Qty	Specification
825402	10	1.5mm HSS-G Drill Bit (10pcs)
825404	10	2.0mm HSS-G Drill Bit (10pcs)
825406	10	2.5mm HSS-G Drill Bit (10pcs)
825408	10	3.0mm HSS-G Drill Bit (10pcs)
825410	10	3.5mm HSS-G Drill Bit (10pcs)
825412	10	4.0mm HSS-G Drill Bit (10pcs)
825414	10	4.5mm HSS-G Drill Bit (10pcs)
825416	10	5.0mm HSS-G Drill Bit (10pcs)
825418	10	5.5mm HSS-G Drill Bit (10pcs)
825420	10	6.0mm HSS-G Drill Bit (10pcs)
825422	10	6.5mm HSS-G Drill Bit (10pcs)
825424	10	7.0mm HSS-G Drill Bit (10pcs)
825426	10	7.5mm HSS-G Drill Bit (10pcs)
825450	5	8.0mm HSS-G Drill Bit (5pcs)
825452	5	8.5mm HSS-G Drill Bit (5pcs)
825454	5	9.0mm HSS-G Drill Bit (5pcs)
825456	5	9.5mm HSS-G Drill Bit (5pcs)
825458	5	10.0mm HSS-G Drill Bit (5pcs)
825438	5	10.5mm HSS-G Drill Bit (5pcs)
825440	5	11.0mm HSS-G Drill Bit (5pcs)
825442	5	11.5mm HSS-G Drill Bit (5pcs)
825444	5	12.0mm HSS-G Drill Bit (5pcs)
825446	5	12.5mm HSS-G Drill Bit (5pcs)
825448	5	13.0mm HSS-G Drill Bit (5pcs)



HSS-G DRILL BITS KITS

Abracs HSS-G Drill Bit Sets features a wide range of sizes of our standard HSS-G Drill Bits to suit virtually all applications.

FOR USE ON	MILD STEEL	SHEET METAL	PLASTIC	STAINLESS STEEL

Part No.	Pack Qty	Specification
825490	1	**15pc HSS-G Drill Bit Set Contents:** 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 8.0, 9.0, 10.0mm
825495	1	**170pc HSS-G Drill Bit Kit Contents:** **10x** 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, **5x** 8.5, 9.0, 9.5, 10.0

3 QUALITY LEVELS

The HSS Drill Bits range has been split into 3 quality levels, HSS-R, HSS-G & HSS Cobalt Expert. The 3 tier quality system comprehensively covers the demands of the professional market with each option offering a perfect balance of performance & value to an extensive range of customers.

HSS-R DRILL BITS

Abracs HSS-R Drill Bits are rolled forged drill bits best suited for use on common steel material applications, but will also drill plastic. The 118° tip angle improves heat removal and ensures precise pilot drilling.



FOR USE ON	MILD STEEL	SHEET METAL	PLASTIC	STAINLESS STEEL

Part No.	Pack Qty	Specification
825131	10	HSS Drill Bit 1.0mm
825132	10	HSS Drill Bit 1.5mm
825133	10	HSS Drill Bit 2.0mm
825134	10	HSS Drill Bit 2.5mm
825135	10	HSS Drill Bit 3.0mm
825195	50	HSS Drill Bit 3.0mm
825171	10	HSS Drill Bit 3.3mm
825136	10	HSS Drill Bit 3.5mm
825137	10	HSS Drill Bit 4.0mm
825196	25	HSS Drill Bit 4.0mm
825172	10	HSS Drill Bit 4.2mm
825138	10	HSS Drill Bit 4.5mm
825139	10	HSS Drill Bit 5.0mm
825197	25	HSS Drill Bit 5.0mm
825140	10	HSS Drill Bit 5.5mm
825141	10	HSS Drill Bit 6.0mm
825198	20	HSS Drill Bit 6.0mm
825142	10	HSS Drill Bit 6.5mm
825143	10	HSS Drill Bit 7.0mm
825144	10	HSS Drill Bit 7.5mm
825145	10	HSS Drill Bit 8.0mm
825146	10	HSS Drill Bit 8.5mm
825147	10	HSS Drill Bit 9.0mm
825148	10	HSS Drill Bit 9.5mm
825149	10	HSS Drill Bit 10.0mm
825150	5	HSS Drill Bit 10.5mm
825151	5	HSS Drill Bit 11.0mm
825153	5	HSS Drill Bit 12.0mm
825156	5	HSS Drill Bit 13.0mm
825113	10	HSS Drill Bit 1/4"
825165	20	HSS Drill Bit 1/4"
825105	10	HSS Drill Bit 1/8"
825163	50	HSS Drill Bit 1/8"
825109	10	HSS Drill Bit 3/16"
825164	25	HSS Drill Bit 3/16"

HSS-R DRILL BITS KITS

Abracs HSS-R Drill Bit Set features a wide range of sizes of our standard HSS-R Drill Bits to suit virtually all applications.



FOR USE ON	MILD STEEL	SHEET METAL	PLASTIC	STAINLESS STEEL

Part No.	Pack Qty	Specification
825157	1	**25pc HSS-R Drill Bit Set Contents:** 1-13mm (0.5mm Increments)
825160	1	**170pc HSS Drill Bit Kit Contents:** **10x** 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, **5x** 8.5, 9.0, 9.5, 10.0



BLACKSMITH DRILL BITS

Abracs Blacksmith Drill Bits are manufactured with a large diameter and smaller shanks to enable use in standard drill chucks. Suitable for steel, cast iron, non-ferrous materials.

FOR USE ON	STEEL	CAST IRON	PLASTIC	NON FERROUS

Part No.	Pack Qty	Specification
825353	1	14.0mm x 10mm Blacksmith Drill Bit
825168	1	14.5mm x 10mm Blacksmith Drill Bit
825185	1	15.0mm x 10mm Blacksmith Drill Bit
825354	1	16.0mm x 10mm Blacksmith Drill Bit
825187	1	17.0mm x 13mm Blacksmith Drill Bit
825355	1	18.0mm x 13mm Blacksmith Drill Bit
825170	1	19.0mm x 13mm Blacksmith Drill Bit
825356	1	20.0mm x 13mm Blacksmith Drill Bit
825357	1	22.0mm x 13mm Blacksmith Drill Bit
825358	1	25.0mm x 13mm Blacksmith Drill Bit



STEP DRILLS

Abracs Step Drills are designed to streamline the workload and maximise performance. With a three edged shank to eliminate slipping and a dual cutting edge for super fast and effective drilling. All 3 individual sizes available supplied together in a handy and durable plastic case.

FOR USE ON	MILD STEEL	SHEET METAL	STEEL	STAINLESS STEEL

Part No.	Pack Qty	Specification
825360	1	Step Drill 4-12mm
825361	1	Step Drill 4-20mm
825362	1	Step Drill 6-30mm
825365	1	3pc Step Drill Set - **4-12mm, 4-20mm & 6-30mm**



6PC COUNTERSINK SET

Abracs Countersink Bits are manufactured from high speed steel with a 90° cutting edge for ultimate performance. The precision ground flutes ensure that the three edged cutters are extremely sharp & durable.

FOR USE ON	MILD STEEL	SHEET METAL	STEEL	STAINLESS STEEL

Part No.	Pack Qty	Specification
825390	1	6pc Countersink Set Contents: **6.3/8.3/10.4/12.4/16.5/20.5mm**



SCREWDRIVER BITS SETS

Abracs Screwdriver Bit Sets contain a range of popular sized screwdriver bits and accessories to suit a broad range of screw driving applications

Part No.	Pack Qty	Specification
985890	1	**29pc S/D Bit & Ratchet Set**
985878	1	42pc Impact Screwdriver Bit Set

YOU KNOW



THE DRILL

CARBIDE BURRS RANGE

Abracs Carbide Burrs Range is manufactured with High Performance Tungsten Carbide and Double Cut design. Available in a range of sizes & shapes, our 5pc Kit offers a selection of the most popular head types from our 6mm Spindle range. All Abracs Carbide Burrs are suitable for use on a variety of Materials such as Steels, Alloys and Cast Iron.



POWER TOOL ACCESSORIES

PRODUCT DEMONSTRATION VIDEO

CARBIDE BURRS

Manufactured with High Performance Tungsten Carbide and Double Cut (also known as Cross Cut) design to provide aggressive stock removal and reduced chips for precise deburring. Suitable for use on a variety of Materials such as Steels, Alloys and Cast Iron.



FOR USE ON	MILD STEEL	ALLOYS	CAST IRON	STAINLESS STEEL

Part No.	Pack Qty	Specification	Shape	Cut Type	Head Diameter (mm)	Head Length (mm)	Spindle Diameter (mm)	Total Length (mm)
985472	1	Cylindrical No End Cut	A	Double Cut	10.0	20.0	6.0	60.0
985473	1	Cylindrical with End Cut	B	Double Cut	12.0	25.0	6.0	65.0
985474	1	Cylindrical Ball Nose	C	Double Cut	12.0	25.0	6.0	65.0
985475	1	Ball	D	Double Cut	12.0	11.0	6.0	51.0
985476	1	Ball Nose Tree	F	Double Cut	12.0	25.0	6.0	65.0
985477	1	Flame	H	Double Cut	8.0	19.0	6.0	63.0
985478	1	Ball Nose Cone	L	Double Cut	12.0	28.0	6.0	76.0

5PC CARBIDE BURR KIT

Manufactured with High Performance Tungsten Carbide and Double Cut (also known as Cross Cut) design to provide aggressive stock removal and reduced chips for precise deburring. Suitable for use on a variety of Materials such as Steels, Alloys and Cast Iron.



FOR USE ON	MILD STEEL	ALLOYS	CAST IRON	STAINLESS STEEL

Part No.	Pack Qty	Specification
985470	1	**5pc Carbide Burr Kit** B122506 (Cylindrical with end cut), C122506 (Cylindrical Ball Nose), D121206 (Ball), F122506 (Ball Nose Tree), L122806 (Ball Nose Cone)



SAW BLADES RANGE

Abracs Jigsaw, Reciprocating Saw Blades, Hacksaws & Multi-Tool Blade range come in an extensive range of sizes, tooth shapes and configurations and are manufactured using a variety of materials to make each individual blade the highest possible performance for cutting the intended material application. We have specific blades for use on wood, metal, wood & metal and aluminium cutting applications.



POWER TOOL ACCESSORIES

PRODUCT DEMONSTRATION VIDEO

RECIPROCATING SAW BLADES

Abracs Reciprocating Saw Blades come in an extensive range of sizes, tooth shapes and configurations for use on Metal and Wood and are manufactured to the highest possible performance level.



FOR USE ON	METAL	WOOD & METAL	WOOD

Part No.	Pack Qty	Specification	TPI
		METAL	
855120	5	150mm x 19mm x 0.9mm Metal Cutting Blade - RBS922BF Fast Cut	14
855130	5	150mm x 19mm x 0.9mm Metal Cutting Blade - RBS922EF Precision Cut	18
855121	5	225mm x 19mm x 0.9mm Metal Cutting Blade - RBS1122BF Fast Cut	14
855128	5	225mm x 19mm x 0.9mm Metal Cutting Blade - RBS1122EF Precision Cut	18
855127	5	225mm x 19mm x 0.9mm Metal Cutting Blade - RBS1122AF Fine Cut	24
		WOOD & METAL	
855125	5	150mm x 19mm x 0.9mm Wood/Metal Cutting Blade - RBS922HF Fast Cut	10
855126	5	225mm x 19mm x 1.25mm Wood/Metal Cutting Blade - RBS1111DF Coarse Cut	6
855129	5	225mm x 19mm x 0.9mm Wood/Metal Cutting Blade - RBS1122VF Fast Cut	10-14
		DEMOLITION	
855131	3	150mm x 22mm x 1.6mm Demolition Blade - RBSDEM150 Heavy Duty Cut	10
855132	3	225mm x 22mm x 1.6mm Demolition Blade - RBSDEM225 Heavy Duty Cut	10

RECIPROCATING SAW BLADE PACK 8PC

Abracs 8pc Reciprocating Saw Blade Pack comprises of 4 popular blade sizes (2x each) for cutting a range of wood & metal materials. Manufactured using Bi-Metal, Abracs expert-line reciprocating saw blades for metal are ultimate performance, long life and premium quality. Every Abracs Reciprocating Saw Blade has a universal fitting for use on all popular machine types.



FOR USE ON	METAL	WOOD & METAL	WOOD

Part No.	Pack Qty	Specification
855135	8 pc	**8pc Reciprocating Saw Blade Mixed Pack:** 2x RBS922HF for WOOD & METAL, 2x RBS922EF for METAL, 2x RBS644D for WOOD, 2x RBS1531L for WOOD





AIR SAW BLADES

Bi-metal Saw Blades for pneumatic machines manufactured with High speed steel teeth for extended product life and high cutting performance with a universal fitting suitable for most common machine brands. Available in Coarse (14 TPI), Medium (24 TPI) & Fine (32 TPI) tooth pitch for fast, general purpose & precision cutting.

FOR USE ON	SHEET STEEL	PIPES	PROFILES	PVC

Part No.	Pack Qty	Specification
985780	5	Air Saw Blade 95mm x 14 TPI
985781	5	Air saw Blade 95mm x 24 TPI
985782	5	Air Saw Blade 95mm x 32 TPI



JIGSAW BLADES METAL

Abracs Jigsaw Blades come in an extensive range of sizes, tooth shapes and configurations and are manufactured to the highest possible performance level.

FOR USE ON	MILD STEEL	SHEET STEEL	HIGH GRADE STEEL	ALUMINIUM

Part No.	Pack Qty	Specification	Cut Depth	Length
985960	5	**T118A HSS Standard for METAL -** 1.9-2.3mm teeth spacing, Wavy set teeth for fine, straight cutting	1-3mm	77mm
985962	5	**T118B HSS Standard for METAL -** 1.9-2.3mm teeth spacing, Wavy set teeth for fine, straight cutting.	2.5-6mm	77mm
985964	5	**T118G HSS Standard for METAL -** 0.7mm teeth spacing, Wavy set teeth for fine, straight cutting.	0.5-1.5mm	77mm
985966	5	**T318A HSS Standard for METAL -** 1.2mm teeth spacing, Wavy set teeth for fine, straight cutting.	<65mm	132mm
985968	5	**T318B HSS Standard for METAL -** 2.0mm teeth spacing, Wavy set teeth for fine, straight cutting	<65mm	132mm
985970	5	**T127D HSS Special for ALU & METAL -** 3.0mm teeth spacing, Side set teeth for fine, straight cutting.	2.5-6mm	100mm



JIGSAW BLADE MIXED PACK

Abracs 10pc Jigsaw Blade mixed pack contains a range of the most popular types available for a range of cutting applications, presented in a neat, handy and secure dispenser pack with comprehensive application information.

FOR USE ON	WOOD & NAILS	PLASTICS	SHEET METAL	PIPES & PROFILES

Part No.	Pack Qty	Specification
985980	10 Pc	**10pc Jigsaw Blade Mixed Pack:** 2x ABT101D, 2x ABT111C, 2x ABT101B, 2x ABT118A, 2x ABT118B



HACKSAW BLADES

Abracs Hacksaw & Junior Hacksaw Blades are manufactured with Bi-metal flexible spring steel for long life and excellent cutting performance. The blades are shatterproof & flexible with hardened teeth for maximum wear resistance and are suitable for cutting a wide range of materials.



FOR USE ON	METAL	WOOD	STAINLESS STEEL	PLASTIC	ALUMINIUM

Part No.	Pack Qty	Specification
855240	10	300mm Hacksaw Blades - 18T
855242	10	300mm Hacksaw Blades - 24T
855244	10	150mm Junior Hacksaw Blades - 24T

MULTI-TOOL BLADES WOOD & METAL

Bi-Metal Multi-Tool blades featuring milled teeth for standard cutting on hard & soft wood, wood with nails, sheet steel, plastics, aluminium and other non-ferrous metals.



FOR USE ON	HARD & SOFT WOOD	SHEET METAL	WOOD WITH NAILS	NON FERROUS

Part No.	Pack Qty	Specification
825280	1	34mm PRO Multi-Tool Blade - Wood & Metal
825281	1	45mm PRO Multi-Tool Blade - Wood & Metal
825282	1	68mm PRO Multi-Tool Blade - Wood & Metal
825283	1	87mm PRO Multi-Tool Blade - Wood & Metal

4PC MULTI-TOOL BLADE WOOD & METAL SET

Multi-Tool Mixed Sets featuring a wide range of Wood and Wood & Metal Multi-Tool blades with both Standard & Precision Cut teeth for a wide range of applications.



FOR USE ON	HARD & SOFT WOOD	SHEET METAL	WOOD WITH NAILS	NON FERROUS

Part No.	Pack Qty	Specification
825258	4	**4pc Wood & Metal Multi-Tool Set:** **Wood -** 1x 34mm, 87mm Radial **Wood & Metal -** 1x 34mm, 68mm

8PC MULTI-TOOL BLADE WOOD & METAL SET

Multi-Tool Mixed Sets featuring a wide range of Wood and Wood & Metal Multi-Tool blades with both Standard & Precision Cut teeth for a wide range of applications.



FOR USE ON	HARD & SOFT WOOD	SHEET METAL	WOOD WITH NAILS	NON FERROUS

Part No.	Pack Qty	Specification
825259	8	**8pc Wood & Metal Multi-Tool Set:** **Wood -** 34mm(2x), 68mm, 34mm (Precision), 68mm (Precision) **Wood & Metal -** 34mm, 45mm, 87mm Radial

SPINDLE MOUNTED RANGE

Abracs range of Spindle Mounted Flap Wheels offer a superb combination of performance & versatility. Available in a broad range of sizes, materials and grades making them suitable for virtually all applications. All products are mounted on a 6mm spindle making them suitable for electric drills and air tools and can be use on a diverse range of materials including stainless steel, standard/alloy steel, aluminium and non-ferrous metals.



SANDING AND FINISHING

PRODUCT DEMONSTRATION VIDEO

SPINDLE MOUNTED FLAP WHEELS

Top quality range of spindle mounted wheels available in a comprehensive range of sizes and grits. Ideal for deburring and general cleaning applications. Designed for use with electric drills and air tools and suitable for a broad range of applications.




FOR USE ON	MILD STEEL	CONSTRUCTION STEEL	ALLOY STEEL	IRON

Part No.	Pack Qty	Specification	Max RPM
835490	5	25mm x 15mm x 40g Spindle Mounted Flap Wheel	16,500
835491	5	25mm x 15mm x 60g Spindle Mounted Flap Wheel	16,500
835492	5	25mm x 15mm x 80g Spindle Mounted Flap Wheel	16,500
835495	5	30mm x 20mm x 40g Spindle Mounted Flap Wheel	16,500
835496	5	30mm x 20mm x 60g Spindle Mounted Flap Wheel	16,500
835497	5	30mm x 20mm x 80g Spindle Mounted Flap Wheel	16,500
835500	5	40mm x 20mm x 40g Spindle Mounted Flap Wheel	12,500
835501	5	40mm x 20mm x 60g Spindle Mounted Flap Wheel	12,500
835502	5	40mm x 20mm x 80g Spindle Mounted Flap Wheel	12,500
835505	5	40mm x 30mm x 40g Spindle Mounted Flap Wheel	12,500
835506	5	40mm x 30mm x 60g Spindle Mounted Flap Wheel	12,500
835507	5	40mm x 30mm x 80g Spindle Mounted Flap Wheel	12,500
835510	5	50mm x 30mm x 40g Spindle Mounted Flap Wheel	10,000
835511	5	50mm x 30mm x 60g Spindle Mounted Flap Wheel	10,000
835512	5	50mm x 30mm x 80g Spindle Mounted Flap Wheel	10,000
835515	5	60mm x 30mm x 40g Spindle Mounted Flap Wheel	8,300
835516	5	60mm x 30mm x 60g Spindle Mounted Flap Wheel	8,300
835517	5	60mm x 30mm x 80g Spindle Mounted Flap Wheel	8,300
835520	5	80mm x 50mm x 40g Spindle Mounted Flap Wheel	6,200
835521	5	80mm x 50mm x 60g Spindle Mounted Flap Wheel	6,200
835522	5	80mm x 50mm x 80g Spindle Mounted Flap Wheel	6,200



QUICK LOCK
RANGE

The Abracs range of “Quick-Lock” products can be used for cleaning, stripping, polishing and finishing all using the same simple system. Abracs twist on and twist off fitting means that different products can be fitted and removed quickly, safely and easily. This simple but innovative system means less downtime for operators and higher overall productivity.



SANDING AND FINISHING

QUICK-LOCK SANDING DISCS




Zirconium sanding discs suitable for use on a range of materials including stainless steel. Ideal for use in hard to reach places.

FOR USE ON	STAINLESS STEEL	SHEET METAL	MILD STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Max RPM
835631	25	50mm x 40g Quick Lock Sanding Discs	25,000
835632	25	50mm x 60g Quick Lock Sanding Discs	25,000
835633	25	50mm x 80g Quick Lock Sanding Discs	25,000
835634	25	50mm x 120g Quick Lock Sanding Discs	25,000
835635	25	75mm x 40g Quick Lock Sanding Discs	20,000
835636	25	75mm x 60g Quick Lock Sanding Discs	20,000
835637	25	75mm x 80g Quick Lock Sanding Discs	20,000
835638	25	75mm x 120g Quick Lock Sanding Discs	20,000

QUICK-LOCK FLAP DISCS



Zirconium flap discs designed for high stock removal and long life. Suitable for stainless steel. Ideal for use in hard to reach areas.

FOR USE ON	STAINLESS STEEL	SHEET METAL	MILD STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Max RPM
835716	25	50mm x 40g Quick-Lock Flap Disc	25,000
835714	25	50mm x 60g Quick-Lock Flap Disc	25,000
835712	25	50mm x 80g Quick-Lock Flap Disc	25,000
835710	25	50mm x 120g Quick-Lock Flap Disc	25,000

QUICK-LOCK NON-WOVEN DISCS



Ideal for polishing and finishing a range of products including stainless steel, carbon steel, plastics, soft metal alloys and more. Ideal for use in hard to reach places.

FOR USE ON	STAINLESS STEEL	PLASTIC	SOFT METAL ALLOY	CARBON STEEL

Part No.	Pack Qty	Specification	Colour	Max RPM
835641	25	50mm Coarse Quick-Lock Non-Woven Discs	Brown	25,000
835642	25	50mm Medium Quick-Lock Non-Woven Discs	Maroon	25,000
835643	25	50mm Fine Quick-Lock Non-Woven Discs	Green	25,000
835644	25	75mm Coarse Quick-Lock Non-Woven Discs	Brown	20,000
835645	25	75mm Medium Quick-Lock Non-Woven Discs	Maroon	20,000
835646	25	75mm Fine Quick-Lock Non-Woven Discs	Green	20,000




QUICK-LOCK POLY DISCS

Ideal for removing rust and paint before preparation. The unique design of this product ensures a minimal risk of scratching the work piece during use. Ideal for use in hard to reach places.

FOR USE ON	STAINLESS STEEL	MILD STEEL	STEEL ALLOYS	ALUMINIUM

Part No.	Pack Qty	Specification	Max RPM
835621	25	**50mm x 13mm Quick-Lock Poly Disc**	25,000
835622	25	**75mm x 13mm Quick-Lock Poly Disc**	20,000



QUICK-LOCK BRISTLE BRUSHES

These fast running Ceramic grit discs are ideal for efficiently cleaning or stripping many substances from metal surfaces without damaging the work-piece. Flexible bristles conform to contours of the work-piece to produce consistent finishes on the most uneven surfaces, whilst keeping surface temperatures cool to prevent warping of the work piece.

FOR USE ON	STAINLESS STEEL	MILD STEEL	STEEL ALLOYS	ALUMINIUM

Part No.	Pack Qty	Specification	Max RPM
835616	5	**50mm Quick-Lock Bristle Brush (Green) 50g**	25,000
835618	5	**50mm Quick-Lock Bristle Brush (Yellow) 80g**	25,000



QUICK-LOCK BACKING PADS

Sturdy but flexible rubber backing pad adaptors with a 6mm x 35mm spindle. Suitable for use with all Abracs Quick-Lock products.

Part No.	Pack Qty	Specification	Max RPM
895418	10	**50mm (6mm x 35mm Spindle) Quick Lock Backing Pad**	25,000
895419	10	**75mm (6mm x 35mm Spindle) Quick Lock Backing Pad**	20,000



QUICK-LOCK PACKS

7pc Quick-Lock Surface Conditioning Kit
A selection of 75mm Quick-Lock discs and a 75mm Quick-Lock Backing Pad.

25pc Quick-lock Accessory Pack
A selection of 50mm Quick-Lock products. Ideal as a starter pack or display box.

FOR USE ON	STAINLESS STEEL	WOOD	MILD STEEL	PLASTICS


Part No.	Pack Qty	Specification
110251	1	**75mm "Quick-Lock" Surface Conditioning Pack Contents:** 3 x 75mm Fibre Discs with Quick-Lock fitting, 3 x 75mm Polirico Discs with Quick-Lock fitting, 1 x 75mm Quick-Lock Backing Pad.
105290	1	**25pc Accessory Pack - Contents:** 2 x 50mm Backing Pad Adaptor, 7 x 50mm Polirico Discs (2 x Coarse, Fine, 3 x Medium), 9 x 50mm Sanding Discs (3 x Course, Medium, Fine), 3 x 50mm Poly Discs, 4 x 50mm Flap Discs (1 x 40, 60, 80, 120g)

ABRACS
abrasives and accessories

BODYSHOP RANGE


FOR THE AUTOMOTIVE INDUSTRY

PAGES 416 / 417



FIBRE DISCS RANGE

Abracs European manufactured O.S.A approved Fibre Sanding discs range features a full resin bond system with heavy duty fibre backing. Professional quality for the professional user and available in a range of quality levels designed to give premium performance on a wide range of material applications.



SANDING AND FINISHING

FIBRE SANDING DISCS AL/OX



Abracs AL/OX Fibre Sanding Discs include all popular sizes and grits. Our fibre discs feature a full resin bond system with heavy-duty fibre backing for increased strength, durability and tear resistance. Top quality European manufacturing, long life and high performance all come as standard along with an extremely competitive price. Abracs Fibre Discs Range are manufactured to O.S.A. Safety standards.

FOR USE ON	IRON	SHEET STEEL	MILD STEEL	WOOD

Part No.	Pack Qty	Specification	Max RPM
835601	25	100mm x 16mm x 24g AL/OX Fibre Sanding Disc	15,300
835602	25	100mm x 16mm x 36g AL/OX Fibre Sanding Disc	15,300
835603	25	100mm x 16mm x 60g AL/OX Fibre Sanding Disc	15,300
835604	25	115mm x 22mm x 24g AL/OX Fibre Sanding Disc	13,300
835605	25	115mm x 22mm x 36g AL/OX Fibre Sanding Disc	13,300
835606	25	115mm x 22mm x 60g AL/OX Fibre Sanding Disc	13,300
835610	25	125mm x 22mm x 24g AL/OX Fibre Sanding Disc	12,200
835611	25	125mm x 22mm x 36g AL/OX Fibre Sanding Disc	12,200
835612	25	125mm x 22mm x 60g AL/OX Fibre Sanding Disc	12,200
835607	25	178mm x 22mm x 24g AL/OX Fibre Sanding Disc	8,500
835608	25	178mm x 22mm x 36g AL/OX Fibre Sanding Disc	8,500
835609	25	178mm x 22mm x 60g AL/OX Fibre Sanding Disc	8,500

FIBRE SANDING DISCS ZIRCONIUM



Abracs Zirconium Fibre Sanding Discs include all popular sizes and grits. Our fibre discs feature a full resin bond system with heavy-duty fibre backing for increased strength, durability and tear resistance. Top quality European manufacturing, long life and high performance all come as standard along with an extremely competitive price. Abracs Fibre Discs Range are manufactured to O.S.A. Safety standards.

FOR USE ON	STAINLESS STEEL	SHEET METAL	MILD STEEL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification	Max RPM
835692	25	100mm x 16mm x 24g Zirconium Fibre Sanding Disc	15,300
835691	25	100mm x 16mm x 36g Zirconium Fibre Sanding Disc	15,300
835690	25	100mm x 16mm x 60g Zirconium Fibre Sanding Disc	15,300
835695	25	115mm x 22mm x 24g Zirconium Fibre Sanding Disc	13,300
835694	25	115mm x 22mm x 36g Zirconium Fibre Sanding Disc	13,300
835693	25	115mm x 22mm x 60g Zirconium Fibre Sanding Disc	13,300
835699	25	125mm x 22mm x 24g Zirconium Fibre Sanding Disc	12,200
835698	25	125mm x 22mm x 36g Zirconium Fibre Sanding Disc	12,200
835697	25	125mm x 22mm x 60g Zirconium Fibre Sanding Disc	12,200

BACKING PADS



Abracs Backing Pads are manufactured from premium nylon compound to give maximum flexibility and support along with long life. Abracs Backing Pads are suitable for fibre discs and semi-flexible grinding discs.

Part No.	Pack Qty	Specification	Max RPM
895363	1	115mm x M14 Backing Pad	13,300
895364	1	125mm X M14 Backing Pad	12,200
895365	1	178mm X M14 Backing Pad	8,500

COATED ABRASIVES RANGE

The Abracs range of Coated Abrasives includes Sanding Belts, Emery Rolls, Waterproof Paper, Emery Sheets, Floor Sander Sheets, P.S.A. Discs, Hook & Loop products, Mesh Sanding Sheets, Pole Sanding Sheets and many more. All products are manufactured using premium quality materials to ensure top quality performance and excellent results every time.



SANDING AND FINISHING

PRODUCT DEMONSTRATION VIDEO

EMERY ROLLS

Industrial quality Emery Rolls in handy, easy to use brand new dispenser packaging. Premium quality aluminium oxide grain bonded to strong yet easy to tear J-weight cloth backing. Designed for general maintenance work, rust removal, sanding and polishing.



FOR USE ON	RUST	METAL	PAINT	NON FERROUS

Part No.	Pack Qty	Specification
835110	1	Emery Roll 25mm x 25m x 40g
835112	1	Emery Roll 25mm x 25m x 60g
835114	1	Emery Roll 25mm x 25m x 80g
835116	1	Emery Roll 25mm x 25m x 120g
835118	1	Emery Roll 25mm x 25m x 150g
835157	1	Emery Roll 25mm x 50m x 40g
835130	1	Emery Roll 25mm x 50m x 60g
835156	1	Emery Roll 25mm x 50m x 80g
835155	1	Emery Roll 25mm x 50m x 120g
835137	1	Emery Roll 25mm x 50m x 150g
835154	1	Emery Roll 50mm x 50m x 40g
835128	1	Emery Rolls 50mm x 50m x 60g
835153	1	Emery Roll 50mm x 50m x 80g
835152	1	Emery Roll 50mm x 50m x 120g
835129	1	Emery Roll 50mm x 50m x 150g

ENGINEERS QUALITY EMERY ROLLS

Engineers Quality Emery Rolls are manufactured with premium quality aluminium oxide grain bonded to strong yet easy to tear J-weight cloth backing. Specifically designed for engineering applications.



FOR USE ON	RUST	METAL	PAINT	NON FERROUS

Part No.	Pack Qty	Specification
835127	1	25mm x 50m x 40g Emery Roll
835126	1	25mm x 50m x 60g Emery Roll
835125	1	25mm x 50m x 80g Emery Roll
835124	1	25mm x 50m x 120g Emery Roll
835123	1	50mm x 50m x 40g Emery Roll
835122	1	50mm x 50m x 60g Emery Roll
835121	1	50mm x 50m x 80g Emery Roll
835120	1	50mm x 50m x 120g Emery Roll

EMERY SHEETS

Industrial quality Emery Sheets in brand new resealable easy to use packaging. Premium quality aluminium oxide grain bonded to strong yet easy to tear J-weight cloth backing. Designed for general maintenance work, rust removal, sanding and polishing. Popular for use in the automotive industry.



FOR USE ON	RUST	METAL	PAINT	NON FERROUS

Part No.	Pack Qty	Specification
835160	25	230mm x 280mm x 40g Emery Sheets
835139	25	230mm x 280mm x 60g Emery Sheets
835159	25	230mm x 280mm x 80g Emery Sheets
835158	25	230mm x 280mm x 120g Emery Sheets
835138	25	230mm x 280mm x 150g Emery Sheets



WATERPROOF PAPER SHEETS

Industrial quality Waterproof Paper Sheets with flexible anti-slip backing paper and resin bonded grit. Abracs Waterproof Paper can be used wet or dry as a durable abrasive for hand finishing. Packed and sold in 25s inside handy dispenser boxes. Popular for use in the automotive industry. Available in a wide range of grits for progressive finishing requirements.

FOR USE ON	PRIMER	METAL	PAINT	FILLERS

Part No.	Pack Qty	Specification
835141	25	230mm x 280mm x 120g Waterproof Paper Sheets
835142	25	230mm x 280mm x 180g Waterproof Paper Sheets
835147	25	230mm x 280mm x 220g Waterproof Paper Sheets
835143	25	230mm x 280mm x 240g Waterproof Paper Sheets
835148	25	230mm x 280mm x 320g Waterproof Paper Sheets
835144	25	230mm x 280mm x 400g Waterproof Paper Sheets
835149	25	230mm x 280mm x 500g Waterproof Paper Sheets
835145	25	230mm x 280mm x 600g Waterproof Paper Sheets
835140	25	230mm x 280mm x 800g Waterproof Paper Sheets
835151	25	230mm x 280mm x 1000g Waterproof Paper Sheets
835146	25	230mm x 280mm x 1200g Waterproof Paper Sheets
835150	25	230mm x 280mm x 2000g Waterproof Paper Sheets



GENERAL PURPOSE SANDPAPER SHEETS

Industrial quality aluminium oxide Sandpaper/Production Paper Sheets available in 230mm x 280mm sheets. Ideal for bare wood sanding, preparation for painting and other cleaning and sanding applications.

FOR USE ON	WOOD	METAL	PAINT	FILLERS

Part No.	Pack Qty	Specification
835164	25	230mm x 280mm x 40g General Purpose Sandpaper Sheet
835165	25	230mm x 280mm x 60g General Purpose Sandpaper Sheet
835166	25	230mm x 280mm x 80g General Purpose Sandpaper Sheet
835167	25	230mm x 280mm x 120g General Purpose Sandpaper Sheet



GENERAL PURPOSE SANDPAPER ROLL

Industrial quality aluminium oxide Sandpaper Rolls. Manufactured using premium quality grain and sturdy, durable E-weight paper backing. Resin coated to resist heat and humidity. Abracs Sandpaper Rolls can be used on a multitude of materials including wood, metal, fibreglass and painted surfaces. Suitable for both hand and machine sanding.

FOR USE ON	WOOD	METAL	PAINTED SURFACES	FILLERS

Part No.	Pack Qty	Specification
835170	1	115mm x 10M x 40g Sandpaper Roll (G.P)
835172	1	115mm x 10M x 80g Sandpaper Roll (G.P)
835174	1	115mm x 10M x 120g Sandpaper Roll (G.P)

HAND PADS NON-WOVEN



Abracs Non-Woven Hand Pads provide consistent surface preparation. Ideal for cleaning a wide range of applications and specially designed to resist loading, prolonging pad life. Tightly woven for consistent action without compromising durability. Flexible construction is ideal for grooves, scratch in channels and other hard to reach areas. Available in 4 different levels of coarseness for different applications.

FOR USE ON	STAINLESS STEEL	METAL	PLASTIC	ALUMINIUM

Part No.	Pack Qty	Specification	Grade	Colour
895360	10	150mm x 230mm Coarse Non-Woven Hand Pads	A0150	Brown
895357	10	150mm x 230mm General Purpose Non-Woven Hand Pads	A0240	Green
895373	10	150mm x 230mm Medium Non-Woven Hand Pads	A0400	Maroon
895374	10	150mm x 230mm Fine Non-Woven Hand Pads	SC1000	Grey

NON-WOVEN ROLLS



Abracs Non-Woven Rolls provide consistent surface preparation. Ideal for cleaning a wide range of applications and specially designed to resist loading, prolonging product life. Tightly woven for consistent action without compromising durability. Flexible construction is ideal for grooves, scratch in channels and other hard to reach areas. Available in 3 different levels of coarseness for different applications.

FOR USE ON	STAINLESS STEEL	METAL	PLASTIC	ALUMINIUM

Part No.	Pack Qty	Specification	Grade	Colour
895310	1	Non-woven Roll 100mm x 10M General Purpose	A0240	Green
895311	1	Non-woven Roll 100mm x 10M Medium	A0400	Maroon
895312	1	Non-woven Roll 100mm x 10M Fine	SC1000	Grey

FILE BELTS ZIRCONIUM



Premium quality File Belts designed for use on a range of File Sanders. Top quality zirconium grain for premium performance and long life.

FOR USE ON	STAINLESS STEEL	METAL	HIGH GRADE STEEL

Part No.	Pack Qty	Specification
835181	10	10mm x 330mm x 40g Zirconium File Belt
835180	10	10mm x 330mm x 60g Zirconium File Belt
835183	10	10mm x 330mm x 80g Zirconium File Belt
835186	10	13mm x 457mm x 40g Zirconium File Belt
835188	10	13mm x 457mm x 60g Zirconium File Belt
835187	10	13mm x 457mm x 80g Zirconium File Belt
835189	10	20mm x 520mm x 40g Zirconium File Belt
835182	10	20mm x 520mm x 60g Zirconium File Belt
835184	10	20mm x 520mm x 80g Zirconium File Belt



P.S.A SANDING DISCS

P.S.A. (Pressure Sensitive Adhesive) sanding discs in 150mm diameter and a full range of grits. Premium quality aluminium oxide grain on 160gm paper backing. Suitable for general purpose sanding applications. Abracs P.S.A. Discs have a unique “easy peel” tab for easy removal and fitting.

FOR USE ON	WOOD	METAL	PLASTIC	FIBREGLASS

Part No.	Pack Qty	Specification
835656	100	150mm x 40g P.S.A Sanding Discs
835655	100	150mm x 60g P.S.A Sanding Discs
835654	100	150mm x 80g P.S.A Sanding Discs
835653	100	150mm x 120g P.S.A Sanding Discs
835652	100	150mm x 180g P.S.A Sanding Discs
835657	100	150mm x 220g P.S.A Sanding Discs
835651	100	150mm x 320g P.S.A Sanding Discs
835658	100	150mm x 400g P.S.A Sanding Discs



HOOK & LOOP SANDING DISCS

Industrial quality Hook & Loop Sanding Discs available in 125mm and 150mm diameters. Suitable for use on a full range of materials including wood, metal, plastic and fibreglass. Should be used with a suitable backing pad.

FOR USE ON	WOOD	METAL	PLASTIC	FIBREGLASS

Part No.	Pack Qty	Specification
835678	25	125mm x 40g Hook & Loop Disc 8 Holes
835677	25	125mm x 60g Hook & Loop Disc 8 Holes
835676	25	125mm x 80g Hook & Loop Disc 8 Holes
835675	25	125mm x 100g Hook & Loop Disc 8 Holes
835674	25	125mm x 120g Hook & Loop Disc 8 Holes
835673	25	125mm x 180g Hook & Loop Disc 8 Holes
835672	25	125mm x 220g Hook & Loop Disc 8 Holes
835671	25	125mm x 320g Hook & Loop Disc 8 Holes
835670	25	125mm x 400g Hook & Loop Disc 8 Holes
835667	25	150mm x 40g Hook & Loop Disc 6 Holes
835666	25	150mm x 60g Hook & Loop Disc 6 Holes
835665	25	150mm x 80g Hook & Loop Disc 6 Holes
835664	25	150mm x 100g Hook & Loop Disc 6 Holes
835663	25	150mm x 120g Hook & Loop Disc 6 Holes
835662	25	150mm x 180g Hook & Loop Disc 6 Holes
835661	25	150mm x 220g Hook & Loop Disc 6 Holes
835660	25	150mm x 320g Hook & Loop Disc 6 Holes
835659	25	150mm x 400g Hook & Loop Disc 6 Holes



BACKING PADS

Industrial quality Hook & Loop Backing Pads for use with DA orbital sanders. Manufactured with a 5/16 UNF thread. Suitable for use with all Abracs Hook & Loop Sanding Discs & P.S.A Sanding Discs. Packed and sold individually.

Part No.	Pack Qty	Specification
895424	1	125mm x 5/16 UNF Thread (8 Holes) Hook & Loop Backing Pads
895425	1	150mm x 5/16 UNF Thread (6 Holes) Hook & Loop Backing Pads
895426	1	150mm x 5/16 UNF Thread P.S.A Backing Pads

ZIRCONIUM SPIRABAND KIT **25PC**



25pc kit containing a range of sizes, grits and arbors. Packed inside a handy plastic carry case.

FOR USE ON	STAINLESS STEEL	WOOD	METAL	PLASTICS

Part No.	Specification
835270	**25pc Spiraband Kit. Contents:** Spirabands: 4 x 13mm, 19mm, 25mm, 38mm, 50mm Drive Arbours: 1 x 13mm, 19mm, 25mm, 38mm, 50mm

STEEL WOOL



A range of industrial quality Steel Wool suitable for a variety of surface preparation and finishing applications. Made from selected high grade steel. Designed to be pliable enough to reach contours on ornate surfaces.

FOR USE ON	METAL	NON FERROUS	RUST	PAINT

Part No.	Pack Qty	Specification	Number Ref
895372	1	**450g Roll - Medium Steel Wool**	2
895371	1	**450g Roll - Fine Steel Wool**	0



AUTO ACCESSORIES

BRAND NEW RANGE OF PROFESSIONAL AUTOMOTIVE FINISHING PRODUCTS



FLAT H&L SPONGE PADS

Abracs Flat Hook & Loop Sponge Pads are designed to remove severe oxidation, scratches and swirls on painted surfaces and daily maintenance in the automotive industry. The polyester sponge material offers excellent tensile strength and durability for high performance and extended product lifetime.

FOR USE ON	PAINT	SCRATCHES	SWIRLS	OXIDATION

Part No.	Pack Qty	Specification
897002	1	150mm Flat Hook & Loop Sponge Pad - White (Compounding)
897004	1	150mm Flat Hook & Loop Sponge Pad - Orange (Polishing)
897006	1	150mm Flat Hook & Loop Sponge Pad - Black (Finishing)



CORRUGATED H&L SPONGE PADS

Abracs Corrugated Hook & Loop Sponge Pads are designed with a corrugated texture for increased performance to remove severe oxidation, scratches and swirls on painted surfaces and daily maintenance in the automotive industry. The polyester sponge material offers excellent tensile strength and durability for high performance and extended product lifetime.

FOR USE ON	PAINT	SCRATCHES	SWIRLS	OXIDATION

Part No.	Pack Qty	Specification
897036	1	78mm Corrugated Hook & Loop Sponge Pad - White (Compounding)
897038	1	78mm Corrugated Hook & Loop Sponge Pad - Orange (Polishing)
897040	1	78mm Corrugated Hook & Loop Sponge Pad - Black (Finishing)
897008	1	150mm Corrugated Hook & Loop Sponge Pad - White (Compounding)
897010	1	150mm Corrugated Hook & Loop Sponge Pad - Orange (Polishing)
897012	1	150mm Corrugated Hook & Loop Sponge Pad - Black (Finishing)



BEVELLED H&L SPONGE PADS

Abracs Bevelled Hook & Loop Sponge Pads are designed with a bevelled outer edge to adhere to the contour of the work surface. Designed to remove severe oxidation, scratches and swirls on painted surfaces and daily maintenance in the automotive industry.
The polyester sponge material offers excellent tensile strength and durability for high performance and extended product lifetime.

FOR USE ON	PAINT	SCRATCHES	SWIRLS	OXIDATION

Part No.	Pack Qty	Specification
897014	1	150mm Bevelled Hook & Loop Sponge Pad - White (Compounding)
897016	1	150mm Bevelled Hook & Loop Sponge Pad - Orange (Polishing)
897018	1	150mm Bevelled Hook & Loop Sponge Pad - Black (Finishing)

M14 FOAM HEADS TRADITIONAL

Abracs Traditional Foam Heads are designed with an M14 fitting enabling them to be attached directly to the tool, negating the need for a backing pad. Designed to remove severe oxidation, scratches and swirls on painted surfaces and daily maintenance in the automotive industry. The polyester sponge material offers excellent tensile strength and durability for high performance and extended product lifetime.



FOR USE ON	PAINT	SCRATCHES	SWIRLS	OXIDATION

Part No.	Pack Qty	Specification
897026	1	150mm x 50mm x M14 Foam Head - White (Compounding)
897028	1	150mm x 50mm x M14 Foam Head - Orange (Polishing)
897030	1	150mm x 50mm x M14 Foam Head - White Black (Finishing)

M14 FOAM HEADS BALL SERIES

Abracs Ball Series Foam Heads are designed with an M14 fitting enabling them to be attached directly to the tool, negating the need for a backing pad. Designed to remove severe oxidation, scratches and swirls on painted surfaces and daily maintenance in the automotive industry. The polyester sponge material offers excellent tensile strength and durability for high performance and extended product lifetime.



FOR USE ON	PAINT	SCRATCHES	SWIRLS	OXIDATION

Part No.	Pack Qty	Specification
897020	1	150mm x 45mm x M14 Foam Head - White (Compounding)
897022	1	150mm x 45mm x M14 Foam Head - Orange (Polishing)
897024	1	150mm x 45mm x M14 Foam Head - White Black (Finishing)

HOOK & LOOP WOOLEN PADS

Abracs Hook & Loop Woollen Pads are a concaved, thick wool pad manufactured with 100% wool, for professional buffing, polishing & finishing for use in the automotive industry.



FOR USE ON	PAINT	SCRATCHES	SWIRLS	OXIDATION

Part No.	Pack Qty	Specification
897032	1	155mm Hook & Loop Woollen Pad - White (Buffing/Polishing)
897034	1	155mm Hook & Loop Woollen Pad - Yellow (Finishing)

HOOK & LOOP BACKING PADS

Abracs Hook & Loop Backing Pads to be used in conjunction with Abracs Auto Accessories range.



Part No.	Pack Qty	Specification
897042	1	75mm x M14 Hook & Loop Backing Pad
897043	1	125mm x M14 Hook & Loop Backing Pad

WIRE BRUSHES RANGE

Abracs comprehensive range of wire brushes are tested to extremes to ensure maximum performance when used in industrial environments. We stock an unrivalled range of wire brushes for all machine types and applications, both general purpose and specialist quality levels.



SANDING AND FINISHING

PRODUCT DEMONSTRATION VIDEO

WIRE BRUSHES TWIST KNOT CUP



Cup Brushes suitable for angle grinders and other specialist machinery.
Twist Knot Brushes are sturdy and aggressive whilst offering the operator maximum safety. They are ideal for the removal of slag, rust, paint and residues of any kind.

FOR USE ON	RUST	METAL	PAINT	CONCRETE

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895378	1	70mm Diameter x M10 1.5 Thread	0.5	12,500
895379	1	70mm Diameter x M14 Thread	0.5	12,500
895912	1	95mm Diameter x M14 Thread	0.5	8,500
895913	1	120mm Diameter x M14 Thread	0.5	6,500

WIRE BRUSHES CRIMPED CUP



Brass dipped crimped steel wire brushes suitable for angle grinders and other special machinery. The high-density crimped wire makes the brushes ideal for polishing, surface preparation and most other cleaning applications.

FOR USE ON	RUST	METAL	PAINT

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895380	1	75mm Diameter x M10 1.5 Thread	0.3	12,500
895381	1	75mm Diameter x M14 Thread	0.3	12,500
895914	1	100mm Diameter x M14 Thread	0.3	8,500
895915	1	120mm Diameter x M14 Thread	0.3	6,500

75mm WIRE BRUSH TWIN PACK



Abracs 75mm Wire Brush Twin Pack contains 1x 75mm Twist Knot & 1x 75mm Crimped Wire Cup Brush for a range of polishing, cleaning & surface preparation applications.

FOR USE ON	RUST	METAL	PAINT	CONCRETE

Part No.	Pack Qty	Specification	Max RPM
895713	2 pc	**75mm Wire Brush Twin Pack:** 1 x 75mm Twist Knot Cup Brush 1 x 75mm Crimped Wire Cup Brush	12,500



WIRE BRUSHES PIPELINE

Aggressive twist knot wire brushes suitable for heavy duty applications such as preparation and finishing of seam welds, deburring and other applications specifically within the oil and pipeline industry.

FOR USE ON	METAL	HIGH GRADE STEEL	PIPES	IRON

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895916	1	115mm Diameter x M14 Twist Knot	0.5	12,500



WIRE BRUSHES BEVELLED (CONIC)

The bevelled (or conical) shape of the brushes makes them ideal for irregular surfaces with edges or cracks. The twist knot wire is a very aggressive brush ideal for removing slag and rust.

FOR USE ON	METAL	RUST	PAINT	CONCRETE

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895454	1	100mm Diameter x M10 1.5 Twist Knot	0.5	12,500
895434	1	100mm Diameter x M14 Twist Knot	0.5	12,500
895435	1	115mm Diameter x M14 Twist Knot	0.5	12,500



WIRE BRUSHES BENCH GRINDER

Crimped Wire Brushes for bench grinders ideal for metal surface preparation and the removal of rust and scales. Brushes come complete with bore reducing bushes from 32mm to 13mm making them adaptable to virtually all grinders.

FOR USE ON	METAL	RUST	PAINT

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895918	1	150mm x 20mm Bench Grinder Brush	0.3	6,000
895712	1	200mm x 25mm Bench Grinder Brush	0.3	4,500



WIRE BRUSHES SPINDLE MOUNTED

A comprehensive range of spindle mounted brushes suitable for a variety of applications. Crimped wire for general purpose applications and twist knot version for more aggressive applications. All brushes fitted with a 6mm spindle.

FOR USE ON	RUST	METAL	PAINT

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895439	1	19mm Crimped End Brush	0.3	12,500
895975	1	22mm Twist Knot End Brush	0.5	20,000
895377	1	50mm Crimped Circular Brush	0.3	4,500
895382	1	50mm Crimped Cup Brush	0.3	4,500
895972	1	75mm Twist Knot Circular Brush	0.5	12,500
895710	1	75mm Crimped Circular Brush - Flat	0.3	4,500
895974	1	75mm Crimped Cup Brush	0.3	4,500
895973	1	100mm Crimped Circular Brush	0.3	4,500

SPINDLE MOUNTED WIRE BRUSH SETS

Wide range of Spindle Mounted Brush Sets containing a range of popular sized Spindle Mounted Wire Brushes to suit a broad range of applications and requirements.





FOR USE ON	RUST	METAL	PAINT

Part No.	Pack Qty	Specification	Wire Gauge	Max RPM
895711	2 Pc	**2pc De-Carb Brush Set Contents:** 1 x Pointed Tip Brush, 1 x Flat Tip Brush	0.3	4,500
895714	3 Pc	**3pc Wire Brush Set Contents:** 1 x 50mm Wire Cup Brush, 1 x 50mm Wire Wheel, 1 x 25mm End Brush	0.3	4,500
896985	6 Pc	**6pc Spindle Mounted Brush Pack Contents:** 2x 40mm Circular Brush, 1x 50mm Circular Brush, 1x 60mm Circular Brush 1x 75mm Circular Brush, 1x 50mm Cup Brush	0.3	4,500

WIRE BRUSH PACK **4PC**

4pc Spindle Mounted & Scratch Brush Pack contains 1x 75mm Circular Brush, 1x 50mm Cup Brush, 1x 20mm End Brush & 1x General Purpose Scratch Brush.



FOR USE ON	METAL	RUST	PAINT

Part No.	Pack Qty	Specification
896980	4 Pc	**Spindle Mounted & Scratch Brush Pack Contents:** 1x 75mm Circular Brush, 1x 50mm Cup Brush, 1x 20mm End Brush, 1x General Purpose Scratch Brush

FILAMENT WIRE BRUSHES (NON SPARK)

Nylon thread impregnated with abrasive grain ideal for de-burring, surface treatment, stock removal and other general cleaning applications. Suitable for use on most materials including metal and plastics. Non-spark technology for increased user safety.



Part No.	Pack Qty	Specification
896960	1	**50mm Filament Circular Brush**
896962	1	**75mm Filament Circular Brush**
896972	1	**50mm Filament Cup Brush**
896974	1	**75mm Filament Cup Brush**
896970	1	**24mm Filament End Brush**
896976	1	**100mm Strip Brush**



COATED WIRE BRUSH

Coated Wire Brush (also known as a "Mule Skinner Brush"). The plastic coating prevents the bristles from fanning out to ensure even wear

FOR USE ON	DECALS	STICKERS	STRIPES	ADHESIVES

Part No.	Pack Qty	Specification	Max RPM
895976	1	60mm Plastic Coated Wire Brush	4,000



ERASER WHEEL

The Eraser Wheel enables fast, clean and efficient removal of Decals, Stickers and other adhesive materials, fitted with a 6mm Spindle.

FOR USE ON	DECALS	STICKERS	STRIPES	ADHESIVES

Part No.	Pack Qty	Specification	Max RPM
770290	1	88mm Eraser Wheel	4,000



WOODEN HANDLED BRUSHES

A comprehensive range of heavy duty wooden handled scratch brushes. Industrial quality brushes suitable for a multitude of cleaning applications. A heavy duty 4 row wooden handled scratch brush is fixed with a sturdy metal scraper for more aggressive applications. Suitable for all general purpose cleaning applications.

FOR USE ON	METAL	RUST	PAINT	CONCRETE

Part No.	Pack Qty	Specification
896990	4	2 Row Traditional Wooden Handled Brush
896991	4	3 Row Traditional Wooden Handled Brush
896992	4	4 Row Traditional Wooden Handled Brush
896995	24	4 Row Traditional Wooden Handled Brush
896993	4	4 Row Traditional Wooden Handled Brush for Stainless Steel
896994	4	4 Row Brush with Metal Scraper



4 ROW PLASTIC HANDLED BRUSH

Industrial quality brush suitable for a wide variety of general purpose cleaning applications. Premium quality wire with a sturdy ergonomically designed plastic handle.

FOR USE ON	STAINLESS STEEL	METAL	PAINT

Part No.	Pack Qty	Specification
895136	12	4 Row Plastic Handled Brush

PLASTIC HANDLED SCRATCH BRUSHES



Brass dipped, stainless steel and nylon hand wire brushes with plastic handle. Hard to reach places can be cleaned with high pressure thanks to the curved shape and narrow face. Scratch Brushes are also available as a mixed pack.

FOR USE ON	STAINLESS STEEL	METAL	PAINT

Part No.	Pack Qty	Specification
895176	3	**General Purpose Brass Dipped Scratch Brush**
895146	3	**Stainless Steel Scratch Brush**
110254	3	**3pc Scratch Brush Pack Contents:** 1 x General Purpose Scratch Brush, 1 x Nylon Scratch Brush 1 x Stainless Steel Scratch Brush

SPID PLASTIC HANDLED SCRATCH BRUSHES



Brass dipped & stainless steel tough & durable Spid wire brushes with plastic handle. Hard to reach places can be cleaned with high pressure thanks to the curved shape and narrow face.

FOR USE ON	STAINLESS STEEL	METAL	PAINT

Part No.	Pack Qty	Specification
895142	24	**General Purpose Brass Dipped Scratch Brush (24pc)**
895143	6	**Stainless Steel Scratch Brush (6pc)**

PRECISION BRUSH PACK **3PC**



The pack includes a brass, nylon and stainless steel brush. The ergonomically designed handle allows high pressure to be carefully applied and the size and shape of the brush makes them ideal for small, precise applications such as cleaning spark plugs or other small engine components.

FOR USE ON	STAINLESS STEEL	METAL	PAINT

Part No.	Pack Qty	Specification
110256	3 Pc	**3pc Plastic Handled Precision Brush Pack**


P.P.E



P.P.E.

OnHand Gloves	426
Hand Protection	434
Ear Protection	438
Face Protection	441
Eye Protection	445
Protective Clothing	448
Protective Footwear	452
First Aid	454



OnHand GRIP PLUS+

Textured for better grip



PF POWDER FREE

NS NON STERILE

HV HIGH VISIBILITY

NITRILE

DIAMOND PATTERN

5 YEARS


Nitrile Gloves

OnHand 'Grip Plus' Nitrile Gloves have an all-over textured pattern with outstanding grip properties and are available in orange or black nitrile.

PF POWDER FREE NS NON STERILE HV HIGH VISIBILITY

- Offers extra protection and greater comfort over and above traditional nitrile gloves
- Increased puncture resistance even in the most challenging applications
- Outstanding grip properties through all-over textured pattern
- Cost effective alternative to single-use nitrile gloves
- 100% Latex & powder free





OnHand 'Grip Plus' Orange Nitrile Gloves

Part No.	Qty	Colour	Size
895833	Box of 90	Orange	M
895836	Box of 90	Orange	L
895839	Box of 90	Orange	XL
895842	Box of 90	Orange	XXL

NITRILE · POWDER FREE · 5 YEARS · DIAMOND · 8.4g +/- 0.2g · ORANGE



OnHand 'Grip Plus' Black Nitrile Gloves

Part No.	Qty	Colour	Size
895825	Box of 90	Black	M
895826	Box of 90	Black	L
895827	Box of 90	Black	XL
895828	Box of 90	Black	XXL

NITRILE · POWDER FREE · 5 YEARS · DIAMOND · 7.5g +/- 0.2g · BLACK



Technical Data

Sizes & Dimensions





M	80+ 10 MM	MIN. 240 MM
L	95+ 10 MM	MIN. 240 MM
XL	110+ 10 MM	MIN. 240 MM
XXL	> 110 MM	MIN. 240 MM

Single Wall Thickness





ORANGE	BLACK
1. MIN 0.25 MM	1. MIN 0.20 MM
2. MIN 0.20 MM	2. MIN 0.16 MM
3. MIN 0.09 MM	3. MIN 0.08 MM

Physical Properties

	Unaged	Aged
Tensile Strength	Min. 14.0 MPa	Min. 14.0 MPa
Elongation	Min. 500%	Min. 400%
Strength at Break	Min. 6N	Min. 6N

CE · AQL 1.5 · EN ISO 374-5: 2016 VIRUS · EN ISO 374-1: 2016/T ype B JKPT · LATEX

Regulations	• PPE Regulation (EU) 2016/425. • Medical Device Regulation (EU) 2017/745, 93/42/EEC
Quality Standards	• ISO 9001:2015 Quality Management Systems. • ISO 13485: 2016 Medical Devices Quality Management Systems
Harmonised Standards	• BS EN ISO 374 - 1,2,4,5 Protective gloves against dangerous chemicals and microorganisms. • BS EN 455 1-4 Medical gloves for single use. • EN 420: 2003 + A1: 2009 Protective gloves. General requirements and test methods. • BS EN 1184: 1997. Materials and articles in contact with foodstuffs.

OnHand PLUS+




- PF — POWDER FREE
- NS — NON STERILE
- EF — EASY FIT
- NITRILE
- MICRO TEXTURED
- 5 YEARS

OnHand PLUS+ Nitrile Gloves

OnHand Plus Nitrile Gloves are a micro-textured durable glove with high tensile strength which are available in black or blue nitrile.

PF POWDER FREE NS NON STERILE EF EASY FIT

- 100% latex and powder free
- Micro-textured for improved grip
- Heavier in weight than standard nitrile gloves but retaining a high level of dexterity
- Beaded cuff for ease of donning
- Higher tensile strength
- Class 1 medical grade (EN 455)
- Food contact approved (EN 1186)
- Approved to EN374-2 & EN374-3
- PPE Cat 111





OnHand 'Plus' HD Blue Nitrile Gloves

Part No.	Qty	Colour	Size
895850	Box of 100	Blue	M
895851	Box of 100	Blue	L
895852	Box of 100	Blue	XL




OnHand 'Plus' HD Black Nitrile Gloves

Part No.	Qty	Colour	Size
895864	Box of 100	Black	M
895865	Box of 100	Black	L
895866	Box of 100	Black	XL



Technical Data

Sizes & Dimensions



M	95+ 10 MM	MIN. 240 MM
L	110+ 10 MM	MIN. 240 MM
XL	> 110 MM	MIN. 240 MM

Single Wall Thickness



BLUE	BLACK
1. MIN 0.13 MM	1. MIN 0.13 MM
2. MIN 0.09 MM	2. MIN 0.10 MM
3. MIN 0.05 MM	3. MIN 0.08 MM

Physical Properties

	Unaged	Aged
Tensile Strength	Min. 14.0 MPa	Min. 14.0 MPa
Elongation	Min. 500%	Min. 400%
Strength at Break	Min. 6N	Min. 6N

CE AQL 1.5 EN ISO 374-5: 2016 VIRUS EN ISO 374-1: 2016/Type B JKPT LATEX

Regulations	• PPE Regulation (EU) 2016/425. • Medical Device Regulation (EU) 2017/745, 93/42/EEC
Quality Standards	• ISO 9001:2015 Quality Management Systems. • ISO 13485: 2016 Medical Devices Quality Management Systems
Harmonised Standards	• BS EN ISO 374 - 1,2,4,5 Protective gloves against dangerous chemicals and microorganisms. • BS EN 455.1-4 Medical gloves for single use. • EN 420: 2003 + A1: 2009 Protective gloves. General requirements and test methods. • BS EN 1184: 1997. Materials and articles in contact with foodstuffs.

OnHand



- PF — POWDER FREE
- NS — NON STERILE
- CE — COST EFFECTIVE
- NITRILE
- MICRO / FINGER TEXTURED
- 5 YEARS

OnHand Nitrile Gloves

OnHand Nitrile Gloves are a cost effective, smooth and durable disposable glove which are available in black or blue nitrile.


PF POWDER FREE

NS NON STERILE

CE COST EFFECTIVE

- Powder and latex free - 100% nitrile
- More puncture resistant than latex or vinyl
- No natural rubber proteins
- High tensile strength
- Beaded cuff for ease of donning
- Class 1 medical grade (EN 455)
- Food contact approved (EN 1186)





OnHand Blue Nitrile Gloves

Part No.	Qty	Colour	Size
895260	Box of 100	Blue	S
895250	Box of 100	Blue	M
895232	Box of 100	Blue	L
895222	Box of 100	Blue	XL

NITRILE · POWDER FREE · 5 YEARS · MICRO · 3.6g +/- 0.2g · ICE BLUE



OnHand Black Nitrile Gloves

Part No.	Qty	Colour	Size
895744	Box of 100	Black	M
895745	Box of 100	Black	L
895746	Box of 100	Black	XL

NITRILE · POWDER FREE · 5 YEARS · FINGER TEXTURED · 3.6g +/- 0.2g · BLACK



Technical Data

Sizes & Dimensions





M	95+ 10 MM	MIN. 240 MM
L	110+ 10 MM	MIN. 240 MM
XL	> 110 MM	MIN. 240 MM

Single Wall Thickness





BLUE	BLACK
1. MIN 0.10 MM	1. MIN 0.10 MM
2. MIN 0.06 MM	2. MIN 0.06 MM
3. MIN 0.05 MM	3. MIN 0.05 MM

Physical Properties

	Unaged	Aged
Tensile Strength	Min. 14.0 MPa	Min. 14.0 MPa
Elongation	Min. 500%	Min. 400%
Strength at Break	Min. 6N	Min. 6N



Regulations	• PPE Regulation (EU) 2016/425. • Medical Device Regulation (EU) 2017/745, 93/42/EEC
Quality Standards	• ISO 9001:2015 Quality Management Systems. • ISO 13485: 2016 Medical Devices Quality Management Systems
Harmonised Standards	• BS EN ISO 374 - 1,2,4,5 Protective gloves against dangerous chemicals and microorganisms. • BS EN 455 1-4 Medical gloves for single use. • EN 420: 2003 + A1: 2009 Protective gloves: General requirements and test methods. • BS EN 1184: 1997. Materials and articles in contact with foodstuffs.


Grippaz®
Chemical Resistant • Silicone Free • 100% Nitrile • Touch Screen Friendly
Tough & Durable
LASTS UP TO
5 TIMES LONGER
THAN DISPOSABLE GLOVES

Grippaz®

Chemical Resistant • Silicone Free • 100% Nitrile • Touch Screen Friendly

Tough & Durable

LASTS UP TO 5 TIMES LONGER THAN DISPOSABLE GLOVES









- Patented fish scale grip, tough & durable for the professional user
- Silicone free, 100% nitrile
- Chemical resistant, lasts up to 5 times longer than standard disposable gloves
- Touch screen friendly
- Powder free
- PPE Cat 111

NITRILE · POWDER FREE · 5 YEARS · FISH SCALE TEXTURE · 8.0g +/- 0.2g · ORANGE

SCAN QR CODE TO VIEW GRIPPAZ VIDEO

AS SEEN ON TV



‘Grippaz’ Orange Nitrile Gloves

Part No.	Qty	Colour Size
GRIPPAZ246L	Box of 50	Orange M
GRIPPAZ246M	Box of 50	Orange L
GRIPPAZ246XL	Box of 50	Orange XL
GRIPPAZ246XXL	Box of 50	Orange XXL

Grippaz use a specially formulated nitrile compound that gives unrivaled grip when handling grease, oils, detergents, solvents and water.

EU Declaration of Conformity: grippaz.com/certs

US Patent Numbers: D735,968 S and 9,730,477 B2. UK Patent Number: GB2521248.

EU Patent Number: EP3079513. EU Certificate of Registration Design Numbers: 001 402432-0001 and 001 396204-0001.

Check out grippaz.com for full details on worldwide patents. Complies with and exceeds EN455 1/2/3.

AQL 1.5 · JKTP · Virus · CE 2777 · UKCA 0321 · 21 PAP

Disposable Gloves - White Vinyl



- Lightly powdered.
- Beaded cuff.
- High tensile strength.
- Optimum sensitivity

Part No.	Qty	Size
895218	Box of 100	Medium
895219	Box of 100	Large
895216	Box of 100	Extra Large

Disposable Gloves - Powder Free Latex



- Non sterile.
- Beaded cuff.
- High tensile strength.
- Optimum sensitivity

Part No.	Qty	Size
895269	Box of 100	Small
895270	Box of 100	Medium
895271	Box of 100	Large
895272	Box of 100	Extra Large

Polythene Gloves - Disposable



- Fits either hand

Part No.	Qty	Size
895208	100	Large

PU Coated Gloves

OnHand



- Seamless knitted shell with a polyurethane coated palm.
- Seamless for extra comfort with open back style that allows hand to breathe.
- Tight fitting for maximum dexterity

Part No.	Qty	Size
895466	10 Pairs	Medium
895467	10 Pairs	Large
895468	10 Pairs	Extra Large
895469	10 Pairs	Extra Extra Large

Nitrile Coated Gloves

OnHand



- Seamless knitted shell with a nitrile coated palm.
- Seamless for extra comfort with open back style that allows hand to breathe.
- Tight fitting for maximum dexterity

Part No.	Qty	Size
895716	10 Pairs	Medium
895717	10 Pairs	Large
895718	10 Pairs	Extra Large
895719	10 Pairs	Extra Extra Large

Foam Nitrile Coated Gloves



These gloves provide a range of features & benefits to the wearer, making it perfect for wet or slightly oily environments

- Foamed nitrile coating channels oils and liquids away from the surface, ensuring superb wet grip.
- The nitrile coating offers outstanding abrasion resistance for longevity and durability.
- Seamless nylon glove offers excellent breath ability comfort & close fit

Part No.	Qty	Size
895740	5	Medium
895741	5	Large
895742	5	Extra Large

Nitri-Chem Gloves



- Abrasive & chemical resistant.
- Diamond pattern for wet & dry grip.
- Soft flock lining absorbs perspiration

EN 374 & EN 388

Part No.	Qty	Size
895630	2 pairs	Medium
895631	2 pairs	Large
895632	2 pairs	Extra Large

Multi-Task 3 Gloves



- Close fitting for maximum dexterity.
- Reinforced palm & finger tips for added protection.
- Comfortable & flexible with 3 open fingers.
- For general assembly, joinery, mechanics, warehousing & construction

EN 388

Part No.	Qty	Size
895620	1 pair	Medium
895621	1 pair	Large
895623	1 pair	Extra Large

Multi-Task 5 Gloves



- Close fitting for maximum dexterity.
- Reinforced palm & finger tips for added protection.
- Comfortable & flexible fully fingered glove.
- For general assembly, joinery, mechanics, warehousing & construction

EN 388

Part No.	Qty	Size
895625	1 pair	Medium
895626	1 pair	Large
895627	1 pair	Extra Large

Matrix S-Grip Gloves



- Flexible latex palm for wet & dry grip.
- Seamless cotton liner

EN 388

Part No.	Qty	Size
895765	1 Pair	Medium
895766	1 Pair	Large
895767	1 Pair	Extra Large
895635	5 pairs	Medium
895636	5 pairs	Large
895637	5 pairs	Extra Large

Tremor Low Gloves



- Reduces impact, shock & vibration.
- Excellent grip & maximum dexterity.
- Soft knitted seamless liner

EN 388 & EN ISO 10819

Part No.	Qty	Size
895645	1 pair	Medium
895646	1 pair	Large
895647	1 pair	Extra Large

Cut Resistant Gloves



- Anti-cut gloves in elasticated knit.
- Coated palm.
- Elasticated wrists.
- Special anti-cut thread

Part No.	Qty	Size
895750	1 Pair	Medium
895751	1 Pair	Large
895752	1 Pair	Extra Large

CHEMICALS
OILS & PAINTS



FIXT

PAGES 458 - 491

ADHESIVES
AND SEALANTS



FIXT

FIXT
for an even better solution

Electricians Gloves



- Specially designed for handling vehicles, batteries and electronics.
- Latex insulating glove with excellent electrical resistance.
- Anatomical shape for greater user comfort
- Class 00 500v

Part No.	Qty	Size
895785	1	Medium
895786	1	Large
895787	1	Extra Large

Welders Gauntlets - High Quality



- Red leather.
- Flock lined

Part No.	Qty
845287	1 Pair

Gauntlets - PVC



- Fully coated.
- 10" long

Part No.	Qty	Size
895204	5 Pairs	10" Long
895203	2 Pairs	14" Long

Rubber Gloves



- Heavyweight black rubber with flock lining & patterned grip.
- Good resistance to knocks & abrasion.
- Ideal for a variety of uses

Part No.	Qty
895703	1 Pair

PVC Gloves



- Fully coated knitwrist

Part No.	Qty
895130	5 Pairs

Work Gloves - General Use



- Canadian pattern.
- Chrome leather palms

Part No.	Qty
895129	5 Pairs

Work Gloves - High Quality



- Canadian pattern.
- Chrome leather palms

Part No.	Qty
895128	5 Pairs

Gripper Gloves



- Latice rubber covered cotton gloves

Part No.	Qty
895213	5 Pairs

Stockinette Gloves



- Stretch fabric

Part No.	Qty
895125	10 Pairs

Workshop Safety Pack



Contains: Work Gloves, Disposable Ear Plugs, Safety Goggles, Respiratory Mask (to FFP 2S)

Part No.	Qty
895279	1 Set

Disposable Earplugs - Station

MOLDEX



Place protection at the fingertips of the workforce.
Plugs remain hygienic as the dispenser mechanism is automatically replaced with every refill

- 35 dB noise protection.
- Soft material.
- Easy to Insert.
- Contains 250 pairs of Spark Plug earplugs

Part No.	Qty	Name	dB Protection
895390	1	Pura-Fit	36 dB

Disposable Earplugs - Spark Plugs

MOLDEX



- 35 dB noise protection.
- Soft material.
- Easy to insert.
- Colourful & appealing

Part No.	Qty	Name	dB Protection
895389	25 Pairs	Spark Plugs	35 dB
895396	100 Pairs	Spark Plugs	35 dB

Disposable Earplugs - MelLows

MOLDEX



- 21 dB noise protection.
- Protection against lower noise levels.
- Keeps you in touch with your environment

Part No.	Qty
895568	20 Pairs

Disposable Earplugs - Pura-Fit

MOLDEX



- 24 dB noise protection.
- Protection against higher noise levels.
- Soft material.
- Easy to insert

Part No.	Qty	Name	dB Protection
895212	20 Pairs	MelLows	22 dB



Reusable Earplugs - Rockets Cord

MOLDEX

Made of soft material which is gentle on the skin. The Rockets come in a handy storage container to keep the plugs hygienic between use



- 29dB noise protection.
- Reusable.
- Washable.
- Easy to insert.
- Corded

Part No.	Qty
895386	1 Pair

Banded Earplug - Waveband 1K

MOLDEX

The Waveband puts very little pressure on the ear so these bands can be worn for longer periods of time. Comfortably worn under the chin, the sleek wave design allows the band to float, keeping it away from the wearer's body & clothing creating freedom of movement & eliminating the problem of noise transmission completely. Replacement pods available



- 24 dB noise protection.
- Comfortable.
- Replacement pods available

Part No.	Qty	Type
895565	2	Waveband 1K
895566	2 Pairs	Replacement Pods

Banded Earplug - Jazz Band

MOLDEX

The neck cord allows the band to sit around the neck when not in use & has a safety release mechanism. Dual material technology reduces noise transmission. Replacement pods available



- 22 dB noise protection.
- Dual material technology.
- Replacement pods available

Part No.	Qty	Type
895387	1 Pair	Jazz-Band
895388	2 Pairs	Replacement Pods

Cord Ear Plugs - Twisters

MOLDEX



- Large handle for easy insertion & removal.
- No rolling necessary – plugs stay hygienic clean and can be used more than once.
- Easy in-ear fit adjustment due to unique multi-curved stem.
- Soft foam pod for a comfortable, snug seal.
- Cord can be attached at any desired length

Tested and certified to EN 352-2:2002

Part No.	Qty
895920	20 Pairs

NEW DEDICATED ACE HOSE CLIP SECTION FROM PAGE 239

Cord Ear Plugs - Twisters Trio

MOLDEX

- Large handle for easy insertion & removal.
- No rolling necessary – plugs stay hygienic clean and can be used more than once.
- Easy in-ear fit adjustment due to unique multi-curved stem.
- Washable and reusable earplugs.
- Made of soft, TPE material which is gentle on the skin



Tested and certified to EN 352-2:2002

Part No.	Qty
895925	1 Pair

Earmuff - M4

MOLDEX

- High quality, robust Ear Muff.
- Attenuation 30 dB.
- Particularly low profile.
- Light and flexible, with low contact pressure.
- Comfort cushions made from viscoelastic foam



Tested and certified to EN 352-1:2002

Part No.	Qty
895961	1 Pair

Ear Defenders

- Up to 40 dB



Part No.	Qty
895283	1 Pair

Cord Earplugs - Spark Plug Style

MOLDEX

- 35 dB noise protection.
- Soft material.
- Easy to insert.
- Colourful & appealing.
- Corded



Part No.	Qty
895970	25

Earmuff - M5

MOLDEX

- High quality, robust Ear Muff.
- Attenuation 34 dB.
- Light and flexible, with low contact pressure.
- Comfort cushions made from viscoelastic foam



Tested and certified to EN 352-1:2002

Part No.	Qty
895963	1 Pair

Earmuff - M6

MOLDEX

- High quality, robust Ear Muff.
- Attenuation 35 dB.
- Light and flexible, with low contact pressure.
- Comfort cushions made from viscoelastic foam



Tested and certified to EN 352-1:2002

Part No.	Qty
895966	1 Pair

FFP MASKS

PROTECTION AGAINST DUST, MIST & FUMES



TESTING ACCORDING TO EN 149:2001+A1:2009

Total inward leakage
Ten test subjects perform a variety of exercises. During the exercises the amount of test aerosol that penetrates the filter, face seal and valve are sampled. The total inward leakage of 8 out of 10 test subjects shall not exceed the following levels:

Category	max. total inward leakage
FFP1	22 %
FFP2	8 %
FFP3	2 %

The filter penetration after loading the filter with 120 mg paraffin oil according to DIN EN149:2001+ A1:2009 shall not exceed the following levels:

Category	max. Filter penetration
FFP1	20 %
FFP2	6 %
FFP3	1 %

Flammability
4 respirators are passed through a 800°C (+/- 50°C) flame with a speed of 6 cm/s. After passing through the flame the respirator has to self-extinguish.


Breathing Resistance
The breathing resistance produced by the filter of the respirator is tested at an airflow of 30 l/min and 95 l/min.

Category	max. breathing resistance according to EN 149	
	30 l / min	95 l / min
FFP1	0,6 mbar	2,1 mbar
FFP2	0,7 mbar	2,4 mbar
FFP3	1,0 mbar	3,0 mbar

INSTRUCTIONS FOR USE

- The user has to be trained and instructed in wearing the mask.
- FFP Masks do not protect against gases and vapours.
- The oxygen concentration of the ambient atmosphere should be at least 19,5 % Volume.
- These respirators may not be used if the concentration type, and properties of contaminants in the ambient atmosphere are unknown or at dangerous levels.
- Respirators should be disposed if damaged, if the breathing resistance becomes high due to clogging, or at the end of a shift.
- Never tamper with, alter or modify the respirator.

INSTRUCTIONS FOR FITTING



1. Pull strap to form a large loop.



3. Pull upper strap tight and then place on back of head.



2. Place respirator on chin and pull loop over head tight to the neck.



4. Ensure respirator fits secure and comfortable.

AREAS OF USE

Level	WEL	Hazard type
FFP1	4x	FINE DUSTS, FUMES, WATER AND OIL BASED MISTS/ AEROSOLS
FFP2	10 x	HAZARDOUS FINE DUSTS, WATER AND OIL BASED MISTS/ AEROSOLS, BIOLOGICAL AGENTS OF RISK GROUP 2
FFP3	20 x	HARMFUL AND CARCINOGENIC DUSTS, WATER AND OIL BASED MISTS/ AEROSOLS, BIOLOGICAL AGENTS OF RISK GROUP 2 AND 3, CMR-SUBSTANCES

(WEL = Workplace Exposure Limit)

Classic Series

MOLDEX



- Durable & comfortable.
- Ideally suited to most industrial applications.
- Available in FFP1, FFP2 & FFP3 protection levels

Part No.	Qty	Type
895392	20	FFP1 NR D Valved
895210	20	FFP2 NR D Non-Valved
895393	20	FFP2 NR D Valved
895560	10	FFP3 NR D Valved

Smart Series

MOLDEX



- FFP3 NR D with comfort nose seal.
- The clip on the strap allows the mask to hang around the neck when not in use

Part No.	Qty	Type
895394	10	FFP3 NR D Valved

AIR Series - Sized FFP Masks

MOLDEX

In addition to providing respiratory protection for the wearer, these masks prevent particles (droplets) being expelled by the wearer, therefore protecting other people & the environment from contamination. Conforms to both the PPE directive EN149 and the medical directive EN14683



- Available in 2 sizes.
- Low breathing resistance.
- Medically approved.
- Latex free.
- Individually bagged

Part No.	Qty	Type
895559	10	FFP2 NR D Non-Valved - Small / Medium
895558	10	FFP2 NR D Non-Valved - Medium / Large

AIR Plus - FFP Masks

MOLDEX



- Reusable FFP Mask.
- Washable full face seal made of comfortable TPE material which is gentle on the skin.
- Pleated filter technology: 260% more filter surface area.
- Significantly reduced breathing resistance.
- High filter capacity, longer usage time.
- DuraMesh®: strong and durable structure, keeps the mask in shape.
- ActivForm®: no nose clip needed

Tested and certified to EN 149:2001+A1:2009

Part No.	Qty
895935	10
895934	5

AIR Seal - FFP3 Masks



- Reliable protection against particles
- Long life pleated filter which reduces breathing resistance.
- Soft foam full face seal gives a secure fit.Ventex valve has an extra large opening to reduce heat & humidity inside the mask.
- Activform enables the mask to adapt to the shape of the wearers face plus the Duramesh structure preserves the masks shape.
- Inspection standards - EN149:2001 + A1:2009

Part No.	Qty
895937	8

FFP Mask Storage Case



- Prolong the life of reusable FFP masks with the FFPak storage case and disinfectant wipes.
- Robust storage case for FFP masks.
- With zip, carabiner clip and name tag
- Hygienic wipes for cleaning and disinfecting PPE products

Part No.	Qty
895939	1

Compact Mask - Half Face



- Ultra compact half mask.
- Maintenance free and ready for use.
- Wide field of vision.
- Unrestricted freedom of movement.
- Lightweight and comfortable.
- FlexFit: automatically adjusts to different face shapes.
- Pleated Filter Technology: low breathing resistance, high durability

Tested and certified to EN 405:2001

Part No.	Qty	Protection Level
895930	1	FFA1P2 R D
895931	1	FFA2P3 R D
895932	1	FFA1B1E1P3 R D
895933	1	FFA1B1E1K1P3 R D

Full Face Mask - 9000 Series



Extremely lightweight with excellent periphery vision. The lens is made from scratch resistant polycarbonate & is easy to clean thanks to the hydrophobic coating. Use with Moldex EasyLock Filters system that requires no additional clips or holders

- Lightweight.
- Panoramic lens.
- Easy to clean.
- Easy to maintain.
- Class 2.
- Use with Easylock Filters

Part No.	Qty	Type
895542	1	Full Face Mask - Medium
895543	1	Full Face Mask - Large

Reusable Half Mask - 7000 Series

MOLDEX

Extremely lightweight, the mask body is made from hypo-allergenic material which is gentle on the skin. Low profile design for excellent field of vision. Easy accessible components for cleaning & maintenance. Use with Moldex EasyLock Filters system that requires no additional clips or holders



- Lightweight.
- Gentle on skin.
- Easy to clean.
- Easy to maintain.
- Use with Easylock filters

Part No.	Qty	Type
895532	1	Half Face Mask - Medium
895533	1	Half Face Mask - Large

Dust Masks - General Purpose



- Protects against non toxic substances

Part No.	Qty
895257	50

Toxic Dust Masks



- Protects against solids.
- FFRP2S.
- Filters water based aerosols

Part No.	Qty
895258	20

Half Mask Kit - With Filters

MOLDEX

Extremely lightweight, the mask body is made from hypo-allergenic material which is gentle on the skin. Low profile design for excellent field of vision. Easy accessible components for cleaning & maintenance. Use with Moldex EasyLock Filters system that requires no additional clips or holders



- Lightweight.
- Gentle on skin.
- Easy to clean.
- Easy to maintain.
- Use with Easylock filters

Part No.	Qty	Type
895940	1 Kit	Medium Mask & x 2 A1P2 Filters
895941	1 Kit	Medium Mask & x 2 A2P3 Filters
895942	1 Kit	Medium Mask & x 2 ABEK1P3 Filters

EasyLock Filters - For 9000 & 7000 series

MOLDEX

EasyLock particulate filters can either be connected to the EasyLock gas cartridges or directly with the mask body. Any combination of filters simply click together, there is no need for additional clips or filter holders



- Revolutionary filter system.
- No need for additional clips or holders.
- Different filters can be combined

Part No.	Qty	Type
895545	5 pairs	A1 Gas Filters
895553	5 pairs	A2 Gas Filters
895556	4 pairs	A2B2E1 Gas Filters
895550	5 pairs	ABEK1 Gas Filters
895557	4 pairs	AX Gas Filters (Single Use)
895551	5 pairs	P2 R D Particulate Filters
895552	5 pairs	P3 R D Particulate Filters

Welding Helmet - Hand Held



- Fibreglass

Part No.	Qty
845137	1

Glass Lenses - For Welding Helmets



- Suits 845138 & 845137
- Size: 4 1/4" x 3 1/4"

Part No.	Qty	Colour
845141	10	Clear
845142	5	Shade 10
845140	12	9 x Clear. 3 X Shade 10

Protective Face Visor



Part No.	Qty	Type
895133	1	Visor
895111	1	Clear Replacement Screen

Polycarbonate Visor with Ratchet Headband



The safety faceshield SHAPE is compact, comfortable and lightweight. Its moulded polycarbonate visor provides a superior optical quality with a wide field of vision.

- Perfect optical quality. Wide field of vision. Adjustable headband. Compatible with prescription glasses.

Part No.	Qty	Type
895124	1	Visor with headband

Safety Helmet



- With slip adjusted headband.
- Conforms to BS EN 397:1995

Part No.	Qty	Type
895114	1	Helmet
895113	1	Spare Chin Strap

Bump Cap

Standard: EN812



- Sporty protective bump cap designed as a safeguard against accidental bumping or scraping of the head.
- Low dome profile allows cap to be worn with other safety protection

Part No.	Qty
895878	1

Mask Safety Glasses - ADAPT 2K

With Moldex ADAPT, there is finally protective eyewear specifically designed to be combined with respiratory masks. The unique lens design and the additional sealing lip that adapts to the face enable a significantly lower profile than conventional safety eyewear. This results in more space to fit a mask and the elimination of fogged up lenses due to combined fit.



- Fits perfectly with all types of face masks.
- Better protected – all around - Sealing lip and close-fitting lens with UV filter1 for maximum protection.
- Everything in sight - Highest level of optical clarity, wide field of vision, state-ofthe-art anti-fog2 and antiscratch coatings.
- Lightweight - Light as a feather at 21 grams offering robust protection all day.
- High wearing comfort - Snug, flexible sealing lip replaces classic nose pads.

Part No.	Qty
895704	1 Pair

Viper Safety Spectacles



- Polycarbonate.
- Close fitting anti-scratch, anti-mist lens with nylon frame.
- Adjustable length side arms.
- Clear lens, blue / black side arms

EN 166 1.F

Part No.	Qty
895464	1 Pair

Silium Safety Spectacles



- Sleek & attractive with optical class 1 anti-scratch / anti-mist polycarbonate lenses.
- Integrated side shields, flexible temples, soft adjustable nose pads.
- 'Tip Grip' system for improved fit.
- Clear lens, silver frame

EN 166 1.F

Part No.	Qty
895465	1 Pair

Safety Spectacles - Light Weight



- Can be used on top of regular spectacles

Part No.	Qty
895284	5 Pairs

Safety Goggles



- Grade 1 impact.
- Direct ventilation

Part No.	Qty
895138	1 Pair

Safety Goggles - Wide Vision



- Grade 1.
- Clear vent

BS 2092/1

Part No.	Qty
895132	1 Pair

Gas Welding Goggles



- Shade GW5

Part No.	Qty
845145	1 Pair
845139	1 Pair

Grinding Goggles



- Soft contoured wide face area for a secure & comfortable fit.
- PVC moulded frame with smooth universal nose piece & polycarbonate lenses

Part No.	Qty
895137	1

Ultravision Goggles - Uvex



- Full vision with shade 5 lens.
- Lens coating is anti-fog, scratch-resistant on the outside & offers maximum UV protection.
- Fully adjustable head strap for a secure fit & wearer comfort.
- Can be worn over most prescription spectacles

EN166 1B 349 EN169, 170

Part No.	Qty
845144	1

Pacific Ski Glasses



- Wide angle vision with foam face seal for better comfort & fit.
- Polycarbonate anti-mist lens

EN166 1B 349

Part No.	Qty
895701	1

Safety Glasses - Wrap Around



- Modern, lightweight style with scratch-resistant polycarbonate lens.
- Clear lens, translucent sidearms

EN 166 1F

Part No.	Qty
895702	1



Apron - Green



- Chemical Resistant

Part No.	Qty	Size
895700	1	48” x 36”

Hazardous Overalls



- Tear resistant.
- Non-woven material which is tough and breathable

CE CAT 111

Part No.	Qty	Size
895707	1	Medium
895705	1	Large
895706	1	Extra Large

Standard Overalls - Navy



- The Stud Front Coverall, a durable and functional choice for professionals across various industries.
- Made from a high-quality 65% polyester and 35% cotton blend, these coveralls offer both comfort and long-lasting performance, ideal for demanding work environments.
- Durable Fabric: 65% polyester and 35% cotton for superior strength and comfort. Heavyweight Construction: 245 gsm fabric provides a sturdy, substantial feel for long-term durability.
- Enhanced Comfort: Back shoulder pleats ensure freedom of movement and added comfort.
- Ample Storage: - 2 mitred breast pockets with concealed stud-fastened flaps for secure storage, 2 hip swing pockets with access slits for easy reach to undergarments, rear mitred patch pocket for extra storage on the right side, rule pocket on the right leg for easy access to tools or measuring devices.

Part No.	Qty	Size
895881	1	Medium
895882	1	Large
895883	1	Extra Large

Disposable Overalls - White



- Zip front, with hood.
- Fully elasticated sleeves, head & ankles.
- Designed for bodyshop use

Part No.	Qty	Size
895201	1	Large
895202	1	Extra Large

Two-Piece Suit - Waterproof



- Zip front & press stud fasteners on front & ankles, with hood.
- Elasticated waist trousers.
- Patch pockets.
- Made from PVC / polyester

Part No.	Qty	Size
895192	2 Piece Set	Large
895193	2 Piece Set	Extra Large

VISION
FULL LIGHTING RANGE
INCLUDING NEW WEARABLE PRODUCTS



Thermal T-Shirt



- Black

Part No.	Qty	Size	Type
895980	1	Medium	Short sleeved
895981	1	Large	Short sleeved
895982	1	Extra Large	Short sleeved
895985	1	Medium	Long sleeved
895986	1	Large	Long sleeved
895987	1	Extra Large	Long sleeved

Thermal Long Johns



- Brushed powder black polyester/cotton

Part No.	Qty	Size
895990	1	Medium
895991	1	Large
895992	1	Extra Large

Thermal Socks



- Thermal knitted sock.
- Black

Part No.	Qty
895876	12 Pairs

Thermal Gloves



- Coral gaps in in fibre structure retains heat and makes it lighter.
- One size

Part No.	Qty
895879	1

Hi-Vis Beanie - Reversible



- Fleece lining for added warmth and comfort.
- One size only

Part No.	Qty
895886	1

LED Light Beanie



- Rechargeable LED.
- 150 Lumens.
- 2 / 4 hours run time.
- Beam distance: 10m / 5m

Part No.	Qty
895885	1

Thinsulate Hat



- Beanie style with thinsulate lining for extra warmth.
- One size only

Part No.	Qty
895875	1

Reflective Waist Coat - Long Sleeve - Yellow



- 2 bands & 2 braces.
- Knitted polyester.
- Velcro fastening

Part No.	Qty	Size
896111	1	Medium
896112	1	Large
896113	1	Extra Large
896114	1	Extra Extra Large

Hi-Vis Jacket - Two Tone

- Waterproof with taped seams.
- Quilt lined.
- Reflective tape for increased visibility.
- 4 pockets with concealed phone pocket.
- Pack away hood.
- CE Certified.
- EN343



Part No.	Qty	Size
896116	1	Small
896117	1	Medium
896118	1	Large
896119	1	Extra Large
896120	1	Extra Extra Large
896121	1	XXX - Large

Contrast Bib & Brace

- Waterproof with taped seams preventing water penetration.
- Reflective tape for increased visibility.
- Lined for added warmth and comfort.
- 6 pockets for ample storage.
- Elasticated back panel



Part No.	Qty	Size
896123	1	Small
896124	1	Medium
896125	1	Large
896126	1	Extra Large
896127	1	Extra Extra Large
896128	1	XXX - Large

Hi-Vis Bomber Jacket - Yellow

- Fully taped seams.
- Concealed hood.
- Fleece lined collar.
- Velcro adjustable cuffs.
- Concealed mobile phone pocket.
- Stud fastening storm flap



Part No.	Qty	Size
896130	1	Small
896131	1	Medium
896132	1	Large
896133	1	Extra Large
896134	1	Extra Extra Large
896135	1	XXX - Large

Reflective Jacket - Yellow

- Zip front.
- Class 3



Part No.	Qty	Size
895351	1	Medium
895352	1	Large
895353	1	Extra Large
895723	1	Extra Extra Large

Reflective Jacket - Two Tone

- Yellow.
- Zip front.
- Class 3



Part No.	Qty	Size
895431	1	Medium
895432	1	Large
895433	1	Extra Large

Reflective Waist Coat - Yellow



- 2 bands & 2 braces

Part No.	Qty	Size
895446	1	Medium
895447	1	Large
895448	1	Extra Large
895449	1	Extra Extra Large

Reflective Waist Coat - Orange



- 2 bands & 2 braces

Part No.	Qty	Size
895730	1	Medium
895732	1	Large
895734	1	Extra Large

Body Warmer - Reversible



- Hi-Vis yellow/Navy.
- PU coated polyester outer shell, quilted polyester/cotton inner with polyester padding.
- Zip front fastening, knitted collar, 2 pockets on the navy side

EN471

Part No.	Qty	Size
895870	1	Medium
895871	1	Large
895872	1	Extra Large
895873	1	Extra Extra Large

Reflective Polo Shirt - Yellow



- Class 2

Part No.	Qty	Size
895441	1	Medium
895442	1	Large
895443	1	Extra Large

Reflective Trousers - Water Repellent



- Yellow class 1 trouser.
- PU coated outer shell, fully taped seams.
- Elasticated waistband with adjustable press-stud to ankles

EN 471

Part No.	Qty	Size
895780	1	Medium
895781	1	Large
895782	1	Extra Large

Reflective Trousers - Yellow



- Heavyweight trouser.
- Comes with internal knee pad pocket & mobile phone pocket

Part No.	Qty	Size
895725	1	Medium
895726	1	Large
895727	1	Extra Large

Safety Shoes - Black

- Protective fibreglass toecap and composite anti-penetration flexi-midsole.
- Oil resistant.
- Anti static.
- Activ-Step® dual density outsole with true 90° ladder grip heel.
- Comfort fit shoe



EN ISO 20345:2011 S3 SRC

Part No.	Qty	Size
896610	1 Pair	8
896611	1 Pair	9
896612	1 Pair	10
896613	1 Pair	11

Safety Boots - Black

- Penetration resistance.
- Steel toecap.
- Water resistant leather upper.
- Oil resistant outsoles with heel energy absorption



Part No.	Qty	Size
895491	1 Pair	8
895492	1 Pair	9
895493	1 Pair	10
895490	1 Pair	11

Rigger Boots - Fur Lined

- Tan.
- Penetration resistance.
- Steel toecap.
- Oil resistant outsoles with heel energy absorption



Part No.	Qty	Size
895486	1 Pair	8
895487	1 Pair	9
895488	1 Pair	10
895489	1 Pair	11

Safety Boots - Ladies

- Protective fibreglass toecap and composite anti-penetration flexi-midsole.
- Genuine full grain waxy smooth leather.
- Waterproof and breathable Activ-Tex® membrane.
- Specialist ladies fitting



EN ISO 20345:2011 S3 HI WR HRO SRC

Part No.	Qty	Size
896631	1 Pair	5
896632	1 Pair	6
896633	1 Pair	7

Safety Boots - 4 D-Rings

- Black.
- Penetration resistance.
- Steel toecap.
- Oil resistant outsoles with heel energy absorption



Part No.	Qty	Size
895481	1 Pair	8
895482	1 Pair	9
895483	1 Pair	10
895485	1 Pair	11

Safety Trainers



- Protective fibreglass toecap and composite anti-penetration flexi-midsole.
- Nubuck leather and mesh.
- Supportive foam padded collar.
- High breathability and flexibility.
- Oil resistant.
- Designed for long periods of standing and walking long distances

EN ISO 20345:2011 S1P SRC

Part No.	Qty	Size
896620	1 Pair	8
896621	1 Pair	9
896622	1 Pair	10
896623	1 Pair	11

Safety Trainers - Ladies



Orthopaedic made to measure footbed, complying with European norms DGUV112-191

- Overcap for a higher abrasion resistance
- Padded collar for added comfort
- Air Tech + TPU-Skin anti-fatigue sole with cushioning effect
- Anti-static footwear
- Shock absorption in the heel region
- Puncture resistant sole
- Cold insulation up to -17°C
- 200 joules resistant toe-cap
- Water resistant upper

Part No.	Qty	Size
896642	1 Pair	5
896643	1 Pair	6
896644	1 Pair	7

Shoe Covers - Disposable



- One size fits all

Part No.	Qty
895484	100

Gel Knee Pads



- Heavy duty.
- Anti-compression gel foam gives maximum cushioning for added comfort.
- Hard-wearing composite front cover for extended life with an anti-slip grip design.
- Large hook-and-loop single strap for a comfortable fit

Part No.	Qty
980255	1 Pair

Knee Pad Inserts



- Ergonomically designed knee pads for high levels of comfort and protection

Part No.	Qty
980260	1 Pair

First Aid Kit - Small



- BSI BS8599

Contains: 1 Burns dressing, 2 Eye pad dressings, 2 Finger dressings, 4 Medium HSE dressings, 1 Large HSE dressing, 40 Assorted washproof plasters, 1 Conforming bandage, 2 Triangular bandages, 1 Foil survival blanket, 1 Microporous tape, 20 Saline wipes, 6 Nitrile gloves (Pairs), 1 Resuscitation face shield, 6 Safety pins, 1 Shears and guidance leaflet

Part No.	Qty
895772	1 Kit

First Aid Kit - Large



- BSI BS8599

Contains: 2 Burns dressing, 4 Eye pad dressings, 4 Finger dressings, 8 Medium HSE dressings, 2 large HSE dressings, 100 Assorted washproof plasters, 2 Conforming bandages, 4 Triangular bandages, 3 Foil survival blankets, 1 Microporous tape, 40 Saline wipes, 12 Nitrile gloves (Pairs), 2 Resuscitation face shields, 24 Safety pins, 1 Shears and guidance leaflet

Part No.	Qty
895774	1 Kit

Wound Wipes - First Aid



- Anti-septic wipes

Part No.	Qty
895223	Box of 100

First Aid Kit - HSE



Kit Contains: Wound Cleaning Wipes, Dressings, Bandages, Plasters, Eye Pad, Safety Pins, General Guidance Leaflet, etc.

Part No.	Qty
895280	1 Kit

First Aid Kit - For PSV Use



- Complies with the Public Service Vehicles (Conditions of Fitness, Equipment Use & Certification) Regulation 1981

Kit Contains: Wound Cleaning Wipes, Dressings, Bandages, Plasters, Eye Pad, Safety Pins, Scissors, General Guidance Leaflet

Part No.	Qty
895276	1 Kit

First Aid Kit - Travel



- Ideal for use in vehicles.
- BSI BS8599

Part No.	Qty
895776	1 Kit

First Aid Kit - For up to 10 People



Kit Contains: Wound Cleaning Wipes, Dressings, Bandages, Plasters, Eye Pads, Safety Pins, General Guidance Leaflet

Part No.	Qty
895278	1 Kit

First Aid Kit - For up to 50 People



Kit Contains: Wound Cleaning Wipes, Dressings, Bandages, Plasters, Eye Pads, Safety Pins, General Guidance Leaflet

Part No.	Qty
895275	1 Kit

First Aid Kit - Large Vehicle



Kit Contains: Guidance Leaflet, Gloves (Pair), Plasters, Dressing Pads, Bandages, Wipes, Survival Blanket, Resuscitation Mouth Shield with Valve, Scissors, Large Instant Ice Pack

Part No.	Qty
895670	1 Kit

First Aid Kit Bracket



Suitable for all standard first aid kits.

Part No.	Qty
895771	1

Plasters - Stretch Fabric & Waterproof



- Individually wrapped.
- Adhesive Plasters.
- Various Sizes

Part No.	Qty
105260	120

Plasters - Stretch Fabric



- Individually wrapped.
- Adhesive Plasters.
- Various Sizes

Part No.	Qty
105278	120

Assorted Plasters - Stretch Fabric & Waterproof



Fabric: 4.0 x 4.0 cm. 7.0 x 2 cm. 7.5 x 2.5 cm. Waterproof: Fingertip

Part No.	Qty
110206	80



Burns Kit



Ideal for emergency care on burns, scalds and sunburn

Part No.	Qty
895770	1 Kit

Facial Burn Dressing - Water-Jel

- 30.5 x 40.5 cm with flaps for the eyes, nose and an 'H' cut mouth allowing for access to nasal passages, mouth and eyes.
- Dimensions ensure the coverage and management of thermal damage to the ears



Part No.	Qty
895815	1

Burn Jel - Squeeze Bottle

The leading emergency burn care treatment for minor burns.

- Made specifically to relive the pain of minor burns.
- Immediate effective treatment - soothing, cooling relief for minor burns, scalds and sunburn



Part No.	Qty
895818	1

Eye Pad Dressings

- No.16 eye pad dressing.
- Sterile, low adherent pad with extra long, fast edged conforming bandage



Part No.	Qty
895777	20

Sterile Eye Wash - Station

- Wall mountable

Contains: 2 x 500ml Eye Wash Liquid, 2 x Eye Pad with Bandage



Part No.	Qty
895300	1

Sterile Eye Wash - Bottles

- Sterile emergency eye wash containing Sodium Chloride to restore eyes to their natural pH level



Part No.	Qty
895299	2

Sterile Eye Wash - Pods

- Sterile emergency eye wash containing Sodium Chloride to restore eyes to their natural pH level.
- Single use pods



Part No.	Qty
895302	25

FIXT

PROFESSIONAL VALET RANGE









FOR THE ULTIMATE FINISH

From Page 480

FIXT

FIXT is a comprehensive range of maintenance and valeting products, designed to meet the diverse needs of vehicle and machinery care. The range includes high-quality chemicals, greases, adhesives, sealants, and valeting products, all formulated to ensure optimal performance and longevity. FIXT products are engineered to reduce process time, save effort, and cut costs, making them an essential choice for professionals in the automotive and industrial sectors. With a focus on efficiency and effectiveness, FIXT helps users maintain and protect their assets with ease and reliability.

OUR MISSION

Our mission at FIXT is to provide high-quality, efficient, and cost-effective maintenance and valeting products that empower professionals in the automotive and industrial sectors to maintain and protect their assets. By offering a comprehensive range of chemicals, greases, adhesives, sealants, and valeting products, we aim to reduce process time, save effort, and cut costs, ensuring optimal performance and longevity of vehicles and machinery.

OUR RANGE



MAINTENANCE
GREASE & ANTI-SEIZE
ENGINE & OIL TREATMENTS
SERVICE PRODUCTS
PAINTS
CLEANING
ADHESIVES & ANAEROBICS
GASKETS & SEALANTS
VALETING

MAINTENANCE



PAGE 460

GREASE & ANTI-SEIZE



PAGE 463

SERVICE PRODUCTS



PAGE 466

ENGINE & OIL TREATMENTS



PAGE 468

PAINTS & PRIMERS



PAGE 470

ADHESIVES & ANAEROBICS



PAGE 472

GASKETS & SEALANTS



PAGE 474

CLEANING PRODUCTS



PAGE 476

RETAIL DISPLAY UNIT



PAGE 478

VALETING



PAGE 480



FIXT MAINTENANCE

The FIXT Maintenance range is designed to keep machinery, tools, and equipment in peak condition. It covers a variety of solutions for lubrication, cleaning, and protection.

FIXT

BRAKE & CLUTCH CLEANER

A powerful cleaning spray / fluid which is ideal for fast & effective cleaning of all brake & clutch assemblies, removing all contaminants such as grease, oil, dust & dirt



- Instantly removes brake dust, oil & grease - leaves no residue.
- Apply without dismantling parts.
- Helps prevent brake squeal.
- Acetone free - non-corrosive to brake rubbers

PART NO.	QTY	SIZE
FX081103	12	150 ml Aerosols
FX081104	6	400 ml Aerosols
FX081101	1	1 Ltr Bottle
FX081112	12	1 Ltr Bottles
P70200	Pallet of 160	5 Ltr
P70100	Pallet of 40	25 Ltr

FIXT

MAINTENANCE SPRAY & FLUID

A high specification, multi-purpose maintenance spray / fluid & releasing agent which also penetrates rusted & corroded fasteners, fittings & components



- High specification multi-purpose spray / fluid.
- Displaces moisture, cleans & lubricates.
- Low viscosity for maximum coverage.
- Provides long lasting protection from moisture

PART NO.	QTY	SIZE
FX081127	6	400 ml Aerosols
FX081128	1	5 Ltr Plastican

= DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY



FIXT400

FIXT400 MAINTENANCE SPRAY

FIXT400 is a high specification, heavy duty multi-purpose maintenance fluid/spray with outstanding penetrating properties.

- 4 in 1' action for on-site problem solving.
- High pressure multi-purpose spray blasts dirt away & provides access to hard to reach areas.
- Quickly penetrates rusted & corroded parts.
- Applies a tough moisture-resistant PTFE lubricant.
- Leaves parts clean & protected.

PART NO.	QTY	SIZE
FX081401	6	400 ml Aerosols
FX081403	12	400 ml Aerosols (Display Pack)
FX081402	1	5 Ltr Plastican
FX081404	4	400ml trigger spray applicator

FIXT

LEAK DETECTOR

Ideal for checking all gas or air pressure fittings & joints & for rapid & safe detection of even the smallest leak



- Will identify the smallest of leaks.
- Safe to use with all air & gas pipes & fittings.
- Suitable for identifying leaks in commercial vehicle air brake systems.
- Safe to use with welding, industrial & bottled gases

PART NO.	QTY	SIZE
FX081129	6	400 ml Aerosols

BATTERY TERMINAL PROTECTOR

Cleans corrosive deposits which build up on battery terminals



- Provides effective protection of battery & electrical terminals.
- Repels moisture & maintains best possible contact.
- Protects against corrosion, acid & general weathering effects.
- Ensures best possible connections

PART NO.	QTY	SIZE
FX081126	6	400 ml Aerosols

BRAKE DUST ARRESTOR

Solvent based product specially formulated to safely arrest harmful dust & to free off & clean seized or squealing brakes



- Rapid evaporation formulated to arrest harmful dust.
- Frees & cleans seized braking components.
- Leaves no residue.
- Can be used as a solvent cleaner

PART NO.	QTY	SIZE
FX081102	6	400 ml Aerosols

PENETRATING & GRAPHITE

A graphite enhanced lubricant fluid designed to effectively & rapidly penetrate, free & loosen seized nuts, bolts, threaded components & hinges



- Tough graphite enhanced lubricant.
- Powerful heavy-duty industrial formula for maximum penetration.
- Directional jet for inaccessible areas.
- Provides a strong graphite film providing a high level of lubrication

PART NO.	QTY	SIZE
FX081275	6	400 ml Aerosols

FIXT

GREASE & ANTI-SEIZE

This range includes high-performance greases and anti-seiz compounds designed to protect components under extreme conditions, including heat, pressure, and corrosion

WIRE ROPE & CHAIN LUBE

A long lasting, highly tenacious spray grease which reduces wear & increases chain life



- Tenacious coating for chains, cables & open gearing etc.
- Reduces wear & increases component life.
- High-grip 'stay-put' coating.
- Easy to apply in-situ

PART NO.	QTY	SIZE
FX081276	6	400 ml Aerosols

WHITE GREASE & PTFE

Repels water & is highly protective against corrosive elements including, heat, salt & water & provides long lasting lubrication which will not wash off



- Visible white lubricant.
- Resistant to heat, salt & moisture.
- Ideal for linkages, latches, gears & hinges etc.
- Weatherproofs & protects against corrosive elements

PART NO.	QTY	SIZE
FX081151	6	400 ml Aerosols

CLEAR GREASE

A clear, non-staining grease which penetrates deeply before it thickens



- Minimum visibility, maximum lubrication.
- Ideal for brake pipes, mechanisms, hinges & linkages.
- Protects against wear & corrosion.
- Resistant to water, heat & salt

PART NO.	QTY	SIZE
FX081150	6	400 ml Aerosols

SERVICE LUBE PLUS

A highly active formula which penetrates & then thickens following application



- Highly active formula.
- Tough clean lubricant with low drip / run properties.
- Easy to apply to inaccessible areas.
- Provides long-lasting protection

PART NO.	QTY	SIZE
FX081327	12	150 ml Aerosols
FX081328	6	400 ml Aerosols

SILICONE SPRAY LUBE

Excellent for use on many materials including metal, vinyl, rubber & wood



- Universal applications across all industries.
- Highly effective on slides, bearings, conveyors & manufacturing equipment.
- Lubricates window channels, CV boots & hoses.
- Safe for environments where non-direct contact with food stuffs may be a risk

PART NO.	QTY	SIZE
FX081125	6	400 ml Aerosols

WHITE FOOD GREASE

A non tainting, non toxic, heat stable, silicone free light oil lubricant for use in all areas of food preparation



- Silicone free light oil lubricant.
- Heat stable.
- Non toxic.
- Also for use in all food-safe environments

PART NO.	QTY	SIZE
FX081153	6	400 ml Aerosols

FOOD SAFE LUBE & PTFE

An exceptional product for freeing & lubricating most automotive & industrial components



- A transparent general purpose food safe lubricant & penetrant with PTFE.
- High quality triple action lubricant which frees, lubricates & coats.
- Applies a tough, dry coating effective long after liquid lubricants have disappeared.
- Effective working temperature from -30˚C to 220˚C

PART NO.	QTY	SIZE
FX081152	6	400 ml Aerosols


CURTAIN SIDE LUBE

A high quality lubricant designed for curtain rollers and tracks



- Ideal for trucks and trailers.
- Prevents build up of dust and grime.
- Reduces wear and extends roller life.
- Provides long lasting protection

PART NO.	QTY	SIZE
FX081163	6	400 ml Aerosols



HD SYNTHETIC LUBE

A multi-purpose lubricant suitable for all types of machinery



- Suitable for lubrication of lighter components.
- Excellent penetration & lubrication qualities.
- Quickly frees & releases rusted parts.
- Suitable for use on delicate mechanisms

PART NO.	QTY	SIZE
FX081331	6	400 ml Aerosols

CLEAR CHAIN LUBE

A long lasting highly effective spray grease ideal for Fork Lift applications. Clear Chain Lube reduces wear and increases chain life, preventing the build-up of dirt and rust



- High anti-fling properties provide long lasting lubrication and protection.
- Penetrates inner rollers, resists the highest shock loads and effective on rubber O-rings.
- Resistant to heat and salt.
- Provides resistance to friction, wear and the possibility of seizure.
- Ideal for Chains, Cables, Wire Ropes, Open Gears etc

PART NO.	QTY	SIZE
FX081278	6	400 ml Aerosols

SILICONE GREASE

A highly effective silicone based grease suitable for insulating electrical connections & terminals



- Outstanding lubricating properties.
- Provides high level protection against damp, water & corrosive elements.
- Preserves & protects rubber components.
- Effective insulation of electrical connections & terminals

PART NO.	QTY	SIZE
FX081161	6	400 ml Aerosols

DRY LUBE WITH PTFE

Excellent alternative for applications where conventional oils & greases attract dust



- Avoids greasy build up of dust & dirt.
- Ideal for use where surfaces come into contact with paper, packaging or textiles.
- A highly durable clear film lubricant which will withstand extreme pressures.
- Resistant to most acids & alkalis & will repel moisture

PART NO.	QTY	SIZE
FX081325	6	400 ml Aerosols

BELT DRESSING

A high grip, anti fling coating which improves grip & performance of all belt types, ensuring optimum performance & efficiency



- A highly effective treatment for most belts keeping them clean & in good condition.
- Increases grip & reduces slip in both wet & dry conditions.
- Lengthens belt life & prevents squealing.
- Ideal for all belts including conveyors, flat, round & V belts, rubber, canvas & synthetic

PART NO.	QTY	SIZE
FX081326	6	400 ml Aerosols

ALUMINIUM ANTI-SEIZE

Eliminates seizure in a wide range of applications



- A highly effective blend of fully synthetic lubricants with aluminium powders.
- Resistant to water, steam, ice & snow & remains stable even under extreme pressure
- Designed to withstand both high & low temperatures.
- Safe on all metals, most plastics & rubbers, reducing premature wear on slides & runners.

PART NO.	QTY	SIZE
FX081162	6	400 ml Aerosols

COPPER ANTI-SEIZE

Long lasting high temperature lubricant offering outstanding anti-seize properties



- Thick, protective lubricant for metal parts.
- Eliminates corrosion, seizure & brake squeal.
- Effective at temperatures up to 1100˚C.
- High-grip, anti-fling product, will not wash off

PART NO.	QTY	SIZE
FX081154	6	400 ml Aerosols

COPPER GREASE COMPOUND



- Premium quality grease designed specifically for use on moving metal parts for protection against heat, seizure, corrosion, water & acid.
- Once applied, product applies a protective film that will not burn or wash off

PART NO.	QTY	SIZE
FX081155	1	500 g Tub
FX081156	6	500 g Tub

CERAMIC GREASE

An exceptionally high quality grease that is non-conductive and non-melting. It is highly water resistant and ideal for vehicles with ABS braking systems



- As the grease is free from copper additives it's suitable for use with aluminium brake components.
- Smooth cream / off-white paste.
- High temperature range: -40°C to +1200°C.

PART NO.	QTY	SIZE
FX081165	1	500 g Tub
FX081167	6	500 g Tub

CV JOINT GREASE



- Designed for use in modern constant velocity joints found on trucks, vans, & cars.
- The solid additives adhere to metal surfaces where required under pressure, to provide a long life lubricant film

PART NO.	QTY	SIZE
FX081157	6	500 g Tubs

LITHIUM GREASE



- Premium quality Lithium based EP2 grease for use in all anti-friction & plain bearings subjected to high load conditions

PART NO.	QTY	SIZE
FX081160	6	500g Tubs

LITHIUM GREASE CARTRIDGES



- Designed for use in modern constant velocity joints found on trucks, vans & cars.
- The solid additives adhere to metal surfaces where required under pressure, to provide a long life lubricant film

PART NO.	QTY	SIZE
FX081159	3	400g Cartridges
FX081158	12	400g Cartridges

FIXT400

MAINTENANCE SPRAY



☑ HEAVY DUTY PERFORMANCE

Built to meet the demands of industrial environments.

☑ MULTI-PURPOSE ACTION

Penetrates, lubricates, protects, and displaces moisture.

☑ PRECISION ENGINEERING

Fast-acting formula that reduces downtime and keeps equipment in top condition.

☑ TRUSTED BY PROFESSIONALS

From garages to building sites, FIXT400 gets the job done





HIGH LUBRICITY	REDUCES FRICTION ON MOVING PARTS
PENETRATING ACTION	LOOSENS SEIZED OR RUSTED COMPONENTS
MOISTURE DISPLACEMENT	PREVENTS CORROSION AND ELECTRICAL FAULTS
SURFACE PROTECTION	LEAVES A THIN PROTECTIVE FILM AGAINST RUST

FIXT
SERVICE PRODUCTS

FIXT Service Products cover essential maintenance items used in routine vehicle servicing and repairs.

FIXT
BRAKE & CLUTCH CLEANER

A powerful cleaning spray / fluid which is ideal for fast & effective cleaning of all brake & clutch assemblies, removing all contaminants such as grease, oil, dust & dirt

- ☑ ACETONE-FREE
- ☑ RUBBER-SAFE
- ☑ NO DISMANTLING
- ☑ LEAVES NO RESIDUE
- ☑ PROFESSIONAL STRENGTH



	PART NO.	QTY	SIZE
	FX081103	12	150 ml Aerosols
	FX081104	6	400 ml Aerosols
	FX081101	1	1 ltr Bottle
	FX081112	12	1 ltr Bottles
ⓘ	P70200	Pallet of 160	5 Ltr
ⓘ	P70100	Pallet of 40	25 ltr

ⓘ = DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY

DEGREASER

Suitable for all heavy duty degreasing problems



- Removes grease, tar, dirt, oil & bitumen from most surfaces.
- Suitable for all heavy-duty degreasing problems including concrete floors.
- Fast acting, biodegradable formulation.
- Fully soluble so may be rinsed off with water

PART NO.	QTY	SIZE
FX081329	6	400 ml Aerosols
FX081175	1	5 Ltr Tin

AIR TOOL OIL

A high quality cleaning lubricant that is used to prevent rust & corrosion in pneumatic tools



- Suitable for all types of pneumatic air tool.
- Lubricates, cleans & prevents moisture contamination.
- Extends air tool life & maintains optimum performance.
- Mineral & detergent based oil offers outstanding protection properties

PART NO.	QTY	SIZE
FX081305	6	350 ml Pourables

CLEAR FINE OIL

A lighter duty, multi-purpose oil particularly suitable for the lubrication of finer assemblies & mechanisms



- Deep penetrating, clear, non-staining lubricant.
- Excellent heat stable silicone free lube for use wherever a light oil is required.
- Will resist wash off by water or steam pressure.
- Non-tainting & non-toxic lubricant meeting FDA178.3620(b)

PART NO.	QTY	SIZE
FX081330	6	400 ml Aerosols

ELECTRICAL CLEANER

A general purpose solvent cleaner designed to remove contaminations



- Powerful spray loosens & blasts away contamination.
- Fast evaporating, leaves no residue.
- Removes most contaminants including grease, tar, dirt & oil.
- Safe to use on most plastics & general assembly products

PART NO.	QTY	SIZE
FX081350	6	400 ml Aerosols

CUTTING & TAPPING OIL

A high pressure lubricating oil which cools both cutting tools & metal surfaces



- Suitable for drilling, tapping, cutting, reaming & threading.
- Effective on any hard materials including stainless steel.
- Improved cutting, achieves better finish.
- Cools both surfaces & increases tool life

PART NO.	QTY	SIZE
FX081131	6	400 ml Aerosols

CARBURETTOR & FUEL INJECTOR CLEANER

Cleans all carburettors, automatic chokes & fuel injection systems without dismantling



- Cleans all types of fuel & injection components.
- Removes carbon build from EGR valves & venturi.
- Fast deep cleaning formula.
- Improves engine performance & tick-over

PART NO.	QTY	SIZE
FX081375	6	400 ml Aerosols

FIXT
ENGINE ADDITIVES

This range is designed to improve engine performance, reduce friction, and protect internal components.





ENGINE FLUSH





- Suitable for petrol & diesel engines.
- Neutralises acid residue.
- Removes harmful deposits.
- Improves oil circulation.
- Cleans engine in 5 mins

PART NO.	QTY	SIZE
FX081504	6	325 ml

PETROL TREATMENT & INJECTOR CLEANER



- Increased fuel economy.
- Cleans combustion chamber, intake manifold and valves.
- Prevents spark plug fouling

PART NO.	QTY	SIZE
FX081506	6	325 ml

DIESEL TREATMENT & INJECTOR CLEANER



- CO^2 Diesel.
- Increased fuel economy.
- Reduces black smoke.
- Reduces white start up smoke.
- Cleans combustion chamber

PART NO.	QTY	SIZE
FX081502	6	325 ml

RADIATOR STOP LEAK



- Suitable for petrol and diesel engines.
- Stops and prevents leaks.
- Added corrosion inhibitors.
- Protects cooling system.
- Helps prevent clogging

PART NO.	QTY	SIZE
FX081508	6	325 ml

CARBURETTOR & FUEL INJECTOR CLEANER



- Cleans all types of fuel & injection components.
- Removes carbon build from EGR valves & venturi.
- Fast deep cleaning formula.
- Improves engine performance & tick-over

PART NO.	QTY	SIZE
FX081375	6	400 ml Aerosols

FIXT
PAINTS & PRIMERS

The FIXT Paints & Primers range includes durable, high-coverage coatings for automotive and industrial use.

FIXT PRIMERS



- High protection zinc phosphate formulation.
- Excellent covering properties, providing a highly durable base-coat.
- Can be sprayed directly on many rigid plastic surfaces without pre-treatment.
- Safe to use in conjunction with cellulose paints

PART NO.	QTY	SIZE	COLOUR
FX081226	1	400 ml Aerosols	Grey
FX081227	1	400 ml Aerosols	White

FIXT ZINC GALVE PRIMER



An easy to apply coating recommended for cosmetic finishing & protection of galvanised welding repairs

- Protects galvanised welding repairs.
- Adheres to all metal surfaces.
- Single coat application.
- Contains micro particles of aluminium flake

PART NO.	QTY	SIZE
FX081225	1	400 ml Aerosol

FIXT PAINTS



- Tough & durable acrylic formulation
- Rapid drying formulation provides a tough, durable finish
- Provides maximum protection of metal, wood & most substrates
- Recommended for industrial engineering & automotive applications

PART NO.	QTY	SIZE	COLOUR
FX081228	1	400 ml Aerosols	Aluminium
FX081229	1	400 ml Aerosols	Matt Black
FX081230	1	400 ml Aerosols	Satin Black

GLOSS PAINTS





- Super high gloss level.
- Rapid drying formulation provides a tough, durable finish.
- Provides maximum protection of metal, wood & most substrates.
- Recommended for industrial engineering & automotive applications

PART NO.	QTY	SIZE	COLOUR
FX081231	1	400 ml Aerosols	Gloss Black
FX081232	1	400 ml Aerosols	Gloss White

FIXT

GASKET & PAINT REMOVER

A high grade gasket & paint stripper that penetrates coatings separating them completely from the underlying surfaces, thus enabling their removal with ease



- Fast working & easy to apply formulation.
- Effective on most gaskets, paints & varnishes.
- Works well as a graffiti & unwanted mark remover.
- Water soluble, simply rinse off after use

PART NO.	QTY	SIZE
FX081130	6	400 ml Aerosols



RETAIL DISPLAY UNIT

BUILT TO SELL. ENGINEERED FOR EFFICIENCY

ATTRACTIVE, SPACE-SAVING DESIGN

OPTIMISED PRODUCT ACCESSIBILITY

EFFORTLESS TO RESTOCK

PRE-FILLED WITH FIXT FAVOURITES

ENGINEERED TO DRIVE SALES GROWTH

BUILT TO LAST IN BUSY ENVIRONMENTS

PAGE 478

FIXT

ADHESIVES & ANAEROBICS

This range offers high-performance adhesives and anaerobic compounds for bonding and sealing.

FIXT

SUPER GLUE



- Low viscosity.
- Instant adhesive.
- High strength, rapid bonding.

PART NO.	QTY	SIZE
FX085551	5	3 g Tubes
FX085552	10	3 g Tubes
FX085554	5	5 g Bottles
FX085555	1	20 g Bottle
FX085556	3	20 g Bottles

FIXT

INDUSTRIAL SUPER GLUE GEL



- High viscosity anti-drip.
- Rapid curing.
- High strength general purpose adhesive.

PART NO.	QTY	SIZE
FX085553	5	3 g Tubes

FIXT

SUPER GLUE ACTIVATOR

Reduces fixing times & ensures adhesive is fully cured. Reduces odour & blooming.



- Accelerates the rate of cure for super glues & cyanoacrylate adhesives.
- Improves bonding to difficult surfaces.
- Prevents penetration of adhesives into porous materials.
- Suitable for uPVC, plastic, glass & metal.

PART NO.	QTY	SIZE
FX085569	1	200 ml Aerosol

FIXT

INSTANT POWER ADHESIVE



- High strength, general purpose adhesive.
- Cures in 60 seconds.
- Suitable for use with most materials including metal, glass, plastics & wood.

PART NO.	QTY	SIZE
FX085571	2	3g Syringes

SPRAY ADHESIVE

High strength spray adhesive, Ideal for vehicle interiors



- Fast-cure, strong adhesive.
- Effective on carpet, vinyl, foam, rubber, textiles & glass.
- Precision angle nozzle for accurate application.
- Highly resistant to damp & moisture

PART NO.	QTY	SIZE
FX085550	6	400 ml Aerosols

ANAEROBIC ADHESIVES



- Nut Lock
- Retainer (50 ml)
- Stud Lock

PART NO.	QTY	SIZE
FX085560	3	50ml Bottles

ANAEROBIC ADHESIVES



- Super glue (20 g)
- Stud Lock (10 ml)
- Nut Lock (10 ml)
- Retainer (10 ml)

PART NO.	QTY	SIZE
FX085561	4	Assorted

NUT LOCK



- For locking & sealing of nuts, bolts & hydraulic / pneumatic components

PART NO.	QTY	SIZE
FX085562	3	10 ml Bottles
FX085563	2	50 ml Bottles

RETAINER



- For retaining close fitting parts.
- Use on bushes, shafts, rotors & pulleys

PART NO.	QTY	SIZE
FX085564	3	10 ml Bottles
FX085565	2	50 ml Bottles

STUD & BEARING



- For locking & sealing of studs, nuts & bolts not requiring disassembly

PART NO.	QTY	SIZE
FX085566	3	10 ml Bottles
FX085567	2	50 ml Bottles

EPOXY PRODUCTS

RAPID EPOXY



- General purpose twin mix syringe.
- Clear.
- Bonds metal, wood, glass, ceramic & porcelain

PART NO.	QTY	SIZE
FX085557	2	25 ml Syringes

EPOXY PUTTY STICKS



- 180 mm long x 20 mm diameter.
- Hand knead-able.
- For re-building damaged castings & worn parts of aluminium flake

PART NO.	QTY	SIZE	TYPE
FX085558	1	140 g Stick	Aluminium
FX085559	1	140 g Stick	Steel

FIXT
GASKETS & SEALANTS

FIXT Gaskets & Sealants are designed for heavy-duty industrial and automotive sealing

FIXT

RTV SILICONE SEALANT



- Engineering grade silicone sealant & adhesive
- Gasketing, sealing & bonding compound

PART NO.	QTY	SIZE	COLOUR
FX085537	1	300 ml Cartridges	Clear
FX085528	3	300 ml Cartridges	Clear
FX085529	12	300 ml Cartridges	Clear
FX085538	1	300 ml Cartridges	Black
FX085530	3	300 ml Cartridges	Black
FX085534	12	300 ml Cartridges	Black
FX085539	1	300 ml Cartridges	White
FX085531	3	300 ml Cartridges	White
FX085536	12	300 ml Cartridges	White

SILICONE SEALANT - HIGH PERFORMANCE

A high quality universal gasket sealant to replace all types of pre-formed gaskets



- Highly resistant to extreme conditions, oils, greases, transmission fluid & anti-freeze.
- Max temperature: Black: -50˚C to 180˚C, Red: -60˚C to 260˚C

PART NO.	QTY	SIZE	COLOUR
FX085532	1	200 ml Powercan	Black
FX085533	1	200 ml Powercan	Red

CLEAR INSTANT GASKET

Grade 300 clear silicone is a one part rubber sealant which sets to form a flexible weatherproof seal



- High adhesive strength.
- Will not crack or shrink

PART NO.	QTY	SIZE
FX085525	6	40 ml Tubes
FX085526	3	100 ml Tubes

EXHAUST ASSEMBLY PASTE

For the assembly & sealing of exhausts & piece parts



- High temperature.
- Non-asbestos formulation

PART NO.	QTY	SIZE
FX085500	3	300 g Cartridges
FX085501	12	300 g Cartridges

MULTI-GASKET

For sealing flat matting surfaces on flange joints of pumps



- Suitable for gear boxes, cam shaft blocks, motor flanges, carburettors, manifolds, water pumps & cast oil

PART NO.	QTY	SIZE
FX085527	1	80 g Accordion Bottle

BRAKE PIPE & AIR SEALANT



- PTFE modified anaerobic sealant.
- For sealing pipe fittings & threaded joints

PART NO.	QTY	SIZE
FX085568	1	80 g Accordion Bottle

FIXT
CLEANING PRODUCTS

FIXT Cleaning Products are designed to tackle grease, oil, dirt, and industrial grime



FIXT

BRAKE & CLUTCH CLEANER



PART NO.	QTY	SIZE
FX081103	12	150 ml Aerosols
FX081104	6	400 ml Aerosols
FX081101	1	1 ltr Bottle
FX081112	12	1 ltr Bottles
P70200	Pallet of 160	5 Ltr
P70100	Pallet of 40	25 ltr

= DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY

FIXT

ELECTRICAL CLEANER

A general purpose solvent cleaner designed to remove contaminations



- Powerful spray loosens & blasts away contamination.
- Fast evaporating, leaves no residue.
- Removes most contaminants including grease, tar, dirt & oil.
- Safe to use on most plastics & general assembly products

PART NO.	QTY	SIZE
FX081350	6	400 ml Aerosols

VALETING RANGE



FIXT VALET RANGE DELIVERING MARKET LEADING VALET PRODUCTS MAKING YOUR LIFE EASIER.

PAGE 480

GENERAL PURPOSE CLEANER

A high quality product for use on any waterproof surface that would normally require cleaning & polishing



- Cleans & shines any waterproof surface.
- Fast, effective & simple to use.
- Safe on metalwork, paintwork, tiles, plastics, formica & vinyl.
- Ozone friendly, free from CFC's

PART NO.	QTY	SIZE
FX081211	6	400 ml Aerosols

FOAMING CLEANER

A tough foaming cleaner which is highly effective in the removal of dirt & grime from all types of fabrics & hard surfaces



- Tough, fast acting foaming cleaner.
- Foaming action provides deeper cleansing & longer working time.
- Rapidly removes dirt from trims, fabrics, tools & equipment.
- Also suitable as a hard surface cleaner for plastic, glass, wood & whiteboards

PART NO.	QTY	SIZE
FX081208	6	400 ml Aerosols

GLASS & MIRROR CLEANER

For fast & effective smear-free cleaning



- Fast-acting foam, pleasant to smell & easy to use.
- Ideal for screens, VDU's, light fittings & mirrors.
- Non-smearing & leaves no greasy film or residue.
- For use in automotive, industrial, home & retail

PART NO.	QTY	SIZE
FX081207	6	400 ml Aerosols

COCKPIT SHINE

A fast shining dashboard renovator



- Long lasting cherry fragrance.
- Ideal for plastic, vinyl, rubber & wood
- Eliminates dashboard squeaks.
- Contains silicone

PART NO.	QTY	SIZE
FX081209	6	400 ml Aerosols

AIR DUSTER

Used to remove dust & foreign matter from the most delicate of surfaces



- Safely removes dust & foreign matter from delicate surfaces.
- Safe to use on radios, dash panels, electrical equipment & VDU's etc.
- Completely dry & leaves no residue.
- Contains an ozone friendly propellant

PART NO.	QTY	SIZE
FX081210	6	400 ml Aerosols

GRAFFITI REMOVER

For the fast & safe removal of graffiti & other unwanted markings from most common surfaces



- For safe & easy removal of most common forms of graffiti.
- Water soluble, simply spray, allow to penetrate & rinse away.
- Effective on brick, concrete, stonework, glass & plastic.
- Safe to use on most surfaces

PART NO.	QTY	SIZE
FX081250	6	400 ml Aerosols

DE-ICER

100% active blend of isopropyl alcohol & glycol. It is non-toxic, safe to use & effective to temperatures of -9°C



- Rapidly removes ice deposits from screens & door locks
- Will not damage paintwork, glass & seals
- Prevents refreezing
- Powerful jet nozzle

PART NO.	QTY	SIZE
FX081201	6	400 ml Aerosols

CHEWING GUM REMOVER

A solvent based formulation for the quick and efficient removal of self adhesive labels, stickers, decals and chewing gum etc.



- Removes adhesive residue and chewing gum.
- Leaves no residue.
- Effective as a general use degreaser

PART NO.	QTY	SIZE
FX081255	1	400 ml Aerosols

GASKET & PAINT REMOVER

A high grade gasket & paint stripper that penetrates coatings separating them completely from the underlying surfaces, thus enabling their removal with ease



- Fast working & easy to apply formulation.
- Works well as a graffiti & unwanted mark remover.
- Effective on most gaskets, paints & varnishes.
- Water soluble, simply rinse off after use

PART NO.	QTY	SIZE
FX081130	6	400 ml Aerosols

FIXT

RETAIL DISPLAY UNIT

ENGINEERED FOR EFFICIENCY.



ATTRACTIVE, SPACE-SAVING DESIGN

A compact footprint and sleek build make this unit ideal for trade counters, shop floors, and back-of-house spaces.



OPTIMISED PRODUCT ACCESSIBILITY

Designed for easy product selection and customer interaction – making it simple for users to grab what they need, fast.



EFFORTLESS TO RESTOCK

Open shelving and tool-free restocking mean staff can refill in seconds – keeping your display fresh and ready to sell.



PRE-FILLED WITH FIXT FAVOURITES

Choose a pre-loaded unit with our top-selling lines or customise it with your own product selection.



ENGINEERED TO DRIVE SALES GROWTH

Professional branding and layout help grab attention and encourage impulse buys – boosting your sales potential.



BUILT TO LAST IN BUSY ENVIRONMENTS

Durable, high-quality construction designed to withstand the rigours of trade counters and industrial settings.

AVAILABLE NOW - CONTACT US FOR MORE INFORMATION

The FIXT Retail Display Unit is more than just a stand

It's a ready-to-go sales solution designed to maximise space, drive customer interest, and keep your best-sellers front and centre. Whether you stock it with our proven favourites or customise it to your needs, this unit delivers performance with every product.

TYPICAL CONTENTS INCLUDE:

- ☑ BRAKE & CLUTCH CLEANER
- ☑ MAINTENANCE SPRAYS
- ☑ WORKSHOP ESSENTIALS
- ☑ GREASES
- ☑ SEALANTS



FIXT VALETING







FIXT VALET RANGE DELIVERING MARKET LEADING VALET PRODUCTS MAKING YOUR LIFE EASIER.

We are proud to introduce a full range of chemicals to maintain and protect cars, commercial vehicles & agriculture machinery. The collection includes interior shampoos, cleaners and dressings, exterior bodywork, glass, tyres and trim. By using our esteemed range of auto care supplies you will see how it can help to reduce process time and save you both effort and money, which will enable you to clean and prepare a greater number of vehicles during the day.

CONTENTS

INTERIOR CLEANING



PAGE 482

INTERIOR DRESSINGS



PAGE 484

EXTERIOR CLEANING



PAGE 486

WAX, SEALANTS & POLISH



PAGE 489

WHEEL & TYRE CARE



PAGE 490

VALETING ACCESSORIES



PAGE 491

TEST OUT THE BEST OF FIXT VALETING WITH OUR SAMPLE PACK

VALETING SAMPLE PACK



- A selection of the most popular FIXT Valeting products
- Contains 5 x 100ml Bottles
- Contains: FIXT Multi-Clean, Shampoo & Wax, Snowfoam, Iron Remover & Tyre Dressing

PART NO.	QTY	SIZE
FX081777	5	100 ml Bottles

FIXT VALETING

INTERIOR CLEANING

Designed to care for all porous and non-porous interior surfaces, FIXT interior cleaners will leave your car free from dirt and grease build-up to the highest standard. They are the perfect complement when used in conjunction with the FIXT interior dressing range.

MULTI CLEAN



- Extremely versatile formulation
- Can be applied to clean any surface
- Leaves a new look finish
- Contains high grade surfactants
- Easy spray and wipe application.
- Compatible with automatic cleaning machines.

PART NO.	QTY	SIZE
FX081700	1	5 Litres
FX081701	1	25 Litres
FX081800	1	200 Litres

CARPET SHAMPOO & STAIN REMOVER

A high specification, multi-purpose maintenance spray / fluid & releasing agent which also penetrates rusted & corroded fasteners, fittings & components



- High foaming shampoo designed to combat carpet and fabric stains
- Contains high grade surfactants
- Easy application
- Naturally breaks down oil and grease residue
- Can be sprayed directly to the surface for heavy dirt, or diluted 1:5 for lighter cleaning

PART NO.	QTY	SIZE
FX081702	1	5 Litres
FX081703	1	25 Litres

= DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY

ODOUR ELIMINATOR

- Inclusion of Flexisorb which doesn't just mask bad odours, it surrounds the bad odour molecules and breaks them down.
- Leaves a long lasting fresh fragrance
- Safe for use on all surfaces
- Can be sprayed directly to surface and wiped over to clean and smell nice
- Non harmful formula



PART NO.	QTY	SIZE
FX081706	1	5 Litres
FX081707	1	25 Litres

ANTI-FOG

- Can be used for inside and outside of the car window
- Lowers the surface tension which reduces condensation build up
- Reduces the need to use window wipers
- Long lasting protection
- Spray onto an applicator pad and work into the window, finally buff with a clean, dry microfibre



PART NO.	QTY	SIZE
FX081715	1	5 Litres

GENERAL PURPOSE CLEANER

A high quality product for use on any waterproof surface that would normally require cleaning & polishing



- Cleans & shines any waterproof surface.
- Safe on metalwork, paintwork, tiles, plastics, formica & vinyl.
- Fast, effective & simple to use.
- Ozone friendly, free from CFC's

PART NO.	QTY	SIZE
FX081211	6	400 ml Aerosols

GLASS & MIRROR CLEANER

For fast & effective smear-free cleaning



- Fast-acting foam, pleasant to smell & easy to use.
- Non-smearing & leaves no greasy film or residue.
- Ideal for screens, VDU's, light fittings & mirrors.
- For use in automotive, industrial, home & retail

PART NO.	QTY	SIZE
FX081207	6	400 ml Aerosols

SILICONE SPRAY LUBRICANT

Excellent for use on many materials including metal, vinyl, rubber & wood



- Universal applications across all industries
- Highly effective on slides, bearings, conveyors & manufacturing equipment
- Lubricates window channels, CV boots & hoses
- Safe for environments where non-direct contact with food stuffs may be a risk

PART NO.	QTY	SIZE
FX081125	6	400 ml Aerosols

COCKPIT SHINE

A fast shining dashboard renovator



- Long lasting cherry fragrance.
- Eliminates dashboard squeaks.
- Ideal for plastic, vinyl, rubber & wood
- Contains silicone

PART NO.	QTY	SIZE
FX081209	6	400 ml Aerosols

AIR DUSTER

Used to remove dust & foreign matter from the most delicate of surfaces



- Safely removes dust & foreign matter from delicate surfaces.
- Completely dry & leaves no residue.
- Safe to use on radios, dash panels, electrical equipment & VDU's etc.
- Contains an ozone friendly propellant

PART NO.	QTY	SIZE
FX081210	6	400 ml Aerosols

FIXT VALETING

INTERIOR DRESSING & FRESHENERS

Keep interiors fresh and protected with just a few key products. Rubber and Vinyl Wax coats and protects hard surfaces, while Fabric Protector shields porous materials from future stains. Our Odour Eliminators don't just mask smells—they break down odour molecules for long-lasting freshness. Air conditioning refreshers and cleaners add the perfect finishing touch.

FIXT AIR CON CLEANER

A strong bactericidal and viricidal alcohol based formula that works against many different bacteria and viruses. Total release air con spray is fully tested to BS EN 1276 and BS EN 1650 for biocidal efficacy.

- Total release Air Con spray is fully tested to BS EN 1276 and BS EN 1650 for biocidal efficacy
- Kill bacteria and viruses
- Longer lasting protection
- Eliminates odours from the air



KILLS BACTERIA AND VIRUSES

LONGER LASTING PROTECTION

ELIMINATES ODOURS FROM AIR

PART NO.	QTY	TYPE	SIZE
FX081202	12	Anti-Bacterial	200 ml Aerosols
FX081200	12	Refresher**	90 ml Aerosols

**FX081200 is an Air-Con Refresher and is NOT anti-bacterial but does eliminate odours and is fast, effective & simple to use.

ODOUR ELIMINATOR

- Inclusion of Flexisorb which doesn't just mask bad odours, it surrounds the bad odour molecules and breaks them down.
- Leaves a long lasting fresh fragrance
- Safe for use on all surfaces
- Can be sprayed directly to surface and wiped over to clean and smell nice
- Non harmful formula



PART NO.	QTY	SIZE
FX081706	1	5 Litres
FX081707	1	25 Litres

ANTI-FOG

- Can be used for inside and outside of the car window
- Lowers the surface tension which reduces condensation build up
- Reduces the need to use window wipers
- Long lasting protection
- Spray onto an applicator pad and work into the window, finally buff with a clean, dry microfibre



PART NO.	QTY	SIZE
FX081715	1	5 Litres

POLYMER RUBBER & VINYL DRESSING

- Water based non hazardous formulation
- Silky smooth finish
- Helps protect from UV damage
- Can be layered for a deeper shine
- Easy spray, wipe and buff application.



PART NO.	QTY	SIZE
FX081748	1	5 Litres
FX081749	1	25 Litres

FABRIC PROTECTION

- No nasty PFC's included
- Coats the fabric fibres creating a hydrophobic barrier
- Dries naturally at 20 degrees
- Colder temperatures will require heat circulation
- Spray generously directly to the fabric and gently wipe over, leave to fully dry before use.



PART NO.	QTY	SIZE
FX081704	1	5 Litres
FX081705	1	25 Litres

COCKPIT SHINE

A fast shining dashboard renovator



- Long lasting cherry fragrance.
- Eliminates dashboard squeaks.
- Ideal for plastic, vinyl, rubber & wood
- Contains silicone

PART NO.	QTY	SIZE
FX081209	6	400 ml Aerosols



FIXT VALETING

EXTERIOR CLEANING

FIXT has an easy to use and effective solution suitable for the exterior of all types of vehicles. From Pre-wash, Traffic Film Remover, Waterless and General Shampoos to our highest quality all-in-one shampoo and wax, our range has an exterior cleaning solution for your needs.

PRE-SOAK SNOW FOAM



- Formulated with grade 1, high foaming surfactants which give a natural clean
- PH neutral formula which eliminates damage to correct LSP's
- Good surface dwell time
- Can be used as a touchless cleaner
- Compatible for application on all exterior surfaces.

PART NO.	QTY	SIZE
FX081746	1	5 Litres
FX081777	1	25 Litres

TRAFFIC FILM REMOVER (TFR)



- Strong cleaning agent for the removal of traffic film
- Breaks down contamination upon impact
- Can be used as a touchless cleaner to reduce swirls and scratches
- Will eat into all exterior dirt.
- Can be sprayed directly to the surface for heavy dirt, diluted 1:10 for a routine clean and 50:1 for a light clean.

PART NO.	QTY	SIZE
FX081714	1	5 Litres
FX081814	1	200 Litres

TAR & GLUE REMOVER



- Arguably the strongest T&G on the market
- Breaks down all T&G within seconds
- Solvent based formula which pinpoints the residue which tar and glue leave behind
- Exterior bodywork only.

PLEASE NOTE - Not to be used on plastics or rubber. Be careful to eliminate over-spray. Spray directly to the affected area, leave to soak in for up to 1 minute and then buff. Cover all plastic and trim surfaces which could come into contact.

PART NO.	QTY	SIZE
FX081725	1	5 Litres

= DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY

BUG REMOVER

- Removes bug lime effortlessly
- High grade surfactants which are tough on dirt but friendly to the surface
- No hassle application
- Can be used on any surface
- Spray and allow to soak in for up to 2 minutes, agitate with a soft brush if needed and rinse.



PART NO.	QTY	SIZE
FX081718	1	5 Litres
FX081719	1	25 Litres

CAR CARE SHAMPOO

- High grade surfactants which create good foaming ability
- Non hazardous formulation once mixed with water
- Highly concentrated
- Easy pour formulation
- Can be diluted up to 1:800 with water



PART NO.	QTY	SIZE
FX081712	1	5 Litres
FX081713	1	25 Litres
FX081812	1	200 Litres

WATERLESS CAR WASH RTU

- Easy clean on all surfaces, inside and out, without the need for water
- Non streak formula
- Surfactants mixed with silicone emulsion gives a deep clean and protection
- Can be used indoors or out. Perfect for showroom cleaning
- Easy spray, wipe and buff application



PART NO.	QTY	SIZE
FX081742	1	5 Litres
FX081743	1	25 Litres



SHAMPOO & WAX

- Carnauba wax based formulation for extra protection
- High grade surfactants which create good foaming ability
- Non hazardous formulation once mixed with water
- Highly concentrated
- Can be diluted up to 1:400 with water.



PART NO.	QTY	SIZE
FX081710	1	5 Litres
FX081711	1	25 Litres
FX081810	1	200 Litres

WATERLESS CARNUBA WASH & WAX

- Easy clean and protection without the need for water
- Leaves a Hydrophobic protective layer
- Water and solvent blend for deep cleaning
- Can be used indoors or out
- Perfect for showroom cleaning
- Easy spray, wipe and buff application



PART NO.	QTY	SIZE
FX081744	1	5 Litres
FX081745	1	25 Litres

= DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY

QUICK DETAILER

- Non harmful formulation
- The inclusion of wetting agents means it is easy to apply
- Surfactants mixed with silicone emulsion gives a deep clean and protection
- Non volatile formulation
- Easy spray, wipe and buff application.



PART NO.	QTY	SIZE
FX081726	1	5 Litres
FX081727	1	25 Litres

RINSE AID

- Produced with T1 carnauba wax.
- Quick and efficient application
- Instant hydrophobic qualities.
- Reduces water spotting.
- Spray onto a wet car and rinse off for instant protection.



PART NO.	QTY	SIZE
FX081728	1	5 Litres
FX081729	1	25 Litres

GLASS CLEANER

- No smear formulation.
- Quick deep clean and evaporation.
- Formulated from Glycols and alcohol
- Crystal clear finish.
- Easy spray and wipe application.



PART NO.	QTY	SIZE
FX081716	1	5 Litres
FX081717	1	25 Litres

GLASS & MIRROR CLEANER

For fast & effective smear-free cleaning



- Fast-acting foam, pleasant to smell & easy to use.
- Non-smearing & leaves no greasy film or residue.
- Ideal for screens, VDU's, light fittings & mirrors.
- For use in automotive, industrial, home & retail

PART NO.	QTY	SIZE
FX081207	6	400 ml Aerosols

GENERAL PURPOSE CLEANER

A high quality product for use on any waterproof surface that would normally require cleaning & polishing



- Cleans & shines any waterproof surface.
- Safe on metalwork, paintwork, tiles, plastics, formica & vinyl.
- Fast, effective & simple to use.
- Ozone friendly, free from CFC's

PART NO.	QTY	SIZE
FX081211	6	400 ml Aerosols

FOAMING CLEANER

A tough foaming cleaner which is highly effective in the removal of dirt & grime from all types of fabrics & hard surfaces



- Tough, fast acting foaming cleaner.
- Rapidly removes dirt from trims, fabrics, tools & equipment.
- Foaming action provides deeper cleansing & longer working time.
- Also suitable as a hard surface cleaner for plastic, glass, wood & whiteboards

PART NO.	QTY	SIZE
FX081208	6	400 ml Aerosols

FIXT

VALETING

WAX, SEALANTS & POLISH

Our wax and sealant finishing products provide various lengths of protective properties, durability and grades of gloss. Our quick wax and seal products deliver up to three months of protection, while our premium range offers up to one year's protection.

SPRAY WAX

- High grade wax and silicones for a premium shine
- Leaves a Hydrophobic protective layer
- Water and solvent blend for deep cleaning
- Can be used indoors or out
- Perfect for showroom protection.
- Easy spray, wipe and buff application.



PART NO.	QTY	SIZE
FX081722	1	5 Litres
FX081723	1	25 Litres

HYDRO COAT

- Includes high grade specialist siloxanes to add a strong layer of protection
- Non sticky formulation
- Can be diluted as much as 20:1 for a top up coat
- Lasts up to 1 year on the surface if the car is correctly prepped prior to application
- Easy spray, wipe and buff application



PART NO.	QTY	SIZE
FX081708	1	5 Litres
FX081709	1	25 Litres

ALL IN ONE POLISH

- Premium grade, kaolin clay, carnauba wax and silicone for surface levelling and protection.
- Deminishing abrasives which will refine the surface.
- Strong removal of contamination build up.
- Easy, no chalking application.
- Apply in a circular motion, once applied to the whole cars bodywork buff off to create a deep gloss finish.



PART NO.	QTY	SIZE
FX081740	1	5 Litres
FX081741	1	25 Litres

HIGH SHINE PROTECTOR

- Can be used as a hydrophobic QD or all round quick seal
- Spray to either wet or dry surface
- Non harmful formulation
- Apply to all surfaces
- Easy spray, wipe and buff application.



PART NO.	QTY	SIZE
FX081750	1	5 Litres
FX081751	1	25 Litres

FIXT
WHEEL & TYRE CARE

FIXT's range of specially formulated solvent or silicone based dressings give a long-lasting glossy look or our water-based emulsion gives a more natural appearance. We even have an Alloy Armour to protect against traffic film and road salts.

FIXT IRON REMOVER

- Dissolves iron contamination instantly
- High percentage of reactive ingredients
- Can be used as a touch less cleaner or with a wheel brush for agitation
- Also contains high grade surfactants for general cleaning
- Spray directly to the wheel or bodywork, allow to soak in for up to 5 minutes and use a strong jet of water to remove



PART NO.	QTY	SIZE
FX081730	1	5 Litres
FX081731	1	25 Litres
FX081830	1	200 Litres

FIXT ALLOY WHEEL ARMOUR

- Hybrid formulation which includes a mixture of specialist siloxanes and high grade waxes
- Contains Montan wax with a melting point of circa 90 degrees, so the protection lasts even when the wheel is hot
- Reduces break dust and traffic film attaching to the wheel
- Long lasting protection



PART NO.	QTY	SIZE
FX081736	1	5 Litres
FX081737	1	25 Litres

FIXT TYRE DRESSING



- High grade silicone oil formula
- Also contains a natural oil to help feed the rubber and eliminate browning Long lasting protection and shine
- Non volatile formulation
- Quick application either by spraying directly to the tyre or apply via an applicator pad

PART NO.	QTY	SIZE
FX081734	1	5 Litres
FX081735	1	25 Litres
FX081834	1	200 Litres

FIXT TYRE DRESSING



- A high quality dressing in a fast & easy to apply foaming formulation
- Forms a fast breaking foam which lifts & removes dirt & grime from tyres
- Simple to apply, cleans, protects & nourishes the rubber
- Water soluble, just rinse off after application
- Protects tyres with surfactants, silicone & inhibitors

PART NO.	QTY	SIZE
FX081212	6	400 ml Aerosols

FIXT POLYMER TYRE DRESSING



- Silky smooth finish
- Can be layered for extra shine
- Non hazardous, water based formula
- Spray directly to the tyre or use an applicator pad
- Easy spray and wipe application

PART NO.	QTY	SIZE
FX081738	1	5 Litres
FX081739	1	25 Litres

= DIRECT FROM SUPPLIER - ALLOW 5-7 WORKING DAYS FOR DELIVERY

VALETING ACCESSORIES

VALETERS PAIL & BUCKET BARRIER

PAIL:

- Strong quality design
- Robust metal handle
- Comes with lid

BUCKET BARRIER:

- The bucket barrier creates a protective shield within your bucket. Barrier sits just over 2 inches from the base of the bucket
- Prevents re-contamination of dirt, grit & grime being transferred back onto your sponge or cloth



PART NO.	QTY	TYPE
896710	1	20 Litre Bucket
896711	1	Bucket Barrier

CHEMICAL PUMP SPRAYER

- Viton Seals.
- Suitable for use with many solvent based products



PART NO.	QTY	TYPE
895059	1	1 Litre Sprayer
915760	1	Repair Kit

TRIGGER SPRAY APPLICATOR

- Suitable for use with many solvent based products



PART NO.	QTY	SIZE
895017	6	750 ml
895090	6	500 ml

SNOW FOAM LANCE

- Snow foam sprayer creates a thick blanket of clinging foam which sits on the surface of the paint then breaks down to remove dirt
- Variable, adjustable spray nozzle for accurate mixing & foam generation



PART NO.	QTY	SIZE
896705	1	1 ltr Tank/1/4" Female

SNOW FOAM SPRAYER

- Pump action compression sprayer c/Viton seal
- Industry approved 'Viton' seals for heavy duty water based chemicals
- Ideal for snow foam & foaming wheel cleaners



PART NO.	QTY	SIZE
896704	1	2 Litres

PROFESSIONAL SPRAYERS - HEAVY DUTY

- Pump action compression sprayer c/Viton seals
- Industry approved 'Viton' seals for heavy duty water based chemicals
- Perfect for a trade environment
- 896702 - Blue: Suitable for mild acids
  896703 - Red: Suitable for strong acids
- Sprayer has a multi-directional swivel nozzle and pressure release button on the head



PART NO.	QTY	SIZE	TYPE
896702	1	1.5 Litre	Blue - Mild Acids
896703	1	1.5 Litre	Red - Strong Acids

PRO WASH BRUSH

- Professional wash brush ideal for commercial use
- 1.7 metres in length with 2 yellow foam gripping points
- 3 Position water control which attaches to standard garden hose



PART NO.	QTY	TYPE
896713	1	1.7 m Wash Brush
896714	1	10" Replacement Head

VEHICLE WASH BRUSH

EXTENDING HANDLE



- Professional extendable wash brush with rubber head
- Long life soft nylon filling
- Suitable for 1/2" bore hose

PART NO.	QTY	SIZE
895350	1	3 ft Wash Brush
895376	1	Replacement Head

ALLOY WHEEL BRUSH

- Coated rubber stem
- Bonded vinyl tip
- Rubber protective knuckle



PART NO.	QTY	SIZE
896690	1	Small
896692	1	Large

WASH MITT

- Split varied length polyester strands for optimum contaminant removal
- Thick foam core soaks up shampoo suds for maximum wash potential
- Helps prevent swirl marks and scratches due to softness yet very durable



PART NO.	QTY	SIZE
896674	1	290 x 290 mm

JUMBO SPONGE



PART NO.	QTY	SIZE
895665	2	250 x 120 x 70 mm

BUG SHIFTER SPONGE



- Dual surface sponge
- 5mm abrasive layer to remove grime
- Synthetic material perfect for water removal
- Dimensions - 135mm x 78mm x 40mm

PART NO.	QTY
896706	1

CELLULOSE SPONGE

EXTRA DEEP


- Cellulose foam sponges provide a high level of performance at a low cost
- The 'extra deep' version holds even more water, soap & suds making for a very efficient vehicle washing sponge



PART NO.	QTY
896708	1

UPHOLSTERY SPONGE

ABRASIVE



- Abrasive material ideal for removing grime
- For internal use & external use
- Removes ingrained dirt & stains
- External use for windscreens as can be used as a bug shifter

PART NO.	QTY
896707	1

MICROFIBRE CLOTHS

HEAVY DUTY



PART NO.	QTY	COLOUR
895793	10	Blue
895794	10	Red
895795	10	Green
895796	10	Yellow
895790	6	2 x Blue, 2 x Red, 2 x Yellow

MICROFIBRE TOWELS

MEGA DRY - GIANT TOWELS

- Absorbs 8 times its weight in water
- Super soft edging, will not scratch
- Super soft and plush feel
- Low lint and clear coat safe



PART NO.	QTY	SIZE	COLOUR
895791	1	101 x 63 cm	Blue
895792	1	60 x 80 cm	Yellow

CHAMOIS LEATHER



- Large size

PART NO.	QTY
895355	1

TYRE DRESSING APPLICATOR



- Designed for professional use
- Solid foam block grip to ensure steady pressure while applying
- Also great for applying many restoration products on all types of rubber, vinyl and plastic trims

PART NO.	QTY	SIZE
896709	1	98 x 50 x 39 mm

CHEMICALS



CHEMICALS

Maintenance Aerosols	494
Anti-Seize & Grease	495
Cleaning	496
Additives	498
Paints	501
Adhesives & Anaerobics	502
Sealants & Gaskets	512
Rust Remedies	514
Maintenance	515
Air Fresheners	519
Hand Care	520
Janitorial	525



WD-40 - 'Smart Straw'

Known as the "can with thousands of uses", WD-40® helps those who live life hands on.

- Protects metal from rust and corrosion.
- Penetrates and frees stuck parts.
- Displaces moisture.
- Lubricates just about anything



Part No.	Qty	Size
865772	12	450 ml Aerosols
865773	3	450 ml Aerosols
865774	1	450 ml Aerosols

WD-40

Known as the "can with thousands of uses", WD-40® helps those who live life hands on.

- Protects metal from rust and corrosion.
- Penetrates and frees stuck parts.
- Displaces moisture.
- Lubricates just about anything



Part No.	Qty	Size
865775	12	600 ml Aerosols
865776	3	600 ml Aerosols
865780	1	5 ltr Plastican

WD-40 - 'Flexi Straw'

Known as the "can with thousands of uses", WD-40® helps those who live life hands on.

- Flexible nozzle to access hard to reach areas.
- Protects metal from rust and corrosion.
- Penetrates and frees stuck parts.
- Displaces moisture.
- Lubricates just about anything



Part No.	Qty	Size
865786	6	400 ml Aerosols
865788	1	400 ml Aerosols

NEW ACE CLIP BROCHURE
INCLUDING NEW & EXTENDED RANGES
SEE PAGES 238 - 255
OR
SCAN QR TO VIEW FLIPBOOK
OR ORDER YOUR COPY NOW!



STP Brake Parts Cleaner



- Heavy duty formula.
- Improves brake action by removing grime

Part No.	Qty	Size
865513	1	500 ml Aerosol

Copper Grease



- Anti-seize compound.
- Prevents disc brake squeal

Part No.	Qty	Size
865223	12	20 g Tubes
865116	12	70 g Tubes

Fifth Wheel Grease

5th Wheel Grease is a tenacious grease designed for heavy duty applications where adhesion, shock loading and good corrosion protection is needed

It has been proven ideal for the use on fifth wheels on articulated lorries, but has also found use in other applications such as bucket pins on heavy earth moving equipment, crane slews, and also as an assembly and running compound.



Part No.	Qty	Size
865790	1	12.5 kg

Red Rubber Grease



- Ideal for use on hydraulic systems, especially braking systems

Part No.	Qty	Size
865124	1	500 g Tub

Copper Anti-Seize Stick - '8065'



Copper & graphite based anti-seize for screws, nuts, pipes, heat exchangers etc

Temperature range: -30°C to 980°C

Part No.	Qty	Size
865664	1	20 g

Copper Anti-Seize



Copper Anti-Seize is a high temperature Anti-Seize lubricant

- A soft, copper-coloured paste.
- Based on micronised copper powder.
- Dispensed via the Bondloc Powercan

Part No.	Qty	Size
865850	1	200 ml Powercan

Aluminium Anti-Seize



Aluminium Anti Seize is a petroleum-based anti-seize lubricant paste

- Fortified with graphite and extreme pressure (EP) additives.
- Temperature resistant to +900°C.
- Dispensed via the Bondloc PowerCan

Part No.	Qty	Size
865856	1	200 ml Powercan

Ceramic Anti-Seize



Ceramic Anti Seize is a very high purity compound and assembly paste

- Manufactured from micro ceramic particles together with micronized mica.
- Dispensed via the Bondloc Powercan

Part No.	Qty	Size
865852	1	200 ml Powercan

De-Icer Trigger Spray



- Easy trigger action.
- Powerful formulation quickly removes frost & ice.
- Suitable for windscreens & de-icing locks

Part No.	Qty	Size
865470	12	500 ml Bottles
P70400	Pallet of 12 x 60	500 ml Bottles
865498	12	750 ml Bottles

Armor All Dashboard Wipes



- Cleans, shines & protects.
- Gloss finish.
- Great for plastic & vinyl

Part No.	Qty
865500	Tub of 25

OnHand



ONHAND GLOVES
PAGES 426 - 431

'Son Of A Gun!'



- Restores the lustre & shine of vinyl, leather, rubber, PVC, wood & plastic.
- Helps protect against the effects of weathering

Part No.	Qty	Size
865518	1	300 ml Pump Bottle

STP Carb Spray Cleaner



- Removes sludge & dirt build up on carburettors, chokes & linkages

Part No.	Qty	Size
865514	1	500 ml Aerosol

Chewing Gum Remover



- For the removal of labels & chewing gum

Part No.	Qty	Size
865532	1	450 ml Aerosol

BRADEX 'Easy Start'



- Starts all engines

Part No.	Qty	Size
865702	3	300 ml Aerosols
865701	12	300 ml Aerosols

VORTEX Map-X Gas



- Map-X burns 10% hotter than Vortex Propane and up to 5% hotter than standard MAP gas which make it ideal for high-temperature applications.
- Conforms to the latest EN ISO 11118:2005 Standards and is TPED approved.
- CGA 600 Thread with Non refillable valves.
- Can be used with the Arctic Hayes Brazing Torch VPRO Part No. C22975.
- Unique non-hazardous formulation

Part No.	Qty	Size
865723	1	400 g

VORTEX Propane Gas



- Vortex propane gas burns up to 5% hotter than other propane style gases which makes it ideal for everyday plumbing, general soldering and brazing applications.
- Conforms to the latest EN ISO 11118:2005 Standards and is TPED approved.
- CGA 600 Thread with Non refillable valves.
- Can be used with the Arctic Hayes Brazing Torch VPRO Part No. C22975.
- Unique non-hazardous formulation

Part No.	Qty	Size
865724	1	400 g

VORTEX Pro Gas Torch



- To be used with G61780 & G61781.
- The newest generation of our fully adjustable brazing torches with cool tip technology, piezo ignition which can be used with both Vortex MAP-X and Propane gas.
- Lightweight aluminium body and tube.
- Flame and safety lock.
- Single turn flame regulator adjustment knob.
- Standard CGA 600 Thread.

Part No.	Qty
980248	1

Butane Refill



- High quality butane.
- Suitable for refillable cigarette lighters, soldering irons and blow lamps

Part No.	Qty	Size
865717	1	400 ml

Anti-Spatter Spray



- Silicone free.
- Prolongs tip & shroud life.
- Prevents the adhesion of weld spatter to the surrounding area

Part No.	Qty	Size
865499	1	300 ml Aerosol

AdBlue Solution

- Suits all Euro 4/5/6 vehicles.
- For AdBlue diesel vehicles, ready to use.
- Easy to use! Easy to handle! Easy to store!.
- AdBlue is made from diluted urea - 32.5 % with 67.5 % de-mineralised water.
- Container will facilitate a truck / vehicle driving 600 km.
- The containers are ergonomically designed & come with an integrated spout to enable spill-free filling.
- The containers can be recycled.
- Made to ISO 22241.
- 12 months shelf life, please store in cool dry conditions



Part No.	Qty	Size	Type
865300	1	10 Litre	
865301	1	20 Litre	
P70365	150 on pallet	5 Litre	Pallet - Direct from supplier
P70370	90 on pallet	10 Litre	Pallet - Direct from supplier
P70375	40 on pallet	20 Litre	Pallet - Direct from supplier
P70380	4 on pallet	210 Litre	Pallet - Direct from supplier
P70385	1 pallet	1,000 Litre	Pallet - Direct from supplier

De-Ionised Water

Battery Top Up Water is de-ionised water that conforms to BS4974 for use in lead-acid batteries and steam irons.

- Appearance: Clear, colourless liquid.
- Odour : Odourless.
- Specific Gravity : 1.00.
- Solubility : Soluble in water



Part No.	Qty	Size
865402	1	5 Ltr
865403	1	25 Ltr

THE COMPLETE FUEL AND EXHAUST SYSTEM CLEANER.

CATACLEAN 8 IN 1

CATACLEAN WORKSHOP

Improves fuel economy, reduces emissions, restores performance and extends the life of engine and exhaust parts.

- Safe for all Diesel, Petrol & Hybrid vehicles
- Protects and maintains catalytic converters

- FUEL TANK
- INJECTORS
- CATALYTIC CONVERTER
- COMBUSTION CHAMBER
- EGR VALVE
- DPF
- OXYGEN SENSORS
- INTAKE VALVES

Part No.	Qty	Size
865293	1	5 Litre



FREE JUG with every 5 litre workshop pack!

CATACLEAN PETROL - 500 ml



Improves fuel economy, reduces emissions, restores performance and extends the life of engine and exhaust parts.

- Safe for all Petrol and Hybrid vehicles
- Protects and maintains catalytic converters

Part No.	Qty	Size
865281	1	500 ml
865283	6	500 ml

CATACLEAN HYBRID - 500 ml



Improves fuel economy, reduces emissions, restores performance and extends the life of engine and exhaust parts.

- Reduces risk of petrol particulate filter (PPF) clogging
- Protects and maintains catalytic converters

Part No.	Qty	Size
865289	1	500 ml
865291	6	500 ml

CATACLEAN DIESEL - 500 ml



Improves fuel economy, reduces emissions, restores performance and extends the life of engine and exhaust parts.

- Reduces risk of diesel particulate filter (DPF) clogging
- Protects and maintains catalytic converters

Part No.	Qty	Size
865285	1	500 ml
865287	6	500 ml

SEE HOW IT WORKS HERE...

Scan the QR code and watch the **Cataclean CGI video!**

Engine Flush



- Removes harmful sludge & deposits.
- For petrol & diesel engines

Part No.	Qty	Size
865512	1	450 ml Ring-Pull Tin

Smoke Treatment



- Helps oil burning cars.
- Reduces exhaust smoke & oil consumption

Part No.	Qty	Size
865516	1	450 ml Bottle

Fuel Injector Cleaner



Super concentrated.

- For petrol engines.
- Cleans clogged injectors & restores lost power

Part No.	Qty	Size
865515	1	200 ml Bottle

Oil Treatment



- Extra protection.
- Formulated to reduce engine wear & keep engines cleaner

Part No.	Qty	Size
865511	1	300 ml Ring-Pull Tin



Radiator Cement - CE-LIT



- Cures leaky radiators, cylinder blocks & water pumps, even when used with anti-freeze

Part No.	Qty
865149	Card of 24

Automotive Primer



- Enhanced covering power.
- Excellent adhesion to metals and rigid plastics

Part No.	Qty	Size	Colour
865750	6	400 ml Aerosols	Grey
865752	6	400 ml Aerosols	White
865754	6	400 ml Aerosols	Red
865760	6	400 ml Aerosols	Aluminium
865762	6	400 ml Aerosols	Matt Black
865764	6	400 ml Aerosols	Satin Black
865766	6	400 ml Aerosols	Gloss Black
865768	6	400 ml Aerosols	Gloss White

Line Marking Paints



- Durable marking paints.
- Suitable for use on grass, asphalt, concrete & gravel.
- For industrial & commercial use
-

Part No.	Qty	Size	Colour
865456	1	750 ml Aerosol	Blue
865457	1	750 ml Aerosol	White
865458	1	750 ml Aerosol	Yellow

Line Marker Applicators



Part No.	Qty	Type
985705	1	Hand Held Applicator
985706	1	2 Wheel Applicator
985707	1	4 Wheel Applicator

Fluorescent Paint

A range of high quality fluorescent safety paints designed for use over white surfaces, to provide extra bright high visibility finishes especially when illuminated by a light source.



- Greatly improved visibility under poorly illuminated locations.
- Greatly improved visibility of potential obstructions.
- Quick drying.
- Matt finish

Part No.	Qty	Colour
865740	6	Fluorescent Green
865742	6	Fluorescent Yellow

Floor Paint



- Hard wearing.
- For workshops & factories

Part No.	Qty	Size	Colour
865489	1	5 ltr	Red
865490	1	5 ltr	Grey
865497	1	5 ltr	Yellow

Super Glue - Liquid



- Original high performance formula.
- Ideal for difficult repair jobs

Part No.	Qty	Size
865641	1	3 g Tube
865602	1	5 g Bottle with Easy Brush

Loctite 638 - High Strength Adhesive

LOCTITE® 638 is designed for the bonding of cylindrical fitting parts, particularly with narrow bond gaps approaching 0.25 mm. The product cures when confined in the absence of air between close-fitting metal surfaces and prevents loosening and leakage due to shock and vibration. It not only works on active metals but also on passive substrates, exhibiting robust cure performance. The product offers high-temperature performance and good oil tolerance, and tolerates minor surface contaminants.



Part No.	Qty	size
865623	1	50 ml

Super Glue - Ultra Gel



- Original high performance formula.
- Ideal for difficult repair jobs

Part No.	Qty	Size
865642	1	3 g Tube

Loctite Super Glue Precision

- Bonding Speed: Initial adhesion in 5 to 30 seconds, depending on the substrate.
- Bond Strengths (ISO 4587): 10 to 20 N/mm² (tensile shear) in 12 to 24 hours, depending on the substrate.
- It is water-resistant to EN204-D3 standard and ceramic bonds can withstand >100 dishwasher cycles (under controlled laboratory conditions).
- Composition: Ethyl cyanoacrylate.
- Appearance: Clear liquid.
- Density: 1.08 g/cm³ @ 20 °C.
- Viscosity: 50 - 120 mPa.s.



Part No.	Qty	Size
865646	1	5 g

Instant Adhesive - 'Super Attack'

- Low viscosity.
- Universal instant adhesive



Part No.	Qty	Size
865601	1	20 g Bottle

Super Glue Kit

- High strength universal adhesive.
- Contains super glue & accelerator for even faster bonding



Part No.	Qty	Size
865610	1	20 g Bottle

Super Glue - Black



A rubber toughened adhesive

- Increased flexibility and peel strength.
- Enhanced resistance to shock

Part No.	Qty	Size
865860	1	20 g Bottle

Super Glue - With Nozzles



2-component, fast curing, gap filling adhesive

- Excellent bonding characteristics, making it suitable for a variety of substrates incl. plastics, rubbers and metals.
- Supplied with plunger and 3 nozzles

Part No.	Qty	Type
865864	1	Super Glue with nozzles
865866	10	Spare nozzles

MetFix Kit - Adhesives/Powders



MetFix repairs almost anything

- The Adhesive and Filling Powders can be used just as an adhesive.
- Can also be used with reinforcing powders that will allow you to repair almost anything

Contains: x2 15 g powders and x1 25 g adhesive

Part No.	Qty	Size
865840	1	3 Piece kit

All Purpose Adhesive



- Strong, multi-purpose, transparent adhesive for larger areas.
- Dries with a clean, clear glue line.
- Bonds a wide variety of materials

Part No.	Qty	Size
865643	1	20 ml Tube

Super Glue - All Plastics



- Sticks all plastics.
- Includes primer & adhesive for rapid bonding.
- Also bonds china, wood, leather, rubber, metal

Part No.	Qty	Size
865607	1	2 g Tube

Rear View Mirror Bonder



- Unique bonding system for rear view mirrors, car telephones & all window mounted aerials.
- Bonds metal & glass (not plastic) in 30 seconds

Part No.	Qty	Size
865658	1	0.5 ml Tube

LOCTITE SF 7649 Activator

Loctite SF 7649 is a solvent-based activator for surface preparation that provides for low temperature curing

Loctite SF 7649 is designed to promote the curing of Loctite anaerobic adhesives and sealants without any significant loss of joint strength

It is is especially recommended for applications with passive metals or inert surfaces with large bond gaps

Loctite SF 7649 offers good performance at low cure temperatures, and is recommended when the application temperature is below 15°C.



- Increases cure speed on passive and inactive surfaces.
- For low-temperature curing (For large bond gaps

Part No.	Qty	Size
865635	1	150 ml

Super Clean - '7061'



- General purpose cleaner.
- Ideal for preparing surfaces to be bonded with anaerobic adhesives

Part No.	Qty	Size
865633	1	400 ml Aerosol

Impact'® Adhesive

Bonds decorative laminates (eg

formica), rigid PVC, wood, chipboard, hardboard, cork, leather, rubber, stone, metal & firm fabrics



Part No.	Qty	Size
865259	1	500 ml Applicator Brush Tin
865258	3	65 g Tubes

'No More Nails'



High strength adhesive which eliminates the need for nails or screws

- Bonds wood, plastic, brick, metal, glass, ceramics & plaster.
- Solvent free adhesive that fills minor gaps.
- Dries white & is overpaintable

Part No.	Qty	Size
865679	1	200 ml Bottle

Fix & Fill' Expanding Foam



- Quick setting.
- Fills irregular gaps.
- Fixes framework.
- Insulates & sound deadens

Part No.	Qty	Size
865715	1	500 ml Aerosol

Nutlock - Lock 'N Seal



- Fast acting.
- Locks & seals all threads.
- Prevents corrosion.
- Allows disassembly

Part No.	Qty	Size
865604	1	5 ml Bottle

Sleeve & Bush Retainer - '648'



- For retaining bearings, liners & all cylindrical parts.
- Prevents corrosion.
- Allows disassembly

Part No.	Qty	Size
865614	1	50 ml Bottle

LOCTITE 6300 Retainer



Fluorescent dimethacrylate ester acrylic adhesive designed for the bonding of cylindrical fitting parts

LOCTITE® 6300 is a green, fluorescent dimethacrylate ester acrylic adhesive designed for the bonding of cylindrical fitting parts

It prevents loosening and leakage from shock and vibration

Typical applications include holding gears and sprockets onto gearbox shafts and rotors on electric motor shafts

There are no risk or safety warnings associated with formulation nor or its ingredients.

- High-strength, high temperature resistance. Fluorescent. Designed for the bonding of cylindrical fitting parts. Part of the Health and Safety anaerobic range. Compressive Shear Strength > 15 N/mm².

Part No.	Qty	Size	Colour
865619	1	50 ml Bottle	Green

Stud 'N Bearing Fit



- Locks & seals studs.
- Seals against corrosion.
- Restores worn bearing housings.
- Allows disassembly

Part No.	Qty	Size
865608	1	5 ml Bottle
865609	1	24 ml Bottle
865612	1	50 ml Bottle

Threadlocker - '243'



- Medium Strength.
- Locks & seals studs.
- Seals against corrosion.
- Restores worn bearing housings.
- Allows disassembly

Part No.	Qty	Size
865611	1	10 ml Bottle
865605	1	24 ml Bottle
865606	1	50 ml Bottle

Thread Sealant - '577'



Designed for the locking and sealing of metal pipes and fittings as well as other threaded assemblies

- Medium strength.
- Suitable for all metals.
- Instant low pressure seal.
- Excellent chemical resistance.
- Locks connection against vibration-induced loosening and other stresses

Part No.	Qty	Size
865615	1	50 ml

Threadlocker Stick



- Effective on all types of metal threaded fasteners up to M50.
- For use where disassembly is required

Part No.	Qty	Type
865660	1	'248' Medium Strength
865661	1	'268' High Strength

Bondloc Quickfix Kit

MADE IN THE UK

The Quickfix Repair Kit is packed with selection of 17 premium products and accessories to cover a wide variety of adhesive applications

Supplied in a compact reinforced plastic case with foam interior enabling you to grab and go.

Kit Contains: 5 Min Clear Epoxy Resin, Metal Set Epoxy, Steel Epoxy Repair Putty, Powerful Plastic Weld, Powerful Metal Weld, Rtv High Temp Gasket, Mixer Nozzles, Gloves, Brake & Air Sealant, Super glue Gel & Liquid, Dtb Primer, Quickfix Adhesive, Quickfix Reinforcing Powder, Screwlock & Seal, Threadlock & Seal, Stud & Bearing And Sleeve & Bush Retainer



Part No.	Qty	
865870	1	LOCTITE

Bondloc Screwlock & Seal

A low strength threadlocker designed for small screws, fasteners and fixings, where vibration loosening prevention and non-leakage through threaded fastening is required. Low strength enables easy disassembly.



Part No.	Qty	
865900	1	10 ml

Bondloc Threadlock & Seal

A medium strength, oil tolerant threadlocker with excellent chemical and temperature resistance. Prevents loosening and leakage of threaded fasteners. Particularly suitable for applications such as set screws, adjustment screws, meters and gauges, carburettor and choke assembly screws. Easily removable with hand tools for servicing and repair.



Part No.	Qty	Size
865904	1	50 ml

Bondloc Stud & Bearing

A high strength threadlocker with excellent chemical and temperature resistance. Ideal for permanently locking studs, nuts, bolts and fasteners. Recommended where disassembly is not required, but it can be heated with a blow torch to over 250˚ to undo.



Part No.	Qty	Size
865906	1	50 ml

Bondloc Sleeve & Bush Retainer

A high strength, high temperature resistant retaining adhesive that secures all types of cylindrical parts, with a continuous working temperature up to 180°C.

It can also be used to lock metal threads and close fitting metal parts, shafts or

splines to retain bearings in high temperature applications.



Part No.	Qty	Size
865910	1	10 ml

Bondloc Brake & Airline Sealant

Designed for locking and sealing metal pipes and fittings

Prevents loosening and leakage from shock and vibration

The thixotropic nature reduces the migration of liquid product after application to the substrate

Good chemical/solvent resistance to Ethanol, Motor Oil, Unleaded Petrol and Brake Fluid.



Part No.	Qty	Size
865916	1	50 ml

Bondloc 5 Minute Epoxy Resin



High clarity, fast cure, 1:1 ratio epoxy resin suitable for bonding a wide variety of surfaces including steel, aluminium, and plastics

Product reacts within a few minutes to give a tough resilient bond

Formulated to remain clear and not age like basic clear epoxies.

Part No.	Qty	Size
865920	1	25 ml

Bondloc Metal Steel Epoxy



Steel filled epoxy resin used for filling, rebuilding and bonding metal surfaces or concrete

For general maintenance, repairs, worn or fatigued metals, patch castings, making of jigs and fixtures, rebuilds pump and valve bodies, restores bearing journals and races.

Part No.	Qty	Size
865922	1	25 ml

Bondloc Steel Epoxy Repair Putty



Steel filled epoxy putty for general maintenance and repairs

For filling, rebuilding and bonding metal surfaces

Can be sanded, drilled and painted once cured

Good resistance to gas, oil, diesel, petrol, water and coolant.

Part No.	Qty	Size
865924	1	50 g

Aluminium Epoxy Repair Putty



Aluminium filled epoxy putty for general maintenance repairs, filling, rebuilding and bonding softer metal surfaces

Can be sanded, drilled, machined and painted once cured

It resists gas, oil, diesel, petrol, water and coolant.

Part No.	Qty	Size
865928	1	50 g

Bondloc Plastic Weld



Ultra high strength, 1:1 ratio toughened plastic adhesive

For bonding various types of plastics, dissimilar substrates as well as unprepared metals, ceramics and standard thermoset plastics, CRP & GRP

Excellent strength and fixture times.

Part No.	Qty	Size
865930	1	25 ml

Bondloc Metal Weld



Ultra high strength, metallic coloured, 1:1 ratio toughened metal adhesive

For bonding various types of metals with a special blend of resins and adhesion promoters to ensure high strength bonds on metals and some thermoset plastics.

Part No.	Qty	Size
865932	1	25 ml

Bondloc DTB Primer



Used in conjunction with the DTB Super glue, developed for “difficult to bond” plastics, thermoplastics, silicone and rubbers

Also used to make polyolefin and other low energy surfaces suitable for bonding.

Part No.	Qty	Size
865935	1	18 ml

Bondloc DTB Super Glue



High performance instant adhesive formulated for bonding low energy plastics like PP/PE/ PTFE/Delrin, silicone, rubber and elastomeric materials

Can be used in conjunction with DTB Primer for the most challenging applications.

Part No.	Qty	Size
865938	1	20 g

Bondloc Super glue Gel

A non-drip gel designed for difficult to bond materials which require uniform stress distribution and strong tension/shear strength

Ideal for vertical or overhead applications.



Part No.	Qty	Size
865940	1	20 g

Bondloc Quick Fix Adhesive

Wicking grade adhesive formulated to react on contact with the QuickFix Reinforcing Powder to form rigid bonds

The perfect solution for filling holes, chip and crack repairs and bonds to almost anything.



Part No.	Qty	Size
865942	1	25 g

Bondloc Black Reinforcing Powder

Use with the QuickFix adhesive to prepare an area for repairing holes, cracks and defects

Apply the powder to the repair area and apply liberal amounts of QuickFix adhesive

The powder and adhesive will react to form a rigid matrix and can be filed or sanded to the desired shape once cured.



Part No.	Qty	Size
865945	1	15 g

Bondloc Mixer Nozzles



Part No.	Qty
865950	10

Bondloc RTV Gasket

High temperature resistance

Forms a tough, flexible gasket/seal that resists ageing, weathering and thermal cycling without hardening

Ideal for oil and transmission pans, differential covers, timing gears and valve covers

Suitable for sealing aluminium and metal ducting, refrigeration applications and hygiene seals.



Part No.	Qty	Size
865948	1	200 ml



See Page 461

FIXT400

MAINTENANCE SPRAY



360° VALVE SYSTEM

☑ HEAVY DUTY PERFORMANCE

Built to meet the demands of industrial environments.

☑ MULTI-PURPOSE ACTION

Penetrates, lubricates, protects, and displaces moisture.

☑ PRECISION ENGINEERING

Fast-acting formula that reduces downtime and keeps equipment in top condition.

☑ TRUSTED BY PROFESSIONALS

From garages to building sites, FIXT400 gets the job done





HIGH LUBRICITY	REDUCES FRICTION ON MOVING PARTS
PENETRATING ACTION	LOOSENS SEIZED OR RUSTED COMPONENTS
MOISTURE DISPLACEMENT	PREVENTS CORROSION AND ELECTRICAL FAULTS
SURFACE PROTECTION	LEAVES A THIN PROTECTIVE FILM AGAINST RUST

Pipe Sealant - '572'



- Seals & locks pipe fittings to any position.
- Withstands petrol, coolant & hydraulic fluids

Part No.	Qty	Size
865617	1	50 ml Accordion Bottle

Pipe Sealing Cord - '55'



- Instantly seals industrial & domestic pipe systems.
- Suitable for metal or plastic pipes.
- Can be backed off to line up fittings without causing leakage

Part No.	Qty	Size
865659	1	150 m

Epoxy Weld



- Epoxy repair compound fixes, fills & bonds to any surface.
- Bonds metals, woods, ceramics & plastics

Part No.	Qty	Size
865257	6 Sets	2 x 25 g Tubes

Double / Bubble' Mix Fix Epoxy Kits



- Fast cure epoxy.
- Sets in 3 - 5 minutes

Part No.	Qty
865279	10 Kits
865275	Box of 50 Kits

Polyurethane Adhesive - '1 Minute'



A toughened 1:1 ratio structural adhesive, very fast setting, room temperature cure polyurethane adhesive system

- This sandable adhesive system has an excellent adhesion to a wide variety of surfaces.
- For bonding aluminium, stainless steel, ABS, PVC, polyurethane, composites, thermoplastics, thermosetting plastics, wood, glass, and concrete.

Part No.	Qty	Size
865802	2	50 ml Syringe

Polyurethane Adhesive - '3 Minute'



Is a two component fast setting, room temperature cure structural polyurethane adhesive system

- This sandable adhesive system has an excellent adhesion to a wide variety of surfaces.
- For bonding aluminium, stainless steel, ABS, PVC, polyurethane, composites, thermoplastics, thermosetting plastics, wood, glass, and concrete.

Part No.	Qty	Size
865803	2	50 ml Syringe

Mixer Nozzle

Suitable for 50ml 2 part syringe cartridges

- Suits part No's G61210 & G61215

Part No.	Qty
865805	20

Dispensing Gun



Suitable for 50ml 2 part syringe cartridges

- Suits part No's G61210 & G61215

Part No.	Qty
865807	1

Epoxy Resin



A steel–filled epoxy putty for general maintenance and repairs

- For filling, rebuilding and bonding metal surfaces.
- Can be used to repair worn or fatigued metals, patch castings, making jigs and fixtures, rebuild pumps and valve bodies and restore bearing journals and races.

Part No.	Qty	Size
865800	1	28 ml

Plastic Primer



Makes polyolefin and other low energy surfaces suitable for bonding with Bondloc cyanoacrylate adhesives

- Recommended for difficult to bond substrates which include PE,PP, Silicone Rubber & TPU

Part No.	Qty	Size
865862	1	18 ml

Chemical Metal



Multi-purpose repair paste

- Repairs, strengthens, joins or fills virtually any material, including metal, wood, stone, glass & concrete.
- For automotive & DIY uses

Part No.	Qty	Size
865655	1	180 ml Tin

Leak Fix



Seals & repairs leaks in petrol tanks, radiators, cylinder heads & sumps.

- Resistant to petrol, diesel, oil & salt water.
- Resistant to high temperatures and most common chemicals

Part No.	Qty	Size
865665	1	180 ml Tin

Multi-Gasket - '574'



- Seals metal flanges.
- Replaces or dresses traditional gaskets.
- Forms any size gasket

Part No.	Qty	Size
865630	1	50 ml Accordion Bottle

Instant Gasket - '5926'



- Instantly replaces gaskets of any size or shape.
- Resistant to high temperatures & engine fluids

Part No.	Qty	Size
865621	1	40 ml Tube

High Temperature Gasket - '510'



For sealing rigid flange faces on transmissions & engine casings

- Seals instantly against low pressure.
- Fills gaps up to 0.25 mm max.
- Temperature range -55˚C to 200˚C

Part No.	Qty	Size
865632	1	50 ml Tube

LOCTITE® Gasket Remover - '7200'



Removes all types of chemical gaskets eliminating excessive scraping

Softens chemical gaskets quickly

Part No.	Qty	Size
865624	1	400 ml Aerosol

Jointing Compound



Gives the best possible sealing performance in a variety of conditions; shredded connections, flat faced joints, with or without a gasket

- Resistant to commonly used fuels, lubricants & coolants.
- Non-corrosive & free from abrasive fillers

Part No.	Qty	Size
865640	1	100 g Tube

Gasket & Jointing Compound - 'Universal Blue'

HYLOMAR



- Non setting universal jointing compound.
- Resistant to fuels & lubricants

Part No.	Qty	Size
865235	6	40 g Tubes
865135	6	100 g Tubes

Instant Gasket



Creates silicone rubber gaskets instantly

- Fills gaps up to 4 mm.
- Excellent adhesion to metals, glass, ceramics & most rigid plastics.
- Resistant to oil, water & lubricants.
- Withstands extremes of pressure & temperature

Part No.	Qty	Size
865653	3	40 ml Tubes
865652	12	40 ml Tubes

Gasket - '300 Series'



Room temperature vulcanising (RTV) general purpose silicone sealant

- Reacts with atmospheric moisture to form a tough, durable rubber seal.
- Excellent adhesion to metals, glass, ceramics & plastics.
- Large gap filling properties.
- Resistant to oil, water & lubricants.
- Will remain flexible to withstand vibration

Part No.	Qty	Size
865654	12	85 g Tubes

'RED' 100



- The ultimate semi-hardening gasket compound

Part No.	Qty	Size
865148	1	40 ml Tube

Silicone Compound - DC4

A smooth, silicone, grease-like material which maintains relatively constant consistency over operating temperature range (-50˚C to 200˚C)



- Excellent dielectric properties.
- Highly water repellent

Part No.	Qty	Size
865639	1	100 g Tube

Quick Gasket - '5980'

Easy to use instant seal gasket straight from the can



- Continuous service temperature up to 200˚C, intermittent temperature up to 260˚C.
- Excellent vibration resistant.
- Used for oil pans, housing covers, engines, gear boxes, water pumps, etc.

Part No.	Qty	Size
865637	1	100 ml Tube

Sealant / Caulking Guns



- Takes all cartridges up to 310 ml

Part No.	Qty	Type
865246	1	General Use
865247	1	Heavy Duty

Polyurethane Sealant



High strength sealant & adhesive for industrial, automotive & construction applications

- Adheres strongly to all non-porous surfaces such as metal & aluminium

Part No.	Qty	Size	Colour
865241	3	310 ml Cartridges	White
865242	3	310 ml Cartridges	Black

Polyerethane Sealant - Tiger Seal

A one component ready to use polyurethane sealant & adhesive



- Bonds to most materials including steel, aluminium & most plastics.
- Ideal for sealing & bonding body panels, trims and seams.
- Non shrinking.
- Permanently flexible.
- Black, but can be over painted

Part No.	Qty	Size	Colour
865250	1	310 ml Cartridge	Black
865251	1	310 ml Cartridge	White
865252	1	310 ml Cartridge	Grey

Windscreen Sealant - Polyurethane



A single component moisture curing polyurethane adhesive/ sealant

- Suitable for direct glazing applications in both the OEM and repair markets.
- Black

Part No.	Qty	Size
865810	1	300 ml Cartridge
865811	12	300 ml Cartridge

Polymer Sealant



Polymer is a single component, high modulus, moisture curing modified silane adhesive/sealant

- A high quality adhesive/ sealant suitable for making permanent elastic seals of high strength.
- Polymer offers excellent primerless adhesion to most common materials such as steel, anodized aluminium, wood, concrete and stone among others

Part No.	Qty	Size	Colour
865820	1	310 ml Cartridge	Black
865821	12	310 ml Cartridge	Black
865824	1	310 ml Cartridge	White
865825	12	310 ml Cartridge	White
865828	1	310 ml Cartridge	Clear
865829	12	310 ml Cartridge	Clear
865832	1	310 ml Cartridge	Grey
865833	12	310 ml Cartridge	Grey

Rust Remover



Removes rust back to bare metal

- Clings to surfaces to penetrate deep into rust affected areas.
- Gives immediate visible results.
- Forms a sound surface to prime or paint.
- Non-drip formula

Part No.	Qty	Size
865190	1	40 g
865191	1	150 g
865192	1	500 g
865193	1	1 kg

Rust Converter



Converts rust to a ready-to-paint surface

- Stabilises surface.
- Forms protective coating on drying.
- Forms a barrier to water vapour, oxygen & carbon dioxide.
- Resists salt spray.
- Resists bacterial growth

Part No.	Qty	Size
865196	1	1 kg

Freeze & Release - '8040'



Loosens rusted, corroded & seized parts

Rapidly penetrates due to high capillary action leaving freed parts lubricated & protected from corrosion

Frees rusted & seized fasteners, fittings & general metal components in automotive & industrial equipments

Part No.	Qty	Size
865634	1	400 ml Aerosol

Penetrating Fluid



- Releases even the most stubborn rusted on parts

Part No.	Qty	Size
865117	1	500 ml Tin

Exhaust Jointing Paste



- Provides easy assembly of exhaust systems.
- Seals & lubricates joints.
- Sets hard & fast giving a gas tight seal.
- Withstands up to 1000˚C.
- Asbestos free

Part No.	Qty	Size
865551	3	500 g Cartridges

Exhaust Repair Putty



- Repairs leaks & small holes in exhausts, pipes, silencers & expansion boxes.
- Withstands up to 1000˚C.
- Asbestos free.
- Smooth texture for easy working

Part No.	Qty	Size
865676	6	250 g Tubs

Gun Gum' For Exhausts



- Gas tight silencer repair paste

Part No.	Qty	Size
865671	3	200 g Tubs

Firegum' For Exhausts



- Eases assembly & seals pipe joints

Part No.	Qty	Size
865675	6	75 g Tubes
865674	12	75 g Tubes

Exhaust Paste



An assembly paste specially developed to give you gas tight seals in exhaust joints

- Quick and easy to use.
- Lubricates for fast assembly.
- Dispensed via PowerCan

Part No.	Qty	Size
865854	1	200 ml Powercan

Grinding Paste



- Double ended fine & coarse tin

Part No.	Qty	Size
865681	1	100 g Tin

Valve Grinding Sticks



- 2 size ends - 20 & 25 mm

Part No.	Qty
895301	4
865685	10

Grinding Paste Kit



- Contains: Grinding paste (100 g) and valve grinding stick

Part No.	Qty	Size
865683	2	100 g Tin

Brake & Clutch Fluid - DOT 4



- Suitable for cars & commercial vehicles for which non-petroleum based fluid is specified.
- Suitable for vehicles with ABS braking systems

Part No.	Qty	Size
865409	20	500 ml Bottles
865404	1	5 ltr Plastican

Power Steering Fluid



- Stops or reduces leakage by revitalising seals

Part No.	Qty	Size
865517	1	350 ml Bottle

Antifreeze



- Premium quality.
- Concentrated & methanol free.
- Suitable for all engines.
- All year round protection.
- Includes corrosion inhibitors

Part No.	Qty	Size
865565	1	1 ltr Bottle
865567	1	5 ltr Plastican

Glass Cleaner



Preferred glass cleaner of both professional & DIY valeters

- Use on windows, windscreens, ceramic tiles, double glazing, mirrors, chrome & porcelain.
- Smear free & sparkles like new

Part No.	Qty	Size
865426	6	1 ltr Bottles
865735	1	5 ltr

Tigger Spray Applicator



- Suitable for use with solvent based chemicals

Part No.	Qty	Size	Colour
895014	6	750 ml	Blue
895016	6	750 ml	Green
895017	6	750 ml	Red
895023	6	750 ml	White
895024	6	750 ml	Yellow
895090	6	500 ml	

Chemical Pump Sprayer



- Suitable for use with many solvent based products
- Viton Seals

Part No.	Qty	Size	Type
895059	1	1 ltr	Sprayer

Screen Wash



- Protects against freezing water bottles

Part No.	Qty	Size	Working Temperature
P70340	Pallet of 129t6	500 ml Bottles	-10°C
865406	1	1 ltr Bottle	-10°C
865459	12	1 ltr Bottles	-10°C
P70310	Pallet of 720	1 ltr Bottles	-20°C
865405	1	5 ltr Plastican	-20°C
P70300	Pallet of 200	5 ltr Plastican	-20°C
P70320	Pallet of 32	25 ltr	-20°C
P70330	Pallet of 4	205 ltr	-20°C
865395	72	75 ml Sachets	All Season
P60100	Pallet of 48 tubs	72 x 75 ml Sachets	All Season

Shampoo & Wax

Specially formulated to remove tough dirt without damaging your paintwork, and offers guaranteed protection and shin. Our Shampoo and Wax combines our expertise in car cleaning with our love of a beautiful finish



- Guaranteed protection and shine.
- Intensive cleaning.
- Streak free formula.
- Removes harmful deposits

Part No.	Qty	Size
865690	1	500 ml Bottles
865692	1	5 ltr Plastican

Part No.	Qty	Size	Type
915760	1		Repair Kit

Industrial Chemical Pump Sprayer



Industrial pump sprayer made of polythene with pressure release valve

- Suitable for various chemicals such as detergents, solvents & cleaning agents.
- Spray head with adjustable & lockable brass nozzle

Part No.	Qty	Size
895015	1	1 ltr

Body Filler - U-POL P38



- Multi-purpose body filler.
- Durable and easy to use.
- For minor dents and scratches on most types of metal bodywork

Part No.	Qty	Size
865392	1	600 ml

Spray Filler - UPOL Reface

Highly effective spray filler ideal for use on mould patterns, bare steel & glass fibre substrates



- High build & easy to sand properties.
- Provide the perfect base for final finish painting.
- Can be polished & waxed ready for mould construction.
- Supplied with liquid hardener

Part No.	Qty	Size
865397	1	1 ltr Tin

Fibre Glass Filler - P40

Glass fibre reinforced filler paste



- Excellent adhesion to steel, aluminium, GRP & zinc coated panels.
- Ideal for bridging holes & rips.
- Waterproof once cured

Part No.	Qty	Size
865396	1	1.85 ltr Tin

Fibre Glass Matting



Part No.	Qty	Size
865398	1	1 m²

Fibre Glass Hardener



- For polyester body filler

Part No.	Qty	Size
865399	1	40 g Tube

Fibre Glass Resin



Fast Curing Opaque Laminating Resin

- To be used with 865399

Part No.	Qty	Size
865394	1	1 ltr

Air Freshener - Large Cans



- Powerful, effective air freshener.
- Suitable for use in large rooms and spaces.
- High discharge nozzle.
- Easy to use

Part No.	Qty	Size	Fragrance
865416	1	750 ml Power Aerosol	Citrus Zest
865417	1	750 ml Power Aerosol	Cranberry
865419	1	750 ml Power Aerosol	Wild Berry
865730	1	750 ml Power Aerosol	Tutti Frutti
865731	1	750 ml Power Aerosol	Watermelon

Little Tree' Air Freshener



- Long lasting fragrance.
- Bold attractive packaging.
- Ideal for the office, car or home

Part No.	Qty	Fragrance
865519	24 Boxed	Five fragrances
865596	24 Boxed	Black Ice
865598	24 Boxed	New Car



Hand Cleaner - Citrus



Powerful yet skin-friendly formula with natural beads

- Contains natural citrus ingredients to remove ingrained soiling.
- Effectively removes oil, grease, tar, rubber compounds, paint, glue & lacquers

Part No.	Qty	Size
865453	1	3 ltr Tub
865467	6	3 ltr Tubs
865493	1	3 ltr Dispenser Pump

Hand Cleaner - Solvent Free



Powerful yet skin-friendly formula with natural beads

- Effectively removes oil, grease, tar, rubber compounds & industrial grime

Part No.	Qty	Size
865429	1	3 ltr Tub
865468	6	3 ltr Tubs
865493	1	3 ltr Dispenser Pump

Hand Cleaner - '7850'



Hand cleaner for stained hands

- With jojoba, lanolin & aloe for added skin conditioning & protection.
- Citrus fragrance.
- Comes with pumice.
- Works with or without water

Part No.	Qty	Size
865507	1	3 ltr Bottle
865508	4	3 ltr Bottles

Hand Cleaner - Natural Beads



Powerful yet skin-friendly formula with natural beads

- Effectively removes oil, grease, tar, rubber compounds, paint, glue & lacquers

Part No.	Qty	Size
865451	1	5 ltr Tub

Dispenser Pump



- For 5 ltr tubs.

Part No.	
865494	1

Hand Wipes - Non-Abrasive



Skin cleansing & sanitising

- Effectively removes oil, grease, dirt, grime, ingrained soiling, inks & paints.
- Heavy duty

Part No.	Qty
865505	Tub of 100
865506	Tub of 80

Hand Wipes - Abrasive



Abrasive fabric enhances cleaning action

- Effectively removes oil, grease, dirt, grime, ingrained soiling, inks, paints, acrylic & silicone.
- Heavy duty

Part No.	Qty
865509	Tub of 100
865510	Tub of 80

Hand Sanitiser - 5 ltr

Bondloc hand sanitiser is a fast acting and highly effective alcohol based, antibacterial hygienic hand rub that evaporates fast, leaving no residue.

- Contains 75% alcohol.
- WHO recommended hand sanitiser formulation.
- Antibacterial.
- Kills 99.9% of germs.
- Conforms to EN 12791



Part No.	Qty	Size
865478	1	5 Litres

Barrier Cream

- Non-greasy.
- Non-toxic



Part No.	Qty	Size
865410	1	1 ltr Bottle

Hand Soap - Anti-Bacterial

A mild but effective formulation that leaves hands soft and clean

- Kills 99.9% of germs.
- Specially formulated and enriched with moisturiser.
- Gentle and effective



Part No.	Qty	Size
865502	12	485 ml Bottle
865503	2	5 Litres

Toilet Soap Bars


- Buttermilk



Part No.	Qty	Size
865588	12	70 g

Nail Brushes

- Plastic.
- Assorted colours



Part No.	Qty
895172	12

CLEANING & JANITORIAL PRODUCTS ON PAGE 526



Step 1: Skin Protection Stokoderm® Protect Pure





Extra protection pre-work skin cream

- For wet & dry work.
- Suits 895430

Part No.	Qty	Size
865521	6	1 ltr Cartridges
895495	1	1 ltr Dispenser

Step 2: Hand Cleaning Estesol® Orange Lotion





- Citrus Zest' lotion hand cleaner.
- Contains natural coconut oil.
- Translucent.
- Suits 895430

Part No.	Qty	Size	Fragrance
895496	1	2 ltr Dispenser	
895497	1	4 ltr Dispenser	
865524	4	2 ltr Cartridges	Lime
865525	4	4 ltr Cartridges	Lime
865527	4	2 ltr Cartridges	Citrus
865528	4	4 ltr Cartridges	Citrus

Step 3: Skin Restoration - Stokolan® Light Pure





- 'Super-hydrating' after work conditioning cream.
- Mild & pleasant to use.
- Suits 895430

Part No.	Qty	Size
865530	6	1 ltr Cartridges
895498	1	1 ltr Dispenser

Skin Protection Centre

Skin safety centre with 2 x 1000 dispensers, 1 x 2000 dispenser, 1 x 4000 dispenser

- Effective 3-step Skin Safety Programme.
- Robust, light-weight board containing Deb Naturally dispensers.
- Does not contain cartridges



Part No.	Qty
895430	1

Swarfega Van Cradle

Skin safety centre for 3 x 750 ml pump cartridges

- Complete 3 step skin care system to protect, clean and sanitise skin.
- Especially designed for areas with limited space and where no running water is available



Part No.	Qty
895494	1 With Cartridges
895440	1 Cradle Only

Van Cradle Top-Up – Swarfega Wash & Wipe

Light duty hand cleaner with moisturiser for use without water for fast and efficient removal of day-to-day dirt and grime.

- Waterless hand cleaner - Efficient and fast removal of light duty soiling without water.
- Highly effective formula - Soiling can be easily wiped away with paper towel leaving no oily residue on the skin.
- Lime fragrance - Pleasant to use and leaves the skin smelling fresh.



SWARFEGA FOR PROFESSIONALS

Part No.	Qty	Size
865576	2	750 ml Pump Cartridges
865536	6	750 ml Pump Cartridges

Van Cradle Top-Up – Swarfega Sanitise

Alcohol-based hand sanitiser gel that kills 99.999% of many common germs and provides highly effective bactericidal

- IInstant gel action - Rapidly and easily rubs across hands.
- 80% alcohol content
- Skin Hypoallergenic



Part No.	Qty	Size
865577	2	750 ml Pump Cartridges
865537	6	750 ml Pump Cartridges

Van Cradle Top-Up – Swarfega Protect Pro

Universal, fragrance-free pre-work skin cream that protects hands against oil and water-based substances such as oil, grease, lubricants.

- Improves grip when using hand-held tools; and helps provide comfort under gloves.
- Absorbs quickly • Skin Hypoallergenic



Part No.	Qty	Size
865578	2	700 ml Pump Cartridges
865535	6	700 ml Pump Cartridges

Refresh™ Relax Foam and Lotion



Soap range to soothe, relax & calm

- Benefits include reduced tension, improved co-ordination & a happier mood

Part No.	Qty	Size	Type
865548	6	1 ltr Cartridges	Foaming Handwash

DEB Estesol Lotion

A light duty lotion hand cleaner to remove general industrial dirt and grime with a light and pleasant fragrance



- Light duty hand cleaner to remove general industrial dirt.
- Soap-free formulation with skin friendly pH value.
- Contains a mild, yet effective blend of cleansing agents.
- Skin hypoallergenic.
- Lightly fragranced.
- Contains Glycerin - a skin moisturiser to help prevent drying

Part No.	Qty	Size
865710	4	2 Litre
865711	4	4 Litre

Gel Hand Sanitiser - Cutan



- Rapidly disinfects.
- Physically clean hands

Part No.	Qty	Size
895570	1	1 ltr Dispenser
865570	6	1 ltr Cartridges

DEB Cleanse Washroom Dispenser



- Rapidly disinfects.
- Physically clean hands

Part No.	Qty
895569	1

Hand Cleaners – Swarfega Extreme

Specialist Heavy Duty Hand Cleaner with non-abrasive scrubbing agents



- Powerful, versatile and efficient cleaning of deeply ingrained dirt and grime
- Combines non-abrasive scrubbing agents with surfactants to give a deep clean

Part No.	Qty	Size
865540	4	4 ltr Cartridges (Suits 4 ltr Deb Dispenser)
865880	6	1 ltr Plastican with Pump Dispenser
865881	4	5 ltr Plastican with Pump Dispenser

Hand Cleaners – Swarfega Orange



Heavy Duty Hand Cleaner with orange fragrance and non-abrasive scrubbing agents

- Fast, efficient cleaning of heavy duty dirt & grime.
- Non-abrasive cornmeal scrubbing agent gives a deep clean without damaging the skin.

Part No.	Qty	Size
865545	4	4 ltr Cartridges
865546	4	4 ltr Plastican with Pump Dispenser
865884	4	2 ltr Cartridges
865886	6	1 ltr Plastican with Pump Dispenser
865887	4	5 ltr Plastican with Pump Dispenser

Plus - Degreaser



- Heavy duty surface de-greaser.
- Removes ground in & burnt on food deposits.
- Low odour & non-caustic

Part No.	Qty	Size
865554	4	5 ltr Plasticans

Disinfectant



- Pine fragrance.
- Kills bacteria including ecoli.
- For drains, sinks, toilets and general use

Part No.	Qty	Size
865584	1	5 ltr Plastican

All Purpose Cleaner - With Bleach



- Cleans and sanitises all bleach resistant surfaces.
- Ideal for bathrooms and kitchens.
- Removes soap scum and grease with ease

Part No.	Qty	Size
865581	1	5 ltr Plastican

Washing Up Liquid



- Green concentrated detergent.
- General use for washing up and many cleaning duties

Part No.	Qty	Size
865586	12	1 ltr Bottles

Thick Bleach



- Total protection against germs.
- Performed to cure unpleasant smells.
- Removes stains from lavatories and basins etc

Part No.	Qty	Size
865585	1	5 ltr Plastican

Furniture Polish - Trigger Spray



- Wax free.
- Formulated to give fast clean & shine.
- Use paintwork, enamel, laminates, plastics and sealed wooden surfaces

Part No.	Qty	Size
865587	1	750 ml Spray Bottle

Hand & Surface Wipes



Strong, white sanitising wipes suitable for hands and surfaces

- Contains an alcohol free, biocidal formulation.
- Effective against a range of bacteria.
- Independently tested in accordance with European Standard EN1276

Part No.	Qty
895500	100

Surface Sanitiser Wipes



Antibacterial surface sanitiser wipes designed to protect surfaces and prevent contamination

- Less than 1% alcohol.
- Dermatologically tested.
- Conforms to: BS 1276 & EN 14476

Part No.	Qty
865590	1

Antiviral Disinfectant



Kills a wide range of pathogenic viruses in under 5 minutes

- Effective against coronavirus.
- Kills 99.99% of germs and viruses.
- Cleans & disinfects • Ready to use

Part No.	Qty	Size
865562	2	5 Litres

Bactericide Cleaner - Trigger Spray



Formulated for total hygiene.

- Provides quick, easy cleaning & sanitising for all food preparation surfaces.
- Ready to use • Non-tainting

Part No.	Qty	Size
865533	6	750 ml Spray Bottles

Toilet Cleaner



- Kills germs.
- Prevents lime scale.
- Stainless steel safe.
- Use regularly to keep toilets hygienic and clean

Part No.	Qty	Size
865580	12	750 ml Bottles

Toilet Flush Blocks



- Cleans & freshens the bowl.
- Helps prevent limescale.
- Contains germicide

Part No.	Qty	Size
865589	24	50 g

ULTRA GRIME PRO XTREME



40 XXL+ Cloth Wipes - 38 cm x 25 cm

- Ultra-durable fabric with a dual-texture design: one side rough, one side soft
- The toughest wipe in our entire range
- Stays wet and effective for more than an hour once removed from the pack
- Resistant to drying out—even if the lid is left open for several days (go ahead, test it for a week!)
- Effectively removes marker ink, graffiti, chewing gum, uncured PU foam, and various adhesives
- Strong, flexible, recyclable packaging containing over 77% less plastic than standard tubs
- Easy-use dispenser releases one wipe at a time
- High absorbency for maximum cleaning performance

Part No.	Pack Qty	Qty
865472	40 XXL WIPES	1

Ultrawipe XXL Clothwipes - Multi-Use



XXL Clothwipes are double the size of common wipes (38 x 25cm) that are super-soft & strong and can stay wet for over 1 hour out of the packet.

- Wipe out grime on: Hands, Tools and all surfaces.
- Deal with: Oil, Grease, Ink, Paint, Silicone, PU Foam Adhesives and more.
- Hard time for grime, safe on skin with added Aloe Vera & Vitamin E.
- Clothwipes stay wet for over 1 hour

Part No.	Qty
865484	1

Ultrawipe XXL Clothwipes - Multi-Use BIO



XXL Clothwipes are double the size of common wipes (38 x 25cm) that are super-soft & strong and can stay wet for over 1 hour out of the packet.

- 100% Biodegradable clothwipes.
- Wipe out grime on: Hands, Tools and all surfaces.
- Hard time for grime, Safe on skin with added Aloe Vera & Vitamin E.
- Clothwipes Stay wet for 1 hour

Part No.	Qty
865486	1

Ultrawipe XXL Clothwipes - Anti-Bacterial



XXL Clothwipes are double the size of common wipes (38 x 25cm) that are super-soft & strong and can stay wet for over 1 hour out of the packet.

- Kills 99.99% of bacteria.
- Tested to EN1276, EN13727 & EN14476.
- Disinfects all hard surfaces, floors, walls & tools.
- 60 second kill rate - viruses & bacteria.
- Effective against all developed viruses including SARS-COV-2 & coronaviruses

Part No.	Qty
865485	1

Ultrawipe XXL Clothwipes - Power Scrub




XXL Clothwipes are double the size of common wipes (38 x 25cm) that are super-soft & strong and can stay wet for over 1 hour out of the packet.

- Extra scrubbing strength for: Floors, Walls, surfaces & tools.
- Blasts muck, pummels stains & obliterates oil.
- Smooth on one side, rough on the other.
- Clothwipes stay wet for over 1 hour

Part No.	Qty
865487	1

VEHICLE PARTS





VEHICLE PARTS

Mirrors	530
Licence Holders	531
Marker Boards	532
Reflectors & Horns	534
Electrical	535
Windscreen Accessories	536
Exhaust Fittings	537
Gasket Papers	538
Vehicle Body & Pins	539
Air Brake Products	540
Rope & Cables	541
Solderless Nipples	543

Rear View Mirrors - Class II Convex



- Universal.
- 13 - 16 mm diameter arm mirror fitting.
- Suitable for tractors & medium commercial vehicles

Part No.	Qty	Size	Type
780103	1	260 x 160 mm	Mirror Head
780203	10	253 x 153 mm	Replacement Glass

Rear View Mirrors - Class III Flat



- Universal.
- 13 - 16 mm diameter arm mirror fitting.
- Suitable for tractors & medium commercial vehicles

Part No.	Qty	Size	Type
780102	1	260 x 160 mm	Mirror Head
780202	10	253 x 153 mm	Replacement Glass

Rear View Mirror Head - 'VM 1' Convex



- Shatterproof.
- Suitable for public service vehicles (PSV).
- Suitable for commercial vehicles (over 3.5 tonnes).
- Polypropylene casing

Part No.	Qty	Size
VM1	1	305 x 205 mm

Rear View Mirror Head - 'VM 100' Convex



- Shatterproof.
- Suitable for large / articulated trucks.
- Polypropylene casing

Part No.	Qty	Mirror Fitting
VM100	1	14 - 30 mm Diameter Arms

Rear View Mirror Head - 'VM 2' Convex



- Shatterproof.
- Suitable for commercial vehicles (up to 3.5 tonnes).
- Polypropylene casing

Part No.	Qty	Size	Type
VM2	1	205 x 150 mm	Mirror Head

Rear View Mirror Head - 'VM 3' Shatterproof



- Suitable for public service vehicles (PSV).
- Wide vision convex (8" x 6").
- Polypropylene casing

Part No.	Qty	Size	Type
VM3	1	205 x 150 mm	Mirror Head

Replacement Mirror Glass Lenses

- suitable for for tractors & medium commercial vehicles



Part No.	Qty	Size	Type
780203	10	253 x 153 mm	Convex

Mirror Pads

- Self adhesive double sided pads



Part No.	Qty	Size
705098	50	40 x 25 mm

License Disc Holders - Single

- Zinc plated.
- Steel back & stem.
- Screw / Bolt On Type



Part No.	Qty
780001	5

License Disc Holders - Double

- Zinc plated.
- Steel back & stem.
- Screw / Bolt On Type



Part No.	Qty
780002	2

MOT Plate Holder - Lightweight

- For in cab use.
- Rustproof nylon (plastic) with clear plastic window.
- Suitable for VTG6A



Part No.	Qty
780010	1

Rear View Mirror Bonder

- Unique bonding system for rear view mirrors, car telephones & all window mounted aerials.
- Bonds metal & glass (not plastic) in 30 seconds



Part No.	Qty	Size
865658	1	0.5 ml

UK Marker Boards - Type 1



- Heavy gauge aluminium.
- UK application - trucks up to April 1996, trailers up to October 1995

Part No.	Qty	Size	Standard
705130	1	1400 x 140 mm	BS AU152

UK Marker Board - Type 2/3



Part No.	Qty	Size	Standard
705131	1 Pair	700 x 140 mm	BS AU152

UK Marker Board - Type 3A



Part No.	Qty	Size	Standard
705132	1 Pair	375 x 265 mm	BS AU152

UK Marker Board - Type 5



Part No.	Qty	Size	Standard
705135	1 Pair	525 x 250 mm	BS AU152

UK Marker Board - Type 6



Part No.	Qty	Size	Standard
705133	1 Pair	420 x 235 mm	BS AU152

European Marker Boards

- High intensity reflective marker boards.
- Heavy gauge aluminium

UK application - trucks from April 1996 & trailers from October 1995 must be fitted with ECE 70 marker boards ECE 70/1 boards which have a higher reflective benefit & were passed as legislation in several European countries were introduced in July 2011

Type 261 (ECE 1)



Part No.	Qty	Size	Standard
705209	1	1130 x 130 mm	ECE 70

Type 262 (ECE (2/3)



Part No.	Qty	Size	Standard
705212	1	565 x 130 mm	ECE 70

Type 263 (ECE 4)



Part No.	Qty	Size	Standard
705213	Set of 4	283 x 140 mm	ECE 70

Type 265 (ECE 6/7)




Part No.	Qty	Size	Standard
705211	1 Pair	565 x 200 mm	ECE 70

Type 266 (ECE 8)



Part No.	Qty	Size	Standard
705214	Set of 4	283 x 200 mm	ECE 70

No Plate Pads



- Self adhesive double sided pads


Part No.	Qty	Size
705099	50	75 x 25 mm

Rectangular Reflectors - Self Adhesive




Part No.	Qty	Size	Colour
705183	12	96 x 42 mm	Amber
705184	12	96 x 42 mm	Red
705217	5	96 x 42 mm	White

Rectangular Reflector - with White Surround



Part No.	Qty	Size	Colour
705140	5	100 x 45 mm	Amber

Triangular Reflector



Part No.	Qty	Size	Colour
705128	5	152 mm (6")	Red

Warning Triangle



- CE approved.
- High quality, compact, folding warning triangle supplied in tough composite case.
- Legal requirement in many countries.
- Suitable for use following accidents / breakdowns

Part No.	Qty	Size	Standard
980145	1	410 x 440 mm	ECE R27

Horns - Twin Terminal



- Hi-note

Part No.	Qty	Voltage
790531	1	12 v
790532	1	24 v

Reversing Alarms



Part No.	Qty	Voltage	dB
790501	1	12 v	80 dB
790505	1	12 / 24 v	95 dB

Electrical Coils - 7 Core - Type 24N



- Moulded plugs.
- Type 24N (normal).
- Hytrel sheath.
- PVC insulated

Part No.	Qty	
750172	1	
750170	1	EE4C ISO 1185N

Electrical Coil Plug



- 7 pin.
- 12V.
- Plastic body

Part No.	Qty
750080	3

Electrical Coil Socket



- 7 pin.
- 12V.
- Plastic body

Part No.	Qty
750085	3

Electrical Coil Plug



- 7 pin.
- Type 24N (normal).
- Metal body

Part No.	Qty
750070	1

Electrical Coil Socket



- 7 pin.
- Type 24N (normal).
- Metal body

Part No.	Qty
750075	1

Caravan & Trailer Plug



- 7 Pin.
- Metal Body.
- 12N System

Part No.	Qty
295210	1

Caravan & Trailer Socket




- 8 Pin.
- Metal Body.
- 12N System

Part No.	Qty
295211	1



PVC Tubing - Clear



- Suitable for windscreen washers

Part No.	Qty	Length	I.D
775111	1	30 m	3 mm (1/8")
775113	1	30 m	4 mm (5/32")
775112	1	30 m	5 mm (3/16")
775108	1	30 m	6 mm (1/4")
775109	1	30 m	8 mm (5/16")
775115	1	30 m	13 mm (1/2")

Rubber Tubing - Black



- Suitable for windscreen washers

Part No.	Qty	Length	I.D
775110	1	30 m	3 mm (1/8")

Screen Wash



- Protects against freezing water bottles

Part No.	Qty	Size
865406	1	1 ltr bottle
865459	12	1 ltr bottles
865405	1	5 ltr plastican

Windscreen Washer Pumps



Part No.	Qty	Voltage
775181	1	12 v
775191	1	24 v

Windscreen Washer Accessories - Non Return Foot Valves



- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775132	5

Non Return In-Line Valves



- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775142	5

In-Line Connector



- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775180	10

Elbows



- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775125	5

'T' pieces

- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775122	5

Single Outlet Jets



- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775162	5

Double Outlet Jets



- Fits 5 mm (3/16") i.d. tubing

Part No.	Qty
775172	5

Assorted Accessories



Contains: Jets, Valves, 'T' Pieces, Elbows

Part No.	Qty
110208	25

Exhaust Clamps



- U' clamp.
- Zinc plated

Part No.	Qty	Size
405114	10	28 mm (1 1/8")
405115	10	32 mm (1 1/4")
405102	10	35 mm (1 3/8")
405103	10	38 mm (1 1/2")
405104	10	42 mm (1 5/8")
405106	10	45 mm (1 3/4")
405107	10	48 mm (1 7/8")
405108	10	50 mm (2")
405109	10	54 mm (2 1/8")
405110	10	58 mm (2 1/4")
405118	10	60 mm (2 3/8")
405111	10	65 mm (2 1/2")
405112	10	67 mm (2 5/8")
405113	10	80 mm (3 1/8")
405119	10	92 mm (3 5/8")
405121	10	105 mm (4 1/8")

Assorted Exhaust Clamps

- U' type.
- Zinc plated

Sizes: 38 mm (1 1/2")
42 mm (1 5/8")
45 mm (1 3/4")
48 mm (1 7/8")
50 mm (2")



Part No.	Qty
110118	25

CV Clips - Stainless Steel

Sizes: 25 - 50 mm x 5
40 - 110 mm x 10



Part No.	Qty
110165	Set of 15

In-Line Fuel Filters - Small

- Universal.
- For petrol applications



Part No.	Qty
705168	10

In-Line Fuel Filters - Large

- Universal



Part No.	Qty	Type
705169	10	Petrol Applications

In-Line Fuel Filters - Large

- Universal



Part No.	Qty	Type
705170	10	Diesel Applications

Fuel Filters - Nissan

- 90˚.
- 7 mm



Part No.	Qty
705094	10

Fuel Filters - Assorted

Contains: Small (Universal)
In-Line Type, Large In-Line Type,
'Y' Type (for Toyota), Angled Type
(for Nissan)



Part No.	Qty
110140	10

Gasket Paper - Non-Stick



- Non asbestos.
- Integral non-stick finish.
- 48" x 12" sheets

Part No.	Qty	Thickness
425127	1	0.40 mm
425128	1	0.75 mm

Gasket Paper



- One meter square (1m²) sheets

Part No.	Qty	Thickness
425129	1	0.15 mm
425130	1	0.25 mm
425131	1	0.80 mm

Assorted Gasket Paper



- One meter square (1 m²) sheets

Thicknesses:
0.15 mm
0.25 mm
0.80 mm

Part No.	Qty	Thickness
110180	3	1 x 0.15 mm, 1 x 0.25 mm, 1 x 0.80 mm
110171	30	

Stripe Wheel Removing - Caramel Wheel



- Removes strips, decals and moulding from panels without burning or discolouration

Part No.	Qty
770290	1

Mini Bobbins



- Universal fitting

Part No.	Qty
405101	10

Exhaust Mounting Rings



- Black rubber

Part No.	Qty	Size
405133	10	Medium
405134	10	Large

Perforated Strips



- Zinc plated

Part No.	Qty	Size	Type
895240	10	12"	Light Duty
895241	10	24"	Heavy Duty

'T' Keys - Square Taper Drive



- For budget locks

Part No.	Qty
782055	5
782065	5

Escutcheon Covers



- Chrome.
- Spring loaded

Part No.	Qty
782035	5

Gravelly Fasteners



- Chrome plated.
- For side panels on coaches & buses

Part No.	Qty
782075	5

Gudgeons



- Self colour steel.
- Weld-on.
- 2" x 1/2" peg

Part No.	Qty	Size
705203	5	50 x 12.7 mm
705204	5	50 x 12.7 mm

Anti-Luce Fasteners



- Weld-on type.
- 12 mm shank

Part No.	Qty
705154	5
705157	5
705152	5
705153	5

R-Grips



- Zinc plated

Part No.	Qty	Diameter	Work Length
705085	50	2 mm (5/16")	10 mm (3/8")
705084	25	2.5 mm (3/32")	10 mm (3/8")
705086	25	3 mm (1/8")	19 mm (3/4")
705087	20	4 mm (4/32")	25 mm (1")
705088	10	5 mm (3/16")	31 mm (1 1/4")
705089	10	6 mm (1/4")	31 mm (1 1/4")
705083	5	8 mm (9/32")	40 mm (1 1/2")
305129	100	For Brake Pins	

Assorted R-Grips



- Zinc plated

Sizes: 2 x 10 mm (5/64" x 3/8")
3 x 19 mm (1/8" x 3/4")
4 x 25 mm (5/32" x 1")
5 x 31 mm (3/16" x 1 1/4")
6 x 31 mm (1/4" x 1 1/4")
(diameter x working length)

Part No.	Qty
110131	50

Linch Pins



Part No.	Qty	Size	Length
705090	10	6 mm (1/4")	44 mm (1 3/4")
705091	10	8 mm (5/16")	44 mm (1 3/4")
705102	10	8 mm (5/16")	44 mm (1 3/4")
705101	5	10 mm (3/8")	60 mm (2 1/4")
705092	10	11 mm (7/16")	70 mm (2 3/4")

Assorted Linch Pins



Sizes: 6, 8, 11 mm

Part No.	Qty
105258	20

Air Brake Couplings - AUXILIARY



- Male 'CA'

Part No.	Qty	Thread
761002	1	1/2" BSP
761004	1	1/2" BSP

Air Brake Couplings - AUXILIARY



- Self seal valve.
- For female 'C' & 'CA' couplings

Part No.	Qty
761102	1

Air Brake Couplings - EMERGENCY



- Male 'C'

Part No.	Qty	Thread
761001	1	1/2" BSP

Air Brake Couplings - EMERGENCY



- Female 'C'

Part No.	Qty	Thread
761003	1	1/2" BSP

Air Brake Couplings - EMERGENCY



- Self seal valve.
- For male 'C' couplings

Part No.	Qty
761101	1

Air Brake Couplings - EMERGENCY



- Operating sleeve.
- For female 'C' couplings

Part No.	Qty
761103	1

Shut Off Valve



Part No.	Qty	Thread
761120	2	1/2" BSP Female

Air Brake Hose



- Rubber braided.
- 15 bar working pressure.
- 60 bar burst pressure

Part No.	Qty	Length	I.D
763101	1	5 m	3/8"
763102	1	5 m	1/2"

Load Securing Rope



- 10 mm diameter.
- Polypropylene

Part No.	Qty	Length
705179	1	27 m (88 ft)
705193	1	220 m (720 ft)

Tow Strap



- With yoke & shackle.
- 5 tonne capacity

Part No.	Qty	Length
705208	1	4.5 m

Tow Rope



- Elasticated webbing design helps prevent tow rope dragging on the ground during overrun.
- Features tough, heavy-duty stitched hook retaining sleeves.
- 3 tonne rolling load capacity.
- Complies with HSE requirements

Part No.	Qty
980148	1

Elastic Cord Set



- Makes tying items down or in bundles easy.
- Maximum stretched length of 8 mm cords is 2 x free length & of 4 mm cords is 1.5 x free length.
- TUV/GS approved

Sizes: 4 x 250 (x4), 8 x 400 (x4), 8 x 500 (x4), 8 x 600 (x4), 8 mm diameter x 750 mm (x4)

Part No.	Qty
980150	20 Piece Set

Rope Grips



- Zinc plated

Part No.	Qty	Size
705207	10	6 mm
705156	10	8 mm

Rope Hooks



- Bolt-on.
- 5 1/2”

Part No.	Qty	Type
705206	5	Steel

Carbine Hook



Part No.	Qty	Size
705100	1	14 x 180 mm

Bowden Cables - Inner



- 19 strand.
- Suits 705151

Part No.	Qty	Length	O.D
705147	1	30 m	1.57 mm
705149	1	30 m	1.91 mm

Bowden Cables - Outer



- Complete with ends.
- Suits 705149

Part No.	Qty
705151	1

Locking Wire



- Galvanised

Part No.	Qty	Size	O.D
705148	2	0.5 kg Coils	1 mm
705150	2	0.5 kg Coils	1.8 mm

Stop Cables - 'T' Handles



- PVC covered outer.
- Bowden inner

Part No.	Qty	Length
705191	5	6.5 ft
705188	2	8 ft
705158	2	13 ft

Breakaway Cables



- 3 mm diameter.
- Ring & hook ends

Part No.	Qty	Length
705201	2 Sets	1 m

Stop Cables - Round Handles



- PVC covered outer.
- Bowden inner

Part No.	Qty	Length
705190	2	6.5 ft
705187	2	8 ft
705189	2	13 ft

Control Cables



- T' handle.
- Piano wire inner

Part No.	Qty	Length
705192	2	10 ft

'Roller Shutter' Spring Hooks - with Chain & Ring



- Zinc plated

Part No.	Qty	Adaptor Fitting	Hook Size
705124	5	75 x 200 mm	3" x 8"

Solderless Nipples



Part No.	Qty	Diameter	Type
405451	20	6 mm	Top Screw
405452	20	7 mm	Side Screw
405453	20	8 mm	Top Screw

Tailboard



- Cotter pin with ring.
- 7 1/2" chain.
- Zinc plated

Part No.	Qty
705205	5

Assorted Solderless Nipples

Barrel Side Screw: 6 mm
Barrel Top Screw: 6 mm, 8 mm



Part No.	Qty
110115	48




STORAGE


0.50 OZ
15 g
IAWS 015
0.50 OZ
15 g
MCB 030
0.50 OZ
FNS 015
0.75 OZ
IAWS 020



STORAGE

Storage Bins & Louvred Panels	546
Racking System	549
Hazardous/Storage Cabinets	553
Lockers	554
Shelving	555
Warehouse Equipment	557
Workshop Storage	560
Drawer Cabinet Units	562
Scoop Boxes	563



Storage Bins - Sturdy Polypropylene

- Simple & effective small parts storage solution.
- Can be stacked for increased flexibility.
- Suits louvred panels, cabinets, shelving & free standing systems.
- *Black bins are manufactured from black recycled polypropylene with the same quality and functionality as our coloured versions*



Part No.	Qty	Size/Colour	Width	Height	Depth
895288	20	Size 1 - Red	100 mm	50 mm	90 mm
895285	20	Size 2 - Red	100 mm	75 mm	165 mm
895286	10	Size 3 - Red	150 mm	132 mm	240 mm
895287	10	Size 4 - Red	205 mm	132 mm	350 mm
896500	10	Size 5 - Red	205 mm	182 mm	350 mm
895316	5	Size 6 - Red	420 mm	182 mm	375 mm
896501	5	Size 7 - Red	310 mm	200 mm	520 mm
895304	20	Size 1 - Blue	100 mm	50 mm	90 mm
895305	20	Size 2 - Blue	100 mm	75 mm	165 mm
895306	10	Size 3 - Blue	150 mm	132 mm	240 mm
895307	10	Size 4 - Blue	205 mm	132 mm	350 mm
896330	10	Size 5 - Blue	205 mm	182 mm	350 mm
895317	5	Size 6 - Blue	420 mm	182 mm	375 mm
896331	5	Size 7 - Blue	310 mm	200 mm	520 mm
896320	20	Size 2 - Black*	100 mm	75 mm	165 mm
896321	10	Size 3 - Black*	150 mm	132 mm	240 mm
896322	10	Size 4 - Black*	205 mm	132 mm	350 mm
896323	5	Size 6 - Black*	420 mm	182 mm	375 mm
896324	5	Size 7 - Black*	310 mm	200 mm	520 mm

Louvred Panels - Grey



- Epoxy powder coated steel.
- Double indented louvre for extra strength.
- Ideal solution for wall mounting

Part No.	Qty	Size	Width	Height
895290	2	LP 1	457 mm	641 mm
895291	2	LP 2	457 mm	946 mm

Louvred Panel - With Red Storage Bins



- Convenient ready made kits.
- Grey epoxy powder coated steel panel.
- Sturdy polypropylene storage bins

Part No.	Qty	Width	Height	Panel Size	Bin Size
895318	1 Kit	457 mm	641 mm	LP 1	Size 2 (x24)
895319	1 Kit	457 mm	946 mm	LP 2	Size 3 (x 18)

Storage Kit - Fully Boxed



- Pre-kitted Top store containers and Louvred panels

Contains: 1 x Grey Louvred panel (457 mm x 300 mm)
6 x Size 3 blue bins

Part No.	Qty
896310	1 Kit

Space Bin Containers - Dark Grey Polypropylene



- Can be stacked or nested.
- Designed to save space.
- Container loading capacity: 15 kg when stacked (max.
- 4 high) / 50 ltr each

Part No.	Qty	Width	Height	Depth
777180	5	495 mm	320 mm	390 mm

Euro Containers



- Containers that can interstack modularly with various sizes.
- Ideal for protective storage during transportation of goods.
- Manufactured from high-density food grade polypropylene which has a temperature resistance from -5°C to + 70°C

Part No.	Qty	Width	Height	Depth
778770	10	300 mm	200 mm	120 mm
778771	5	400 mm	300 mm	120 mm
778772	5	400 mm	300 mm	170 mm
778773	5	400 mm	300 mm	220 mm
778774	5	400 mm	300 mm	320 mm
778775	2	600 mm	400 mm	120 mm
778776	2	600 mm	400 mm	150 mm
778777	2	600 mm	400 mm	170 mm
778778	2	600 mm	400 mm	200 mm
778779	2	600 mm	400 mm	270 mm
778780	1	600 mm	400 mm	320 mm
778781	1	600 mm	400 mm	400 mm

Euro Containers - with Red Lids



- Can be stacked when the lid is closed, or nested to save space when the containers are not in use.
- Allow for “locking” by way of cable ties.
- Temperature resistance from -20°C to +40°C.
- Carcass is manufactured from high impact reprocessed polypropylene.
- Lids are manufactured from virgin polypropylene

Part No.	Qty	Size	Length	Height	Width
778785	2	56 ltr	600 mm	400 mm	310 mm
778790	2	65 ltr	600 mm	400 mm	365 mm
778795	2	77 ltr	600 mm	400 mm	400 mm

THE FUTURE OF CONSUMABLE STORAGE HAS ARRIVED



Customisable

Adjustable shelves, durable bins, rotating spindles, and versatile hooks, let you configure a setup that fits your specific needs. As your business evolves, so can your storage solution.

Smooth Yet Sturdy

Built for the demands of daily use, our drawers feature high-grade galvanised steel runners that ensures a smooth glide every time, even under heavy loads.

The robust construction stands up to the rigours of a busy workshop.

Mobile

Our units are fitted with Industrial-strength wheels, allowing you to rearrange effortlessly.

When the Draws & cabinets are not required to be mobile, using a fixing bracket, the systems can be locked into place which adds strength & stability.

A Place for Everything

Organisation is crucial for efficiency. Our innovative drawer divider system allows you to customise compartments to fit a variety of product sizes and types.

From small components to larger tools, everything has its place, making it easier for your team to find what they need when they need it.

THE CONSUMABLES SOLUTION


For details of your nearest distributor
Contact us on 024 7632 2100

60+ ESSENTIAL WORKSHOP CONSUMABLES CATEGORIES


200+ PRODUCTS ALWAYS ON HAND AND READY TO GO.



Our modular storage solution offers the organisation, durability, adaptability and mobility that modern workshops require. It's designed to meet your current needs and adapt to future adaptations, ensuring your workspace remains efficient and effective.









INCLUDED:

Absorbent Pads
Absorbent Granules
Adhesives
Aerosol Lubricants
Air Line Fittings
Battery Terminals
Blue Roll
Boxed Assortments
Cable - Battery
Cable - Single
Cable - Twin
Cable Ties
Cutting Discs
Drill Bits
Electrical Terminals - Blue
Electrical Terminals - Red
Electrical Terminals - Yellow
Emery Rolls
Epoxies
Flap Discs
Floor Board Screws
Fuel Hose
Fuse - Holder
Fuse - Mini
Fuse - Standard
Gas Torches
Grease - Brake
Grease - Copper
Grease - Lithium
Grease Gun Fittings
Grinding Discs
Hose Clips
Nitrile Gloves - Grip
Nitrile Gloves - Plus
Nitrile Gloves - Standard
Number Plate Screws
Nuts - Flanged
Nuts - Nyloc
Nuts - Standard
P Clips
Rags
Rivets
Scotch Hand Pads
Scrapers
Sealants
Seat Covers
Self Tapping Screws
Set Screws
Sheet Metal Screws
Solvent Sprayers
Tape - Double Sided
Tape - Gaffa
Tape - Insulation
Threaded Bar
Washers - Repair
Washers - Spring
Washers - Standard
Wire Brushes
Wire Wheels



Quick Release

Refilling stock or reorganising your setup has never been easier. Our modular cabinet doors feature a quick-release mechanism — just press the button and the door detaches smoothly. It's ideal for improving access, streamlining restocking, and making transport safer and more efficient.




Safe and Secure


Stay in control of your stock and protect valuable items. Each modular draw and cabinet unit is fitted with its own robust locking mechanism, so you can secure tools and consumables individually, ideal for shared workspaces or high-traffic areas.

Peace of mind, built in.


THE CONSUMABLES SOLUTION

CONSUMABLE STORAGE











THE CONSUMABLES SOLUTION

For details of your nearest distributor
Contact us on 024 7632 2100

CoSHH Cabinets



- Robust all-steel construction with integral liquid-tight sump. Adjustable shelves with a UDL (Uniformly distributed load) of 50 kg.
- Powder-coated graphite grey with Germ Guard Active Technology paint.
- CoSHH cupboards help users comply with the control of hazardous substances as demanded by the CoSHH regulations in the workplace.
- No snag handles. Warning stickers are supplied as standard. Reaction to Fire Classification EN 13501-1.
- Manufactured in the UK.

777571

Part No.	Qty	Type	Width	Height	Depth
777580	1	6ft Tall Cabinet (with 3 Shelves)	900 mm	1800 mm	460 mm
777581	1	Medium / Slim Line (with 1 Shelf)	460 mm	900 mm	460 mm
777582	1	Medium Size (with 1 Shelf)	900 mm	900 mm	460 mm
777583	1	Small Size (with 1 Shelf)	900 mm	700 mm	460 mm
777584	1	Support Stand (Suits 777582 & 777583)			

Hazardous Substance Storage Cabinets



- Designed to comply with today's ever increasing environmental requirements & the need to meet safety regulations.
- Leakproof shelf / tray(s) & base drip tray can be removed easily without tilting, therefore retaining any liquid spillages in the tray.
- Doors are reinforced with a 3 point locking mechanism

Part No.	Qty	Type	Width	Height	Depth
777570	1	6ft Tall Cabinet (with 3 Shelves)	900 mm	1800 mm	460 mm
777571	1	Medium / Slim Line (with 1 Shelf)	460 mm	900 mm	460 mm
777572	1	Medium Size (with 1 Shelf)	900 mm	900 mm	460 mm
777573	1	Small Size (with 1 Shelf)	900 mm	700 mm	460 mm
777574	1	Support Stand (Suits 777572 & 777573)			

Drawer Cabinets - Professional Small Parts Storage



Cabinet complete with 60 or 75 transparent drawers which are designed for easier product selection whilst making full use of natural light

- Maximum of 3 divider locations in each drawer, each unit comes with one divider & index label per drawer.
- Cabinets are made from galvanised steel & are over powder coated in grey.
- Drawers are made from styrene oil corrosion resistant & have high impact strength.
- All drawers can be completely removed.
- Drawer capacity: 3.8 kg

Part No.	Qty	Type	W x H x D	Drawer Size
777160	1	60 Drawers	586 x 937 x 222 mm	120 x 55 x 218 mm
777161	1	75 Drawers	587 x 937 x 222 mm	90 x 55 x 218 mm

Locker Units



- Micro sprung 10 disk lock featuring 3000 serial combinations for extra security & confidence that belongings will be kept safe.
- Ergonomic card holder incorporating a lock cover prevents lockers from key scratches.
- Each locker is supplied complete with 2 high visibility keys per door, making identification easy.
- Vent system allows each component to 'breathe'.
- Between each compartment are welded plinths, keeping each of the compartments totally separate & increasing structural rigidity.
- Durable paint finish with 7 colour options for every environment

Silver carcass
Supplied with 2 keys for each lock
Unit Size: 305 mm x 1780 mm x 305 mm (W x H x D)
**Please specify Door colour: (i.e
777601-BU) BU - Blue, GY - Grey, YW - Yellow, GN - Green, RD - Red

Part No.	Qty	Type	Compartment Size
777601-##	1	1 Door	305 mm & 1422 mm
777602-##	1	2 Door	864 mm
777603-##	1	3 Door	572 mm
777604-##	1	4 Door	432 mm
777606-##	1	6 Door	284 mm

Eco-Rax - Shelving System



- Robust, boltless heavy-duty hand loaded shelving system.
- Powder coated blue uprights, galvanised frame beams and ties, chipboard shelves.
- Quick assembly without the need for any special tools.
- Pierced uprights offer full adjustability at 35mm pitches in the height.
- Heavy duty shelves have a capacity of 265Kg (UDL)

Part No.	Qty	Width	Height	Depth
778840	1	900 mm	1800 mm	450 mm
778842	1	1200 mm	1800 mm	450 mm
778844	1	900 mm	1800 mm	600 mm
778846	1	1200 mm	1800 mm	600 mm

Toprax - Shelving Kit



- Toprax is a high quality, fully adjustable bolt free shelving system, consisting of powder coated blue uprights, powder coated silver/grey beams/ties & galvanized shelves.
- It combines the strength necessary to meet the specifications for commercial & industrial storage applications without requiring special fixings.
- Shelves are fully adjustable on 50 mm (2") centres.
- Shelf size: 870 mm x 290 mm.
- Shelf capacity: 160 kg (UDL).
- Container size (mm): 205 W x 132 H x 350 L

Bolt free adjustable shelving kit & containers

Part No.	Qty	Type	Width	Height	Depth
777165	1	Bay C/W 5 x shelves + 40 x Size 4 storage bins (red)	942 mm	1500 mm	328 mm
777166	1	Extension bay C/W x 5 shelves + 40 x 4 storage bins (red)	910 mm	1500 mm	328 mm

POINT OF SALE DISPLAY UNIT

Designed to showcase fast moving lines and increase brand visibility, comes complete with top selling product portfolio

Contact us for more information!



Manufactured from high grade steel and powder coated to offer a strong long lasting finish.

Finished in Grey & Blue with Euro slot perforated panels offer customizability to best suit your needs.

You will receive the following components, ready to build:

- 2 x Baselegs
- 2 x Uprights
- 2 x Shelves
- 1 x Base Shelf
- 4 x Euro slot perforated panels
- 1 x Gondola Top Cover
- 1 x Kicker Panel

FILLED WITH OUR RECOMMENDED FAST MOVING PRODUCTS

FIXT · VISION · Ace · OnHand · ABRACS abrasives and accessories

Step Ladder - Three Tread



- Foldable for easier storage.
- Working load: 150 kg.
- Space between steps: 230 mm.
- Fitted with a rubber comfort handle.
- Non-slip tread.
- Powder coated silver/grey.
- Tread size: 380 x 260 mm.
- Platform height: 710 mm

Part No.	Qty	Open Size	Folded size
777190	1	490 x 1065 x 665 mm	140 x 1220 x 490 mm

Kickstep



Kick step is a premium GS approved quality mobile step finished in black, red or blue

Provides easy step up access preventing excessive stretching

The mobile step is supplied K/D where two sections permanently 'lock' together via a built-in bolt free mechanism

The perfect accessory for any storeroom, office or workplace, where safe access is required for items stored at height

Part No.	Qty	Colour
777186	1	Red
777185	1	Black
777187	1	Blue

Sack Truck - Pneumatic Tyres



- Concave framed.
- Solid toe plate - 350 x 200 mm.
- Wheel guards.
- Powder coated in red.
- Capacity: 150 kg

Sack truck fitted with pneumatic wheels designed to carry items over uneven surfaces

Part No.	Qty	Width	Height	Depth
777170	1	550 mm	1155 mm	450 mm

Sack Truck - Telescopic



- Lightweight aluminium.
- Telescopic handle.
- Folding steel footplate.
- Fitted with rubber cushion wheels.
- Capacity: 150 kg

Designed to transport small goods/parcels in almost any environment

Part No.	Qty	Open Size	Folded size
777171	1	400 x 1105 x 410 mm	400 x 740 x 180 mm

Drum Truck - Multi-Purpose



- For use with 100 to 210 litre steel drums.
- Caters for steel, plastic and fibre drums.

Part No.	Qty	Capacity
778865	1	400 kg

Drum Truck - Pallet Loading



- Designed to assist with loading and unloading 210 litre drums onto pallets or platforms.
- Fitted with a drum retention clamp to ensure safety and stability.
- Maximum pallet height of 190mm.
- Clamp attachment for handling plastic drums is available.

Part No.	Qty	Type	Width	Height	Depth
778870	1	Drum truck	1660 mm	1100 mm	610 mm
778872	1	Clamp attachment			

Flatbed Trolley



- Folds flat for compact storage.
- Fitted with non-slip rubber platforms and scuff resistant corners.
- Fitted with non-marking wheels (two fixed, two swivel).
- Powder coated steel handles

Part No.	Qty	Width	Height	Depth	Capacity
778850	1	470 mm	810 mm	730 mm	150 kg

Plastic Dolly



- Lightweight blue polypropylene.
- Fitted with 4 black swivel 80 mm nylon castors.
- Injection moulded construction.
- Carrying handle for easy transportation when not in use

Part No.	Qty	Width	Height	Depth	Capacity
778852	1	600 mm	110 mm	400 mm	100 kg

Shelf Trolleys - Steel



- Ideal for general workshop use.
- Fitted with either two or three shelves with an 85mm high side, perfect for keeping items on the shelf when moved.
- Finished in a grey enamel coat

Part No.	Qty	Type	W x H x D	Capacity
778856	1	2 Shelves	1020 x 820 x 620 mm	250 kg
778858	1	3 Shelves	1020 x 820 x 620 mm	250 kg

Utility Tray Trolleys



- Designed for most environments.
- Aluminium uprights and ribbed plastic shelves provide strength, durability and stability.
- Fitted with hardwearing (100mm Dia.) thermoplastic swivel rubber castor (2 braked)

Part No.	Qty	Type	W x H x D	Capacity
778860	1	2 Shelves	460 x 940 x 750 mm	100 kg
778862	1	3 Shelves	461 x 940 x 750 mm	150 kg

Utility Cabinet - With Lock



- Grey enamel powder coated steel.
- Divided into 4 fixed sections.
- Complete with lock & 2 keys

Part No.	Qty	Width	Height	Depth
777343	1	34”	22”	9”

Threaded Bar Rack



- Grey powder coated steel.
- Eighteen 2” diameter openings

Part No.	Qty	Width	Height	Depth
777367	1	24”	24”	7”



Utility Cabinet - With Adjustable Shelves



- Keyhole slots allow easy wall mounting.
- Each unit features two adjustable shelves & a lock attachment for padlock security.
- Please Note - Padlocks are not supplied

Grey enamel powder coated heavy steel

Part No.	Qty	Type	Width	Height	Depth
777055	1	Small Cabinet	14”	30”	13”
777056	1	Large Cabinet	20”	33”	14”

Cable Reel Racks



- Heavy duty racks with 5/8” diameter steel bars.
- Holds reels up to 10” in diameter.
- Grey powder coated steel

Part No.	Qty	Type	Width	Height	Depth
777383	1	1 Bar with handle	26”	10”	6”
777384	1	2 Bars	26”	18”	6”
777368	1	4 Bars	26”	37”	6”

Aerosol Can Caddy



- Grey enamel powder coated steel.
- Wall mountable.
- Holds up to six cans (3” in diameter)

Part No.	Qty	Width	Height	Depth
777385	1	22”	5”	3”

Storage Units - 12” Deep Bins



- Designed as heavy duty units for storing a variety of small parts.
- Produced from prime cold-rolled steel that will not wrap or sag.
- Each shelf has a hem of 1” at the front providing space to hold labels for content identification

Grey enamel powder coated steel
Interlocking & welded construction

Part No.	Qty	Type	Width	Height	Depth
777354	1	18 Bins (5 3/8” x 6 3/8” x 12”)	34”	19”	12”
777357	1	32 Bins (4” x 4 1/2” x 12”)	34”	19”	12”
777356	1	24 Bins (5 3/8” x 5 1/2” x 12”)	34”	24”	12”
777359	1	40 Bins (4” x 4 1/2” x 12”)	34”	24”	12”
777351	1	20 Bins (8” x 8 1/2” x 12”)	34”	42”	12”
777360	1	42 Bins (5 3/8” x 5 1/2” x 12”)	34”	42”	12”
777361	1	56 Bins (4 7/8” x 5 1/8” x 12”)	34”	42”	12”
777363	1	72 (4” x 4 1/2” x 12”)	34”	42”	12”
777364	1	Optional Base for 34” Wide Units	34”	6”	12”

Cabinet Units - 12” Deep Drawers



- Manufactured from cold-rolled steel with a rust & acid resistant finish.
- Vertical supports provide strength & with embossed mounting holes allow the cabinets to be stacked.
- Positive stop prevents drawers from being accidentally pulled out of the cabinet

Grey enamel powder coated steel. Interlocking & welded construction

Part No.	Qty	Type	Width	Height	Depth
777007	1	24 Drawers - 4 Row	34”	15”	12”
777014	1	30 Drawers - 5 Row	34”	18”	12”
777364	1	Optional Base	34”	6”	12”

Assortment Case - Professional



- Lightweight, see through toughened plastic lid, removable durable light grey plastic compartments and a tough blue plastic base.
- Multi location grid ensures compartments 'lock' in position and then fit into the lid multi-location points to ensure everything stays in place

Part No.	Qty	Width	Height	Depth
778700	3	400 mm	75 mm	310 mm

Assortment Case - Steel



- Hardwearing and durable.
- Ideal for a wide range of fixtures and fittings with removable plastic compartments in four colours.
- Internally fitted sprung steel safety-catch and a foam lined lid to reduce displacement of stored components.
- An ergonomic easy-grab handle is also fitted

Part No.	Qty	Width	Height	Depth
778701	3	390 mm	70 mm	280 mm

Small Scoop Boxes



- Rust & acid resistant finish.
- High impact plastic resin inserts with rounded scoops make it easier to remove small parts.
- Covers stay open to access all parts.
- Boxes come complete with handle & a positive, pull-down catch identification

Grey enamel coated steel with plastic inserts

Part No.	Qty	Type	Width	Height	Depth
777202	1	24 Compartments	13"	2"	9"
777204	1	21 Compartments	13"	2"	9"
777206	1	20 Compartments	13"	2"	9"
777209	1	16 Compartments	13"	2"	9"
777211	1	12 Compartments	13"	2"	9"
777213	1	8 Compartments	13"	2"	9"
777215	1	Adjustable Compartments (9 Dividers)	13"	2"	9"

Small Storage Racks



- Coated slide & tracks provide a quality smooth action.
- Special stops prevent boxes from being accidentally pulled out.
- Reinforced racks give extra strength & support to the scoop boxes when open, without tilting

Part No.	Qty	Type	Width	Height	Depth
777307	1	4 Drawer	15”	11”	12”
777308	1	6 Drawer	15”	16”	12”

Small Scoop Boxes & Storage Set



Contains: Rack, Stand & Boxes with 24, 20 , 16 & adjustable compartments

Part No.	Qty
777700	6 Piece Set

Large Scoop Boxes



- Rust & acid resistant finish.
- High impact plastic resin inserts with rounded scoops make it easier to remove small parts.
- Covers stay open to access all parts.
- Boxes come complete with handle & a positive, pull-down catch identification

Grey enamel coated steel with plastic inserts

Part No.	Qty	Type	Width	Height	Depth
777107	1	32 Compartments	18”	3”	12”
777102	1	24 Compartments	18”	3”	12”
777109	1	21 Compartments	18”	3”	12”
777111	1	20 Compartments	18”	3”	12”
777113	1	16 Compartments	18”	3”	12”
777115	1	12 Compartments	18”	3”	12”
777125	1	6 Horizontal	18”	3”	12”
777119	1	Adjustable Compartments (9 Dividers)	18”	3”	12”

Large Storage Rack & Stand



- Coated slide & tracks provide a quality smooth action.
- Special stops prevent boxes from being accidentally pulled out.
- Reinforced racks give extra strength & support to the scoop boxes when open, without tilting

Grey enamel powder coated steel

Part No.	Qty	Type	Width	Height	Depth
777303	1	4 Drawer	20”	15”	16”
777304	1	Rack Stand	20”	15”	16”

Large Scoop Boxes & Storage Set



Contains: Rack, Stand & Boxes with 24, 20 , 16 & adjustable compartments

Part No.	Qty
777701	6 Piece Set

NEW VISION BROCHURE

INCLUDING EXCITING NEW WEARABLES

Go to page 104, scan the QR code or Contact us to order your copy now!



SIGNAGE



SIGNAGE

EV Signs & Posters	568
Caution	570
Fire & Emergency	571
General	575
Mandatory	576
Prohibitory	580
Warning	583



High Voltage Sign

High voltage ISO pictogram denotes a hazard or prohibition message without text.



- Fitted with a durable sucker to allow placement on any smooth surface.
- Printed on a durable polymer panel measuring 25cm x 20cm.
- Sign to warn the workforce or customers of the potential hazard.
- Suitable for use throughout Europe

Part No.	Qty
EV001	1

EV Warning Sign Pack



- Complete assorted pack of electric vehicle warning signs.
- Comes with - drivers door window sign - Size 300mm x 200mm.
- Roof top warning sign - Size 310mm x 235mm x 3 sides.
- Constructed from durable rigid plastic.
- Chain barrier warning signs x 3.
- Size 300mm x 200mm. Perfect warning starter pack.

Part No.	Qty
EV003	5

High Voltage Sign for Chains



- Electric / hybrid vehicle warning signs.
- Signage to be used with barrier chains.
- Lightweight but durable polymer panel signs.
- Mounting hooks for easy deployment on the hi vis chains.
- Dimensions : 300 x 200mm)

Part No.	Qty
EV002	3

Electric Vehicle Safety Poster




- Electric vehicle full safety procedure wall poster.
- An essential checklist for technicians preparing to work on electric & hybrid vehicles.
- Ensures the correct sequence is followed to make vehicles safe prior to work.
- Printed on durable polymer panel.
- Dimensions : 750mm x 500mm.

Part No.	Qty
EV004	1

Electric Shock & CPR Poster

- The first aid & CPR advice poster offers a full procedure & precautions against electric shocks from EV / hybrids.
- Displays an easy to follow casualty assessment guide & CPR instructions.
- The poster is printed on a durable polymer panel.
- Please note - The poster is just for guidance.
- Dimensions : 750mm x 500mm

Part No.	Qty
EV005	1



Vehicle Roof Top Warning Sign

- High visibility warning to alert all personnel that the vehicle that's being serviced or repaired is a hybrid or an electric vehicle.
- High voltage sign to be used with additional signage / warnings to highlight electric / hybrid vehicles & the potential danger.
- Constructed from durable rigid plastic.
- Foam protected feet to prevent damage to the vehicle bodywork.
- Dimensions : 310mm x 235mm x 3 sides



Part No.	Qty
EV006	1

High Voltage Floor Sign

- Hazard warning floor sign.
- High voltage sign to be used with additional signage / warnings to highlight electric / hybrid vehicles & the potential danger.
- Warning of the potential hazards inside the workshop or garage with this double sided, highly visible warning sign.
- Manufactured from hard wearing plastic with integral handle making it easier for carrying.
- Height measures 630mm



Part No.	Qty
EV007	1

FULL EV TOOLS & CONSUMABLES ON PAGES 146 - 169

OR SCAN THE QR CODE TO VIEW OUR EV CONSUMABLES & TOOLS BROCHURE!





Part No.	Qty	Size	Type
CC019F	1	480 mm x 360 mm (19" x 14 1/4")	Foamex



Part No.	Qty	Size	Type
CC020F	1	480 mm x 360 mm (19" x 14 1/4")	Foamex



Part No.	Qty	Size	Type
CC023F	1	480 mm x 360 mm (19" x 14 1/4")	Foamex



Part No.	Qty	Size	Type
CC026F	1	480 mm x 360 mm (19" x 14 1/4")	Foamex



Part No.	Qty	Size	Type
CC025F	1	480 mm x 360 mm (19" x 14 1/4")	Foamex



Part No.	Qty	Size	Type
F001A	1	60 mm x 360 mm (2.3" x 14.2")	Adhesive




Part No.	Qty	Size	Type
CC030F	1	480 mm x 360 mm (19" x 14 1/4")	Foamex



Part No.	Qty	Size	Type
F003A	1	120 mm x 120 mm (4.7” x 4.7”)	Adhesive



Part No.	Qty	Size	Type
F005A	1	120 mm x 120 mm (4.7” x 4.7”)	Adhesive



Part No.	Qty	Size	Type
FC001F	1	480 mm x 360 mm (19” x 14.2”)	Foamex



Part No.	Qty	Size	Type
F007A	1	250 mm x 100 mm (9.8” x 3.9”)	Adhesive



Part No.	Qty	Size	Type
F008A	1	250 mm x 100 mm (9.8” x 3.9”)	Adhesive




Part No.	Qty	Size	Type
F009A	1	250 mm x 100 mm (9.8” x 3.9”)	Adhesive



Part No.	Qty	Size	Type
F010A	1	250 mm x 100 mm (9.8” x 3.9”)	Adhesive



Part No.	Qty	Size	Type
F011A	1	250 mm x 100 mm (9.8” x 3.9”)	Adhesive





Part No.	Qty	Size	Type
FA001A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA001F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA005A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA005F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA002A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA002F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA006A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA006F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA003A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA003F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA007A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA007F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA004A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA004F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
FA010A	1	480 mm x 360 mm (19" x 14.2")	Adhesive
FA010F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
F013A	1	150 mm x 450 mm (5.9” x 17.7”)	Adhesive



Part No.	Qty	Size	Type
F014A	1	150 mm x 450 mm (5.9” x 17.7”)	Adhesive



Part No.	Qty	Size	Type
F020A	1	150 mm x 450 mm (5.9” x 17.7”)	Adhesive



Part No.	Qty	Size	Type
FB004A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
FB004F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
FB005A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
FB005F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
FB006A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
FB006F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
FB007A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
FB007F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
FB002A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
FB002F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
GA018A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
GA018F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
GA026A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive




Part No.	Qty	Size	Type
GA001A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
GA001F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
GA002A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
GA008A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive




Part No.	Qty	Size	Type
GA010A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive



Part No.	Qty	Size	Type
GA011A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive



Part No.	Qty	Size	Type
GA013A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive



Part No.	Qty	Size	Type
GA014A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive



Part No.	Qty	Size	Type
GB001A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
GB001F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
GB007F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
GB012A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
GB012F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
GB019F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
GB021A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
GB021F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
MB001A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
MB001F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
MB004A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
MB004F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
MB002A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
MB002F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
MB005A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
MB005F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
MB003A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
MB003F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
MB006A	1	240 mm x 360 mm (9.4” x 14.2”)	Adhesive
MB006F	1	240 mm x 360 mm (9.4” x 14.2”)	Foamex



Part No.	Qty	Size	Type
MB007A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
MB007F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
MB013A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
MB013F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
MB010A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
MB010F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
MB014A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
MB014F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex




Part No.	Qty	Size	Type
MB011A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
MB011F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
MB015A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
MB015F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
M001F	1	600 mm x 600 mm (23.6" x 23.6")	Foamex



Part No.	Qty	Size	Type
M003F	1	300 mm x 600 mm (11.8" x 23.6")	Foamex



Part No.	Qty	Size	Type
M004F	1	300 mm x 600 mm (11.8" x 23.6")	Foamex



Part No.	Qty	Size	Type
M002F	1	150 mm x 600 mm (5.9” x 23.6”)	Foamex



Part No.	Qty	Size	Type
M005F	1	150 mm x 600 mm (5.9” x 23.6”)	Foamex



Part No.	Qty	Size	Type
M006F	1	150 mm x 600 mm (5.9” x 23.6”)	Foamex



Part No.	Qty	Size	Type
M007F	1	150 mm x 600 mm (5.9” x 23.6”)	Foamex



Part No.	Qty	Size	Type
P001A	10	80 mm x 80 mm (3.1" x 3.1")	Adhesive



Part No.	Qty	Size	Type
PA014A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
PA014F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
PA001A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
PA001F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB004A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB004F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PA007A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
PA007F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB005A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB005F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PA009A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
PA009F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB006A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB006F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB007A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB007F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB013A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB013F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB009A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB009F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB014A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB014F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB011F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PC009F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB012A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
PB012F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
PC010F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
PC012F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
PC013F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
PC014F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
PC015F	1	480 mm x 360 mm (19" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB021A	1	298 mm x 198 mm	Adhesive



Part No.	Qty	Size	Type
WA002A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
WA002F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
WA003A	1	120 mm x 360 mm (4.7" x 14.2")	Adhesive
WA003F	1	120 mm x 360 mm (4.7" x 14.2")	Foamex



Part No.	Qty	Size	Type
PB020A	1	200 mm x 300 mm (7.9" x 11.8")	Adhesive



Part No.	Qty	Size	Type
WB006A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB006F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB007A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB007F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB018A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB018F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB009F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB024A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive



Part No.	Qty	Size	Type
WB010A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB010F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB029A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB029F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB017A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB017F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB031A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB031F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB048A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB048F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB052A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB052F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB049A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB049F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB053A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB053F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB050A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB050F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB054A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB054F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB051A	1	240 mm x 360 mm (9.4" x 14.2")	Adhesive
WB051F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size	Type
WB055F	1	240 mm x 360 mm (9.4" x 14.2")	Foamex



Part No.	Qty	Size
WS001	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS005	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS002	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS006	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS003	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS008	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS004	1	100 mm x 100 mm (3.9” x 3.9”)



Part No.	Qty	Size
WS009	1	100 mm x 100 mm (3.9” x 3.9”)

WORKPLACE SUPPLIES





WORKPLACE SUPPLIES

Stationery	588
Refreshments	591
Packaging materials	592

Screenwipes



- Wipes designed for easy maintenance of your computer.
- Ensures your screen & keyboard are clean.
- Cuts through grease with ease, more effectively than water.
- Designed not to damage your computer

Part No.	Qty
899029	100

Highlighters



- Ink colour - assorted colours yellow, pink, orange, green, blue & red.
- Barrel colour matches ink colours.
- Chiselled nib provides both thick and thin lines.
- For vibrant yet clear highlighting.
- Suitable for most types of paper without fading.Ink is bright & fade-resistant for long lasting results.

Part No.	Qty
899020	6

Scissors



- Durable stainless steel blades.
- Size: 210mm (8 inch).
- Comfortable ergonomic design.
- Quality steel blades for a sharp, clean cut.
- Black handles

Part No.	Qty
899026	1

Calculator



- 12 Digit large LC display with plastic cover and hardwearing plastic keys for ease of use.
- Dual solar power & battery power (1XLR1130).
- Weight 115g. Dimensions - (WXDXH) 106.5 x 147 x 29mm
- Colour - White
- Alternative products made be offered from time to time.

Part No.	Qty
899028	1

Sprial Pads



- 80 Sheets quality paper which gives clean notes.
- 70gsm paper.
- Spiral bound notebook features a rigid back board. Feint ruled for neat note-taking.
- Wire binding allows notebook to lie flat.

Part No.	Qty	Size
899022	5	A4
899023	5	A5

Note Pad



- 80 Sheets of quality ruled paper - 160 pages.
- 60gsm paper.
- Ruled pages for neat note-taking.
- Wire binding allows notebook to lie flat

Part No.	Qty	Size
899024	20	203 x 127 mm

Address Labels



- Self adhesive labels ideal for labelling envelopes, packages, parcels, files & more.
- Supplied on a roll in a handy dispenser box.
- Label measurements 89mm x 36mm.
- On a roll for ease of use.
- Strong, reliable adhesion

Part No.	Qty
899021	100

Documents Folder



- Polypropylene durable document folders
- Holds up to 150 sheets of paper.
- Press stud closure.
- Size : A4.
- Colour : Blue.

Part No.	Qty
899025	12

Ruler - 300 mm



- Twin use ruler in both metric & imperial measurements.
- Features a bevelled edge that provides increased accuracy when measuring.
- Sturdy clear acrylic provides durability for frequent use
- Quality plastic construction.

Part No.	Qty
899027	1

A4 Paper



- For a cut above your usual paper, give Xerox Performer white A4 a go!
- Multi-purpose 80gsm paper which is suitable for both laser & inkjet printers.
- Made using pulp from sustainable forests.
- This paper has been created with environmental considerations at the forefront.
- Pack of 2500. 5 reams of 500 sheets.

Part No.	Qty
899001	2500

A4 Clipboard



- This standard A4 clipboard has a durable, smooth PVC finish for writing on the go.
- The high strength clip features protective corners to keep your documents secure & looking professional.
- The clipboard also features a retractable hanging hole & convenient pen clip.
- Colour - Black.

Part No.	Qty
899013	1

Sticky Notes



- Repositionable notes are perfect for making a note, jotting down reminders & leaving messages.
- Yellow.
- 76 x 127mm.
- 90 Sheets per pad. 70gsm paper.
- Water based adhesive, leaves no residue.
- Pack of 12 pads.

Part No.	Qty	Colour
899002	12 Pads	Yellow

Ballpoint Pens



- Bic Cristal ballpoint pens feature a durable tungsten carbide ball mechanism & smooth oil-based in for reliable, everyday use.
- The hexagonal barrel includes a black cap & end plug that matches the ink for easy identification.
- Ballpoint pen for everyday use.
- Medium 1.0mm tip writes a 0.4mm line width.

Part No.	Qty
899005	100

Permanent Markers



- Black durable permanent marker, bonded fibre tips retain their shape.
- Bullet tip 4.3mm gives approximately a 2.2mm line width.
- Will write on almost any surface including cardboard, plastic, metal, wood & glass.
- Heavy duty with tough aluminium barrel, barrel colour matches ink colour.

Part No.	Qty	Colour
899008	12	Black

Drywipe Markers



- For an easy way to brainstorm, plan, coordinate in your workplace, use these drywipe markers from Q-Connect.
- Results are vivid & clear with an odourless ink that is easily wiped from the surface of a wipeboard, requiring nothing more than a dry cloth.
- Ink designed not to leave residual traces.
- Bullet tip writes a 2 - 3mm line width

Part No.	Qty	Colour
899009	10	Black

Stapler & Staples



- Compact powerful Rapesco stapler.
- Staples up to 20 sheets of 80gsm paper.
- Uses standard staples - 24 6mm & 26 / 6mm.
- Durable all metal chassis with full rubber base.
- Box of 1 small compact staple

Part No.	Qty	Type
899015	1	Stapler
899014	Box of 5,000	Replacement Staples 24/6

Urinal Screens



- The apple orchard fragrance helps keep bathrooms & urinals fresh for up to 30 days.
- The web design prevents splash-back and the angled anti-splash texture keeps urinal areas clean.
- The anti-slip feature keeps the V-Screen in the correct position.
- Designed to catch debris such as paper, gum and other waste, keeping drains and urinals free flowing.
- Fits over the drain or urinal bowl

Part No.	Qty
865579	12

Vending Cup



- Designed to be used in beverage vending machines.
- Suitable for use with both hot & cold drinks.
- The cups are disposable & recyclable after use.
- 9 Oz cups, 25cl.
- Alternative products made be offered from time to time

Part No.	Qty	Size
898020	1000	9oz, 25 cl

Yorkshire Tea



- Yorkshire Tea uses only the very best tea leaves from Africa, Assam & Sri-Lanka.
- Each bag makes a perfect cup of tea.
- Aromatic , complex & richly satisfying.
- Decaf is a special blend of teas which keep their character after they've lost the caffeine

Part No.	Qty	
898001	Bag of 1040	Yorkshire Tea
898002	Box of 160	Decaf - Yorkshire Tea

Nescafe Coffee



- Made from a special blend of Arabica and Robusta beans. Full-bodied, distinctive flavour
- Hinged lid uses 'click-to-close' technology to seal in the flavour of the coffee.

Part No.	Qty	Type
898006	1 x 750 g	Nescafe Original
898007	1 x 500 g	Nescafe Gold Blend
898009	1 x 500 g	Nescafe Decaf

Galaxy Hot Chocolate



- Experience the smooth, indulgent taste of Galaxy in hot chocolate form.
- Delicious instant hot chocolate. Made with real Galaxy chocolate. Velvety smooth texture.
- Just add hot water and stir.
- A great alternative to caffeinated drinks.
- 1kg tin - serves up to 40 servings.

Part No.	Qty
898018	1

Coffee Mate



- Coffee Mate perfectly complements the enticing aroma and flavour of a great cup of coffee.
- An ideal alternative to milk.
- Refrigeration not required.
- Resealable tub to keep the contents fresh.
- 550g tin

Part No.	Qty
898008	1

Tate & Lyle Sugar



- There is nothing quite like pure cane sugar for adding a touch of sweetness to your day.
- Granulated white sugar.
- Contains pure cane sugar.
- New box design.
- 3kg box.

Part No.	Qty
898015	1

Evian Water



- Evian Natural Spring Water is taken from a natural French spring and bottled at source.
- Sourced at Evian-les-Baines.
- Low sodium content, delicious and refreshing hydration.
- Unprocessed spring water.
- 330ml bottles - Pack of 24 bottles.

Part No.	Qty
898013	24 Bottles

Cardboard Cartons - Double Walled



Part No.	Qty	Size
895800	20	305 x 229 x 150 mm
895801	15	450 x 300 x 300 mm

Corrugated Paper



Part No.	Qty	Size
895804	1	300 mm x 75 m

Bubble Wrap



Part No.	Qty	Size
895805	1	400 mm x 100 m

Stretch Wrap - Black



- 17 micron.
- Extended cones

Part No.	Qty	Size
895806	1	400 mm x 300 m

Grip Seal Bags

- Polythene.
- Strong transparent bag ideal for medium/small products.
- Open and close easily



Part No.	Qty	Size
895820	1000	148 x 210 mm
895822	1000	210 x 297 mm

Documents Enclosed Wallets



Part No.	Qty	Size
895807	1000	A5 (225 x 165 mm)
895808	1000	A7 (118 x 98 mm)


Parcel Tape Dispenser Gun



- For 66 mm rolls.
- Suits 895079 & 895077

Part No.	Qty
895078	1

Clear Packing Tape



Part No.	Qty	Size
895809	6	48 mm x 66 m

This Way Up' Tape



Part No.	Qty	Size
895802	6	48 mm x 66 m

Parcel Tape



- 66 m rolls.
- Brown polypropylene


Part No.	Qty
895079	3
895077	36

Fragile' Tape



Part No.	Qty	Size
895803	6	48 mm x 66 m


Adhesive Tape - Clear




- 66 m rolls

Part No.	Qty	Size
895103	3	25 mm (1") x 66 m




TENG TOOLS



TENG TOOLS

Tool Control Systems	596
Tool Kits & Storage	606
Sockets & Accessories	618
Torque Equipment	632
Spanners & Wrenches	634
Screwdrivers & Bits	636
Pliers	641
Cutting Tools	643
Auto & Service Tools	645

TENGTOOLS®

Socket Set - 1/4" Drive - 35 Piece



- 11 Regular 6 point sockets, 6 deep 6 point sockets, 11 screwdriver bits, ratchet handle, universal joint, 2" and 4" extension bars, 1/4" coupler adaptor, 3/8"-1/4" adaptor and 1/4" screwdriver handle.

Set contains:

Accessories	1/4" drive		Ratchet, universal joint, 2" and 4"extensions, coupler adaptor, 3/8" F:1/4"M T bar adaptor, 6" spinner handle
Regular sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Bits	1/4" hex		TPX10, 15, 20, 5mm, 6 mm hex, PH1, PH2, PZ1, PZ2, 4 mm, 5.5 mm flat

Part No.	Qty
T01033	1

Socket Set - 3/8" Drive - Metric, 19 Piece



- 13 Regular 6 point sockets, ratchet handle, universal joint, 3" wobble extension bar, 10" spinner handle with 3/8" drive at both ends, 1/2"-3/8" adaptor and 1/4" coupler adaptor.

Set contains:

Accessories	3/8" drive		Ratchet, universal joint, 3" wobble extension, 10" rotating spinner handle, 1/2" F:3/8" M T bar adaptor, coupler adaptor
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm

Part No.	Qty
T01034	1

TX/TPX/TXE Socket Set - 3/8" Drive - 30 Piece



- 28 TX, TPX and TX-E socket bits for internal and external heads as well as a 3/8" -1/4" adaptor and a 3" extension bar.

Set contains:

Accessories	3/8" drive	3" extension, 3/8"F:1/4"M adaptor
TX bit sockets	3/8" drive	TX10, 15, 20, 25, 27, 30, 40, 45, 50
TPX bit sockets	3/8" drive	TPX10, 15, 20, 25, 27, 30, 40, 45, 50
TX-E sockets	1/4" drive	E4, E5, E6, E7, E8
TX-E sockets	3/8" drive	E10, E12, E14, E16, E18

Part No.	Qty
T01045	1

Socket Set - 1/2” Drive - Metric, 17 Piece



- 17 x 12 point sockets, ratchet handle with quick release and flip reverse, 2 1/2” and 6” extension bars, 3/8-1/2” adaptor and universal joint.

Set contains:

Accessories	1/2” drive		Ratchet, universal joint, 21/2” and 6” extensions, 3/8” F:1/2” M T bar adaptor
Regular sockets	1/2” drive	12 point	10, 11, 12, 13, 14, 15, 16,17, 18, 19, 22, 24mm

Part No.	Qty
T13080	1

ANSI Impact Socket Set - 1/2” Drive - 16 Piece



- Regular and deep impact sockets.
- ANSI Standard suitable for automotive use.

Set contains:

Regular impact sockets	1/2” drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm
Deep impact sockets	1/2” drive	6 point	13, 15, 16, 17, 18, 19, 22, 24mm

Part No.	Qty
T02014	1

TX Bit Socket Set - 1/2” Drive - 23 Piece



- 20 Regular and long bits for internal TX heads.
- Also includes 2 adaptors and a 2mm hex mini screwdriver for tightening the retaining grub screws in the adaptors.

Set contains:

Adaptors	1/2” drive	10mm hex adaptor
Adaptors	1/2” drive	12mm hex adaptor
Hex bits 40mm	10mm drive	TX20, 25, 27, 30, 40, 45, 50, 55
Hex bits 40mm	12mm drive	TX60, 70
Hex bits 75mm	10mm drive	TX20, 25, 27, 30, 40, 45, 50, 55
Hex bits 75mm	12mm drive	TX60, 70
Accessories		2mm hex mini screwdriver

Part No.	Qty
T01040	1

Mixed Drive Extension Bar Set - 13 Piece



- 6 Extension bars (1/4", 3/8" and 1/2" drive), universal joints 1/4", 3/8" and 1/2", 3/8"- 1/4" adaptor, T-handle and mini screwdrivers for tightening retaining grub screws in the adaptors.
- The unique T-handle can be used in conjunction with the extension bars to create a comfortable grip for added torque and ease of use.

Set contains:

Accessories	1/4" drive	6" and 12" extensions, universal joint
Accessories	3/8" drive	3" wobble extension, 20" extension
Accessories	3/8" drive contd.	Universal joint, 3/8"F:1/4"M T bar adaptor
Accessories	1/2" drive	3" wobble extension, 20" extension, universal joint
Accessories		T handle grip, 2.0mm hex and 2.5mm hex mini screwdrivers

Part No.	Qty
T13366	1

Combination Spanner Set - Metric - 12 Piece



- Same dimensions at both ends.
- 12 point ring head set at 15° angle.
- Made from chrome vanadium with polished heads and a satin finish.

Part No.	Qty
T04134	1

Combination Spanner Set - Metric - 12 Pc



- Same dimension at both ends.
- 12 point ring head set at 15° angle.
- Made from chrome vanadium with polished heads and a satin finish.

Set contains:

Combination spanners	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Part No.	Qty
T04039	1

Combination Spanner Set - Metric - 7 Piece



- Combination spanner set ranging from 20 to 32mm.
- Made from chrome vanadium steel with a satin finish.
- 12 point ring head angled at a 15°.

Set contains:

Combination spanners	20, 21, 22, 24, 27, 30, 32mm

Part No.	Qty
T04140	1

Ratcheting Spanner Set - 8 Piece



- Combined ring/open ended spanners with a 12 point ring.
- Same size at both ends.
- Ratchets are flip reverse and offset by 13° for use on flat surfaces.
- Made from chrome vanadium with a satin finish.

Set contains:

Ratchet spanners	8, 10, 11, 12, 13, 14, 17, 19mm

Part No.	Qty
T04142	1

Combination Spanner Set - Midget - Metric, 10 Piece



- Set of 10 stubby spanners made of chrome vanadium steel with a satin finish and the same dimension at both ends.
- 12 point ring head set at a 15° angle.

Set contains:

Midget combination spanners	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Part No.	Qty
T04091	1

Adjustable Wrench Set - TPR Grip - 4 Piece



- 3 Adjustable wrenches with TPR grip handles and 8" wide jaw opening adjustable wrench with vinyl grip.

Set contains:

Adjustable wrenches	6" (23.9mm capacity)
Adjustable wrenches	8" (28.6mm capacity)
Adjustable wrenches	10" (32.8mm capacity)
Adjustable wrenches	8" wide jaw (38.6mm capacity)

Part No.	Qty
T01020	1

Torque Wrench Set - 3/8" Drive - 22 Piece



- 3/8" Drive torque wrench, 10 crow foot wrenches, bit adaptor, 8 TX bits, 3" & 5" extension bars.

Set contains:

Torque wrench	3/8" drive	angular gauge torque wrench (20-100Nm, 15-75 ft/lb)
Accessories	3/8" drive	3" and 5" extensions, adaptor for 10mm hex bits
TX bits	10mm hex drive	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40
Crow foot wrenches	3/8" drive	10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Part No.	Qty
T01024	1



T-Handle Hex Key Set - 7 Piece



- Ball point head on the long key end improves access.

Set contains:

T handle driver	hex/ball point	100mm (long arm)	2.5, 3, 4mm
T handle driver	hex/ball point	150mm (long arm)	5, 6, 7mm
T handle driver	hex/ball point	190mm (long arm)	8mm

Part No.	Qty
T05054	1

T-Handle TX/TPX Hex Key Set - 7 Piece



- For internal TX heads (also for tamper proof screws).

Set contains:

T handle driver	TX/TPX	100mm (long arm)TX/TPX10,TX/TPX15, TX/TPX20
T handle driver	TX/TPX	150mm (long arm)TX/TPX25, TX/TPX27,TX/TPX30
T handle driver	TX/TPX	190mm (long arm)TX/TPX40

Part No.	Qty
T05055	1

Ratcheting Bits Driver Set - 74 Piece



- Ratcheting bits driver, 6" flexible extension, 69 bits, 4" extension bar and coupler adaptors.

Set contains:

Accessories	1/4" drive	ratcheting bits handle including 6 bits PH1, PH2, PZ1, PZ2, 5 & 7mm flat, 6" flexible extension
Accessories	1/4" drive contd.	4"extension, 1/4" M:1/4" hex adaptor coupler, 1/4" F:1/4" hex coupler adaptor
25mm hex bits	1/4" hex drive	TX6, 7, 8, 9, 10, 15, 20x3, 25x3, 27, 30, 40, TPX10, 15, 20x2, 25x2, 27, 30, 40, 2, 3, 4, 5, 6, 8mm hex
25mm hex bits	1/4" hex drive contd.	0.6x3.5, 0.6x4.5, 0.8x4.0, 0.8x5.5, 1.0x5.5, 1.2x5.0, 1.2x6.5, 1.4x7.0, 1.6x8.0mm flat
25mm hex bits	1/4" hex drive contd.	PH1x4, PH2x7, PH3x1, PZ1x4, PZ2x7, PZ3x1, 1, 2, 3 square, GR

Part No.	Qty
T01050	1

Impact Driver Set - 1/2" Drive - 20 Piece



- 1/2" Impact driver, coupler adaptor, 5/16"-3/8" hex adaptor, 17 bits.

Set contains:

Accessories	1/2" drive	reversible impact driver, coupler adaptor
Accessories	1/2" drive contd.	5/16" hex:3/8 " M adaptor
36mm hex bits	5/16" drive	6mm flat, 8mm flat, 10mm flat, 12mm flat
36mm hex bits contd	5/16" drive	PH1, PH2, PH3, PH4
36mm hex bits contd	5/16" drive	4mm hex, 5mm hex, 6mm hex, 8mm hex
36mm hex bits contd	5/16" drive	TX30, TX40, TX45, TX50, TX55

Part No.	Qty
T02016	1

Screwdriver Set - Interchangeable - 12 Piece



- 12 Interchangeable screwdriver blades including TX, Hex, PH and PZ heads with chrome vanadium steel blades.

Set contains:

Screwdrivers		Changeable handle for 1/4" shank
Screwdrivers	TX Type	TX10xTX15, TX20xTX25,TX30xTX40
Screwdrivers	Hex type	Hex ball 3.0 x Hex 3.0mm, Hex ball 4.0 x Hex 4.0mm
Screwdrivers	Hex type contd.	Hex ball 5.0 x Hex 5.0mm, Hex ball 6.0 x Hex 6.0mm
Screwdrivers	PH type	PH1 x PH2, PH3 x Flat 6.5mm
Screwdrivers	Flat regular type	4.0 x 5.5mm

Part No.	Qty
T06150	1

Screwdriver Set - Mega Drive - 5 Piece



- Power through screwdrivers for slotted heads and Phillips heads.
- Hexagonal shaft and precussion cap.
- Two component handle.

Set contains:

Power through screwdrivers	Flat regular	6.5mm x 100mm, 8 x 150mm, 10 x 200mm
Power through screwdrivers	PH Type	PH2 x 100mm, PH3 x 150mm

Part No.	Qty
T06105	1

TX Screwdriver Set - 7 Piece



- TX8 through to TX30.
- Includes TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole.
- T-drive facility for added torque and comfort.

Set contains:

TX drivers	TX type	TX8x75mm, TX9x75mm
TX drivers	TPX type	TPX10x100mm, TPX15x100mm, TPX20x100mm, TPX25x100mm, TXP30x100mm

Part No.	Qty
T06108	1

Screwdriver Set (Flat, PH & PZ) - 7 Piece



- TT-MV PLUS steel blades.
- Ergonomically designed bi-material handles with hanging hole.
- T-drive facility for added torque and comfort.

Part No.	Qty
T06107	1

Plier Set - Mega Bite - 4 Piece



- 4 Mega Bite pliers: water pump pliers, combination pliers, side cutters and long nose pliers.
- Made of chrome vanadium steel with plastic covered handles.

Set contains:

Pliers	6” side cutter, 7” combination, 8” long nose, 10” water pump

Part No.	Qty
T07040	1

Circlip Plier Set - 4 Piece



- 4 Mega Bite circlip pliers - 2 straight tip and 2 bent tip pliers for internal and external circlips.
- Fitted with a return spring.

Set contains:

7” Circlip pliers	inner/straight (12 to 65mm capacity), inner/bent (12 to 65mm capacity)
7” Circlip pliers contd.	outer/straight (10 to 40mm capacity), outer/bent (10 to 40mm capacity)

Part No.	Qty	Size
T07046	1	7”

Plier Set - Power Grip - 5 Piece



- 4”, 7” and 10” round jaw pliers and 4” and 6” long nose pliers.

Set contains:

Pliers	4” Power Grip Plier
Pliers	4” Long Nose Power Grip
Pliers	6” Long Nose Power Grip
Pliers	7” Power Grip
Pliers	10” Power Grip

Part No.	Qty
T07075	1

Combination Puller Set - 2 Piece



- 3 Legged combination puller with an extra yoke for switching to 2 legged pulling.
- Reversible legs for internal and external grip.
- Made from chrome vanadium.

Set contains:

Puller set	combination twin/triple 6” leg puller with 4” capacity

Part No.	Qty
T08026	1

Pry Bar Set - Heavy Duty - 3 Piece



- With Power Thru handles.

Set contains:

Pry bars	12”, 18”, 22”

Part No.	Qty
T08152	1

Pry Bar Set - 3 Piece



- 12”, 16” and 20” Pry bars.

Set contains:

Roll/heel bars	12”, 16”, 20”

Part No.	Qty
T08074	1

Scraper Set - 4 Piece



- 4 Piece multi purpose tool set containing a scraper, hooks and an awl.

Set contains:

Gasket scraper	22mm wide blade, total length 245mm
Hooks & awl	curved hook, 90° hook and awl

Part No.	Qty
T09035	1

Tap & Die Set - 17 Piece



- One tap and one die of each dimension, tap wrench, die stock and a screw pitch gauge.
- Suitable for repairing threads.

Set contains:

Metric dies	3mm x 0.5, 4mm x 0.7, 5mm x 0.8,6mm x 1.0, 8mm x 1.25, 10mm x 1.5,12mm x 1.75
Metric taps	3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm
Accessories	tap handle (capacity 3 to 12mm)
Accessories contd.	die handle with adjustment screw (capacity 3 to 12mm)
Accessories contd.	screw pitch gauge


Part No.	Qty
T01025	1

PROFESSIONAL TOOL KIT -T20160

Roller Cabinet Tool Kit



Direct From Manufacturer - Contact your supplier



Part No: T20160

Contents:

TENG Code	Description
TCW808NBK	8 Drawer Roller Cabinet Black
TC80ABK	Top Cabinet
TT1435	Socket Set 1/4 inch Drive 35 Pieces
TT3819	Socket Set 3/8 inch Drive 19 Pieces
TT1236	Spanner Set Combination 12 Pieces
TT6508R	Spanner Set Combination Rev Ratchet 8 Pieces
TTXND	Nut Driver Set 9 Pieces
TTXMDTN	Screwdriver Set Power Thru 5 Pieces
TTMD74	Bits Driver Set 74 Pieces
TT917N	Screwdriver Set 7 Pieces
TTHEX7	Hex Key Set T-Handle BP 7 Pieces
TTTX7	TX Key Set T-Handle 7 Pieces
TTX3892	Torque Wrench Set 3/8 inch Drive 22 Pieces
TT440-T	Plier Set TPR Grip 1 Pieces
TTCP121	Crimping Plier Set 121 Pieces
TTSR04	Scraper Set 4 Pieces
TTPC09	Punch and Chisel Set 9 Pieces

TENG Code	Description
TTX01	Tool Box TTX Tray 6 Compartments
TTPS09	Tool Set General Tools 9 Pieces
TTXEXT13	Socket Set Extension Bar Set 13 Pieces
TT1205	Socket Set 1/2 inch Drive 5 Pieces
TT1217	Socket Set 1/2 inch Drive 12 Pt 5 Pieces
TTBS35	Socket Set 1/4 & 3/8 inch Drive Bits
TTHT28	Hex Key Set 28 Pieces
TTX2032	Spanner Set Combination 7 Pieces
TTVG05	Plier Set Power Grip 5 Pieces
TTSD38	Torque Screwdriver Set 38 Pieces
TTHEX16	Socket Set 1/2 inch Drive Hex Bit 16 Pieces
TT474-7	Plier Set 7 inch Circlip 4 Pieces
TTX1292	Torque Wrench 1/2 inch Drive 40-210Nm
TTID19	Impact Driver Set 1/4 inch Drive 19 Pieces
TTSN11	Extractor Sets 11 Pieces
TT9116N	Impact Socket Set 1/2 inch Drive 16 Pieces
TT9207A	Impact Socket Set 1/2 inch Drive ANSI 7 Pieces

Part No.	Qty
T20160	574 Pc Set

APPRENTICE TOOL KIT -T20150

Bespoke Top box Service Kit - 148 Piece Kit

Direct From Manufacturer - Contact your supplier









Part No: T20150

- 6 Drawer
- 26" Wide Box
- Heavy Gauge Steel
- 5-Step Rust Protection
- 3 Step Ball Bearing Slides
- Comfort Grip Handle
- Combination Lock

Contents:

TENG Code	Description
TC806NGM	Tool Box Top Box 6 Drawer Black
TT1435	Socket Set 1/4 inch Drive 35 Pieces
TT1211	Socket Set 1/2 inch Drive 11 Pieces
TT1218	Socket Set 1/2 inch Drive 12 Pt 18 Pieces
TT440-T	Plier Set TPR Grip 4 Pieces
TT971N	Screwdriver Set 7 Pieces
TTHEX7	Hex Key Set T-Handle BP 7 Pieces
TTVG05	Plier Set Power Grip 5 Pieces
TTSN11	Extractor Set 1 Pieces
TT1236	Spanner Set Combination 12 Pieces
TT9116N	Impact Socket Set 1/2 inch Drive 16 Pieces
TT9207A	Impact Socket Set 1/2 inch Drive ANSI 7 Pieces
TT9015HX	Impact Socket Set 3/8 1/2 Drive Hex 15 Pieces

Part No.	Qty
T20150	148 Pc Set

COMMERCIAL VEHICLES APPRENTICE TOOL KIT T20170

Bespoke Top box Service Kit - 141 Piece Kit

Direct From Manufacturer - Contact your supplier













- 5 Drawer
- 26" Wide Box
- Heavy Gauge Steel
- 5-Step Rust Protection
- 3 Step Ball Bearing Slides
- Comfort Grip Handle
- Combination Lock

Part No: T20170

Contents:

TENG Code	Description
TC805NFX	Tool Box Top Box 5 Drawer
TT1205	Socket Set 1/4 inch Drive 5 Pieces
TT1217	Socket Set 1/2 inch Drive 12 Pt 17 Pieces
TT9116N	Impact Socket Set 1/2 inch Drive 16 Pieces
TT1236	Spanner Set Combination 12 Pieces
TTX2032	Spanner Set Combination 7 Pieces
TT440-T	Plier Set TPR Grip 4 Pieces
TTVG05	Plier Set Power Grip 5 Pieces
TTPC09	Punch and Chisel Set 9 Pieces
TTADJ04	Wrench Set Adjustable 4 Pieces
TTXMDTN	Screwdriver Set Power Thru 5 Pieces

TENG Code	Description
TTX3404	Socket Set 3/4 inch Drive 4 Pieces
TTX3414	Socket Set 3/4 inch Drive 14 Pieces
TTX9415	Impact Socket Set 3/4 inch Drive 15 Pieces
TTX1292	Torque Wrench 1/2 inch Drive 40-120Nm
TTPS09	Tool Set General Tools 9 Pieces
1201	Flex Handle 1/2 inch Drive 17 inch
4006	Adjustable Wrench 15 inch
4007	Adjustable Wrench 18 inch
600536	Spanner Combination 36mm
1479MM	Hex Key Set Ball Point MM 9 Pieces
MB416	Plier Groove Joint Water Pump 16 inch

Part No.	Qty
T20170	141 Pc Set

Socket - 1/4” Drive - 24 Piece



- 6 Point sockets, fibre reinforced ratchet handle, 3” extension bar, universal joint, bits holder, PH, Flat, Hex and TX bits.
- Supplied in a plastic case with a snap lock and hinges with metal pins for extended life.

Set contains:

Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13
Accessories	1/4” drive		FRP ratchet, 3” extension bar, universal joint, bits holder
Bits	1/4” hex		PH1, PH2, 3mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, 4mm flat, 5.5mm flat

Part No.	Qty
T01952	1

Socket Set - 1/4” Drive - 36 Piece



- 6 Point sockets, fibre reinforced ratchet handle, coupler adaptor, 3/8”-1/4” adaptor, 2” and 4” extension bars, universal joint, 3 Hex keys and 11 bits.
- Supplied in a plastic case with a snap lock and hinges with metal pins for extended life.

Set contains:

Accessories	1/4” drive		FRP ratchet, universal joint, 2” & 4” extensions, coupler adaptor, 3/8”F:1/4”M T-bar adaptor, 1.5, 2.0 & 2.5mm hex keys
Regular sockets	1/4” drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Deep sockets	1/4” drive	6 point	6, 7, 8, 10, 12, 13mm
Bits	1/4” hex		TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat

Part No.	Qty
T01954	1

Socket Set - 3/8” Drive - 34 Piece



- Metric regular 6 point sockets, a fibre reinforced ratchet handle, 3” and 6” extension bars and an adaptor.
- Supplied in a plastic case with a snap lock and hinges with metal pins for extended life.

Set contains:

Accessories	3/8” drive		FRP ratchet, 3” and 6” extension bars, 1/2”Fx3/8”M adaptor
Regular sockets	3/8” drive	6 point	8, 10, 11, 12, 13, 14, 15, 17, 19mm
Bits 25mm	1/4” hex		3mm flat, 4mm flat, 5.5mm flat, 3mm hex, 4mm hex, 5mm hex, 6mm hex, TX10, TX15, TX20, TX25, TX27, TX30, TX40, PH1, PH2, PH3, PZ1, PZ2, PZ3

Part No.	Qty
T01958	1

Socket Set - 3/8” Drive - 39 Piece



- Regular and deep metric 6 point sockets, a coupler adaptor, 1/2”-3/8” adaptor, 3” wobble extension bar and 6” extension, a universal joint, 2 spark plug sockets: 16mm and 21 mm, fibre reinforced reversible ratchet and 11 bits.
- Supplied in a plastic carrying case with a latch lid, a retractable handle specifically designed for comfort and durability.
- Hard wearing hinges with metal pins for extended life.
- Rubber feet to prevent sliding and to protect it from scratching.
- Individual tool places for easy identification.

Set contains:

Accessories	3/8” drive	FRP ratchet, universal joint, 3" wobble extension, 6" extension coupler adaptor, 1/2" F:3/8"M T-bar adaptor
Regular sockets	3/8” drive, 6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Deep sockets	3/8” drive, 6 point	8, 10, 12, 13, 17, 19mm
Spark plug sockets	3/8” drive	16 and 21mm
Bits	1/4” hex	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat

Part No.	Qty
T01960	1

Socket & Spanner Set - 39 Piece



- 6 Point metric sockets, 6" extension bar, universal joint, coupler adaptor, 1/2"-3/8" adaptor, fibre reinforced reversible ratchet, 9 combination spanners as well as 11 screwdriver bits.
- Set supplied in a plastic carrying case with a latch lid, a retractable handle specifically designed for comfort and durability, hard wearing hinges with metal pins for extended life and rubber feet to prevent the set from sliding and to protect from scratching.
- Tools have individual places so lost tools can easily be identified.

Set contains:

Accessories	3/8" drive		FRP ratchet, universal joint, 6" extension, coupler adaptor 1/2"F:3/8"M T-bar adaptor
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17,18, 19, 21, 22mm
Combination spanners			8, 10, 11, 12, 13, 14, 15, 17, 19mm
Bits	1/4" hex		TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat

Part No.	Qty
T01509	1

Tool Set - 3/8" Drive - 67 Piece



- 6 Point metric sockets, fibre reinforced ratchet handle, universal joint, 3" and 6" extension bars, coupler adaptor, 1/2"- 3/8" adaptor, bits driver with magnetic bits holder, 10 combination spanners, 6 screwdrivers, 4 pliers as well as 26 bits.
- Set supplied in a plastic carrying case with a latch lid, a retractable handle specifically designed for comfort and durability, hard wearing hinges with metal pins for extended life and rubber feet to prevent the set from sliding and also to protect it from scratching.
- Tools have individual places so lost tools can easily be identified.

Set contains:

Accessories	3/8" drive		FRP ratchet, 3" & 6" extensions, coupler adaptor, 1/2"F:3/8"M T-bar adaptor, bits driver handle with magnetic bits holder
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm
Combination spanners			8, 10, 11, 12, 13, 14, 15, 16, 17, 19mm
Screwdrivers			3.0mm flat, 5mm flat, 6mm flat, PH0, PH1, PH2
Pliers			6" side cutter, 7" combination, 8" long nose, 10" water pump
Bits	1/4" hex		TX8, TX10, TX15, TX20, TX25, TX27,TX30, TX40, TX45, TX50, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 8mm hex, 10mm hex, PH0, PH1, PH2, PH3, PZ1, PZ2, PZ3, 4mm flat, 5.5mm flat, 7mm flat

Part No.	Qty
T01550	1

Socket Set - 1/2" Drive - 21 Piece



- 12 Point regular sockets, 2 1⁄2" and 6" extension bars, a universal joint, 1/2"-3/8" adaptor as well as a fibre reinforced reversible ratchet.
- Supplied in a plastic carrying case with a latch lid, a retractable handle specifically designed for comfort and durability, hard wearing hinges with metal pins for extended life and rubber feet to prevent the set from sliding and to protect from scratching.
- Individual tool places for easy identification.

Set contains:

Accessories	1/2" drive		FRP ratchet, universal joint, 2 1⁄2" and 6" extensions, 3/8"F"1/2"M T-bar adaptor
Regular sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18,19, 21, 22, 24, 27, 30, 32mm

Part No.	Qty
T01543	1

Socket Set - 3/4" Drive - 18 Piece



- 6 Point sockets, 450mm T handle, 200mm and 400mm extension bars as well as a 40 teeth ratchet with quick release and flip reverse.
- Supplied in a plastic carrying case with a latch lid, a retractable handle specifically designed for comfort and durability, hard wearing hinges with metal pins for extended life and rubber feet to prevent the set from sliding and protect from scratching.
- Individual tool places for easy identification.

Set contains:

Accessories	3/4" drive		Quick release 72 teeth ratchet, 200 & 400mm extensions, sliding T-bar
Regular sockets	3/4" drive	6 point	19, 21, 22, 24, 27, 30, 32, 33,34, 36, 38, 41, 46, 50mm

Part No.	Qty
T01545	1

Socket Set - 3/4" Drive - 22 Piece

- 8 Metric 6 point sockets, 9 AF 12 point sockets, a ratchet handle with 72 teeth and quick release button, 100mm, 200mm and 400mm extension bars.
- Security locking mechanism and a sliding T bar.
- Supplied in a plastic carrying case with a latch lid, a retractable handle specifically designed for comfort and durability, hard wearing hinges with metal pins for extended life and rubber feet to prevent sliding and protect from scratching.
- Individual tool places for easy identification.



Set contains:

Accessories	3/4" drive		Quick release 72 teeth ratchet, 100, 200 and 400mm extension bars, sliding T bar
Regular sockets	3/4" drive	6 point	19, 21, 24, 27, 32, 34, 36, 50mm
Regular sockets	3/4" drive	12 point	7/8" (22mm), 1", 1 1⁄8", 1 3⁄16" (30mm) 1 5⁄16" (33mm), 1 1⁄2" (38mm), 1 5⁄8" (41mm), 1 13⁄16" (46mm), 2"

Part No.	Qty
T01546	1

Hook & Pick Set

- Supplied with an awl, hook tool, 45 and 90 degree bent tools and an aluminium handle.
- For detail work and scribing.
- Supplied in a pocket sized case with a click lock.



Part No.	Qty
T09030	1

Mechanics Tool Kit - 187 Piece

- Complete Mega Rosso mechanics kit including 1/4", 3/8" and 1/2" drive socket sets and combination spanners in a barn style box with unique socket storage.



Set contains:

Accessories	1/4" drive		30 socket clips, FRP ratchet, universal joint, 2" and 4" extensions, 3/8"F:1/4"M adaptor, coupler adaptor
Accessories	3/8" drive		30 socket clips, FRP ratchet, universal joint, 6" extension, 1/2"F:3/8"M adaptor
Accessories	1/2" drive		30 socket clips, FRP ratchet, universal joint, 2 1/2" and 6" extensions, 3/8"F:1/2"M adaptor
Regular sockets	1/4" drive	6 point	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Deep sockets	1/4" drive	6 point	6, 7, 8, 10, 12, 13mm
Regular sockets	3/8" drive	6 point	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm
Regular sockets	1/2" drive	12 point	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
Bits	1/4" hex		TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm hex, 4mm hex, 5mm hex, 6mm hex, 7mm hex, 8mm hex, 10mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat, 7mm flat
Wrenches			8, 10, 11, 12, 13, 14, 15, 17, 19mm combination spanners, ring holder, 1.5, 2.0, 2.5mm hex keys

Part No.	Qty
T01560	1

FULL EV TOOLS & CONSUMABLES ON PAGES 146 - 169

OR SCAN THE QR CODE TO VIEW OUR EV CONSUMABLES & TOOLS BROCHURE!



Service Kit - Portable - 113 Piece

- Fully portable tool kit supplied in a hard wearing, flight style carrying case, complete with suspension wheels, retractable handle and combination lock.
- Includes 9 Teng Tools TC trays plus space for additional tools.
- Included in the kit are 1/4", 3/8" and 1/2" drive socket sets, combination spanners, pliers, screwdrivers, TX drivers and T handle hex keys.



Set contains:

Compartment No.	Description
1/3	17 piece 1/2" drive regular metric socket set
1/3	12 metric combination spanners
1/3	4 piece Mega Bite plier set
2/3	7 piece Mega Drive screwdriver set
2/3	7 piece Mega Drive TX/TPX screwdriver set
2/3	7 piece metric T Handle hex key set
3/3	35 piece 1/4" drive regular/deep metric socket set
3/3	19 piece 3/8" drive regular metric socket set
3/3	5 1/2" drive socket accessory set

Part No.	Qty
T20120	1

Service Kit - Portable - 100 Piece

- Fully portable tool kit supplied in a hard wearing, flight style carrying case, complete with suspension wheels, retractable handle and combination lock.
- Includes 9 Teng Tools TC trays plus space for additional tools.
- Included in the kit are 1/4", 3/8" and 1/2" drive socket sets, combination spanners, pliers, screwdrivers and a 6 piece general service kit.



Set contains:

Compartment No.	Description
1/3	12 piece combination spanner set
1/3	7 piece Mega Drive screwdriver set
1/3	4 piece Mega Bite plier set
2/3	6 piece service tool set with ball pein hammer
3/3	35 piece 1/4" drive regular/deep metric socket set
3/3	19 piece 3/8" drive regular metric socket set
3/3	17 piece 1/2" drive regular metric socket set

Part No.	Qty
T20125	1

16 Drawer SV Stack System - 8 Series, 3 Piece Set



- A professional quality 16 drawer SV stack system built up using the TC806SV 6 drawer top box, TC803SV middle box and TCW807SV 7 drawer roller cabinet.
- Excludes drawer mats and removable tote tray found in the NF range of storage.

Part No.	Qty
T20114	1

3 Drawer SV Middle Box - 8 Series



- Ball bearing slides equipped with 3 extending, lockable drawers.
- Lock with 2 keys.
- Heavy-duty carrying handles at the sides and rubber feet under the chest.

Part No.	Qty
T20112	1

6 Drawer SV Top Box - 8 Series



- Ball bearing slides.
- Metal side handles and lockable key lock/front which covers the top of the drawer and the extending drawers.
- Excludes drawer mats and removable tote tray found in the NF range of storage.

Part No.	Qty
T20110	1

7 Drawer SV Roller Cabinet - 8 Series



- 2 Fixed castors / 2 swivel castors with brakes.
- 7 lockable drawers fitted with ball bearing slides and a transport handle.
- Each drawer has a protective mat in the bottom.

Part No.	Qty
T20103	1

6 Drawer Top Box - 8 Series



- Ball bearing slides.
- Removable plastic top tray with aluminium handle.
- Lockable lock/front which covers the top of the drawer and the extending drawers.
- Combination lock and heavy-duty carrying handles.

Part No.	Qty
T20101	1

3 Drawer Middle Box - 8 Series



- Ball bearing slides.
- 3 Lockable drawers fitted with ball bearing slides.
- Combination lock and heavy-duty carrying handles.
- Draws hold 4 Teng Tools TC trays.

Part No.	Qty
T20102	1

Rubber Tool Mat - 2 Meter Roll



- Rubber mat for placing in tool boxes, on a roller cabinet, a work top or in tool box drawers, etc.
- Resistant to oil and grease.
- Cut to required shape and size.
- Supplied in 2 meter rolls measuring 45cm and 2mm thick.

Part No.	Qty
T21037	1

72 Teeth Ratchet - 1/4" Drive



- Latest generation industrial style ratchet with 72 teeth to give a 5 degree increment between clicks for good access in confined spaces.
- Ratchet features a slim design with a bi-material grip and twist reverse function.
- Uncomplicated mechanism with several teeth engaging simultaneously to allow for higher torque capacity, extended life and easier servicing.
- Ideal for use in confined spaces and also where a smooth action is required.
- DIN 3122D.

Part No.	Qty
T03008	1

FRP Ratchet Handle - 1/4" Drive



- Steel reinforced fibre ratchet handle.
- Includes 45 teeth (8 degree increment), quick release and flip reverse functions.
- Ratchet meets or exceeds all internationally recognised quality and torque specifications.
- Design protected ratchet (24583ROC).
- Light and strong - more comfortable to use than regular ratchets.
- Bi-material handle for a more comfortable grip.
- DIN 3122D.

Part No.	Qty
T03009	1

Repair Kit for T03008 1/4" Drive Ratchet



Part No.	Qty
T03034	1

72 Teeth Ratchet - 3/8" Drive



- Latest generation industrial style ratchet with 72 teeth to give a 5 degree increment between clicks for good access in confined spaces.
- Ratchet features a slim design with a bi-material grip, quick release and twist reverse functions.
- Uncomplicated mechanism with several teeth engaging simultaneously to allow for higher torque capacity, extended life and easier servicing.
- Ideal for use in confined spaces and also where a smooth action is required.
- DIN 3122D.

Part No.	Qty
T03013	1

FRP Ratchet Handle - 3/8" Drive



- Steel reinforced fibre ratchet handle.
- Includes 45 teeth (8 degree increment), quick release and flip reverse functions.
- Ratchet meets or exceeds all internationally recognised quality and torque specifications.
- Design protected ratchet (24583ROC).
- Light and strong - more comfortable to use than regular ratchets.
- Bi-material handle for a more comfortable grip.
- DIN 3122D.

Part No.	Qty
T03016	1

Repair Kit for T03016 3/8" Drive Ratchet



Part No.	Qty
T03036	1



Sockets - 3/8" Drive - Regular, Metric



- 6 Point regular metric sockets.
- Made from chrome vanadium with a satin finish.
- DIN 3120/3124/ISO 2726

Part No.	Qty	Size
T13100	1	7 mm
T13032	1	8 mm
T13033	1	9 mm
T13034	1	10 mm
T13035	1	11 mm
T13036	1	12 mm
T13037	1	13 mm
T13038	1	14 mm
T13039	1	15 mm
T13040	1	16 mm
T13041	1	17 mm
T13042	1	18 mm
T13043	1	19 mm
T13101	1	20 mm
T13044	1	21 mm
T13045	1	22 mm

Metric Socket Clip Rail - 3/8" Drive - 16 Piece



- Metric 6 point sockets supplied on a clip rail.
- Made from chrome vanadium steel.
- Satin finish.

Set contains:

Accessories			1 clip rail (370mm in length) complete with 16 3/8" drive socket clips
Regular sockets	3/8" drive	6 point	7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm

Part No.	Qty
T03089	1

Sockets - 3/8" Drive - Deep, Metric



- 6 Point deep metric sockets Made from chrome vanadium with a satin finish.
- DIN 3120/3124/ISO 2725

Part No.	Qty	Size
T13046	1	8 mm
T13047	1	10 mm
T13112	1	11 mm
T13048	1	12 mm
T13049	1	13 mm
T13085	1	14 mm
T13113	1	15 mm
T13050	1	17 mm
T13051	1	19 mm

Socket Clip Rail - 3/8" Drive - Deep, Metric, 7 Piece



- 6 Point sockets supplied on a clip rail.
- Made from chrome vanadium steel.
- Satin finish.

Set contains:

Accessories			1 clip rail (165mm in length) complete with 7 3/8" drive socket clips
Deep sockets	3/8" drive	6 point	10, 12, 13, 14, 15, 17, 19mm

Part No.	Qty
T03018	1

See Page 461

FIXT400

MAINTENANCE SPRAY



360° VALVE SYSTEM

☑ HEAVY DUTY PERFORMANCE

Built to meet the demands of industrial environments.

☑ MULTI-PURPOSE ACTION

Penetrates, lubricates, protects, and displaces moisture.

☑ PRECISION ENGINEERING

Fast-acting formula that reduces downtime and keeps equipment in top condition.

☑ TRUSTED BY PROFESSIONALS

From garages to building sites, FIXT400 gets the job done





HIGH LUBRICITY	REDUCES FRICTION ON MOVING PARTS
PENETRATING ACTION	LOOSENS SEIZED OR RUSTED COMPONENTS
MOISTURE DISPLACEMENT	PREVENTS CORROSION AND ELECTRICAL FAULTS
SURFACE PROTECTION	LEAVES A THIN PROTECTIVE FILM AGAINST RUST

Universal Joint3/8" Drive



- Made from chrome vanadium steel with a satin finish.
- DIN 3123C.

Part No.	Qty
T13105	1

Socket Bits - 3/8" Drive - Metric, Hex



- Made from chrome vanadium with a satin finish.
- DIN 7423

Part No.	Qty	Size
T13200	1	3 mm
T13201	1	4 mm
T13202	1	5 mm
T13203	1	6 mm
T13204	1	7 mm
T13205	1	8 mm
T13206	1	10 mm

TX Socket Bits - 3/8" Drive



- Made from chrome vanadium with a satin finish.

Part No.	Qty	Size
T13120	1	TX20
T13121	1	TX25
T13122	1	TX27
T13305	1	TX30
T13307	1	TX40
T13123	1	TX45
T13124	1	TX50

Hex Bit Socket Clip Rail - 3/8" Drive - Metric, 9 Piece



- For internal hex holes supplied on a clip rail.
- Made from chrome vanadium.

Set contains:

Accessories		1 clip rail (165mm in length) complete with 9 3/8" drive socket clips
Metric hex bit sockets	3/8" drive	3, 4, 5, 5.5, 6, 7, 8, 10, 12mm

Part No.	Qty
T03029	1

TX Socket Clip Rail - 3/8" Drive - 9 Piece



- For internal TX heads.
- Supplied on a clip rail.

Set contains:

Accessories		1 clip rail (165mm in length) complete with 9 3/8" drive socket clips
TX bit sockets	3/8" drive	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50

Part No.	Qty
T03022	1

TPX Socket Clip Rail - 3/8” Drive - 9 Piece



- For internal tamper TPX heads.
- Supplied on a clip rail.

Set contains:

Accessories		1 clip rail (165mm in length) complete with 9 3/8” drive socket clips
TPX bit sockets	3/8” drive	TPX10, TPX15, TPX20, TPX 25, TPX27, TPX30, TPX40, TPX45, TPX50

Part No.	Qty
T03030	1

Step Up Adaptor 1/4”F - 3/8”M



- Made from chrome vanadium steel.
- Satin finish for a better grip when handling sockets.
- Ball bearing socket retainer on the male end to securely grip the socket.
- Supplied with a metal socket clip for use with a socket rail.

Part No.	Qty	Drive	Drive 2	Length
T13025	1	1/4”	3/8”	25 mm

Extension Bars - 3/8” Drive



- Made from chrome vanadium steel with a satin finish.
- DIN 3123B.

Part No.	Qty	Size	Length	Drive
T13022	1	3”	75 mm	3/8”
T13023	1	6”	150 mm	3/8”
T10033	1	10”	254 mm	3/8”

Adaptors



- Made from chrome vanadium with a satin finish.
- DIN 3123A.

Part No.	Qty	Length	Drive	Description	‘T’ Drive Facility
T13026	1	25.4 mm	3/8”	3/8” Female: 1/4” Male Adaptor	Yes
T13027	1	36.0 mm	3/8”	3/8” Female: 1/2” Male Adaptor	Yes

72 Teeth Ratchet - 1/2" Drive



- Latest generation industrial style ratchet with 72 teeth to give a 5 degree increment between clicks for good access in confined spaces.
- Ratchet features a slim design with a bi-material grip, quick release and twist reverse functions.
- Uncomplicated mechanism with several teeth engaging simultaneously to allow for higher torque capacity, extended life and easier servicing.
- Ideal for use in confined spaces and also where a smooth action is required.
- DIN 3122D.

Part No.	Qty	Length
T03001	1	250 mm

FRP Ratchet Handle - 1/2" Drive



- Steel reinforced fibre ratchet handle.
- 45 teeth (8 degree increment).
- Quick release and flip reverse functions.
- Ratchet meets or exceeds all internationally recognised quality and torque specifications.
- Design protected ratchet (24583ROC).
- Light and strong - more comfortable to use than regular ratchets.
- Bi-material handle for a more comfortable grip.
- DIN 3122D.

Part No.	Qty
T03002	1

Flex Handle - 1/2" Drive - 17"



- Chrome vanadium steel.
- Satin finish.
- Two component handle

Part No.	Qty	Size
T03003	1	17"

Repair Kit for T03003 1/2" Drive 17" Flex Handle



- Repair kit for T03003 1/2" drive two component flex handle.

Part No.	Qty
T03044	1

Flexible Ratchet - 1/2" Drive



- Flexible 60 teeth ratchet.
- Twist reverse and quick release functions.
- Two component non-slip handle.
- Satin finish.

Part No.	Qty	Size
T03058	1	400 mm

Repair Kit for T03002 1/2" Drive Ratchet



Part No.	Qty
T03032	1

Adaptors



- Made from chrome vanadium with a satin finish.
- DIN 3123A.

Part No.	Qty	Length	Drive	Description	T' Drive Facility
T10050	1	39.5 mm	1/2"	1/2" Female: 3/4" Male Adaptor	No
T13057	1	39.5 mm	1/2"	1/2" Female: 3/8" Male Adaptor	Yes

Universal Joint - 1/2" Drive



- Made from chrome vanadium steel with a satin finish.
- DIN 3123C.

Part No.	Qty
T13195	1

Sockets - 1/2" Drive - Regular, Metric



- 12 Point.
- Made from chrome vanadium and with a satin finish.
- DIN 3120/3124/ISO 2725

Part No.	Qty	Size
T13059	1	11 mm
T13060	1	12 mm
T13061	1	13 mm
T13062	1	14 mm
T13063	1	15 mm
T13064	1	16 mm
T13065	1	17 mm
T13066	1	18 mm
T13067	1	19 mm
T13069	1	21 mm
T13070	1	22 mm
T13072	1	24 mm
T13073	1	27 mm
T13074	1	30 mm
T13075	1	32 mm

Metric Socket Clip Rail - 1/2" Drive - 15 Piece

- 12 Point metric sockets supplied on a clip rail with socket clips.
- Made from chrome vanadium steel.
- Satin finish.



Set contains:

Accessories			1 clip rail (430mm in length) complete with 15 1/2" drive socket clips
Regular sockets	1/2" drive	12 point	10, 12, 13, 14, 15, 16, 17,18, 19, 21, 22, 24, 27, 30, 32mm

Part No.	Qty
T01513	1

SEE PAGES 90-100
FOR OUR FULL RANGE
OF AUTO BULBS

Deep Sockets - 1/2” Drive - Metric, 12 Point



- Made from chrome vanadium with a satin finish.
- DIN 3120/3124/ISO 2725

Part No.	Qty	Size
T13326	1	13 mm
T13328	1	14 mm
T13330	1	15 mm
T13332	1	16 mm
T13334	1	17 mm
T13338	1	19 mm
T13342	1	21 mm
T13344	1	22 mm
T13346	1	24 mm
T13348	1	27 mm
T13350	1	30 mm
T13352	1	32 mm
T13354	1	36 mm

Socket Clip Rail - 1/2” Drive - Deep, 8 Piece



- 12 Point, metric sockets supplied on a clip rail.
- Made from chrome vanadium steel.
- Satin finish.

Set contains:

Accessories			1 clip rail (210mm in length) complete with 8 1/2” drive socket clips
Deep sockets	1/2” drive	12 point	13, 14, 15, 17, 19, 21, 22, 24mm

Part No.	Qty
T03006	1

Socket Bits - 1/2” Drive - Metric, Hex



- Made from chrome vanadium with a satin finish.
- DIN 7422

Part No.	Qty	Size
T13180	1	5 mm
T13181	1	6 mm
T13183	1	8 mm
T13185	1	10 mm
T13186	1	12 mm
T13187	1	14 mm

Socket Clip Rail - 1/2” Drive - Hex Bit, 9 Piece



- For internal hex holes.
- Supplied on a clip rail.
- Satin finish.

Set contains:

Accessories		1 clip rail (220mm in length) complete with 9 x 1/2” drive socket clips
Hex bit sockets	1/2” drive	5, 6, 7, 8, 9, 10, 12, 14, 17mm

Part No.	Qty
T03053	1

TPX Socket Bits - 1/2" Drive



- Made from chrome vanadium with a satin finish

Part No.	Qty	Size
T13172	1	TPX30
T13173	1	TPX40
T13174	1	TPX45
T13175	1	TPX50

TPX Bit Socket Clip Rail - 1/2" Drive - 9 Piece



- For internal TPX heads and for tamper proof screws.
- Supplied on a clip rail.
- Satin finish.

Set contains:

Accessories		1 clip rail (220mm in length) complete with 9 1/2" drive socket clips
TPX bit sockets	1/2" drive	TPX20, TPX25, TPX27, TPX30, TPX40, TPX45, TPX50, TPX55, TPX60

Part No.	Qty
T03054	1

TX Bit Socket Clip Rail - 1/2" Drive - 9 Piece



- For internal TX heads.
- Supplied on a clip rail.
- Satin finish.

Set contains:

Accessories		1 clip rail (220mm in length) complete with 9 1/2" drive socket clips
TX bit sockets	1/2" drive	TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60

Part No.	Qty
T03065	1

Impact Sockets Regular - 1/2" Drive - Metric, 6 Point



- Made from chrome molybdenum.
- DIN standard for industrial use.

Part No.	Qty	Size
T12030	1	10 mm
T12031	1	11 mm
T12032	1	12 mm
T12033	1	13 mm
T12034	1	14 mm
T12035	1	15 mm
T12036	1	16 mm
T12037	1	17 mm
T12038	1	18 mm
T12039	1	19 mm
T12040	1	21 mm
T12041	1	22 mm
T12042	1	24 mm

Impact Socket Set - 1/2" Drive - Regular, 10 Piece



- 6 Point impact sockets supplied on a clip rail.
- The sockets are ANSI standard and are suitable for automotive use.

Set contains:

Regular impact sockets	1/2" drive	6 point	10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm

Part No.	Qty
T02006	1

Deep Impact Sockets - 1/2” Drive - Metric, 6 Point



- Made from chrome molybdenum.
- DIN standard suitable for industrial use.

Part No.	Qty	Size
T12050	1	10 mm
T12051	1	11 mm
T12052	1	12 mm
T12053	1	13 mm
T12054	1	14 mm
T12055	1	15 mm

Deep Impact Sockets - 1/2” Drive



- 6 Point deep metric impact socket.
- Made from chrome molybdenum.
- DIN standard suitable for industrial use.

Part No.	Qty	Size
T12004	1	17 mm
T12058	1	18 mm
T12005	1	19 mm
T12060	1	21 mm
T12007	1	22 mm
T12008	1	24 mm
T12023	1	27 mm
T12065	1	29 mm
T12024	1	30 mm
T12067	1	32 mm
T12025	1	36 mm

Impact Socket Set - 1/2” Drive - Deep, 10 Piece



- 6 Point deep impact sockets supplied on a clip rail.
- The sockets are ANSI standard and are suitable for automotive use.

Set contains:

Deep impact sockets	1/2” drive	6 point	10, 11, 12, 13, 14, 17, 19, 21, 22, 24mm

Part No.	Qty
T02008	1

Impact Adaptors - 1/2” Drive



- DIN standard.

Part No.	Qty	Description
T13480	1	1/2” F:3/4” M adaptor
T13472	1	1/2” F:3/8” M adaptor

Impact Extension Bars - 1/2” Drive



- DIN standard.

Part No.	Qty	Size
T13360	1	3”
T13362	1	5”
T13364	1	10”

72 Teeth Ratchet - 3/4" Drive - Heavy Duty



- Twist reverse and quick release functions.
- Manufactured to full professional quality standards.

Part No.	Qty
T03061	1

Adaptors



- Made from chrome vanadium with a satin finish.
- DIN 3123A.

Part No.	Qty	Length	Drive	Description	T' Drive Facility
T13460	1	40.0 mm	3/4"	3/4" Female: 1/2" Male Adaptor	Yes

Sockets Regular - 3/4" Drive - Metric, 6 Point



- Made from chrome vanadium with a satin finish.

Part No.	Qty	Size
T13430	1	24 mm
T13432	1	26 mm
T13434	1	27 mm
T13436	1	30 mm
T13438	1	32 mm
T13440	1	33 mm
T13444	1	36 mm
T13446	1	41 mm
T13448	1	46 mm

Deep Impact Socket - 3/4" Drive - Metric, 6 Point



- Made from chrome molybdenum.
- Locking pin and retaining ring facility.
-

Part No.	Qty	Size
T13400	1	22 mm
T13402	1	24 mm
T13404	1	27 mm
T13406	1	30 mm
T13408	1	32 mm
T13410	1	33 mm
T13412	1	34 mm
T13414	1	36 mm
T13416	1	41 mm
T13418	1	46 mm

Extension Bars



- Made from chrome vanadium steel with a satin finish.
- DIN 3123B.

Part No.	Qty	Size	Length	Drive
T13454	1	8”	200 mm	3/4”
T13456	1	16 “	400 mm	3/4”

Impact Adaptors - 3/8” Drive



Part No.	Qty	Description
T13478	1	3/8” F:1/2”M adaptor DIN standard.
T13470	1	3/8” F:1/4”M adaptor

Impact Adaptors - 3/4” Drive



- 7 Point deep impact sockets supplied on a clip rail.
- The sockets are ANSI standard and are suitable for automotive use.

Part No.	Qty	Description
T13482	1	3/4” F:1” adaptor
T13474	1	3/4” F:1/2” adaptor

Impact Universal Joint - 3/4” Drive



- 9 Point deep impact sockets supplied on a clip rail.
- The sockets are ANSI standard and are suitable for automotive use.

Part No.	Qty	Length
T13462	1	90 mm

Impact Extension Bar - 3/4” Drive



- 10 Point deep impact sockets supplied on a clip rail.
- The sockets are ANSI standard and are suitable for automotive use.

Part No.	Qty	Length
T13458	1	7”

Deep Impact Sockets - 1” Drive - Metric, 6 Point



- Made from chrome molybdenum with a locking pin and retaining ring facility.

Part No.	Qty	Size
T13500	1	30 mm
T13502	1	32 mm
T13504	1	33 mm

Impact Adaptor - 1” Drive



- Made from chrome molybdenum.
- Locking pin and retaining ring facility.

Part No.	Qty
T13476	1

Rail Tray - 450mm Four Track Clip

- For 33 sockets.
- Complete with carrying handle.
- 10 each of 1/4", 3/8" and 1/2" drive socket clips.
- To be used for mounting on the wall or in a tool box.



Part No.	Qty
T21004	1

Socket Rail - 1 Mtr Four Track, Aluminium

- For mounting on the wall or in a tool box.
- To be used with separate 1/4", 3/8" and 1/2" clips.



Part No.	Qty
T21003	1

Socket Rail - 430mm Single Track

- For mounting on the wall or in a tool box.
- To be used with separate 1/4", 3/8" and 1/2" clips.



Part No.	Qty
T21001	1

Socket Clips - 3/8" Drive

- 3/8" drive socket clips.



Part No.	Qty
T21006	1

Socket Clips - 1/2" Drive

- 1/2" drive socket clips.



Part No.	Qty
T21007	1

FIXT
INTERIOR CLEANING
ON PAGE 483

THE CHOICE

Torque Wrenches - 3/8" Drive

- For both tightening and final checking of the torque.
- Reversible with a lever but only for right hand action for torque checking.
- Angular gauge for after tightening.
- Graduated in Nm and ft/lbs.
- Lockable setting with accuracy of +/- 4%.
- Satin finish.
- DIN3122.



Part No.	Qty	Range Nm / Scale Nm	L x W x H	Range ft/lb	Scale ft/lb
T03024	1	5 - 25 / 0.4	277 x 27.6 x 20.6 mm	4 - 18	0.4
T03025	1	20 - 100 / 1.0	368 x 35.9 x 27.7 mm	15 - 75	1.0

Torque Wrenches - 1/2" Drive

- For both tightening and final checking of the torque.
- Reversible with a lever but only for right hand action for torque checking.
- Angular gauge for after tightening.
- Graduated in Nm and ft/lbs.
- Lockable setting with accuracy of +/- 4%.
- Satin finish.
- DIN3122.



Part No.	Qty	Range Nm / Scale Nm	L x W x H	Range ft/lb	Scale ft/lb
T03007	1	40 - 200 / 1.0	465 x 46.9 x 33.4 mm	30 - 150	1.0
T03026	1	70 - 350 / 5.0	632 x 47.1 x 37.1 mm	50 - 250	5.0

OF PROFESSIONALS

Torque Wrench - 3/4" Drive

- For both tightening and final checking of the torque.
- Reversible with a lever but only for right hand action for torque checking.
- Angular gauge for after tightening.
- Graduated in Nm and ft/lbs.
- Lockable setting with accuracy of +/- 4%.
- Satin finish.
- DIN3122.



Part No.	Qty	Range Nm / Scale Nm	L x W x H	Range ft/lb	Scale ft/lb
T03027	1	90 - 450 / 5.0	850 x 72.5 x 53.5 mm	70 - 350	5.0
T03028	1	140 - 700 / 2.5	1065 x 72.5 x 53.5 mm	100 - 500	2.5

Torque Wrenches, Bi-Directional - 1/2" Drive

- For left/right hand threads with a push through square drive and flip reverse ratchet action for torque checking.
- Angular gauge for after tightening.
- Graduated in Nm and ft/lbs.
- Lockable setting and accuracy of +/- 4%.
- Satin finish.
- DIN3122.



Part No.	Qty	Range Nm / Scale Nm	L x W x H	Range ft/lb	Scale ft/lb
T03059	1	40 - 200 / 1.0	465 x 46.9 x 33.4 mm	30 - 150	1.0
T03060	1	70 - 350 / 5.0	632 x 47.1 x 37.1 mm	50 - 250	5.0

Combination Spanners - Metric



- 12 Point ring end set at 15° angle.
- Same dimension at both ends.
- Made from chrome vanadium.
- Satin finish.
- DIN 3113A.

Part No.	Qty	Size	Length
T04002	1	6 mm	100 mm
T04003	1	7 mm	110 mm
T04004	1	8 mm	120 mm
T04005	1	9 mm	130 mm
T04006	1	10 mm	140 mm
T04007	1	11 mm	150 mm
T04008	1	12 mm	160 mm
T04009	1	13 mm	170 mm
T04010	1	14 mm	180 mm
T04011	1	15 mm	190 mm
T04012	1	16 mm	200 mm
T04013	1	17 mm	210 mm
T04014	1	18 mm	220 mm
T04015	1	19 mm	230 mm
T04016	1	20 mm	240 mm
T04017	1	21 mm	250 mm
T04018	1	22 mm	260 mm
T04066	1	24 mm	280 mm
T04068	1	26 mm	300 mm
T04069	1	27 mm	310 mm
T04070	1	28 mm	320 mm
T04071	1	29 mm	330 mm
T04072	1	30 mm	340 mm
T04073	1	32 mm	360 mm
T04074	1	36 mm	410 mm

Combination Spanner Set - Metric - 10 Piece



- Same dimensions at both ends.
- 12 point ring end set at 15° angle.
- Polished heads with a satin finish.
- Supplied in a handy tool roll.

Part No.	Qty
T04045	1

Long Combination Spanner Set - Metric - 9 Piece



- Same dimensions at both ends.
- 12 point ring head angled at 15°.
- Chrome vanadium steel with a satin finish.
- Supplied in a handy tool roll.

Part No.	Qty
T04132	1

Double Ring Spanner - Metric



- Different size at each end to give 2 sizes with one wrench.
- Double curved heads offset at 75° for easier use on flat surfaces.
- Chrome vanadium satin finish.
- TengTools hip grip design for contact with the flat side of the fastening.
- Designed and manufactured to DIN 838.

Part No.	Qty	Size	Length
T04020	1	6 x 7 mm	168 mm
T04021	1	8 x 9 mm	183 mm
T04022	1	10 x 11 mm	198 mm

Ratchet Combination Spanner



- Combined ring/open ended spanner with 72 teeth and a 12 point ring ratchet with flip reverse.
- 12 point ratcheting ring offset at a 13°.
- Same size at both ends.
- Made from chrome vanadium with a satin finish.
- DIN 899

Part No.	Qty	Size
T04095	1	8 mm
T04096	1	10 mm
T04097	1	13 mm
T04098	1	15 mm
T04099	1	17 mm
T04100	1	19 mm
T04101	1	22 mm
T04102	1	24 mm

"Rigger Jigger" Ring Spanner



- The 'Rigger Jigger' is an angled, compact special ring spanner with a 12 point opening.
- Ideal compact ring spanner for the most popular fastening sizes (10/13mm).
- Total length - 120mm.
- Ideal to keep in a pocket.

Part No.	Qty	Size
T04075	1	10 x 13mm

Flare Nut Wrenches



- Double flare nut wrench with different size openings.
- Made from chrome vanadium with a satin finish.
- DIN 3113A.

Part No.	Qty	Size	Length
T13510	1	10 x 11 mm	152.4 mm
T13512	1	12 x 13 mm	178.6 mm

Adjustable Wrenches - with Graduated Scale



- Industrial adjustable wrench made of chrome vanadium with a phosphate finish.
- 15° jaw allows the wrench to be used in narrow areas as only 30° turning is needed.
- Wider jaw opening increases the range of bolt sizes to be worked on.
- Non-protruding on the movable jaw end gives better action when space is limited.
- Handle provides a comfortable hand fit.
- Exceeding international standards ISO 6787-1982, ASME B.107.8M-1996, BS 6333-1995, DIN 3117-1988, JIS B4604-1976.

Part No.	Qty	Size	Length	Capacity
T05004	1	6"	150 mm	24 mm
T05005	1	8"	200 mm	28 mm
T05006	1	10"	250 mm	33 mm
T05007	1	12"	300 mm	38 mm
T05008	1	15"	375 mm	50 mm

Screwdrivers - Flat Blade



- Ergonomically designed two component handle with hanging hole.
- Made from chrome vanadium with a black tip.
- DIN 5264.

Part No.	Qty	Size	Length	Shaft Type	Tip
T06025	1	3.0 x 75 mm	171 mm	round	parallel
T06026	1	3.0 x 100 mm	196 mm	round	parallel
T06027	1	5.5 x 75 mm	246 mm	round	flared
T06028	1	5.5 x 150 mm	258 mm	round	flared
T06029	1	6.5 x 38 mm	96 mm	round	flared
T06030	1	6.5 x 100 mm	216 mm	hexagon	flared
T06031	1	6.5 x 150 mm	266 mm	hexagon	flared
T06032	1	8.0 x 150 mm	275 mm	hexagon	flared
T06033	1	10 x 200 mm	325 mm	hexagon	flared





Screwdrivers - Phillips

- Ergonomically designed two component handle with hanging hole.
- Made from chrome vanadium with a black tip.
- DIN 5260.

Part No.	Qty	Size	Length	Shaft Type
T06034	1	PH0 x 75 mm	171 mm	round
T06035	1	PH1 x 75 mm	183 mm	round
T06036	1	PH2 x 38 mm	96 mm	round
T06037	1	PH2 100 mm	216 mm	hexagon
T06038	1	PH3 x 150 mm	275 mm	hexagon



Screwdrivers - Pozi

- Ergonomically designed two component handle with hanging hole.
- Made from chrome vanadium with a black tip.

Part No.	Qty	Size	Length	Shaft Type
T06039	1	PZ1 x 75 mm	183 mm	round
T06040	1	PZ2 x 100 mm	216 mm	hexagon
T06098	1	PZ3 x 150 mm	275 mm	hexagon



Screwdrivers - TPX



- Chrome vanadium, black tips, ergonomically designed two component handle with hanging hole.

Part No.	Qty	Size	Length	Shaft Type
T06091	1	TPX20 x 100 mm	208 mm	round
T06092	1	TPX25 x 100 mm	216 mm	round
T06093	1	TPX30 x 100 mm	216 mm	round

Screwdriver Set - Flat, Phillips & Pozi type - 10 Piece



- Screwdrivers feature TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole.
- T-drive facility for added torque and comfort.

Set contains:

Screwdrivers	Flat regular	3.0x100mm, 5.5x75mm, 5.5x150mm, 6.5x150mm
Screwdrivers	1,000 volt flat	3.0x100m
Screwdrivers	PH type	PH0x75mm, PH1x75mm, PH2x100mm
Screwdrivers	PZ type	PZ1x75mm, PZ2x100mm

Part No.	Qty
T06123	1

Screwdriver Set (Flat, PH, PZ) - 12 Piece



- 12 piece screwdriver set for slotted, Phillips and Pozi drive heads.
- The screwdrivers feature TT-MV PLUS steel blades and ergonomically designed bi-material handles with hanging hole and T drive facility for added torque and comfort.
- The screwdrivers are supplied in a full colour display box with a PS tray.

Set contains:

Screwdrivers	Flat regular	2.5x75mm, 3.5x100mm, 4x150mm, 5.5x150mm, 6.5x150mm, 10x200mm
Screwdrivers	PH type	PH0x75mm, PH1x75mm, PH2x100mm, PH2x200mm
Screwdrivers	PZ type	PZ1x75mm, PZ2x100mm

Part No.	Qty
T06112	1

Screwdriver Set - Mini (Flat, PH) - 6 Piece



- Made from CrMo alloy steel for extra strength.
- Supplied with a rack/holder for wall mounting or for free standing.

Set contains:

Screwdrivers	Flat regular	2.0x40mm, 2.4x40mm, 3.0x40mm
Screwdrivers	PH type	PH00x40mm, PH0x40mm, PH1x40mm

Part No.	Qty
T06113	1

Screwdriver Set - Mini - 8 Piece



- 7 Double ended blades featuring one tip in each end and one universal screwdriver handle.
- Supplied in a handy storage box with a click lock mechanism.

Set contains:

Screwdriver blades 120mm	2.0mm flat x PH00, 3.0mm flat x PH0, 4.0mm flat x PH1
Screwdriver blades 120mm contd.	PZ0 x PZ1, TX5 x TX7, TX6 x TX8, TX9, TX10
Screwdriver handle	

Part No.	Qty
T06149	1

TX Key Set - 9 Piece



- For internal TX heads.
- Made from chrome vanadium steel.
- Supplied in a plastic holder.

Set contains:

Accessories	folding holder
Individual TX keys	TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40

Part No.	Qty
T05020	1

Ball Point Hex Key Set - Metric, 9 Piece



- Ball point head on the long key end for 30° access.
- Made from chrome vanadium steel.
- Supplied in a folding plastic holder.

Set contains:

Accessories	self locking plastic handle
Individual hex keys	2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Part No.	Qty
T05018	1

Ball Point Hex Key Set - Metric, 7 Piece



- Ball point heads on the long key end which permits turning at a 30° angle.
- Made from chrome vanadium steel.
- Supplied in a plastic holder.

Set contains:

Accessories	folding holder
Individual hex keys	5/64" 3/32" 1/8" 5/32" 3/16" 7/3 2" 1/4" 5/16" 3/8"

Part No.	Qty
T05013	1

Ball Point Hex Key Set - AF, 7 Piece



- Ball point heads on the long key end which permits turning at a 30° angle.
- Made from chrome vanadium steel.
- Supplied in a plastic holder.

Set contains:

Accessories	folding holder
Individual hex keys	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Part No.	Qty
T05012	1

Ball Point Hex Key Set - AF, 9 Piece



- Ball point head on the long key end for 30° access.
- Made from chrome vanadium steel.
- Supplied in a folding plastic holder.

Set contains:

Accessories	self locking plastic handle
Individual hex keys	1/8" 5/32" 3/16" 7/32" 1/4" 5/16" 3/8"

Part No.	Qty
T05019	1

Bits - Pozi



Part No.	Qty	Size	Length	Drive
T11039	10	PZ2	25 mm	1/4" Hex
T11040	10	PZ3	25 mm	1/4" Hex

Bits Box Set - 29 Piece



- Contains 26 of the most common bits used in the market, together with a magnetic bit holder, an adaptor and a Teng Tools bits ratchet.
- Supplied in a Teng Tools bits box.

Set contains:

Bits	1/4" hex drive 25mm bits flat 0.6x4.5, 0.8x5.5, 1.2x6.5mm
Bits	PH1, PH2, PH3, PZ1, PZ2, PZ3, TX10, TX15, TX20, TX25, TX30, TX40
Bits	TPX20, TPX25, TPX30, ROB No. 1, No. 2, No. 3, Hex 4mm, 5mm, 6mm, GR no.2 (2 pc)
Accessories	1/4" hex drive 50mm magnetic bits holder, 1/4" bits ratchet with 8mm ring spanner
Accessories	Hex 1/4" and Square 1/4" 25mm adaptor

Part No.	Qty
T05016	1

Ratcheting Bit Driver Set - with 6 Bits

- Ergonomic 2 component handle.
- Bi-directional ratchet function with fixed locking mechanism.
- Smart storage for bits in handle.
- For 1/4 Hex Bits



Part No.	Qty
T06070	1

Combination Pliers - Mega Bite - Vinyl Grip



- Pipe grip, serrated grip surfaces.
- 80° cutting angle.
- Titanium coated joints.
- Made with high carbon steel.
- DIN 5746.

Part No.	Qty	Size	Length	Cutting Capacity
T07017	1	7”	180 mm	2.0 mm
T07018	1	8”	200 mm	2.2 mm

Long Nose Pliers - Mega Bite - Vinyl Grip



- Serrated grip surface.
- 80° cutting edge.
- Titanium coated joints and long, straight jaws.
- DIN 5745.

Part No.	Qty	Size	Length	Cutting Capacity
T07019	1	6”	160 mm	1.5 mm
T07020	1	8”	200 mm	1.8 mm

Side Cutting Pliers - 6” Vinyl Grip



- High carbon steel.
- 80° cutting edge angle.
- Titanium coated joints.
- DIN 5749.

Part No.	Qty	Length	Capacity
T07014	1	155 mm (6”)	2.0 - 4.0 mm

Side Cutting Pliers - Heavy Duty, 8” Vinyl Grip



- High carbon steel.
- 80° cutting edge angle.
- Titanium coated joints.
- DIN 5749.

Part No.	Qty	Length	Capacity
T07015	1	200 mm (8”)	3.0 - 4.0 mm

Water Pump Pliers - Mega Bite - 10”



- Serrated jaws with a pipe grip.
- Made from chrome vanadium steel.
- Capacity: 3 - 38 mm

Part No.	Qty	Length
T07021	1	250 mm (10”)

Plier Set - Mega Bite - 5 Piece



- 4 1/2” Mini side cutting pliers, 6” side cutting pliers, 7” combination pliers, 8” long nose pliers and 10” water pump pliers.
- Supplied in a handy tool roll storage wallet.

Part No.	Qty
T07070	1

Circlip Pliers - Straight / Inner



- Snap ring pliers.
- Polished head.
- Vinyl grip handles and a return spring.
- DIN 5254.

Part No.	Qty	Size	Capacity
T07042	1	7”	19 - 60 mm

Circlip Pliers - Straight / Outer



- Snap ring pliers.
- Polished head.
- Vinyl grip handles and a return spring.
- DIN 5256.

Part No.	Qty	Size	Capacity
T07044	1	7”	19 - 60 mm

Circlip Plier Set - 5 Piece



- Set for 10-50mm internal and external circlips.
- Includes four interchangeable heads giving eight different combinations.
- Features include magnetic tips, a return spring and plastic covered handles.

Part No.	Qty
T07010	1


Groove Joint Pliers - Mega Bite - Heavy Duty



- Non-slip groove joints.
- Polished head and vinyl grip handles.
- Made from chrome vanadium.

Part No.	Qty	Size	Length
T07036	1	10”	250 mm
T07035	1	12”	300 mm
T07037	1	16”	400 mm

Oil Filter Remover Plier



- Multi purpose oil filter remover plier with a 53-118 mm opening.
- Drop forged jaws which are heat treated and nickel plated.
- Locking system.
- Suitable for removing and installing objects of many shapes.
- Made from chrome vanadium steel.

Part No.	Qty
T07090	1

Utility Knife - Heavy Duty



- Retractable blade.
- Supplied complete with two spare blades.

Part No.	Qty
T09031	1

Ergo Utility Knife - Heavy Duty



- Ergonomically designed handle including a non-slip section for better grip.
- 3 step blade adjustment,.
- Quick opening and closing action and spare blade storage inside the handle.
- Supplied with 2 blades.

Part No.	Qty
T09032	1

Utility Knife - Folding Fixed Blade



- Supplied with 3 blades.

Part No.	Qty
T09033	1

Utility Knife - Mini Folding Fixed Blade



- Mini folding utility knife featuring a fixed blade.

Part No.	Qty
T09034	1

Tin Snips - Straight / Right



- Spring loaded high leverage handles.
- Safety lock.
- Hanging hole and two component handles for comfortable cutting.
- CrMo steel, hot drop forged cutting blades give an increased cutting capacity of 1.5mm steel or 0.9mm stainless steel.

Part No.	Qty
T09001	1

Tin Snips - Straight / Left



- Spring loaded high leverage handles.
- Safety lock.
- Hanging hole and two component handles for comfortable cutting.
- CrMo steel, hot drop forged cutting blades give an increased cutting capacity of 1.5mm steel or 0.9mm stainless steel.

Part No.	Qty
T09002	1

Cutting Tool Set



- The cutting edge is a special pack including a Teng tool utility knife, a junior hacksaw and a 12" hacksaw.

Part No.	Qty
T09005	13 Pc Set


Hacksaw Frame - Steel



- Ergonomically designed aluminium handle.
- 12" Swedish M2 HSS 24 teeth blade.
- Facilities for pre-setting at a 45 degree or 90 degree cutting angle or for use as a key hole saw.
- Frame also includes storage space for extra blades.
-

Part No.	Qty	Size	TPI
T09003	1	12"	24

Mini Hacksaw Frame - Plus 3 x 6" Blades



- Professional quality mini hacksaw frame complete with three 6" hacksaw blades and a 6 position blade setting.
-

Part No.	Qty	Size
T09013	1	6"

Pipe Cutter



- For use on copper and brass pipes.
- Features one thin cutting wheel and two rollers of a constant length.
- Ideal for use in confined spaces.
-

Part No.	Qty	Capacity
T09026	1	3 - 22 mm (1/8" - 7/8")

Pipe Cutter - Heavy Duty



- Complete with a spare blade and a retractable reamer.
-

Part No.	Qty	Capacity
T09027	1	3 - 32 mm (1/8" - 1 11/4")

Ball Pein Hammers



- Ball pein hammer with fibre glass shaft.

Part No.	Qty	Size	Length
T08036	1	12 oz	280 mm
T08037	1	16 oz (1 lb)	320 mm
T08038	1	24 oz (1 1/2 lb)	380 mm
T08039	1	32 oz (2 lb)	380 mm

Punch Set - 6 Piece



- 150 mm High carbon steel parallel pin punches heat treated to HRC52 +/-2.
- Strike end tempered to HRC40 +/-5.
- Contains 3, 4, 5, 6, 7 and 8 mm parallel pin punches.

Part No.	Qty
T08057	1

Flat Cold Chisel 150 X 18MM



- Special tempered steel construction with hardened cutting edge for longer life.
- For shaping, cutting and chipping hard materials such as metal, stone and concrete

Part No.	Qty	Size	Length
T08080	1	18 mm	150 mm

Roll/Heel Bar



Part No.	Qty	Size
T08048	1	12” (300 mm)
T08050	1	20” (500 mm)

Pry Bars - Heavy Duty



- Heavy duty pry bars with Power Thru handles.

Part No.	Qty	Size
T08051	1	12” (300 mm)
T08052	1	18” (450 mm)
T08053	1	22” (550 mm)

Magnetic Bits Tray - Stainless Steel



- Stainless steel tray with plastic enclosed magnet which does not damage car paintwork.
- For screws, nuts and washers etc.
- Can be secured on its side as well as upside down.
- Ideal for working under cars etc.

Part No.	Qty
T08001	1

Telescopic Inspection Tool - 3 in 1



- Combining a very strong magnet.
- Fully adjustable polished mirror and an etching scribe all in one tool with a pocket clip.
- Maximum extension - 57 cm.

Part No.	Qty
T08025	1

Telescopic Magnetic Pick Up Pen - 2 in 1



- Includes a very powerful magnet plus a pen all in one handy tool with a pocket clip.
- Maximum extension - 63 cm.
- Ideal for retrieving dropped nuts and bolts as well as writing notes.

Part No.	Qty
T08009	1

Magnetic Pick Up Tool



- Magnetic pick up featuring a very powerful magnet and a maximum extension of 55 cm.
- Ideal for retrieving dropped nuts and bolts.

Part No.	Qty
T06016	1

Telescopic Magnetic Pick Up



- Includes an extra strong magnet.
- Pocket clip.
- Maximum extension - 85 cm.

Part No.	Qty
T06020	1

Claw Pick Up Tool



- Flexible wire with non magnetic claws.
- Press action to expand and contract.
- Excellent for reaching small items lost in hidden areas.

Part No.	Qty
T08040	1

Telescopic Magnifying Glass



- Adjustable head.
- Pocket clip.
- Maximum extension - 85 cm.

Part No.	Qty
T08024	1

Telescopic Mirror



- Fully adjustable head.
- Pocket clip.
- Maximum extension - 85 cm.
- Mirror diameter - 57 mm.

Part No.	Qty
T08033	1

Measuring Tapes

- Measuring tapes with ABS case, tape lock and belt clip.
- Power return.
- Metric and imperial graduations.
- Aligning hook for internal/ external measurement.
- Class II.



Part No.	Qty	Size
T21051	1	3 m (10 ft)
T21052	1	5 m (16 ft)
T21053	1	8 m (26 ft)

Oil Filter Wrench - Strap - 1/2” Drive

- Nylon webbing strap wrench style oil filter removal tool with 1/2” drive carbon steel adaptor.



Part No.	Qty	Capacity
T08011	1	130 mm

Oil Filter Wrench - Chain - 1/2” Drive

- All steel chain style oil filter removal tool with 1/2” drive carbon steel adaptor.



Part No.	Qty	Capacity
T08012	1	120 mm

Magnetic Tool Rail

- 6 Individual magnets each with a capacity of 450 grams combined in a rail designed for fixing to Teng Tools roller cabinets.
- Suitable for wall mounting or other tool boxes.
- Ideal for hanging up tools while working.



Part No.	Qty
T21010	1

Nut Splitter Set - 2 Piece

- 2 Piece nut splitter set with capacities of 5 to 20 mm and 14 to 27 mm.



Part No.	Qty
T08110	1


Wheel Wrench - 1/2” Drive


- Extending wheel wrench complete with a 17 x 19mm double ended socket.
- Extends from 14” (35cm) to 21” (55cm) for extra power when removing wheel nuts.
- Made from chrome vanadium steel.



Part No.	Qty
T03004	1

GENERAL TOOLS





GENERAL TOOLS

Air Tools	650
Tyre Care	655
Service Tools	660
Screwdrivers	677
Spanners, Sockets & Wrenches	679
Gripping Tools	686
Hammers	689
Taps & Dies	691
Drill Bits & Holesaws	692
Files & Handles	701
Cutting & Scraping	703
Riveting & Threading	710
General Tools	711
Testers & Power Tools	719

Impact Wrench



- Torque at 90 psi: 540 Nm

Part No.	Qty	Size
985521	1	1/2”

Impact Wrench - With Extended Shank



- Torque at 90 psi: 2450 Nm

Part No.	Qty	Size
985526	1	1”

Ratchet



- Torque at 90 psi: 60 Nm

Part No.	Qty	Size
985522	1	3/8”

Reversible Air Drill



- Chuck Size: 3/8” (10 mm).
- Free Speed: 1800 rpm

Part No.	Qty	Size
985523	1	3/8”

Die Grinder



- Collect Size: 6 mm.
- Free Speed: 22000 rpm

Part No.	Qty
985524	1

Orbital Sander



- Stroke Orbit Size: 8 mm.
- Free Speed: 10000 rpm

Part No.	Qty
985525	1

Mini Die Grinder

Small, lightweight series of hand-tools allowing access to tight, hard to reach places



- Fits standard 6 mm grinding bits.
- Safety lever to prevent accidental start-up.
- Very lightweight.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Thread
985510	1	1/4”

Mini Angle Die Grinder



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- Allows small areas to be cut or ground away, e.g.
- areas of heavy rust or sirt penetration.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Thread
985514	1	1/4”

Mini Ratchet



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- 17 Nm of power for easy ‘running-up’.
- Small sizes allows operator to reach very tight spaces in the engine bay or underbody work.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Size	Thread
985511	1	1/4”	1/4”
985513	1	3/8”	1/4”

Mini Straight Drill



Small, lightweight series of hand-tools allowing access to tight, hard to reach places

- 10 mm Chuck takes standard drill bits.
- Small size allows operator to drill in very tight spaces.
- 2006/42/EEC & EN 792-6

Part No.	Qty	Size	Thread
985512	1	3/8”	1/4”

PCL Safety Blow Gun - 2 Bar



- Sturdy UK-designed mid-range Ergo blowgun.
- Sound 90 dBa.
- Maximum supply pressure 10 bar / 140 psi.
- Comes with a standard conical nozzle.
- Equipped with an automatic pressure reduction which enables the air inlet to reduce to 2 bar.

Part No.	Qty
805220	1

PCL Safety Blow Gun - 10 Bar



- Sturdy UK-designed mid-range Ergo blowgun.
- Sound 94 dBa.
- Maximum supply pressure 10 bar / 140 psi.
- Comes with a standard conical nozzle.

Part No.	Qty
805221	1

PCL Low Noise Blow Gun



- Designed to reduce the risk associated with noise exposure.
  Sound 90 dBa.
- Maximum supply pressure 10 bar / 140 psi.
- Low noise safety nozzle designed to prevent blockages.

Part No.	Qty
805222	1

Blowgun Pistol Grip



Molded special acetalyc resin to resist damage for use with air & water

- Max supply pressure: 10 bar / 140 lbf/in².
- Connection: 1/4" Female.
- Air Flow: 270 l/min / 9.3 cfm.
- Temperature Range: 0 to 80˚C

Maximum Working Pressure: 18 bar (265 psi)

Part No.	Qty
805132	1

Air Blow Gun



- PCL quick release fitting

Pressure Range: 75 - 125 psi

Part No.	Qty	Size
940817	1	1/4" BSP

Blowgun



- Conical nozzle

Part No.	Qty
805191	1

Blowgun - With Safety Nozzle



- High quality die-cast alloy.
- Pressure: 28 psi

Part No.	Qty
805113	1

Air Blow Gun - Pistol Type



- With extended lance.
- Die-cast metal body with moulded handle & hanging point

Length of Lance: 200 mm
Air Inlet Size: 1/4"BSP

Part No.	Qty	Size
980217	1	1/4" BSP

Air Blow Gun - Long Reach



Trigger operated blow gun with extended lance

- Fitted with brass air inlet ferrule.
- Supplied with safety nozzle.
- Suitable for quick removal of chips, dust & particulate from any surface.
- Ideal for use in the workshop or bodyshop.
- Long lance allows projection of airflow directly to required area

Length of Lance: 500 mm
Maximum Operating Pressure: 110 psi

Part No.	Qty	Size
980218	1	1/4" BSP

Air / Hydraulic Riveter



Heavy-duty model suitable for aluminium, steel & stainless steel rivets up to 1/4"

- Supplied with five riveting nozzles & two spanners.
- Trigger operated riveter with hardened steel jaw assembly & rivet shaft safety cap.
- Will handle heavy assembly work

Air Consumption: 4.5 cfm
Operating Pressure: 90 psi
Weight: 1.6 kg
Nozzles: 3/32" (2.4 mm), 1/8" (3.2 mm), 5/32" (4.0 mm), 3/16" (4.8 mm), 1/4" (6.4 mm)

Part No.	Qty	Size
980192	1	1/4" BSP

Air Hammer - with Chisels

- Quality medium stroke air hammer.
- Supplied in carry-case



Chisel Shank Size: 0.401" Parker Taper
Speed: 4500 bpm
Stroke: 32 mm
Air Consumption: 4 cfm
Operating Pressure: 90 psi
Weight: 1.2 kg

Contains: Spare Spring Retainer, Weld Buster, Special Panel Cutter, Pointed Chisel, Muffler Tail Pipe Remover, Cold Chisel

Part No.	Qty	Size
980195	1	1/4" BSP

Air Needle Scaler

- Palm control trigger mechanism.
- Replaceable scaler needles.
- Suitable for cleaning heavy paint & rust scale from metal surfaces



Stroke: 32 mm
Free Speed: 4800 bpm
Air Consumption: 3 cfm
Operating Pressure: 90 psi
Weight: 1.2 kg

Part No.	Qty	Size
980198	1	1/4" BSP

Air Rotary Cut-Off Tool

Versatile tool, suitable for cutting car panel thickness material

Cutting disc not included



- Fitted with metal safety guard & throttle safety device to prevent accidental operation.
- Ideal for cutting exhaust brackets

Disc Size: 75 mm diameter x 2 x 10 mm
Free Speed: 20000 rpm
Air Consumption: 4 cfm
Operating Pressure: 90 psi
Weight: 0.8 kg

Part No.	Qty	Size
980200	1	1/4" BSP

Generation Air Rotary Cut-Off Tool

Powerful generation series air cut-off tool



- Contoured handle insulates user from chill & vibration.
- Metal disc guard & rear air exhaust can be rotated 360˚ giving operator added protection.
- Includes 4-position air valve & throttle safety device.
- Supplied with cutting disc.
- Ideal for cutting exhaust brackets

Disc Size: 75 mm diameter x 2 x 10 mm
Free Speed: 20000 rpm
Air Consumption: 4 cfm
Operating Pressure: 90 psi
Weight: 0.9 kg

Part No.	Qty	Size
980201	1	1/4" BSP

Reciprocating Air Saw



- Fitted with safety-trigger device.
- Supplied with a starter pack of blades.
- Suitable for a variety of bodyshop applications such as cutting through panels, sills, chassis members, etc.
- Excellent for initial crash-repair preparation when quick removal of damaged panels is required

Maximum Cutting Capacity: 2 mm (Steel), 2.5 mm (Aluminium)
Free Speed: 10000 spm
Stroke: 10 mm
Air Consumption: 6 cfm
Operating Pressure: 90 psi
Weight: 0.6 kg

Part No.	Qty	Size
980205	1	1/4" BSP

Air Saw Blades

- HSS air saw blades suitable for all leading makes of air saw



Part No.	Qty	Pitch
980206	5	18 tpi
980207	5	24 tpi

Spray Gun - Suction Feed



- Adjustable paint flow & fan width controls.
- Supplied with aluminium screw type suction feed pot.
- Ideal for applying base coats.
- Suitable for use with water based paints

Standard Set-Up: 1.5 mm
Available Set-Ups: 1.2, 1.8, 2.0, 2.2, 2.5 mm
Air Pressure: 60 psi
Air Consumption: 5-11 cfm
Pot Capacity: 800 ml

Part No.	Qty
980185	1

Paraffin Spray Gun



Metal tank & tube with adjustable spray / jet nozzle

- Suitable for applying degreaser & cleaning agents.
- Ideal for cleaning wheels.
- Excellent in the engine bay

Part No.	Qty	Size
980186	1	1/4" BSP

Underbody Coating Gun - Air Operated



- Accepts most popular types of 1 ltr coating tins

Air Operated Air Pressure: 90 psi
Air Consumption: 10cfm

Part No.	Qty	Size
980190	1	1/4" BSP

Air Hose Connector - Z-Swivel



Suitable for all air tools with 1/4"BSP connection

- Swivel assembly gives greater freedom of movement to tool when connected to air-line.
- Fitted with air valve for extra control over speed of power tool

Air Inlet Size: 1/4" BSP Female
Air Outlet Size:1/4" BSPT Male

Part No.	Qty
980210	1

Air Filter - Regulator / Lubricator



Heavy-duty

Suitable for most workshop air supply set-ups

- Die-cast control heads with clear polycarbonate bowls.
- Regulator assembly features locking control knob for pre-setting air pressure.
- Large, easy-to-read pressure gauge.
- Filter is fitted with automatic drain tap.
- Lubricator includes oil/air mix control & sight glass.
- Filter & lubricator are fitted with protection bowl cage.

Port Size: 3/8" BSP
Maximum Supply Pressure: 145 psi
Maximum Outlet Pressure: 145 psi
Maximum Airflow @ 100psi supply pressure: 55 cfm

Part No.	Qty
980215	1

Air Regulator

Heavy-duty aluminium alloy valve assemblies



- Airflow control knob can be locked in position to prevent accidental adjustment of pressure.
- Large gauges, dual marked in psi & bar.
- Individual compressed air outlets are fitted with outlet shut-off valve.
- Filter regulators are suitable for direct mounting onto compressors or can be plumbed into air line runs

Maximum Air Input: 174 psi
Maximum Air Output: 174 psi
Working Pressure: 30-120 psi
Maximum Airflow: 76 cfm
Inlet Thread: 1/4" BSP
Outlet Thread: 1/4" BSP
Outlet Qty: 1

Part No.	Qty
980216	1

Service Tyre Pressure Gauge - Universal



- Dual calibrated: 10 - 160 lbf/in² & 0.8 - 11.0 bar

Part No.	Qty
805188	1

Pocket Service Tyre Pressure Gauge -



- Dual calibrated: 10 - 120 lbf/in² & 0.8 - 8.2 bar

Part No.	Qty
805160	1

Pocket Tyre Pressure Gauge - With Angled Head



- Dual calibrated: 6 - 50 lbf/in² & 0.5 - 3.4 bar

Part No.	Qty
805187	1

Tyre Inflator - Economy Tyre Inflator



- General purpose tyre inflator with rubber protected gauge.
- Euro style tyre valve connector with 0.5 m of air hose

Gauge diameter: 63 mm
Dual calibrated:
0 - 170 lbf/in² in 2lb units &
0 - 12 bar in 0.1 units

Part No.	Qty
805192	1

Tyre Inflator - Digital Hand Held Tyre Inflator



- Light weight.
- Shock resistance.
- Easy to read digital display

Maximum inflation pressure: 12 bar
Resolution: 0.01 bar
Inflation flow @ 13 bar supply: 910 l/min
Operating temperature: -20˚C to 60˚C

Part No.	Qty
805193	1

Tyre Inflator - Dial Type Tyre Inflator

- Fast inflation / deflation rates.
- Shock resistance.
- Clear dial display

Maximum inflation pressure: 12 bar
Resolution: 0.01 bar
Inflation flow @ 13 bar supply: 910 l/min
Operating temperature: -20˚C to 60˚C



Part No.	Qty
805194	1

Dial Tyre Pressure Gauge

- Twin hold-on (open end).
- Dual calibrated: 0 - 170 lbf/in² & 0 - 12 bar



Part No.	Qty
805189	1

Tyre Tread Depth Gauge

- 1.0 - 6.0 mm markings



Part No.	Qty
805119	3

Digital Tyre Pressure & Depth Gauge

- Self-calibrating with a 90 second auto power off function



Part No.	Qty
805196	1

Tyre Valve Connectors - Twin Clip-On

- Open End



Part No.	Qty
805128	1

Tyre Valve Connectors - Twin Hold-On - Open End

- Open End



Part No.	Qty
805115	1

Tyre Valve Connectors - Twin Hold-On - Closed End

- Closed End



Part No.	Qty
805116	1

Tyre Valve Connectors - Straight Single Clip-On (Open End)



Part No.	Qty
805117	1

Foot Pump - E35

- Preset dial gauge.
- Single steel barrel.
- Complete with air bed, cycle valve & football adapters



Part No.	Qty
805184	1

MK4 Tyre Inflator - Digital

- Extremely robust aluminium body with protective rubber bumper.
- Small 'stubby' body is the lightest metal bodied digital inflator on the market.
- Higher pressure range for multiple applications: 4 - 250 PSI.
- Permanently backlit in use, auto off after 10 seconds no use.
- IP54 - can be used indoors and outdoors.



Part No.	Qty	Type	Hose Size
805230	1	Twin Hold-On	0.53 m / 21"
805233	1	Single Clip-On	0.53 m / 21"
805236	1	Twin Clip-On	1.8m / 6ft
805239	1	Single Clip-On	1.8m / 6ft

Valve Mounting Tool



- Screw-on

Part No.	Qty
405210	1

Valve Core Screwdriver



- Nickel plated.
- Plastic handle.
- To remove seized cores

Part No.	Qty
405211	5

Tyre Paste Brush



- Wooden handle

Part No.	Qty
405212	1

Tyre Patch Stitcher



- For 35 mm wheel

Part No.	Qty
405213	1

Rotary Mill Cutter



- 6 mm steel cutter

Part No.	Qty	Size
405214	1	6 mm

Golf Ball Buffing Stone



- 6 mm fixed shaft.
- Spherical rasp

Part No.	Qty
405215	1

Mounted Stone Set



Part No.	Qty
985590	10 Piece Set

Wheel Weight Pliers



- Fits & removes wheel weights

Part No.	Qty
405216	1

Car Wheel Chocks



- Durable rubber

Part No.	Qty
405217	1 Pair

Brake Cylinder Hone - 4-in-1



Part No.	Qty
940753	1

Extending Wheel Wrench - 1/2" Drive - 'L' Type

- Extends to 530 mm (21").
- Rubber grip.
- Complete with combined 17 / 19 mm chrome vanadium socket



Part No.	Qty
985320	1

Tyre Probe



Part No.	Qty
405185	1

Tyre Lever Bar



Part No.	Qty	Size
405220	1	16"
405221	1	29"

Valve Repair Tool - 4-Way



Part No.	Qty
405199	1

Brake Pipe Corrosion Tool

- 3 scraping positions for removal of grime & debris enabling detection of deteriorating or corroded brake pipes.
- MOT compliant & VOSA approved.
- Suitable for service maintenance & pre-MOT inspection



Part No.	Qty
405222	1

Tyre Inspection Tool



Part No.	Qty
405223	1

Wheel Nut Removal Set

As used by the AA & RAC

- Removes most types of wheel lock nuts, rounded wheel nuts & McGard style nuts.
- Recommended for use with an air impact gun



Part No.	Qty
940765	1

OnHand GRIP PLUS+

Textured for better grip



- PF — POWDER FREE
- NS — NON STERILE
- HV — HIGH VISIBILITY
- NITRILE
- DIAMOND PATTERN
- 5 YEARS

SEE PAGE 426



- NITRILE
- POWDER FREE
- 5 YEARS
- DIAMOND
- 8.4g +/- 0.2g

VEHICLE HEALTH CHECK SHADOWBOARD



Vehicle Health Check Shadowboard



- Professional tool storage shadow board.
- Designed to carry the most popular everyday service tools.
- Designed to hold - Tyre depth gauge, brake disc gauge, brake pad gauges, brake fluid tester, battery acid tester, anti-freeze/coolant tester, digital thermometer & VISION compact handlamp with UV torch.
- Helps keep the technicians workspace clean, tidy & organised.
- All the tools featured can be purchased separately.

Part No.	Qty	Type
100430	1 Set	Board complete with tools
940900	1 Board	Empty Board

Brake Pad Thickness Gauge

A handy tool for essential brake pad service

Colour coded, using the traffic light system allowing you to quickly check the measurement of remaining brake pad material

Sizes : Green 8/10/12mm (SAE 0.3150-0.4720), Yellow 4/5/6m (SAE 0.1575-0.2382), Red 2/3mm (SAE 0.0787-0.1181).



Part No.	Qty
940833	1

Brake Pad Thickness Gauge - Pen Type

Simple gauge to check the life of the brake pads without removing any components.



Easy to read colour coded scale.

Gives a quick reference to brake pad conditions.

Manufactured from lightweight aluminium. Part of our MOT health check tools



Part No.	Qty
940838	1

Professional Tyre Tread Depth Gauge



- Digital tyre depth gauge with calibration block.
- Metric & imperial measurements : 0 - 1/2 & 0 - 13mm.
- Tempered steel probe and calibration block for resetting to zero.
- Zero / rest mode.
- Requires a CR2032 Lithium 3v battery (included).
- Part of our MOT health check tools.



Part No.	Qty
940834	1

Brake Disc Digital Gauge



- Digital brake disc calliper gauge measures in metric & imperial.
- Metric & imperial measurements : 0 - 6 & 0 - 150mm.
- Gauge has a 12mm display.
- The gauge has a LCD data hold function which is ideal for mechanics to show customers clearly when their brake discs need replacing.
- Supplied with 2 batteries



Part No.	Qty
940835	1

Battery Acid Tester



- General use.
- For checking specific gravity of battery fluid

Part No.	Qty
295230	1

Brake Fluid Tester



- Essential tool for testing the percentage of water in brake fluid.
- Colour coded LEDs show the level of water within the brake fluid.
- Requires 1 x AAA battery (Included).
- Suitable for Dot 3, Dot 4 & Dot 5.
- Not suitable for silicone based Dot 5.
- Part of our MOT health check tools.

Part No.	Qty
940836	1

Digital Thermometer



- Digital thermometer for checking air conditioning performance.
- Stainless steel probe : 110 x 3.8mm diameter.
- Measuring range -50°C to +200°C.
- Max/min memory functions.
- Magnetic pad for mounting the thermometer.
- Part of our MOT health check tools

Part No.	Qty
940837	1

Anti-Freeze / Coolant Tester



- General use.
- For testing hot or cold ethylene glycol based automotive anti-freeze & coolant

Part No.	Qty
895139	1

Pro Anti-Freeze Tester

- For testing hot or cold ethylene / propylene glycol based automotive anti-freeze & coolant



Part No.	Qty	Type
940711	1	Ethylene
940712	1	Propylene

Petrol Engine Compression Set

Includes: Gauge: 60 mm 300 psi (with pressure relief valve & quick release adaptor), 35 mm 200 psi (with 200 mm hose - M14, M18, 1/4" BSP)

Hose Connectors (x4)

Threaded Adaptors: M10, M12, M14, M18

Selection of Spare Parts



Part No.	Qty
940706	1

ZECA Cooling System Tester

A comprehensive set of internal / external threaded caps & large / small bayonet fittings for most popular European / Japanese cars / LCVs

- Pump unit with pressure gauge 0-35 psi (0-2.5 bar).
- Flexible hose with quick release fitting



Part No.	Qty
940707	1

Diesel Compression Master Set

1000 psi pressure gauge with straight & right angled quick release fittings

Supplied with a comprehensive set of dummy glowplug & injector adaptors to cover a wide range of popular automotive, agricultural & marine applications



Glowplugs: Alfa, BMW, Chrysler, Daewoo, Fiat, Ford, Hyundai, Isuzu, Land Rover, LVD, Mazda, Mercedes, Mitsubishi, Nissan, Opel, PSA, Renault, Saab, Suzuki, Toyota, VAG, Vauxhall, Volvo, etc

Injectors: M20, M22, M24, Ford Stanadyne

Clamp-On Injector Adaptor Set

Part No.	Qty
940714	1

Auxiliary Belt Replacement Tool

For removing & installing new elastic flexible self tensioning V-ribbed belts

- Minimises the risk of over stretching and/or damaging the belt/pulley



Suitable for Ford / PSA engines

Citroen C4, Peugeot 30, Fiat Doblo, Stilo 1.6

Ford Fiesta V, Fusion (1.25, 1.4, 1.6), Focus C-Max 1.8, Transit 2.0 DI

Mazda II (1.25, 1.4, 1.6), III (1.4, 2.0), V (1.8, 2.0)

Part No.	Qty
940715	1

Adjustable Cylinder Hone



- Supplied with 4" medium grade stones

Part No.	Qty	
940720	1	
940721	3	Replacement Stones

Stud Extractor Set - 1/2" Drive



- Concentric roller action

Sizes: 6, 8, 10, 12 mm

Part No.	Qty
940722	1

Alternator Pulley Tool Set -



- Interchangeable parts suitable for use on Audi, BMW, Fiat, Ford, Mercedes, Renault, Seat, VW.
- To replace the free wheel pulleys on Bosch & Magneti Marelli type alternators

Part No.	Qty
940723	1

Drain Plug Key Set with T-bar

Chrome vanadium steel keys



- With a sliding T-bar for use on engine sumps, gear box & back axle drain plug applications on many cars & LCVs

Male Square: 7, 8, 10, 11, 12, 13.1, 14 mm, 5/16", 3/8"
Male Hexagon: 8, 9, 10, 12, 14, 17 mm
Star: T45
Female Square: 10 mm
Triangle: 10 mm
1/2" Drive Sliding T-Bar

Part No.	Qty
940731	1

Screw Hose Clamp



- For flexible car brake / fuel lines.
- Screw type

Part No.	Qty
940758	1

Tube Brush Kit



- Various sizes
- Precision cleaning
- Multi purpose

Part No.	Qty
895594	10

Oil Filter Wrenches



- 180˚ Swivel
-

Part No.	Qty	Diameter
940735	1	50 - 65 mm
940736	1	65 - 83 mm
940737	1	75 - 95 mm
940738	1	100 - 115 mm

Oil Filter Wrench - 3/8" Dr



This cup-style oil filter wrench is suitable for canister filters and is designed to be used with a 3/8" drive ratchet

With a diameter of 76mm and 12 ribs, this cup style oil filter remover is suitable for use on eco-oil filters on Citroën, Mercedes-Benz, Peugeot and Renault.

- Citroën applications: AX, Saxo, Visa Dti, Xantia and ZX. Peugeot applications: 205, 306, 309, 405, 406 and 806. Renault applications: Laguna and Megane 1.5, 1.9, 2.2 and 2.5L DCi engines. Also covers some Mercedes-Benz models; equivalent to Mercedes OEM tool W103 589 030 900.

Part No.	Qty	Size
940732	1	76mm x 12 ribs x 3/8"D

3 Claw Oil Filter Wrench 65 - 120 mm

A self-adjusting three arm filter wrench that can remove all types of oil filters from 65 to 120mm diameter

Includes an adaptor to convert from 1/2"D to 3/8"D and ridged carbon tool steel arms for a strong grip

Ideal for old style filters as found on classic vehicles.



- Three arm filter wrench, fits all filters between 65 - 120mm diameter. 1/2" to 3/8" adaptor included.
- For use with a ratchet, power or extension bar. Suitable for old style filters. Ridged carbon tool steel arms for a strong grip.

Part No.	Qty	Size
940734	1	65 - 120 mm

Strap Filter Wrench - Heavy Duty

- Extra wide strap.
- Up to 300 mm diameter.
- 3/8" & 1/2" Drive



Part No.	Qty
940739	1

Oil Filter Pliers



Part No.	Qty	Size	Diameter
940740	1	250 mm (10")	45 - 89 mm
940741	1	300 mm (12")	54 - 108 mm

Oil Service Socket 8 x 10 mm Square

Dual sized drain plug key

Comprising a 17mm 1/2" square drive socket and a reversible 8 x 10mm square sump plug removal tool for draining differentials, engine oil sumps, axles and gearboxes.



- Applications include: Citroën, Peugeot, Renault and some Volvo models.
  Socket length: 37mm.
  Manufactured from chrome vanadium.

Part No.	Qty	Size
940768	1	17mm x 1/2"D socket and 8 x 10mm reversible square removal tool

Brake Piston Wind Back Tool

Suitable for Audi, Fiat Uno / Tipo, Ford Sierra ABS (rear), Honda Prelude, Jaguar XJ40, Lancia Dedra / Thema, Nissan Silvia 1.8 Turbo, Peugeot 306 / 307 / 405 / 407 / 605, Renault Master, Rover 800, Saab 9000, Seat Toledo,

Subaru L, Volvo S40 / V40



Part No.	Qty
940744	1

Brake Service Set - Right & Left Hand

Comprehensive brake servicing kit for use when replacing worn brake pads on both push-back & wind-back callipers



Contains: Reaction Plate (for pistons that need to be wound back under pressure)

Push-Back Swivel Adaptors

3/8" Drive Adaptors

12 mm Hex

GM (USA): 48, 54, 64 mm

Pins: 2, 3, 4

Drive Screw (with 22 mm hexagon body & 2 pin magnetic Drive system (Left & Right hand))

Part No.	Qty
940746	21 Piece Set

Disc Brake Piston Spreader



- For push-back type systems

Part No.	Qty
940749	1

Brake Flaring Tool - with Rotating Turret



To produce single 3/16" DIN & double 4.75 mm SAE flares

- For thin wall copper, cupro-nickel & steel brake pipe

Part No.	Qty
940750	1

Vacuum Brake Bleeder



- Uses standard workshop air supply (90 - 120 psi) to remove brake fluid via the bleed nipples either for bleeding or for complete fluid replacement.
- Simple one man operation provides quick, clean & efficient operation without the need for multiple brake reservoir caps for different applications

Part No.	Qty
940752	1

Clutch Alignment Tool



4 piece multi-fit clutch mandrel machined from steel

Part No.	Qty
940759	1

Locking Wheel Nut Removal Kit

RGTOOLS



This comprehensive kit provides a method of removing locking wheel nuts / bolts when the specialist key is not available

Simple operation: Select one of the 5 adaptor sizes from the kit, locate the adaptor on the head of the bolt and use the supplied impact driver to release the locking wheel nut

- Suitable for McGard style locking wheel nuts and bolts.
- RG10600 contains 3 double ended keys that can be formed to suit the profile of the locking wheel nut/bolt.
- For use on BMW, VAG, Ford, PSA, OPEL / Vauxhall & Volvo.
- The popular 'type C key' available under Part No.RG10602 & RG10604

Part No.	Qty	Type
RG10600	1 Kit	Locking Wheel Nut Removal Kit
RG10602	Pack of 10	Replacement Key C
RG10604	1	Replacement Key C

The popular 'Type C key' is also available separately - either individually or in packs of 10

Keys feature a large and a small mouldable end.
When correctly formed to the locking wheel nut/bolt head pattern a single key can remove all locking wheel nuts/bolts from the vehicle.

RGTOOLS



Features and Benefits

- Can be used in conjunction with RG10600 to remove 'McGard' style locking wheel nuts/bolts fitted as OE by over 30 vehicle manufacturers
- Manufactured from high quality alloy steels
- For single use, cannot be reformed for use on another vehicle

Part No.	Qty	Type
RG10602	Pack of 10	Replacement Key C
RG10604	1	Replacement Key C

Lock Nut Removal Tool Set - 1/2" Drive



Special reverse left hand threaded sockets for removing damaged nuts & studs

- Suitable for use on some security locking wheel nuts where the key has been lost or damaged

Sizes: 17, 18.5, 20, 21.5, 23, 24.5, 26 mm

Part No.	Qty
940764	1

RG Tools Torsion Impact Wheel Nut Set - 1/2" Drive



- 20% lighter than the standard wheel nut sockets.
- Set contains - 17mm, 19mm & 21mm sockets.
- Due to its unique design the sockets have a extended life.
- PC- covered, made from chrome molybdenum alloy steel.
- Torsion absorbing zone in the middle of the socket which stops instant impact in turn prevents damage to the bolt heads.

Part No.	Qty
RG10272	3 Pce

1/2" Drive Wheel Nut Tool Set - Ball Joint Separator Set - Commercial Type



For HGVs & commercial vehicles

Heavy duty heat treated drop forged steel body

- 34 mm hexagon drive bolt

Jaw Opening: 70 mm
Jaw Width: 36 mm
Jaw Depth: 44 mm

Part No.	Qty
940772	1

Ball Joint Separator



For cars / light commercial steering & suspension joints

Jaw Opening: 30-58 mm
Jaw Width: 22 mm
Jaw Depth: 32 mm

Part No.	Qty
940773	1

Ball Joint Separator - Fork Type



Extra long drop forged ball joint separator for car & light commercial ball joints, track rod ends etc

- Warning: Fork type separators should not be used if the ball joint is to be re-assembled as the ball joint rubber may be damaged

Part No.	Qty
940774	1

Coil Spring Compressor



For the stripping & replacement of Macpherson strut & standard coil springs

- Double hook pattern.
- Set of two, with drop forged arms.
- 1/2" square drive & 13/16" A/F drive nut.
- Only suitable for use on earlier vehicles

Part No.	Qty
940775	1

Bearing Separator Set



For automotive & general use

- Supplied in a blow mould case

Bearing Separators: 30-55 mm (diameter) x 170 mm (reach), 70-90 mm (diameter) x 220 mm (reach)
Beam: 160 mm
Thrust Bolt: 180 mm
Extension Bars: 105 mm (x4), 130 mm (x4)

Part No.	Qty
940777	12 Piece Set

Slide Hammer / Puller Set



Professional quality for general & automotive use

Internal: 2 leg (35-110 mm x 82 mm reach), 3 leg (50-135 mm x 82 mm reach)
External: 2 leg (50-140 mm x 75 mm reach), 3 leg (20-135 mm x 75 mm reach)
Slide Hammer: 6 kg x 570 mm
Pullers: Hub, Dent, Lip

Part No.	Qty
940778	11 Piece Set

Hydraulic Puller Set



A comprehensive master set of two & three leg pullers with a forged steel bearing separator

10T Hydraulic Ram (1.5" fine pitch thread)
Nosepiece (with 2" & 4" Extension Pieces)
Position Heads: 2, 3
Boss: 1.5"
Forged Alloy Steel Legs (75-105 mm): 4" (x3), 6" (x3), 8" (x3)
Bearing Separator (with Beam): 75-105 mm
Main Rods (with Extension Rods 75-105 mm)

Part No.	Qty
940779	1

5T Universal Hub Puller



- For 4 / 5 stud hubs (95 - 128 mm).
- High tensile forcing screw.
- Suitable for use with 940781 (K89335 FOR FORCE!!)

Part No.	Qty	Size
940780	1	5/8" UNF

Slide Hammer

- Suitable for use with 940780



Part No.	Qty	Size	Length	Weight
940781	1	5/8" UNF	600 mm	4 lb

Dent Puller



For repairing small dents in thin sheet metal surfaces

- Also suitable for holding small sheets of glass etc

Part No.	Qty	Size
940786	1	120 mm

Door Trim Panel Removal Tool

For removing car trim panel retaining clips etc



Part No.	Qty
940792	1

RG Tools Trim Clip Remover Set

- Handy general purpose trim clip removal kit.
- Plastic tools will help prevent damage to interior parts & paint.
- To be used on all modern vehicles.
- Kit contains -1 x standard clip remover, 1 x narrow clip remover, 1 x dual clip remover, 1 x bumper clip remover & 1 wide type clip remover.



Part No.	Qty
RG10700	5 Pce Set

Panel Trim Removal Set

Designed to aid in the easy removal of door trim panel, trim fasteners & mouldings etc

including facia, hand brake gaiters & many other internal & external vehicle trims

- Supplied in wallet roll



Part No.	Qty
940787	1

Radio Removal Tool Set

For removal of radios for servicing etc

- Suitable for a range of applications including Ford, Volkswagen, Audi, Grundig, Blaupunkt, BMW, Mercedes Benz, Porsche, Becker, Opel, New Beetle, New Becker, New Skoda, New Blaupunkt, JVC, Pioneer



Part No.	Qty
940793	1

Pro Wiper Arm Puller

Jaw opening 6 - 28 mm for wiper arms with an o/d up to 42 mm

- Also suitable for use on some battery terminals & alternator bearings



Part No.	Qty
940795	1


Headlamp Adjustment Tool Set

For adjusting headlamp alignment

- 2 position magnetic handle / bit holder & three 300 mm long blades



Part No.	Qty
940797	4 Piece Set



Automotive Test Lead & Crocodile Clip Set



Set of 1.35 m automotive test leads with 4 mm diameter banana style connectors

- Used for testing & diagnosing faults in electronic circuits.
- Suitable for use with most multimeters & analysers

Part No.	Qty
980152	1

MOT Corrosion Assessment Tool



- VOSA MOT approved.
- Improved design helps prevent cracking & breaking when accidentally dropped

Part No.	Qty
940798	1

Mini Pick & Hook Set



Part No.	Qty
940801	1

Power Bar - 1/2" Drive

- Supplied with impact quality head



Part No.	Qty	Length	Diameter
940806	1	24"	23 mm

Screw Extractor Set - Steel



- Chrome molybdenum steel

Part No.	Qty
940818	1

Bolt Grip Expansion Set - 3/8" Drive



Grips & removes damaged nuts & bolts

Part No.	Qty
940819	5 Piece Set

Composite Creeper



One-piece, moulded, high impact polymer creeper

- Two integral tool trays & padded headrest.
- Low profile for greater under vehicle clearance.
- Six 75 mm diameter castors for easy manoeuvrability

Part No.	Qty	Size
980130	1	1000 x 480 x 115 mm

Mechanic's Mat Sets



Quality EVA mats ideal for the busy mechanic

- For use on workshop floors when working on wheels, brakes, tyres & exhausts, etc.
- Also ideal for roadside repairs

Part No.	Qty	Size
980135	2	Kneeler Mat - 385 x 280 x 22 mm. Full Length Mat-890 x 390 x 22 mm
980136	2	Kneeler Mat - 450 x 215 x 28 mm. Full Length Mat-980 x 380 x 28 mm

Load Sling



Manufactured from 100% high strength polyester with reinforced lifting eyes

Safe working load ratings quoted are for a load between the loop eyes (U configuration) & a load at one end (straight configuration)

- Weight for weight, straps are 3-5 times stronger than chains.
- Overload can be detected early by the fraying of the straps.
- Colour coded according to European standards for identifying their capacity

Safe Working Load U: 6000 kg
Safe Working Load Straight: 3000 kg
Length: 3 m

Part No.	Qty
980140	1

Trolley Jack - Long Chassis

High capacity portable garage jack for serious hobby or recovery vehicle use

Supplied with one-piece pumping handle with rubber grip



- Tough pump bracket & heavy-duty one-piece hydraulic unit with safety overload valve

Minimum Saddle Height: 130 mm
Maximum Saddle Height: 435 mm
Maximum Chassis Height: 165 mm
Length: 625 mm
Weight: 19 kg

Part No.	Qty	Capacity
980120	1	3 tonne

Trolley Jack - Short Chassis



- Features American cog-type integral handle release mechanism with long two-piece handle.
- Short chassis design with heavy-duty castors assist in positioning the jack under the load.
- Fitted with safety overload valve.
- Professional & fully portable.
- Compact design makes this jack equally suitable for workshop or recovery vehicle use

Minimum Saddle Height: 132 mm
Maximum Saddle Height: 440 mm
Maximum Chassis Height: 135 mm
Length: 540 mm
Weight: 25 kg

Part No.	Qty	Capacity
980121	1	2 tonne

Trolley Jack - Standard Chassis

Single-piece hydraulic unit with heavy base design



- Includes integral American cog-type release mechanism & long two-piece handle.
- Heavy-duty castors & extra-large saddle design ease positioning under vehicle.
- Fitted with safety overload valve & pump-through valve to prevent handle locking at maximum ram extension

Minimum Saddle Height: 145 mm
Maximum Saddle Height: 490 mm
Maximum Chassis Height: 154 mm
Length: 685 mm
Weight: 38 kg

Part No.	Qty	Capacity
980122	1	3 tonne

Trolley Jack - Rocket Lift

Single-piece hydraulic unit with heavy base design

- Includes integral American cog-type release mechanism & two-piece handle.
- Integral saddle pad provides protection for the jacking point.
- Heavy-duty castors & 55mm wide front wheels for even load distribution.
- Super rocket lift feature brings lifting arm straight into contact with jacking point with a single pump of the handle



Minimum Saddle Height: 145 mm
Maximum Saddle Height: 504 mm
Maximum Chassis Height: 163 mm
Length: 690 mm
Weight: 36 kg

Part No.	Qty	Capacity
980123	1	3 tonne

Axle Stands

Heavy-duty axle stands to safely support vehicles for extended periods of time

- Heavy gauge steel frame & welded construction gives superior strength & safety.
- Large saddles for good load distribution.
- All stands feature captive, multi-position pin load support



980126
Combined Capacity: 6 tonne
Minimum Height: 290 mm
Maximum Height: 433 mm

980127
Combined Capacity: 12 tonne
Minimum Height: 362 mm
Maximum Height: 565 mm

Part No.	Qty	Capacity
980126	2	3 tonne each
980127	2	6 tonne each

Bottle Jack

Ideal for Land Rovers, vans & light trucks

- Cast base with threaded components for easy disassembly.
- Fully tested & fitted with overload valve to comply with the latest CE regulations.
- Fitted with carrying handle.
- Service kits readily available



Minimum Height: 230 mm
Maximum Height: 460 mm
Hydraulic Lift: 150 mm
Screw Extension: 80 mm

Part No.	Qty	Capacity
980125	1	10 tonne

FULL EV TOOLS & CONSUMABLES ON PAGES 146 - 169

OR SCAN THE QR CODE TO VIEW OUR EV CONSUMABLES & TOOLS BROCHURE!



Lever Grease Gun - Heavy Duty



- With rigid tube & four-jaw connector.
- Takes cartridges (400cc) or bulk grease (500cc)

Part No.	Qty
635170	1

Lever Grease Gun



- Side lever.
- Takes cartridges or bulk grease

Part No.	Qty
635180	1

Grease Gun - Air Driven



- Rigid stem four jaw connector.
- Bulk fill or cartridge.
- 120 psi, max 6 Bar

Part No.	Qty
635200	1

Grease Gun - Pistol Type

Pistol style gun with contoured pump handle



- Die-cast pump head with air-bleed valve.
- 3-way fill with cartridge, bulk or manual capability.
- Supplied with rigid extension tube & push-on hydraulic 4-jaw coupling.
- Can be used as pistol or straight type grease gun.
- Accepts standard 400g cartridges

Capacity: 500 cm^3
Delivery Pressure: 4500 psi
Delivery per Stroke: 1.25 cm^3

Part No.	Qty
980161	1

Grease Pump - High Pressure



- For mounting directly onto original grease kegs.
- Equipped with cover, pump adapter, follower disc, handle & 1.5 m hose connector tube with 4-jaw hydraulic connector.
- 2 cc delivery per stroke

Maximum Pressure: 350 bar
Delivery Stroke: 2 cc

Part No.	Qty
635251	1 Set

Drum Pump - Lever Action



- Transfers all types of light lubricants & other non corrosive fluids.
- For 50 to 205 litre drums.
- Steel pump body, delivery spout & telescopic suction tube.
- 0.45 litre delivery per stroke.
- M2"G drum connection

Delivery: 0.45 l/stroke (16 l/min)

Part No.	Qty
635252	2 Piece Set

Piston Oil Pump



- Piston gear & lube oil pump.
- For most 20 & 25 litre drums.
- Complete with DIN 61 drum adaptor, 1.7 m hose & shut-off nozzle

Part No.	Qty
635255	1

Rotary Barrel Pump



- Cast iron pump.
- Dispenses higher volumes than standard lever pumps.
- For lube oil & diesel fuel only.
- Delivers 250 cc/rev

Part No.	Qty
635259	1

Syphon Pump



Composite pump with self-priming feature

- For 60 - 205 ltr drums.
- Suitable for oils & non-aggressive chemicals

Delivery: 12 ltr/min

Part No.	Qty
980163	1

Emergency Fuel Transfer Pump



Easy-to-use compact syphon pump with self-priming feature

- Suitable for light oils & non-aggressive chemicals

Part No.	Qty
980168	1

Displacement Pump - Heavy-Duty



Self-priming, piston-less, displacement pump

- Fitted with anti-drip nozzle, 2"BSP adaptor & dip-tube.
- For 205 ltr metal drum.
- Suitable for oils, antifreeze, degreasants & other non-corrosive fluids

Delivery: 250 ml/stroke (approx)

Part No.	Qty
980164	1

Oil Suction Gun



- Galvanized zinc end caps.
- 350 mm flexible hose

Part No.	Qty
635190	1

Oil Syringe

Chromed steel suction tube with T-bar type plunger



- Supplied with 200 mm flexible suction hose.
- Particularly useful for removal of oil from gearboxes & differentials

Part No.	Qty	Size
980166	1	500 ml

Fuel Delivery Nozzle - Manual

Die-cast aluminium body & trigger assembly



- Supplied with swivel connector.
- Suitable for use with diesel & leaded petrol

Nozzle Outside Diameter: 1”
Inlet Size: 1” BSP
Maximum Flow Rate: 120 ltr/min

Part No.	Qty
980167	1

Transfer Pump - Submersible

Robust & compact portable pump for use with diesel, non-aggressive chemicals & fresh or dirty water



- Supplied with a 3 m outlet hose & stainless steel nozzle plus a 4 m battery cable with clips.
- Will fit through a 54 mm diameter aperture to allow emptying of containers.
- End cap can be unscrewed for periodic cleaning of the filter.
- ‘Suitable for re-fuelling / fluid transfer of plant, agricultural & marine equipment on site.
- Low voltage

Part No.	Qty
980169	1

Drive Combination Bit Set - 3/8” & 1/2”

- 10 mm bit holders

Hex Bits (30 & 75 mm): 4, 5, 6, 7, 8, 10, 12 mm
Spline Bits (30 & 75 mm): M5, M6, M8, M10, M12
Star Bits (30 & 75 mm): T20, T25, T30, T40, T45, T50, T55, T60
Bit Holders (10 mm): 1/2” Drive, 3/8” Drive



Part No.	Qty
940804	42 Piece Set

Security Bit Set

- Chrome vanadium steel

Bit Holder: 60 mm
Bits: Torq, Spanner, Tri-Wing, Tamperproof Star Hexagon



Part No.	Qty
940809	33 Piece Set

Impact Spline Bit Set



Chrome molybdenum impact quality M12 spline bit sockets for use on VAG models

Sizes: 12 mm (VW Touran Rear Hubs), 14 mm (VW LT / Transporter Ball Joints), 16 mm Tamperproof Spline (VW Sharan rear Hubs), 18 mm Tamperproof Spline (VW Golf Rear Hubs)

Part No.	Qty
940810	4 Piece Set

Power Tool Security Bit Set



Comprehensive high quality chrome vanadium steel driver & security bit set

Supplied in storage case

- Suitable for a wide variety of applications

Accessories: Magnetic Extension / Bit Holder, 1/4" Square Drive Extension, 1/4" Square Drive Socket Adaptor (x2)
Bits: TRX-Star Security (x9), TRX-Star (x9), Hex - Metric (x9), Imperial (x9)
Slotted Screwdriver (x9), Pozi Screwdriver (x8), Phillips Screwdriver (x8), Hex Security - Metric (x6), Imperial (x6)
Tri-Wing (x4), Square (x4), Spanner (x4), Torq (x3), Spline (x3), Butterfly (x3), Special Hook Bit

Part No.	Qty
980102	100 Piece Set

Impact Driver & Bits Box Set



Accessories: 1/2" Drive Impact Driver, 1/4" Bit Adapter
1/4" Bits: PH1, PH2, PH3, PH4
4, 5, 6, 8 mm hex
5, 6, 8, 10, 12 mm flat

Part No.	Qty
985597	15 Piece Set

FIXT
CHEMICALS
OILS & PAINTS
PAGES 458 - 491
FIXT
ADHESIVES
AND SEALANTS
FIXT
for an even better solution

RG Tools Insulated Screwdrivers

- Made with high quality silicon alloy steel with a magnetic tip & ergonomic handle.
- 1000V insulated tools manufactured for live wire work.
- Tested to IEC900, DIN EN 60900 & VDE 0608/02.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).
- All of the range is available to order individually.

RG Tools Insulated Screwdriver Set - 7 Pieces



Part No.	Qty	Type
RG10410	1	7 Pc Box Set

RG Tools Insulated Screwdriver Set - 8 Pieces



Part No.	Qty	Type
RG10411	1	8 Pc Box Set

RG Tools Insulated Screwdrivers - Singles

Part No.	Qty	Type	Size
RG10450	1	Slotted	2.5 x 75 mm
RG10452	1	Slotted	3.5 x 100 mm
RG10456	1	Slotted	5.5 x 125 mm
RG10458	1	Slotted	6.5 x 150 mm
RG10462	1	Phillips	1 x 80 mm
RG10464	1	Phillips	2 x 100 mm
RG10454	1	Slotted	4 x 100 mm
RG10460	1	Phillips	0 x 60 mm
RG10470	1	Voltage Tester	



RG Tools Insulated Star Screwdrivers

- Made with high quality silicon alloy steel with a magnetic tip & ergonomic handle.
- 1000V insulated tools manufactured for live wire work.
- Tested to IEC900, DIN EN 60900 & VDE 0608/02.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).
- All of the range is available to order individually.



RG Tools Insulated Star Set - 6 Pieces

Part No.	Qty	Type
RG10412	1	6 Pc Box Set

RG Tools Insulated Star - Singles

Part No.	Qty	Type	Size
RG10480	1	T10	60 mm
RG10482	1	T15	100 mm
RG10484	1	T20	100 mm
RG10486	1	T25	100 mm
RG10488	1	T30	100 mm
RG10490	1	T40	150 mm



1-For-6 Screwdrivers

Features a patented new tip design

- Allows precise & powerful contact with six screwhead sizes; PZ1, PZ2, PZ3, PH1, PH2, PH3.
- Blades made from hardened & plated high grade steel



Part No.	Qty	Length	Type
985001	1	25 mm Blade	Standard
985002	1	100 mm Blade	Standard
985003	1	200 mm Blade	Standard
985004	1	100 mm Blade	VDE

1-For-6 Screwdriver Box Set

Features a patented new tip design

- Allows precise & powerful contact with six screwhead sizes; PZ1, PZ2, PZ3, PH1, PH2, PH3.
- Blades made from hardened & plated high grade steel



Part No.	Qty	Length
985005	3 Piece Set	Blade: 25 , 100, 200 mm Standard
985006	4 Piece Set	Blade: 25 , 100, 200 mm Standard 100 mm VDE

RG Tools VDE T-Handle, Sockets & Screwdrivers - 3/8" Drive - 9 Piece



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains: 1 x 3/8" Drive T-Handle, 3/8" Sockets: 7, 8, 10, 12 mm, Screwdrivers: PH2 x 100 mm, Slotted 5.5 x 125 x 1.0 mm blade, Heavy Duty Storage Pouch

Part No.	Qty
RG10110	1

RG Tools VDE Socket Set - 1/2" Drive - 8 Piece



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains: 1 x 1/2" Drive Reversible Ratchet, 1 x 1/2" Drive Extension Bar, 1 x 1/2" Drive Sockets: 14, 17, 19, 22 & 24 mm, 1 x Heavy Duty Storage Case

Part No.	Qty
RG10120	1

RG Tools VDE Wrench Set - Open End - 6 Piece



- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Set Contains: Open End Wrenches: 7, 8, 10, 12 & 14 mm, 1 x Heavy Duty Storage Pouch

Part No.	Qty
RG10130	1

RG Tools VDE Tool Set - 3/8" Drive - 27 Piece

RGTOOLS

- Professional fully insulated VDE approved tool set.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).



Set Contains: 1 x Combi Pliers, 1 x Side Cutters, Open End Wrenches: 7, 8, 10, 12, 14 mm, Screwdrivers: PH1 x 100 mm, PH2 x x100 mm, SL1.0 x 125 mm, SL0.8 x 100 mm, 2 Cable Knives, 3/8" Drive Ratchet, 3/8" Drive Extension 100 mm, 3/8" Drive Sockets: 7, 8, 10, 12, 14 mm, 3/8" Drive Sockets: 1/4", 5/16", 3/8", 1/2", 9/16", 3/8" Drive T-Handle

Part No.	Qty
RG10140	1

RG Tools Insulated Socket Set - 1/2" Drive

RGTOOLS

- Set Contents - 1/2" Dr ratchet, 1/2" Dr T-handle, 1/2" Dr 125mm extension bar, 1/2" Dr sockets - 10, 12, 13, 14, 17, 19, 22 & 24mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV



Part No.	Qty
RG10500	11 Pc Set

RG Tools Insulated Socket Rail - 1/2" Drive

- Set Contents - 1/2" Dr sockets - 2 x 10, 11, 12, 2 x 13, 14, 16, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).



Part No.	Qty
RG10506	10 Pc

RG Tools Insulated Socket Set - 3/8" Drive

- Set Contents - 3/8" Dr ratchet, 3/8" Dr 100mm extension bar, 3/8 Dr sockets - 8, 10, 12, 13, 14, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).



Part No.	Qty
RG10502	9 Pc Set

RG Tools Insulated Socket Rail - 3/8" Drive

- Set Contents - 3/8" Dr sockets - 2 x 10, 11, 12, 2 x 13, 14, 15, 17 & 19mm.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Manufactured according to EN60900:2004.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)



Part No.	Qty
RG10504	10 Pc

Spark plug Socket 16 mm



16mm single hex (6pt) 3/8" drive spark plug socket, supplied loose for use on a socket rack

A good quality, standard socket manufactured from chrome vanadium with clearly etched size markings and a rubber insert to protect and hold the spark plug for safe, secure removal.

- Outside diameter: 22mm; inside depth: 32.15.
- Fitted with rubber inserts to protect and hold the spark plug.
- Manufactured from chrome vanadium.

Part No.	Qty	Size
940769	1	16mm single Hex (6pt) x 3/8"D x 55.5mm long

Impact Socket 1/2" Dr - 27 mm



Standard 27mm single Hex 1/2"D impact socket

Part of a range of individual standard sockets from 10mm to 32mm.

- Size: 27mm single Hex x 1/2"D.
- Standard impact socket, depth: 42mm.
- Manufactured from chrome molybdenum.

Part No.	Qty	Size
940770	1	27mm single Hex x 1/2"D

Deep Impact Socket Set - 1/2" Drive

- Chrome vanadium steel, with black industrial finish.
- Surface drive 6-point hexagon sockets with dual size marks



Sizes:
10, 11 (7/16"), 12, 13, 14, 15, 16 (5/8"), 17, 18, 19 (3/4"), 21, 22 (7/8"), 24, 27 (1 1/16"), 30 (1 3/16"), 32 mm

Part No.	Qty
940803	16 Piece Set

Alloy Wheel Nut Sockets - 1/2" Drive



Chrome molybdenum steel

- Protective outer sleeve reduces the risk of damage / marking the alloy wheel surface

Part No.	Qty	Size	Colour
940761	1	17 mm	Blue
940762	1	19 mm	Gold
940763	1	21 mm	Red

Alloy Wheel Socket Set - 1/2" Drive 4 Pc



- Supplied in plastic case

Sizes: 15, 17, 19 & 21 mm

Part No.	Qty
985260	1

Alloy Wheel Impact Socket Set - 1" Drive



- Supplied in plastic case

Sizes: 10, 11, 13, 14, 17, 19, 21, 22, 24 & 27 mm (85mm L)

Part No.	Qty
985262	1

RG Tools Deep Impact Socket Set - 1/2" Drive

- Standard colour coded impact sockets.
- Set contains - 17mm, 19mm & 21mm sockets.
- PP-Covered & colour coded for ease of identification
- Chrome molybdenum alloy steel.
- Protective sleeve to give protection against damaging alloy wheels.



Part No.	Qty
RG10230	3 Pce

RG Tools Deep Impact Socket Set - 1/2" Drive - 3 Pc

- Colour plated polished sockets.
- Set contains - 17mm, 19mm & 21mm sockets
- PP-Covered & colour coded for ease of identification.
- Chrome molybdenum alloy steel.
- Electro-deposit finish.
- Protective sleeve to give protection against damaging alloy wheels.



Part No.	Qty
RG10232	3 Pce

Deep Impact Socket Set - 1/2" Drive

Sizes:
10, 11 (7/16"), 12, 13, 14, 15, 16 (5/8"), 17, 18, 19 (3/4"), 21, 22 (7/8"), 24, 27 (1 1/16") mm

Adaptors: 1/4" F x 3/8" & 3/8" F & 1/2" M

- Supplied in metal case



Part No.	Qty
985264	1

Deep Impact Socket Set - 1" Drive

- Supplied in metal case

Sizes: 24, 27, 30, 32, & 33 mm



Part No.	Qty
985266	1

Socket Rail Set

Rails: 430 mm (x5)
Clips: 1/2" Square Drive (x30), 3/8" Square Drive (x30), 1/4" Square Drive (x30)
Screwdriver bits (x20)



Part No.	Qty
940805	115 Piece Set

Extension Bar Set - 3/8" Drive



Sizes: 50, 75, 150, 250, 350 mm

Part No.	Qty
940807	1

Socket Rails

- Chrome plated with clips



Part No.	Qty	Size
985742	1	3/8" Drive
985743	1	1/2" Drive

RG Tools VDE Wrenches - Open End



- VDE Wrench for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900. Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV).

Part No.	Qty	Open Jaw	Length
RG10200	1	10 mm	108 mm
RG10205	1	13 mm	144 mm
RG10210	1	15 mm	163 mm
RG10215	1	17 mm	163 mm
RG10220	1	19 mm	180 mm
RG10225	1	24 mm	224 mm

Adjustable Wrenches

- Phosphated



Part No.	Qty	Length	Jaw Capacity
985330	1	100 mm (4”)	13 mm
985331	1	155 mm (6”)	20 mm
985332	1	205 mm (8”)	27 mm
985333	1	255 mm (10”)	30 mm
985334	1	305 mm (12”)	34 mm

Adjustable Wrenches - Wide Jaw

- Phosphated



Part No.	Qty	Length	Jaw Capacity
985325	1	155 mm (6”)	32 mm
985326	1	205 mm (8”)	38 mm
985327	1	255 mm (10”)	46.5 mm
985328	1	330 mm (13”)	55.6 mm

Thin Adjustable Wrench - Wide Jaw



Part No.	Qty	Length	Jaw Capacity
985329	1	205 mm (8”)	38 mm



Fuel Coupling Pliers Set

For quick release fittings on fuel lines

- Suitable for Citroen, Fiat, Ford, GM, Opel, Vauxhall, Peugeot, Renault, etc.



Part No.	Qty
940704	3 Piece Set

Hose Clamp Pliers - Long Reach

For use on re-usable spring band type hose clamps

- Holds the hose clip 'open' for final positioning.
- Easy to use in normally inaccessible spots



Part No.	Qty	Diameter
940742	1	18 - 54 mm

Pipe Bending Pliers

Two roller adaptors for bending 3/16", 1/4", 5/16", 3/8" copper & steel tube



Part No.	Qty
940748	1

CV Boot Clip Snips

For use on stainless steel retaining bands used on car CV boots

- Designed to reduce the risk of damage to the CV boot rubber.
- Also suitable for use on hose clamps up to 10 mm wide x 0.5 - 0.7 mm thick



Part No.	Qty
940785	1

CV Boot Clip Crimping Pliers

For use on metal ear type clips as used on front wheel drive CV joint boots



Part No.	Qty
940784	1

Grip Plier Set - PRO Lock

- Drop forged.
- Chrome vanadium jaws with wire cutter

Curved Jaw: 140, 225 mm
Long Nose: 165 mm



Part No.	Qty
940813	3 Piece Set

Circlip Pliers Set

- 175 mm long, 2.0 mm tips.
- Straight & angled



Part No.	Qty
940814	4 Piece Set

Pliers Set

Types: Combination, Side Cutter, Flat Nose



Part No.	Qty	Size
985517	3 Piece Set	160 mm (6")

RG Tools VDE Combi Pliers - 6”



- VDE Pliers for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10350	1

RG Tools VDE Long Nose Pliers - 8”



- VDE Pliers for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10355	1

RG Tools VDE Diagonal Side Cutters - 6”



- VDE Side cutters for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10360	1

RG Tools VDE Bent Nose Pliers - 8”



- VDE Pliers for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10365	1

RG Tools VDE Wire Strippers - 6”



- VDE Wire stripper for the professional user.
- 1000V insulated tools manufactured for live wire work.
- Complies with IEC60900.
- Tested by VDE & VPS.
- Part of our professional EV range.
- Ideal for use on battery electric vehicles (BEV), hybrid electric vehicles (HEV) & plug in hybrid electric vehicles (PHEV)

Part No.	Qty
RG10370	1

FULL EV TOOLS RANGE ON PAGE 146 - 169

Combination Pliers - with Wire Cutter



- Black oxidized

Part No.	Qty	Size
985347	1	200 mm (8”)

Snipe Nose Pliers - with Wire Cutter



- Black oxidized

Part No.	Qty	Size
985352	1	200 mm (8”)

Side Cutting Pliers



- Cuts hard steel wire.
- Black oxidized

Part No.	Qty	Size
985349	1	160 mm (6 1/2”)

Slip Joint Pliers



- Phosphated

Part No.	Qty	Length	Jaw Capacity
985340	1	250 mm (10”)	45 mm
985341	1	315 mm (12 1/2”)	55 mm

BAHCO Pliers Set



Types:
Slip Joint (250 mm),
Combination (180 mm),
Long Nose (160 mm),
Side Cutting (160 mm)

Part No.	Qty
985353	4 Piece Set

Circlip Pliers Set Changeable heads



- Circlip Pliers.
- Circlip Plier Heads (x4) - for internal & external circlips

Part No.	Qty
985815	4 Piece Set

O’ Clip Pliers



- Plastic coated handles.
- Side closing type

Part No.	Qty
505145	1

Locking Pliers - Straight Jaw



Part No.	Qty	Size	Type
985711	1	175 mm (7”)	7R
985712	1	200 mm (10”)	10R
985713	1	175 mm (7”)	7CR
985714	1	200 mm (10”)	10CR

Locking Pliers - Curved Jaw with Wire Cutters



Part No.	Qty	Size	Type
985715	1	125 mm (5”)	5WR

Long Nose Locking Pliers - with Wire Cutters



Part No.	Qty	Size	Type
985716	1	150 mm (6”)	6LN
985717	1	225 mm (9”)	9LN

Locking Pliers - Large Jaw

Can be used as a Pipe Wrench, Adjustable Wrench, Clamp or Pliers (on large objects)



Part No.	Qty	Size	Type	Jaw Capacity
985724	1	300 mm (12”)	12LC	79 mm (3 1/8”)

Welding Clamp



Part No.	Qty	Size	Type
985718	1	225 mm (9”)	9R

Locking Chain Clamp - Pipe Wrench



Part No.	Qty	Size	Type
985722	1	455 mm (18”)	20R

Locking ‘C’ Clamp

- With standard tips



Part No.	Qty	Size	Type	Jaw Capacity
985719	1	150 mm (6”)	6R	50 mm (2”)
985720	1	275 mm (11”)	11R	95 mm (3 3/4”)
985721	1	455 mm (18”)	18R	200 mm (8”)

Bar Clamp

- Fast one-handed operation



Part No.	Qty	Size
985731	1	150 mm (6”)

Steel Brake / Fuel Hose Clamp

- For use on flexible brake / fuel lines



Part No.	Qty
940754	1

Flexible Line Clamp

- For single handed use on flexible brake / fuel lines



Part No.	Qty	Size
940755	1	Small
940756	1	Medium
940757	1	Large

Masons Club Hammers



Part No.	Qty	Weight	Handle
985651	1	2 1/2 lb (40 oz)	Hickory
985652	1	4 lb (64 oz)	Hickory

Engineers Ball Pein Hammers



Part No.	Qty	Weight	Handle
985623	1	4 oz	Ash
985625	1	16 oz (1 lb)	Hickory
985626	1	32 oz (2 lb)	Hickory

Carpenters Claw Hammer



Part No.	Qty	Weight	Handle
985627	1	16 oz (1 lb)	Hickory

Copper & Hide Hammers



Part No.	Qty	Size	Weight	Handle
985630	1	No.2	2 1/2 lb (40 oz)	Hickory
985631	1	No.3	3 lb (48 oz)	Hickory

Sledge Hammer



Part No.	Qty	Size	Weight	Handle
985658	1	29”	7 lb	Hickory

Rubber Mallet



- Wooden handle

Part No.	Qty	Weight
985655	1	16 oz (1 lb)

Indestructible Handle Hammer Set



- Spring steel bars run through the hammer handle which eliminates handles breaking due to an overstrike.
- A steel locking plate holds the hammer head to the handle, eliminating loosening or dislodging.
- Non-slip vulcanized rubber handle with drop forged head. Club/Sledge hammer, ball pein hammer & cross pein hammer.
- 3 Piece Kit.

Part No.	Qty
8709881	3 Pc Set

Ball Pein Hammers



Part No.	Qty	Weight	Handle
985582	1	1 1/2 lb (24 oz)	Fibreglass
985583	1	2 lb (32 oz)	Fibreglass

Claw Hammer



Part No.	Qty	Weight	Handle
985584	1	20 oz (1 1/4 lb)	Fibreglass

Club Hammer



Part No.	Qty	Weight	Handle
985585	1	2 1/2 lb (40 oz)	Fibreglass

Corrosion Test MOT Hammer



- VOSA approved

Part No.	Qty
985675	1

Dead Blow Hammer



Part No.	Qty	Weight
985632	1	2 lb (32 oz)

Nylon Hammer



Part No.	Qty	Weight
985633	1	1 1/2 lb (24 oz)

Hammer Shafts & Wedges



- Wooden

Part No.	Qty	Length	Suits Hammer	Material
895246	3	10”	Club	Hickory
895247	3	13”	Pin	Ash
895252	3	12”	Engineers	Hickory
895253	3	13”	Engineers	Hickory
895249	3	15”	Engineers	Hickory
895254	3	16”	Engineers	Hickory
895248	3	13”	Claw	Hickory
895255	1	29”	Sledge	Hickory
895256	1	35”	Sledge	Hickory

Hammer Shafts & Wedge Kit



- Hickory.
- Complete with metal wedges

Engineers: 12” (1/2lb), 13” (3/4lb), 16” (2lb)
Club: 10”
Metal Wedges: No 1, 2, 3, 4

Part No.	Qty
110130	5

Hammer Shaft Wedges



- Metal

Sizes: No 1, 2, 3, 4

Part No.	Qty
110174	20

Dormer Tap & Drill Sets



- 2 piece set containing a tap and pre-hole drill.
- High speed steel (HSS) provides good hot hardness.
- Self-centering, low thrust and easier penetration

Part No.	Qty	Size
815450	2	M3
815451	2	M4
815452	2	M5
815453	2	M6
815454	2	M8
815455	2	M10
815456	2	M12

HSS Tap & Die Box Set



- Supplied in a plastic storage case

Accessories: Die Stock, Adjustable Tap Wrench, Ratchet Tap Holder, Screwdriver, Thread Gauge
Solid Circular Threading Dies: M3, M4, M5, M6, M8, M10, M12
Lead Ground Thread Taps: M3, M4, M5, M6, M8, M10, M12 (Taper, Second, Plug)

Part No.	Qty
815283	1 Set

HSS Tap Set



- Supplied in a plastic storage case

Sizes: M4, M5, M6, M8, M10, M12

Part No.	Qty
985643	6 Piece Set

HSS Second Tap Set



- Adjustable Tap Wrench

Second Ground Thread Taps: M3, M4, M5, M6, M8, M10, M12

Part No.	Qty
815282	1 Set

HSS Solid Die Set



Contains: Die Stock Solid Circular Threading Dies: M3, M4, M5, M6, M8, M10, M12

Part No.	Qty
815281	1 Set

Tap Set



- High speed steel (HSS)

Part No.	Qty	Size
110191	2 Piece Set	M6 x 1.00
110192	2 Piece Set	M8 x 1.25
110193	2 Piece Set	M10 x 1.5



HSS Tap Set - Carbon Steel



- Carbon steel

Types: Taper, Second, Plug

Part No.	Qty	Size
815295	3 Piece Set	M3 x 0.5 mm
815296	3 Piece Set	M4 x 0.7 mm
815306	3 Piece Set	M5 x 0.8 mm
815307	3 Piece Set	M6 x 1.0 mm
815308	3 Piece Set	M8 x 1.25 mm
815309	3 Piece Set	M10 x 1.5 mm
815315	3 Piece Set	M12 x 1.75 mm

Hex Die Nut



- High speed steel (HSS)

Part No.	Qty	Size
815293	1	M6 x 1.0 mm
815294	1	M8 x 1.25 mm
815297	1	M10 x 1.5 mm
815298	1	M12 x 1.75 mm

Tap Wrench - Adjustable



Part No.	Qty
985310	1
985315	1

HSS-G Drill Bits

ABRACS

Abracs HSS-G Drill Bits are precision ground for high performance. Best suited for use on common steel material applications, but will also drill plastic. Manufactured with a Split Point allowing the bit to instantly grip the material resulting in higher precision, accuracy and increased drilling speeds.



Part No.	Qty	Size
825402	10	1.5 mm
825404	10	2.0 mm
825406	10	2.5 mm
825408	10	3.0 mm
825410	10	3.5 mm
825412	10	4.0 mm
825414	10	4.5 mm
825416	10	5.0 mm
825418	10	5.5 mm
825420	10	6.0 mm
825422	10	6.5 mm
825424	10	7.0 mm
825426	10	7.5 mm
825450	5	8.0 mm
825452	5	8.5 mm
825454	5	9.0 mm
825456	5	9.5 mm
825458	5	10.0 mm
825438	5	10.5 mm
825440	5	11.0 mm
825442	5	11.5 mm
825444	5	12.0 mm
825446	5	12.5 mm
825448	5	13.0 mm

Pro Jobber Drill Set - Metric

HSS with Titanium Nitride coating on full working length of drill for heat dispersal leading to a longer drill life



- Easy start 118˚ split-point tip.
- Up to 100% increase in cutting speed.
- High metal removal rate & rupture resistance.
- DIN 338 / BS 328

Part No.	Qty	Size
825490	19 Piece Set	1.0 - 10.0 mm (in 0.5 mm's)

HSS-R Drill Bits

Abracs HSS-R Drill Bits are rolled forged drill bits best suited for use on common steel material applications, but will also drill plastic. The 118° tip angle improves heat removal and ensures precise pilot drilling.



Part No.	Qty	Size
825131	10	1.0 mm
825132	10	1.5 mm
825133	10	2.0 mm
825134	10	2.5 mm
825135	10	3.0 mm
825195	50	3.0 mm
825171	10	3.3 mm
825136	10	3.5 mm
825137	10	4.0 mm
825196	25	4.0 mm
825172	10	4.2 mm
825138	10	4.5 mm
825139	10	5.0 mm
825197	25	5.0 mm
825140	10	5.5 mm
825141	10	6.0 mm
825198	20	6.0 mm
825142	10	6.5 mm
825143	10	7.0 mm
825144	10	7.5 mm
825145	10	8.0 mm
825146	10	8.5 mm
825147	10	9.0 mm
825148	10	9.5 mm
825149	10	10.0 mm
825150	5	10.5 mm
825151	5	11.0 mm
825153	5	12.0 mm
825156	5	13.0 mm
825165	20	1/4”
825113	10	1/4”
825105	10	1/8”
825163	50	1/8”
825109	10	3/16”
825164	25	3/16”

HSS Jobber Drill Case Sets



- Right hand.
- General purpose.
- In high quality cantilever cases

Part No.	Qty	Size
825157	1 Set	1.0 - 13.0 mm (in 0.5 mm’s)

‘Drill-Boy’ Box Set - HSS Jobber Drills



- 55 Piece box set.
- Right hand.
- General purpose.
- In a wall mountable box

Sizes: 1.0 - 13.0 mm
(in 0.5 mm’s)
Plus 3.3, 4.2, 6.8, 10.2 mm

Part No.	Qty
815284	1 Set



DORMER HSS Jobber Drills - Imperial

DORMER

- Right hand.
- General purpose.
- A002



Part No.	Qty	Size
815181	10	1/16”
815182	10	5/64”
815183	10	3/32”
815184	10	7/64”
815185	10	1/8”
815186	10	9/64”
815187	10	5/32”
815188	10	11/64”
815189	10	3/16”
815190	10	13/64”
815191	10	7/32”
815192	10	15/64”
815193	10	1/4”
815194	10	17/64”
815195	10	9/32”
815196	10	19/64”
815197	10	5/16”
815198	10	21/64”
815199	10	11/32”
815200	10	23/64”
815201	10	3/8”
815202	10	25/64”
815203	5	13/32”
815204	5	27/64”
815205	5	7/16”
815206	5	29/64”
815207	5	15/32”
815208	5	31/64”
815209	5	1/2”

DORMER HSS Jobber Drills - Metric

DORMER

- Right hand.
- General purpose.
- A002



Part No.	Qty	Size
815211	10	1.0 mm
815212	10	1.5 mm
815213	10	2.0 mm
815214	10	2.5 mm
815215	10	3.0 mm
815265	10	3.2 mm
815216	10	3.5 mm
815217	10	4.0 mm
815266	10	4.2 mm
815218	10	4.5 mm
815219	10	5.0 mm
815220	10	5.5 mm
815221	10	6.0 mm
815222	10	6.5 mm
815267	10	6.8 mm
815223	10	7.0 mm
815224	10	7.5 mm
815225	10	8.0 mm
815226	10	8.5 mm
815227	10	9.0 mm
815228	10	9.5 mm
815229	10	10.0 mm
815268	5	10.2 mm
815230	5	10.5 mm
815231	5	11.0 mm
815232	5	11.5 mm
815233	5	12.0 mm
815279	5	12.5 mm
815280	5	13.0 mm

HSS Jobber Drill Sets - In Metal Case

DORMER



- Right hand.
- General purpose.
- Supplied in high quality metal cantilever cases

Part No.	Qty	Size	Type
815210	1 Set	1/16" - 3/8" (in 64th's)	A100
815180	1 Set	1/16" - 1/2" (in 64th's)	A100
815235	1 Set	1.0 - 13.0 mm (in 0.5 mm's)	A002

HSS (Tin) Jobber Drill Compact Set

DORMER



- Right hand.
- General purpose.
- In a plastic case

Sizes: 1.0-10.0 mm (in 0.5 mm's)

Part No.	Qty	Type
815285	1 Set	A002

HSS Jobber Drill - Dispenser Pack 1.5 - 6.5 mm

DORMER



- Right hand.
- General purpose.
- In a plastic case

Sizes: 1.5 - 6.5 mm (in 0.5 mm's), 3.3 mm, 4.2 mm

Part No.	Qty	Type
815234	1 Set	A100

HSS Jobber Drill - Dispenser Pack 1 - 10 mm

DORMER



- Right hand.
- General purpose

Sizes: 1.0 - 10.0 mm (in 0.5 mm increments)

Part No.	Qty	Type
815242	1 Set	A100

Dormer HSS Jobber Drill Set - Dispenser

DORMER



- Right hand.
- General purpose.
- 4, 5, 6, 8, 10 mm

Part No.	Qty	Type
815249	1	A002

HSS Jobber Drills - A002 'Top Up' Pack

DORMER



- Right hand.
- General purpose

Sizes: 1/16" - 1/4" (in 64ths)

Part No.	Qty	Type
815179	13	A002

Dormer 170 PC Drill Set

DORMER



- Supplied in plastic storage case.
- DIN338.
- Special 118° four facet point enables excellent centring - eliminating the need for a pilot hole.
- Titanium Nitride (TiN) coating not only resists wear but also reduces friction. This has the dual benefit of increasing both tool life and speed/feed capabilities.

Kit Contains: 19 x Sizes: 1.0 - 10.0 mm in 0.5 mm steps. 1.0 mm x10, 1.5 mm x10, 2.0 mm x10, 2.5 mm x10, 3.0 mm x10, 3.5 mm x10, 4.0 mm x10, 4.5 mm x10, 5.0 mm x10, 5.5 mm x10, 6.0 mm, x10 6.5 mm x10, 7.0 mm x10, 7.5 mm x10, 8.0 mm x10, 8.5 mm x5, 9.0 mm x5, 9.5 mm x5, 10.0 mm x5

Part No.	Qty	Type
778515	170 Pc	A002

DORMER Jobber Drills - Stainless Steel

DORMER

- Right hand.
- High speed steel (HSS).
- For drilling stainless steel.
- A108



Part No.	Qty	Size
815350	10	1.0 mm
815351	10	1.5 mm
815352	10	2.0 mm
815353	10	2.5 mm
815354	10	3.0 mm
815355	10	3.5 mm
815356	1	4.0 mm
815357	1	4.5 mm
815358	1	5.0 mm
815359	1	5.5 mm
815360	1	6.0 mm
815361	1	6.5 mm
815362	1	7.0 mm
815363	1	7.5 mm
815364	1	8.0 mm
815365	1	8.5 mm
815366	1	9.0 mm
815367	1	9.5 mm
815368	1	10.0 mm
815369	1	10.5 mm
815370	1	11.0 mm
815371	1	11.5 mm
815372	1	12.0 mm
815373	1	12.5 mm
815374	1	13.0 mm

HSS Cobalt Jobber Drill Bits

ABRACS

Abracs HSS Cobalt Drill Bits are precision ground for high performance. The addition of 5% cobalt into the High Speed Steel increases lifetime, strength & wear resistance, keeping the drill bit sharper for longer. A key performance feature is their Split Point cutting head. The Split Point allows the drill bit to instantly grip the material resulting in higher precision, accuracy and significantly faster drilling speeds.



Part No.	Qty	Size
825311	10	1.0 mm
825312	10	1.5 mm
825313	10	2.0 mm
825314	10	2.5 mm
825315	10	3.0 mm
825316	10	3.3 mm
825317	10	3.5 mm
825318	10	4.0 mm
825319	10	4.2 mm
825320	10	4.5 mm
825321	10	5.0 mm
825322	10	5.5 mm
825323	10	6.0 mm
825324	10	6.5 mm
825325	10	6.8 mm
825326	10	7.0 mm
825327	10	7.5 mm
825328	5	8.0 mm
825329	5	8.5 mm
825330	5	9.0 mm
825331	5	9.5 mm
825332	5	10.0 mm
825333	5	10.2 mm
825334	5	10.5 mm
825335	5	11.0 mm
825336	5	11.5 mm
825337	5	12.0 mm
825338	5	12.5 mm
825339	5	13.0 mm

Spot Weld Drills - Stub Length

DORMER



- High speed cobalt (HSCO)

Part No.	Qty	Size
825180	1	6 x 66 mm
825181	1	8 x 80 mm

DORMER Spot Weld Drills - Stub Length

DORMER



- High speed cobalt (HSCO)

Part No.	Qty	Size
815244	10	6.0 mm
815246	2	8.0 mm
815247	10	8.0 mm

Spot Weld Drills - Jobber Length

DORMER



- High speed cobalt (HSCO)

Part No.	Qty	Size
815248	10	8.0 mm

Cobalt Drill Set

DORMER

Sizes: 1.0 - 10.0 mm (in 0.5 mm increments)



Part No.	Qty
825345	19 Piece Set

Blacksmith Drill bits

ABRACS

Abracs Blacksmith Drill Bits are manufactured with a large diameter and smaller shanks to enable use in standard drill chucks. Suitable for steel, cast iron, non-ferrous materials.



Part No.	Qty	Size
825353	1	14.0 mm
825168	1	14.5 mm
825185	1	15.0 mm
825354	1	16.0 mm
825187	1	17.0 mm
825355	1	18.0 mm
825170	1	19.0 mm
825356	1	20.0 mm
825357	1	22.0 mm
825358	1	25.0 mm

Masonry Drills



- For general purpose drilling into most masonry materials

Part No.	Qty	Size
825370	3	5.5 x 85 mm
825372	3	6.0 x 100 mm
825376	3	7.0 x 100 mm
825378	2	8.0 x 120 mm
825380	2	10.0 x 120 mm
825381	2	10.0 x 200 mm
825382	2	12.0 x 150 mm

Masonry Drill Set



- In a plastic storage case

Sizes: 4.0, 5.0, 6.0, 7.0, 8.0 mm

Part No.	Qty
815238	Set of 5

Cone Cutting Drill



- High speed steel (HSS).
- 3/8" Shank

Part No.	Qty	Hole Size
815239	1	6 - 20 mm (3/8" - 13/16")
815240	1	16 - 30.5 mm (5/8" - 1")

Step Drill Set



- In a plastic storage case

Part No.	Qty
825365	3

Step Drill



- Multi-cut drills for enlargement of pre-drilled holes

Part No.	Qty	Size
825360	1	4 - 12 mm
825361	1	4 - 20 mm
825362	1	6 - 30 mm

Saw Drill1/4"



- Versatile cutting tool.
- Acts as a drill, reamer, saw & slot drill, router & rotary file.
- Titanium nitride coated

Part No.	Qty
815241	1

Screw Extractor Set



- Extracts broken screws or studs leaving the threads undamaged

Part No.	Qty
815299	Set of 6


Stud & Screw Extractor Set



- Extracts broken screws or studs leaving the threads undamaged

Sizes: No
1 - 6 (1/8" - 3/4")

Part No.	Qty
985619	Set of 6



Plastic Wall Plugs



Part No.	Qty	Size	Colour
895262	100	6.0 mm (No.6 - 12)	Red
895263	100	7.0 mm (No.10 - 14)	Brown
895251	200	5.0 - 8.0 mm	Assorted Pack

Dormer Carbide Burr Set

DORMER

Types: Cylindrical, Ball Nose, Pointed Tree Nose, Round Nose



Part No.	Qty
815410	1

Dormer Rotary Burs

DORMER

- Premium Carbide material.
- Carbide provides superior performance and extend tool life at high speeds.
- Provides rigidity & strength descreasing vibrations for extended tool life.
- Toughened and hardened steel shank
-



Part No.	Qty	Type	Shank
815420	1	Cylindrical	6 mm
815422	1	Ball Nose	6 mm
815424	1	Ball	6 mm
815426	1	Oval	6 mm
815428	1	Tree	6 mm

Rotary Burrs



Part No.	Qty	Type	Shank	Head Diameter	Head Length
985461	1	Cylindrical	6 mm	10 mm	20 mm
985462	1	Ball Nose	6 mm	10 mm	20 mm
985463	1	Conical Ball Nose	6 mm	10 mm	27 mm
985464	1	Pointed Tree Nose	6 mm	10 mm	20 mm
985465	1	Round Nose	6 mm	12 mm	25 mm
985466	1	Oval Nose	6 mm	12 mm	22 mm

Rotary Burr Set

Types: Cylindrical, Ball Nose, Pointed Tree Nose, Round Nose



Part No.	Qty
985460	Set of 4

Electricians Holesaw Kit



- 8% Cobalt for ultimate performance.
- Variable pitch teeth

Accessories: Arbors, arbor adapter, HSS pilot drill bits Holesaws: 16, 20, 22, 25, 32, 64 mm

Part No.	Qty
825254	1

Plumbers Holesaw Kit



- 8% Cobalt for ultimate performance.
- Variable pitch teeth

Accessories: Arbors, arbor adapter, pilot drills, injection spring, extension bar Holesaws: 16, 20, 22, 25, 32, 38, 44, 51, 57, 64, 76 mm

Part No.	Qty
825255	1

Multi-Tool Blade Set - Wood & Metal



Contains: 1x 34mm Wood Cutting Blade (Standard Cut), 1x 87mm Radial Wood Cutting Blade, 1x 34mm Wood & Metal Cutting Blade, 1x 64mm Wood & Metal Cutting Blade

Part No.	Qty
825258	1

Cobalt Hole Saws

Abracs extensive range of expert quality Cobalt Holesaws for use on a wide range of applications. Our Cobalt Holesaws are designed for use by professional trades people and manufactured from premium quality materials. We use Bi-metal construction with 8% Cobalt for extreme strength, durability and performance. Abracs Holesaws are manufactured with high speed variable pitch teeth for fast and clean cutting and are suitable for use on a full range of materials.



Part No.	Qty	Size
825202	1	16 mm
825203	1	19 mm
825204	1	20 mm
825206	1	22 mm
825208	1	25 mm
825210	1	29 mm
825211	1	30 mm
825212	1	32 mm
825214	1	35 mm
825216	1	38 mm
825217	1	40 mm
825220	1	44 mm
825222	1	48 mm
825223	1	51 mm
825226	1	57 mm
825227	1	60 mm
825229	1	64 mm
825831	1	70 mm
825233	1	76 mm
825235	1	83 mm
825241	1	102 mm
825243	1	114 mm

Arbors

- To fit hole saws



Part No.	Qty	Size
825261	1	3/8” hex (for 14 - 30 mm Holesaws)
825262	1	7/16” hex (for 32 - 152 mm Holesaws)

Engineers Files - Half Round



Part No.	Qty	Length	Cut Type
895517	2	150 mm (6”)	Bastard
895520	2	200 mm (8”)	Bastard
895182	2	250 mm (10”)	Bastard
895524	2	300 mm (12”)	Bastard
895516	2	150 mm (6”)	Second
895166	2	200 mm (8”)	Second
895521	2	250 mm (10”)	Second
895523	2	300 mm (12”)	Second

Engineers Files - Flat



Part No.	Qty	Length	Cut Type
895501	2	150 mm (6”)	Bastard
895180	2	200 mm (8”)	Bastard
895181	2	250 mm (10”)	Bastard
895507	2	300 mm (12”)	Bastard
895157	2	150 mm (6”)	Second
895158	2	200 mm (8”)	Second
895159	2	250 mm (10”)	Second
895160	2	300 mm (12”)	Second

Round Engineers Files - Second Cut



Sizes: 6”, 8”, 10”, 12”

Part No.	Qty
110144	10

Flat Engineers Files - Second Cut



Sizes: 6”, 8”, 10”, 12”

Part No.	Qty
110146	4

Mixed Engineers Files - Bastard Cut



Contains various shapes and lengths

Part No.	Qty
110147	5

Mixed Engineers Files - Second Cut



Contains various shapes and lengths

Part No.	Qty
110145	5



Mixed Engineers Files - Bastard & Second Cut



Contains: Flat, Round, Half Round (8", 10")

Part No.	Qty
110149	8

Mixed Engineers Files Set - Bastard & Second Cut



- Complete with storage wallet

Types: Flat, Round, Half Round (8", 10")

Part No.	Qty
110143	Set of 10

File Set



- Complete with storage wallet

Types: Hand, Square, Round, Half Round (8")

Part No.	Qty
985775	Set of 5

Needle File Set



- Complete with plastic storage wallet

Various shapes (140 mm)

Part No.	Qty
895154	Set of 10

Safety File Handles - Wooden



- Spring steel retainer & metal safety ring

Part No.	Qty	Size
895242	5	No.0 (75 mm, 3")
895243	5	No.1 (108 mm, 4 1/4")
895244	3	No.2 (126 mm, 5")
895245	3	No.3 (140 mm, 5 1/2")

Wooden File Handles



- Safety file handles.
- Spring steel retainer & metal safety ring

Sizes: No 0 - 3

Part No.	Qty
110148	8

Thread Restorers



- Thread cleaning files

Part No.	Qty	Type
815401	1	UNF / UNC
815403	1	Metric

Junior Hacksaw Blades



- Tempered & hardened high speed carbon steel.
- For metal cutting

Part No.	Qty
855168	100


Hacksaw Blades - All Hard



- High speed steel.
- Supplied in plastic storage box

Part No.	Qty	Length	TPI
855211	20	12”	18 tpi
855201	100	12”	18 tpi
855212	20	12”	24 tpi
855202	100	12”	24 tpi
855213	20	12”	32 tpi
855203	100	12”	32 tpi

Power Saw Blades



- High speed steel

Part No.	Qty	Length	TPI
855207	10	14”	10 tpi
855208	10	14”	14 tpi

Hacksaw Blades - Predator

Market-leading Eclipse Predator Flexible Bimetal Hacksaw Blades.A virtually unbreakable blade for superb cutting performance, wear resistance and safety. Eclipse Predator blades feature precision ground teeth with a positive rake angle and a smooth gullet for effective material removal, creating a more aggressive and faster cut and

a blade that stays sharper for longer.



- Faster cut than standard bimetal hacksaw blades. Sharper first cut.
- Longer life.
- Safe shatterproof blade

Part No.	Qty	Length	TPI
855224	100	12”	18 tpi
855234	20	12”	18 tpi
855225	100	12”	24 tpi
855235	20	12”	24 tpi
855236	20	12”	32 tpi


Hacksaw Blades - ‘Sandcut®’



- Fully hardened hacksaw blades.
- High speed steel

Part No.	Qty	Length	TPI
855187	30	12”	18 tpi
855177	100	12”	18 tpi
855188	30	12”	24 tpi
855178	100	12”	24 tpi

Bi-Metal Hacksaw Blades - ‘Sandflex®’



- Flexible high speed steel.
- Shatterproof

Part No.	Qty	Length	TPI
855184	20	12”	18 tpi
855172	100	12”	18 tpi
855185	20	12”	24 tpi
855173	100	12”	24 tpi
855186	20	12”	32 tpi
855174	100	12”	32 tpi

BAHCO Power Saw Blades



- High speed steel

Part No.	Qty	Length	TPI
855302	10	14”	10 tpi
855303	10	14”	14 tpi

Jigsaw Blades



- Suitable for AEG, Bosch, Makita & Metabo machines.
- Skin-packed on informative card.
- Straight cutting form

Part No.	Qty	Length	Pitch / TPI	Type / Cut Type	Ref / Bosch Ref
855322	5	100 mm	3 mm / 8 tpi	HCS / Med	91-023 / T111c
855324	5	100 mm	4 mm / 6 tpi	HCS / Coarse	91-143 / T144D
855321	5	100 mm	2.5 mm / 10 tpi	HCS / Fine	91-223 / T101B
855326	5	75 mm	1.1 mm / 24 tpi	HSS / Med	91-512 / T118A
855328	5	75 mm	1.8 mm / 14 tpi	HSS / Med	91-522 / T118B
855325	5	75 mm	1.8 mm / 14 tpi	BM / Med	91-622 / T127D
855327	5	75 mm	1.1 mm / 24 tpi	BM / Med	91-612 / T118AF

Jigsaw Blades - for Wood



- CV.
- 2.5 mm pitch.
- Blade length 100mm, Working Length 75mm.
- Suitable for AEG, Bosch, Makita & Metabo machines.
- Packed on informative card (Bosch T101B)

Part No.	Qty
985648	5

Jigsaw Blades - for Metal



- High Speed Steel.
- 0.9 mm pitch.
- Blade length 75mm, working length 50mm.
- Suitable for AEG, Bosch, Makita & Metabo machines.
- Packed on informative card (Bosch T118G)

Part No.	Qty
985649	5



Professional Hacksaw - with Bi-Metal Blade

Maintain blade tension at 80 kg to ensure accurate & straight cutting performance



- Strong light frame for greater comfort & control.
- Soft feel handle.
- Epoxy coated moulded section steel frame

Part No.	Qty	Size	TPI
855165	1	12”	24 tpi

Professional Hacksaw - with ‘Sandflex’ Blade



- Alternative 55˚ blade mounting for flush cutting

Part No.	Qty	Size	TPI
855171	1	12”	24 tpi

Professional Hacksaw - ‘Sandflex’



- Additional 90˚ angle setting

Part No.	Qty	Size	TPI
855176	1	12”	24 tpi

Professional Hacksaw - with VIKING ‘Durocut’ Blade



- Additional 90˚ angle setting

Part No.	Qty	Size	TPI
855271	1	12”	20 / 24 tpi

Compact Hacksaw - with Bi-Metal Blade



Part No.	Qty	Size	TPI
985876	1	12”	24 tpi

Wire Frame Junior Hacksaw - with Blades



- High speed carbon steel blades

Part No.	Qty	Type
855166	3	Complete with 1 blade
855169	1	Complete with 30 blades

Wire Frame Junior Hacksaw - Plastic Handle



- Comes with high speed carbon steel blade

Part No.	Qty
855167	1

Junior Hacksaw - with Blade



- High speed carbon steel blade

Part No.	Qty
985875	1

Professional Hacksaw



Part No.	Qty	Size
855181	1	12”

Mini Hacksaw - with 'Sandflex' Blade



- Easy to handle & supplied with a 250 mm (10") 'Sandflex' bi-metal blade

Part No.	Qty	TPI
855180	1	24 tpi

Hard Point Saw



Part No.	Qty	Size	TPI
985416	1	22"	7/8 tpi

Bow Saw - with Blade



Part No.	Qty	Size
985872	1	21"

Trim Knife Blades



- For use with 920377 & 985603 (T09031 & S01365 FRO FORCE!!)

Part No.	Qty
985645	100 Singles
985606	10 (x 10)

Stainless Steel Knife - All Purpose



- Bow shaped folding blade

Part No.	Qty	Size
985410	1	7"

Retractable Trim Knife



- Heavy duty.
- Blade storage.
- Safety features

Part No.	Qty
985603	1

Snap-Off Blade Knives



- Complete with blade

Part No.	Qty	Size
985591	5	9 mm
985592	5	18 mm

Snap-Off Blades



Suits 985591 & 985592 (K92420 & K92470 FOR FORCE!!)

Part No.	Qty	Size
985739	30	9 mm
985740	30	18 mm

Snap-Off Blade Knife Set



Sizes: 9 mm (x2), 18 mm (x1)

- Complete with blades

Part No.	Qty
985321	Set of 3

Breakaway Blade Knife



- Complete with blade

Part No.	Qty	Type
985678	1	Knife
985679	5	Replacement blades

Folding Pocket Knife



Supplied with six reversible blades & protective blade cover

- Fitted with positive lock to prevent blade holder folding in use.
- Easy-to-use latch for quick blade removal & fitting - no tools required.
- Supplied with belt clip

Closed Length: 90 mm
Open Length: 150 mm

Part No.	Qty
980105	1

Locking Pocket Knife



- Compact razor knife.
- Textured nylon handle designed for a secure grip.
- The Max-lock system which prevents the knife from opening inside a pocket.
- The Max-lock system provides two locks which makes it twice as safe.
- Switch out dull and blunt blades quickly and easily.
- A small lever on the side of the blade housing disengages the lock on the razor blade and allows for quick blade replacement
- Supplied with one blade ready to use and 3 spares. It will work with Trim knife blades part numbers 985606 and 985645

Part No.	Qty
275499	1

Scissors - General Use



- Stainless steel.
- Precision ground blades for accurate cutting.
- Centre adjustment screw allows blades to be tightened or taken apart for sharpening

Part No.	Qty
985417	1

Scissors - High Quality



Part No.	Qty	Size
985418	1	280 mm

Tin Snips



- Straight type

Part No.	Qty	Size
985725	1	10”

Snips - Multi-Purpose



- Suitable for cutting Light Metal Plate, Leather, Wire, Plastic, Wood etc.

Part No.	Qty
985892	1

Nylon Tube Cutter



- Quick square cut action.
- For up to 13 mm diameter

Part No.	Qty
985351	1

Automatic Tube Cutter

BAHCO



Part No.	Qty	Size
985354	1	10 mm

Mini Tube Cutter

- Tungsten steel cutter, twin rollers



Part No.	Qty
940751	1

Soft Hose Cutter

- Stainless steel blade.
- 32 mm capacity



Part No.	Qty
940743	1

Scrapers - Universal



Part No.	Qty	Size
985677	1	2 1/2"

Scrapers - General Use



Part No.	Qty	Size
985733	4	1" Blade
985734	4	3" Blade

Scrapers - Professional Quality



Part No.	Qty	Size
985737	1	3" Blade

BOJO Scraper Tool Set

A set of tools ideal for both automotive & general use

- Non sparking.
- Chemical resistant.
- Avoids deep grooving of base metal.
- A file can be used to maintain a sharp edge.
- Durable for use in sensitive scraping areas



Part No.	Qty
940790	5 Piece Set

Zippy' Type Scraper


- Complete with 5 spare blades



Part No.	Qty
985672	5 Sets

'Zippy' Blades - Single Edge

- Fits all standard razor blade tools.
- Industrial blades.
- Suits 985672



Part No.	Qty
985673	100

Scraper Set - Rigid Blades

2.0 mm ultra stiff, hardened stainless steel scraper blades with hammer caps

- Suitable for numerous workshop & bodyshop applications including gasket scraping & windscreen preparation.
- Soft grip handles & broad hilt design give maximum control.
- Cap permits careful use with hammer



Part No.	Qty
980155	3 Piece Set

Scraper Set

- Rigid stainless blade.
- Soft grip handles.
- Hammer cap heads



Part No.	Qty
940791	3 Piece Set

Deluxe Window Scraper

- Metal blade for heavy duty use.
- For walls, glass & tile applications



Part No.	Qty	Size
895101	1	100 mm

Ice Scraper - Heavy Duty



Part No.	Qty
895624	1

Ice Scraper - with Squeegee



Part No.	Qty
895194	1

Hand Gun Riveter



- Suitable for use with 3, 4 & 5 mm rivets

Part No.	Qty	
965311	1	
965251	1 Kit	Repair Kit

Lazy Tong Riveter



- Suitable for use with 3, 4 & 5 mm rivets

Part No.	Qty	
965312	1	
965252	1 Kit	Repair Kit

Long Arm Riveter



- Suitable for use with 4, 5 & 6 mm rivets & 6 mm monobolts

Part No.	Qty	
965315	1	
965253	1 Kit	Repair Kit

Riveter Nozzles



Part No.	Qty	Size
965242	5	3 mm (1/8")
965243	5	4 mm (5/32")
965244	5	5 mm (3/16")

Hand Rivet Gun Kit

- Suitable for 3 & 4 mm rivets



Part No.	Qty
965259	1 Kit

Threaded Insert Tool Kit

- Includes a selection of popular size nutserts & nose / bush mandrel kits



Part No.	Qty
965075	1 Kit

Threaded Insert Tool - Nose Bush / Mandrel Kits

- For nutsert tool.
- Suits 965075



Part No.	Qty	
965085	Set of 2	4 mm
965086	Set of 2	5 mm
965087	Set of 2	6 mm
965088	Set of 2	8 mm

Vernier Caliper - Digital



- Metric & imperial measurements Battery included.
- Extra large display.
- Lightweight design

Part No.	Qty	Size
985690	1	150 mm

Measuring Tapes



- Blade lock.
- Auto return.
- Belt clip

Part No.	Qty	Size
985607	1	8 m (26 ft)

Calibrated Steel Rule



- Stainless steel.
- Imperial & metric measurements on each side

Part No.	Qty	Size
985640	2	300 mm (12”)

Feeler Gauges



Part No.	Qty	Size	Type
985642	1 Set	0.002” - 0.025”	Imperial
985641	1 Set	0.051 - 0.635 mm	Metric

Feeler Gauge



- 26 blades.
- Metric & imperial.
- Offset

Part No.	Qty
940828	1

Die & Punch Set



- Suits 305130

Part No.	Qty
305131	4 Pairs

Screwdriver Set - Jewellers Precision



- In plastic storage box

Part No.	Qty
985608	Set of 6

Wrecking Bar / Jemmy



Part No.	Qty	Size
985671	1	460 x 16 mm

Jumbo Pry Bar

- 900 mm long.
- Chrome vanadium steel



Part No.	Qty
940811	1

Pry Bar Set Heavy Duty

- With hammer caps



Part No.	Qty
940812	4 Piece Set

RG Tools Carpenters Tool Backpack - 48 Pockets

- Perfect for the Professional user.
- The 'untearable' bag will hold a multitude of tools.
- Rubber foam bottom keeps the bag sturdy with comfortable padded back support.
- Comfortable shoulder straps with adjustable chest strap. Heavy duty fabric with extra strong stitching for added durability.

Part No.	Qty
RG10990	1



RG Tools Large Bigmouth Bag - 22 Pockets

- Hard bottom tool bag' which has a wired mouth to keep the bag open in use.
- Perfect for the Professional user.
- Hard polyethylene bottom is wear resistant & water repellent.
- Comfortable padded reinforced web carrying handles with an adjustable shoulder strap.
- `Heavy duty stitching and bar tacking at all the stress points on this tool bag to add durability.

Part No.	Qty
RG10992	1



RG Tools Large Bigmouth Bag - 31 Pockets

- Large hard bottom tool bag' which has a wired mouth to keep the bag open in use.
- Perfect for the Professional user.
- Opens wide for easy access to contents.
- Comfortable padded reinforced web carrying handles with an adjustable shoulder strap.
- Heavy duty stitching and bar tacking at all the stress points on this tool bag to add durability.

Part No.	Qty
RG10994	1



Flaring Tool Set - Hand Held



- Simple step by step instructions for perfect flares.
- One Piece construction adapts to all pipe sizes without the need to dismantle

Part No.	Qty
305140	1 Set

Pipe Flaring, Punch & Die Box Set



Fast action cam, spring return for a faster punch operation

- Complete with 3/16" & 4.75 mm punches & dies.
- Suitable for bench mounting

Part No.	Qty
305130	1 Set

Grinding Wheel Dresser



- Aluminium alloy body with four star wheels.
- Suitable for cleaning, sharpening & truing grinding wheel surfaces.
- Suitable for use with any grinder

Part No.	Qty	Length
980232	1	150 mm

Fuel Cans



EN & UN approved plastic fuel cans

- Safety screw lock cap & flexible pouring spout.
- Colour coded for easy identification of content: Red - Lead Replacement Fuel, Green - Unleaded Fuel, Black - Diesel

Part No.	Qty	Colour	Capacity
980171	1	Black	5 ltr
980172	1	Green	5 ltr
980173	1	Red	5 ltr
980174	1	Black	10 ltr

Jerry Cans

Manufactured from 0.9 mm pickled steel sheet with fuel resistant lining

Complies with UN dangerous goods, DIN & TUV/GS



- Includes unique wide channel breather for smoother pouring.
- Leak-proof bayonet closure allows storage of the can in any position.
- Bayonet additionally secured with a locking pin to prevent accidental opening.
- Lined inner tank to prevent rusting with petrol, diesel, oil, water or alcohol.
- Colour coded for easy identification of content: Red - Lead Replacement Fuel, Green - Unleaded Fuel, Black - Diesel

Part No.	Qty	Colour	Capacity
980177	1	Black	20 ltr
980178	1	Green	20 ltr
980179	1	Red	20 ltr

Glue Gun



- Composite housing with trigger feed.
- Fitted with 1.3 m cable with BS approved 3 pin 230v non-rewirable fused plug.
- Includes two glue sticks

Part No.	Qty
980225	1

Glue Sticks



Hot melt glue sticks suitable for glue guns

Part No.	Qty	Length
980226	25	100 mm

Staple & Nail Gun



3-in-1 staple & nail gun

Supplied in storage case

- Fitted with adjustable power control & staple remover.
- Features removable sole plate for easy clearance of blockages.
- Supplied with starter pack of nails & staples.
- Suitable for a wide range of applications

Part No.	Qty
980250	1

Replacement Staples



- Suits 980250

Part No.	Qty	Size
980251	500	14 mm

Locking Tie Down



Manufactured from polyester webbing with stitched reinforcement around S-hooks

Suitable for securing tarpaulins onto flat-beds or trailers & for general load restraint

- Cam buckle mechanism allows quick & easy securing of the load as operator uses body weight for tightening.
- Includes quick-release spring-loaded lever for ease of unloading when at destination

Part No.	Qty
980110	2

Ratchet Tie Downs



Manufactured from polyester webbing with stitched reinforcement around hooks

Suitable for securing tarpaulins onto flat-beds or trailers & for general load restraint

- Simple drum & ratchet tie down mechanism gives superior load restraint.
- Includes quick-release spring-loaded lever for ease of unloading when at destination

Part No.	Qty	Length	Capacity
980111	2	4 m	800 kg
980112	1	6 m	800 kg
980113	1	6 m	3000 kg
980114	1	6 m	5000 kg

Tool Box - Plastic



- Twin catches.
- Locking facility.
- Lift out tray

Part No.	Qty	Size
985850	1	20”

Tool Clips - Closed Type



- Carbon spring steel

Part No.	Qty	Diameter
505501	50	10 - 12 mm (3/8”)
505502	50	13 - 14 mm (1/2”)
505503	50	16 - 19 mm (5/8”)
505504	50	25 - 27 mm (1”)
505505	50	32 - 34 mm (1 1/4”)

Tool Clips - Closed Type



- Carbon spring steel

Part No.	Qty	Diameter
110176	50	Assorted Pack

Soldering Iron - 30 w / 240 v



- 2 m lead with mains plug

Part No.	Qty	Voltage	Wattage
845116	1	240 v	30w

Micro Soldering Torch - Electronic

(Does not include gas)



- Piezoelectric ignition with ceramic burner head for simple operation & long life.
- 1300˚C burner flame adjustable from 12 to 35 mm.
- Includes bench stand for hands-free operation.
- Standard fill gives approximately one hour continuous operation.
- Powered by butane (865717)

Part No.	Qty	Size
980240	1	155 mm

Cassette Lighter Gas Torch

(Does not include gas)



- Ingenious design converts standard lighter into piezoelectric soldering torch.
- Produces flame of approximately 1300˚C.
- Suitable for a variety of general purpose uses from soft soldering to lighting the barbecue

Part No.	Qty	Size
980241	1	115 mm

Micro Butane Soldering / Heating Torch

(Does not include gas)



- Compact, high capacity burner head with push-button piezoelectric ignition.
- 1750˚C adjustable burner flame size gives wide application possibilities.
- Accepts standard butane self-sealing cartridges (not included).
- Ideal for occasional plumbing tasks where space may be limited

Part No.	Qty
980242	1

Micro Butane Heating Torch



(Does not include gas)

- Stylish design with piezo ignition.
- Produces a flame of approximately 1300˚C.
- Powered by butane (lighter fluid).
- Supplied with key chain.
- Suitable for use in extreme weather conditions.
- Ideal for soft soldering, camping, household repairs & a variety of general purpose uses.
- Uses 865717

Part No.	Qty
980243	1

Maxi Butane Heating Torch



(Does not include gas)

TUV/GS Approved

- Impact resistant, contoured grip torch with stainless steel burner nozzle for professional use.
- Anti-flare feature enables use of the gun at any angle - even upside down.
- 1300˚C maximum flame temperature.
- Piezoelectric ignition for ease of use.
- Accepts standard butane self-sealing cartridges (not included)

Part No.	Qty
980244	1

Butane Heating / Soldering Torch Kit

Supplied in a storage case



(Does not include gas)

- Portable & lightweight torch with piezoelectric start.
- Features adjustable heating control ranging up to 450˚C (approx).
- Removable solder tip transforms torch into burning flame heat source.
- Includes a variety of nozzles for various applications including a flameless heat source adaptor.
- Safety cap for storage.
- Sponge cleaning tray & small roll of solder wire.
- Powered by butane (lighter fluid).
- Suitable for heating, soldering & shrinking.
- Uses 865717

Part No.	Qty
980245	8 Piece Set

Butane Refill



- High quality butane.
- Suitable for refillable cigarette lighters, soldering irons and blow lamps

Part No.	Qty	Size
865717	1	400 ml



VORTEX Map-X Gas



- Map-X burns 10% hotter than Vortex Propane and up to 5% hotter than standard MAP gas which make it ideal for high-temperature applications.
- Conforms to the latest EN ISO 11118:2005 Standards and is TPED approved.
- CGA 600 Thread with Non refillable valves.
- Can be used with the Arctic Hayes Brazing Torch VPRO Part No. 980248.
- Unique non-hazardous formulation

Part No.	Qty	Size
865723	1	400 g

VORTEX Propane Gas



- Vortex propane gas burns up to 5% hotter than other propane style gases which makes it ideal for everyday plumbing, general soldering and brazing applications.
- Conforms to the latest EN ISO 11118:2005 Standards and is TPED approved.
- CGA 600 Thread with Non refillable valves.
- Can be used with the Arctic Hayes Brazing Torch VPRO Part No. 980248.
- Unique non-hazardous formulation

Part No.	Qty	Size
865724	1	400 g

VORTEX Pro Gas Torch



- To be used with 865723 & 865724.
- The newest generation of our fully adjustable brazing torches with cool tip technology, piezo ignition which can be used with both Vortex MAP-X and Propane gas.
- Lightweight aluminium body and tube.
- Flame and safety lock.
- Single turn flame regulator adjustment knob.
- Standard CGA 600 Thread.

Part No.	Qty
980248	1

Hex Mechanical Crimping Tools



- Revolving hexagonal crimp dies.
- Insulated grip handles

Part No.	Qty	Size
295170	1	6 - 50 mm²
295171	1	6 - 120 mm²
295172	1	25 - 150 mm²

Circuit Testing Probe



- Brass.
- With 1 m cable & clip

Part No.	Qty	Voltage
985227	1	6 - 24 v

Circuit Testing Screwdriver



- Length: 110 mm

Part No.	Qty	Length	Voltage
985241	1	110 mm	6 - 24 v

Mains Testing Screwdriver



- Length: 190 mm

Part No.	Qty	Length	Voltage
985229	1	190 mm	240 v

'Electricians' Screwdriver - With pocket clip



- 1/8" x 2" long

Part No.	Qty
985701	6

Circuit Tester - Heavy Duty



- 6 - 24 v range.
- 90 mm piercing blade with 1 m insulated lead & shrouded strap

Part No.	Qty
940702	1

Polarity Circuit Tester



- 6 - 24 v range.
- 80 mm piercing blade with 1.5 m insulated lead & heavy duty shrouded strap.
- Red / green LEDs show polarity

Part No.	Qty
940703	1

Multi-Tester - Analogue



- Complete with 9v battery

Part No.	Qty
985552	1 Set

Multi-Tester - Digital



- Complete with 9v battery

Part No.	Qty
985545	1 Set

Jigsaw - 230V - 705W



- Tool free blade locking system.
- Nickel plated die-cast base.
- Variable speed.
- Adjustable orbital action.
- Lock-on switch

Part No.	Qty
985940	1

Reciprocating Saw - 1010W

Tool free blade changing system.



- Variable speed.
- Adjustable front shoe.
- Large trigger switch.
- External brush caps.
- Blade can be fitted facing up or down for extra versatility

Part No.	Qty
985942	1



RGTOOLS

Professional Cordless Power Tools



ONE BATTERY FITS ALL RANGE

Impact Wrench | Drill | Impact Driver | Angle Grinder

RG Tools Heavy Duty Impact gun - 1/2”

RGTOOLS

20v Lithium-ion

1300 Max Torque

1/2” Shaft Output

x2 Battery packs

2000 Max RPM

5225 Brushless motor



- 20v Lithium-ion battery providing 50% longer runtime & 25% more power.
- 3-speed gearbox with variable speed trigger for superior & precise control.
- 1/2”dr.
- Max Torque 1300Nm.
- Max RPM 2000 with brushless motor.
- The on-board LED light allows the user to work under low light conditions.
- Supplied with two batteries, charger & case.
- Part of our ‘one battery fits all range



Part No.	Qty
RG10000	1

RG Tools Impact Driver - 20V



20v Lithium-ion | x1 Battery pack | 3200 ipm Impact frequency | 4000 Max RPM | 4815 Brushless motor | 320Nm Max Newton-Metre

RGTOOLS



- 20v Lithium-ion battery providing 50% longer runtime & 25% more power.
- 4815 brushless motor which offers high efficiency, low noise & smooth operation.
- 1/4" HEX dr quick chuck. • 320Nm Max Torque.
- Max 4000 RPM. • Directional LED light.
- Supplied with one battery, charger & case.
- Part of our 'one battery fits all' range.

Part No.	Qty
RG10020	1

RG Tools Cordless Angle Grinder 115mm - 20V

20v Lithium-ion | x1 Battery pack | 115mm Max disc diameter | 700W Input power | 10000 RPM Idle speed | M10/M14 Spindle thread

RGTOOLS



- 20v Lithium-ion battery providing 50% longer runtime & 25% more power.
- 700W of power which enables the RG10015 to out perform corded models.
- 10,000 RPM idle speed.
- M10/M14 spindle.
- Supplied with one battery, charger & case.
- For precise cutting please use our RG20150 115mm thin cutting discs.
- Part of our 'one battery fits all range.



Part No.	Qty
RG10015	1

PRODUCT INDEX

A	
Abrasive Upholstery Sponge	491
Absorbent Pads, Rolls & Socks	358
ACE Banding System	240
ACE Chimney Box Top-ups	243
ACE CV Boot Clips	253
ACE Hose Clips - British Type	244
ACE 'O' Clips	253
ACE P-Clips - Rubber Lined	252
AdBlue Solution	498
Adjustable Cylinder Hone	663
Advance / Retard Tubing	274
Aeroflo Tap	302
Aerosol Can Caddy	561
Air / Hydraulic Riveter	652
Air Blow Gun	652
Air Con Cleaner FIXT	484
Air Con 'O' Rings	17
Air Hammer	653
Air Hose - RG Tools	275
Air Hose Connector	654
Air Hose Reel - PCL	275
Air Needle Scaler	653
Air Regulator	655
Airflow Couplings	278
Alkaline Batteries	88, 89
All Purpose Adhesive	503
All Purpose Cleaner	525
All Weather Tape	364
Alloy Wheel Brush	352
Alloy Wheel Impact Sockets	682
Alternator Pulley Tool Set	663
Aluminium Anti-Seize	495
Angle Grinder 115mm - 20V	721
Angle Iron	32
Anit-Bac Air Con Cleaner FIXT	484
Anti Fog FIXT	483
Anti-Corrosion Tape	364
Antifreeze	516
Anti-Slip Tape	361
Anti-Spatter Spray	497
Antiviral Disinfectant	526
Apron	448
Arbors & Pilot Drill Bits	387
Arc Flash Hoodie	166
Armor All Dashboard Wipes	496
ATO® Blade Fuses	77
Automotive Paint	501
Automotive Primer	501
Auxiliary Belt Replacement Tool	662
AVEX® Rivets - Large Flange	208
Axle Stands	671
B	
BA Screws & Nuts	10, 33, 197
BAHCO Pliers	687
BAHCO Saw Blades	703
Ball Joint Separator	667
Banding System ACE	240
Bar Clamp	688
Barrel Adaptor	302
Barrel Olives	38
Barrel Tap	302
Barrier Cream	521
Barrier Tape	361
Batteries - Alkaline	88, 89
Batteries - Coin	89
Batteries - Industrial Alkaline	88
Batteries - Micro Alkaline	88, 89
Batteries - Power Alkaline	88
Batteries - Rechargeable	89
Battery Acid Tester	661
Battery Booster Cables	66
Battery Clamps	67
Battery Drop Tester	81
Battery Isolator Switch & Cover	67
Battery Retaining Bracket Set	67
Battery Terminal Nuts & Bolts	67
Battery Terminals	67
Battery To Starter Cables - Black	67
Bead Greases & Pastes	322
Bead knocker	317
Bead Pastes	321
Bead seaters	318
Bead wedge	318
Beanie - Hi-Vis Reversible	449
Bearing Separator Set	668
Bench Grinder Wheels	380
Bench Grinder Wire Brushes	420
Bib & Brace	450
Bin Liners	348
Bits - Pozi	640
Bits Box Set	640
Blacksmith Drill Bits	394
Blacksmith Drills	697
Bleach	525
Blow Guns	282, 283, 651
Blue Paper Roll	347
Blue Roll	347
Blue Roll Dispenser	347
Body Filler	518
Body Solder	367
Body Warmer	451
Bolt Grip Expansion Set	670
Bolt-In Valves	293
Bolts - HT	12, 184
Bolts & Nuts - Roofing	191
Bomber Jacket - Hi-Vis	450
Bondloc 5 Minute Epoxy Resin	507
Bondloc Black Reinforcing Powder	508
Bondloc Brake & Airline Sealant	506
Bondloc DTB Primer	507
Bondloc DTB Super Glue	507
Bondloc Epoxy Repair Putty	507
Bondloc Metal Steel Epoxy	507
Bondloc Metal Weld	507
Bondloc Mixer Nozzles	508
Bondloc Plastic Weld	507
Bondloc Quick Fix Adhesive	508
Bondloc Quickfix Kit	506
Bondloc RTV Gasket	508
Bondloc Stud & Bearing	506
Bondloc Superglue Gel	508
Bondloc Threadlock & Seal	506
Booster Cables	66
Boot Ear Clip	39, 262
Boots - Fur Lined	452
Boots - Safety	452
Bottle Jack	672
Bow Saw - with Blade	706
Box - Cardboard	592
BRADEX 'Easy Start'49	496
Brake & Airline Sealant - Bondloc	506
Brake & Clutch Fluid	516
Brake Caliper Brushes	353
Brake Cylinder Hone	658
Brake Disc Digital Gauge	661
Brake Flaring Tool	665
Brake Fluid Tester	661
Brake Pad Thickness Gauge	660
Brake Pipe Corrosion Tool	291, 658
Brake Shoe Hold Down Kit	20
Brake Tubing	272
Brake, Pipe & Air Sealant	475
Brass Barrel Olives	38
Brass Manifold Nuts	194
Brass Stepped Olives	38
Brazing Flux	367
Brazing Rods	367
Breakaway Blade Knife	706

Broom Heads	350
Brushes - Brake Caliper	353
Brushes & Brooms	350
Bubble Wrap	592
Bucket Barrier	491
Buffer Spray	289
Builders Buckets	353
BULBEX® Rivets	208
Bulkhead Connectors - Brass	269
Bump Cap	445
Burns Kit, Dressings & Gels	456
Butane Heating / Soldering Torch Kit	716
Butane Refill	497
Butt Connectors - Heat Shrink	60
Button & Cell Batteries	24, 89
C	
C' Clamp	688
Cabinet Units	562
Cable - Mains	64
Cable End Shroud - EV	168
Cable For Trailers	65
Cable Reel Racks	561
Cable Tie Bases	72
Cable Tie Dispenser Box - Complete with Cable Ties	34, 69
Cable Ties - Foodsafe	71
Cable Ties - Stainless Steel	72
Calibrated Steel Rule	711
Car Key Lockout Tags - Reusable	164
Car Wheel Chocks	289
Caravan & Trailer Plug & Socket	101
Carb Spray Cleaner	496
Cardboard Cartons	592
Cataclean Diesel	499
Cataclean Hybrid	499
Cataclean Petrol	499
Caution Signs	570
Cellulose Sponge	346, 491
Ceramic Anti-Sieze	495
Chain Support Bases & Posts	160
Chalk Sticks	288
Chamois Leather	344, 491
Charging Cable - EV	169
Chemical Metal	511
Chemical Pump Sprayer	491, 516, 517
Chemi-Cure	334
Chevron Barrier Tape - Non-Adhesive	361
Chewing Gum Remover FIXT	477
Circuit Tester	716
Circuit Testing Probes & Screwdrivers	81
Classic Series FFP	442
Claw Hammer	689
Claw Pick Up Tool	646
Cleaning Cloth	344
Clear Instant Gasket	475
Cloth - Cleaning	344
Club Hammer	689, 690
Clutch Alignment Tool	665
Coach Bolts & Nuts	191
COB Cliplight	86
Cobalt Drills - HSS	391
Coil Spring Compressor	667
Coin Batteries	89
Compressor	284
Cone Cutting Drill	698
Coned Tailpiece	280
Connectors - DT	21, 56
Connectors - DTM	21, 57
Connectors - Piano Key	20, 54
Connectors - Superseal	55
Coolant / Anti-Freeze Tester	661
Copper & Hide Hammers	689
Copper Anti-Seize	495
Copper Piping	272
Copper Sealing Washers	16
Cordless Drill - 20V	720
Core Plugs	31
Corrosion Test MOT Hammer	690
Corrugated Paper	592
Couplings - 60 Series	278
Couplings - Airflow	278
Couplings - M100 Series	278
Couplings - Push Fit	264
Couplings - Vertex	278
Couplings - XF Series	278
Crayon Marker - Waterproof	288
Creeper	670
Crimpers - Ratchet	58
Crimping Tools Hex Mechanical	59, 718
Crocodile Clips	66
Crossweave Tape	363
Cut Resistant Gloves	436
Cutting Nozzles	368
CV Boot Clip Crimping Pliers	685
CV Boot Clip Snips	685
CV Boot Clips	252
CV Boot Fitting Tool - Duragun	39, 262
CV Boot Kits	39, 262
CV Clips - Stainless Steel	40, 262, 537
CV Joint Grease	300, 464
Cylinder Head Bolt Set	663
D	
Dead Blow Hammer	690
Degreaser	525
De-Icer	477
De-Icer - FIXT	477
De-Icing Salt	349
De-Ionised Water	498
Dent Puller	668
Dial Tyre Pressure Gauge	285, 656
Diamond Blades	380
Die & Punch Set	711
Die Grinder	281
Diesel Compression Master Set	662
Diesel Leakoff Kit	273
Digital Thermometer	661
Digital Tyre Pressure & Depth Gauge	285, 656
Disc Brake Piston Spreader	665
Dish Cloths	344
Dispenser Pump	520
Dispenser Trolley - Vehicle Protection	356
Displacement Pump - Heavy-Duty	674
Display Rack For Standard Boxes	31
Disposable Car Seat Covers	354
Disposable Earplugs	438
Disposable Overalls	448
Dividers - for Standard Boxes	31
Documents Enclosed Wallets	592
Dome Nuts	184
Domestic Plugs	101
Door Trim Panel Removal Tool	668
Dormer Carbide Burr Set	699
DORMER Rotary Burrs	699
DORMER Tap & Drill Sets	691
Double Unions	279
Drain Pan	296
Drain Plug Key Set	663
Drawer Cabinets	554
Drill Bits - Blacksmith	394
Drill Bits - HSS-G	392
Drill Bits - HSS-R	393
Drills - HSS Blacksmith	697
Drills - Masonry	697
Drills - Spot Weld	697
Drills - Spot Weld	697
Drills - Step	394
Drip Tray	296
Drive Combination Bit Set - 3/8" & 1/2"	675

PRODUCT INDEX

Drum Bunded Work Floor	360
Drum Pump - Lever Action	301, 673
Drum Topper	360
Drum Truck	558
DT Connectors	21, 56
DTB Primer - Bondloc	507
DTB Super Glue - Bondloc	507
DTM Connectors	21, 57
Dust Covers - for Ball Joints	31
Dust Masks - General Purpose	444
Dustbins & Lids	353
Dustpan	349
E	
E' Retainers	20
Ear Clip	39, 262
Ear Defenders	440
Earplugs	438
Earth Cable	66
Earth Straps	67
Earthing Clamp	369
Easi-Seal 'Ultra' Pin Plugs	288
Easy Start	496
Eco Blue Roll	347
Electric Shock & CPR Poster	161
Electric Vehicle Safety Poster	161
Electricians Gloves	437
Electricians Screwdriver	81
Emergency Tyre Repair Kit	289
Emery Rolls	441
Emery Sheets	441
Engine Flush	469
Engine Pulley Puller Set	662
Engine To Earth Cables	67
Engineers Ball Pein Hammers	689
Epoxy Putty Sticks	473
Epoxy Repair Putty - Bondloc	507
Epoxy Resin	511
Epoxy Weld	510
Eraser Wheel	422
EU-Pro Hybrid 3.5 3200 Clamp-In Sensor	340
Euro Containers	548
Euro Tube Patches	328
EV Cable End Shroud	168
EV Car Fire Blanket	162
EV Charging Cable	169
EV Disconnect Shutdown Timer	168
EV Insulated Gloves	167
EV Insulated Rubber Mat	162
EV Insulated Safety Clamp	162
EV Insulated Trim/Cable Tool Set	168
EV Safety Kits	158
EV Warning Sign Pack	161568
EVO Absorbent Pads & Bags	358
Exhaust Assembly Paste	475
Exhaust Jointing Paste	515
Exhaust Paste	515
Exhaust Repair Putty	515
Extending Wheel Wrench	658
Extension Leads & Reels	102
Extension Reel	102
Extra Thin Cutting Discs	379
Eye Pad Dressings	456
Eye Wash	456
F	
Face Shield - EV Arc Flash	166
Face Visor	445
Farmers Pack	34
Feeler Gauges	711
Female Spade Terminals	50, 60
FFP Mask Storage Case	443
Fibre Sanding Discs	409
Fibre Seal	334
Fibre Washers	15-16
Fifth Wheel Grease	495
File Belts	413
File Handles	43
Fire Blanket - EV	162
Fire Extinguishers	371
FIXT Air Duster	477
FIXT Air Tool Oil	467
FIXT All In One Polish	489
FIXT Alloy Wheel Armour	490
FIXT Aluminium Anti-Seize	464
FIXT Anaerobic Adhesives	47
FIXT Battery Terminal Protector	461
FIXT Belt Dressing	464
FIXT Brake & Clutch Cleaner	480
FIXT Brake Dust Arrestor	461
FIXT Car Care Shampoo	487
FIXT Carburettor & Fuel Injector Cleaner	467
FIXT Ceramic Grease	464
FIXT Chewing Gum Remover	477
FIXT Clear Chain Lube	463
FIXT Clear Fine Oil - Multi-Purpose	467
FIXT Clear Grease	462
FIXT Cockpit Shine	483
FIXT Copper Anti-Seize	464
FIXT Curtain Side Lube	463
FIXT Cutting & Tapping Oil	467
FIXT Degreaser	467
FIXT Diesel Treatment & Injector Cleaner	469
FIXT Electrical Cleaner	467
FIXT Engine Flush	469
FIXT Fabric Protection	485
FIXT Food Safe Lube with PTFE	463
FIXT Glass & Mirror Cleaner	477
FIXT Glass Cleaner	488, 516
FIXT Gloss Paints	471
FIXT HD Synthetic Lube	463
FIXT High Shine Protector	489
FIXT Hydro Coat	489
FIXT Iron Remover	490
FIXT Leak Detector	461
FIXT Maintenance Spray / Fluid	461
FIXT Paints	470
FIXT Penetrating & Graphite	461
FIXT Petrol Treatment & Injector Cleaner	469
FIXT Polymer Rubber & Vinyl Dressing	490
FIXT Polymer Tyre Dressing	490
FIXT Primers	470
FIXT Radiator Stop Leak	469
FIXT Service Lube Plus	463
FIXT Shampoo & Wax	487, 517
FIXT Silicone Grease	463, 513
FIXT Silicone Spray Lubricant	483
FIXT Tyre Dressing	490
FIXT Waterless Car Wash RTU	487
FIXT White Food Grease	463
FIXT White Grease with PTFE	463
FIXT Wire Rope & Chain Lube	462
FIXT Zinc Galve Primer	470
FIXT400	461
Flap Discs	383
Flap Wheels - Spindle Mounted	403
Flare Nut Wrenches	635
Flaring Tool Set - Hand Held	271, 665, 713
Flat Bars	32
Flatbed Trolley	559
Flexible Line Clamp	688
Flexible Rubber Hoses	299
Flexible Valve Extension	293, 311
Flint Lighter - Gun Type	369
Floor Mats	356
Floor Mats - Paper	356
Floor Paint	501
Floor Scraper - Wooden Handle	350
Floor Squeegee Head	351
Floorboard Screws	201
Fluorescent Light Starter Switches	103
Fluorescent Paint	501
Fluorescent Tubes	82
Foam Tape	363

Folding Pocket Knife	707
FOOD SAFE LUBE & PTFE	464
Foodsafe Cable Ties	71
Foot Pump - E35	286, 656
Fork Terminals	23, 51 , 53
Fragile Tape	593
Freeze & Release - '8040'	514
Front Seat Cover	354
Fuel Cans	713
Fuel Delivery Nozzle	675
Fuel Hoses	273
Fuel Injection Hoses	273
Fuel Injection Washers	17, 176
Fuel Injector Cleaner	469
Furniture Polish	525
Fuses - Auto	24, 79
Fuses - J Case & ATO Blade	25, 26
Fuses - Micro Blade	75
Fuses - Midi	76
Fuses - Mini Blade	75
Fuses - Mini Glass 'Radio'	24, 79
Fuses - MINI® Blade	76
Fuses - Torpedo	24, 78, 79
G	
Gas - VORTEX	497
Gas Welding Goggles	447
Gasket & Jointing Compounds	512
Gasket & Paint Remover	477
Gauge - Brake Pad Thickness	660
Gauge - Feeler	711
Gauntlet Overgloves EV	167
Gauntlets - PVC	437
Gauntlets - Welders	437
General Purpose Cleaner	488
General Signs	575
General Use Cable Ties	35, 69, 70, 71
Glass & Ceramic Fuse Holders	79
Glass Cleaner	516, 488
Glass Lenses - For Welding Helmets	445
Glove Tester - Pneumatic	167
Gloves - Coated	435
Gloves - Cut Resistant	436
Gloves - Disposable	426-434
Gloves - Electricians	437
Gloves - Insulated EV	167
Gloves - Multi-Task	435
Gloves - Stockinette	437
Glue Gun	714
Glue Sticks	714
Golf Ball Buffing Stone	290, 657
Graffiti Remover	477
Grease - Fifth Wheel	495
Grease Coupler - Quick Release	298
Grease Pump - High Pressure	301
Grinding Discs	378
Grinding Paste	515
Grip Plier Set - PRO Lock	685
Grippaz Gloves	433
Gripper Gloves	437
Groove Joint Pliers	642
GYS StartPack Truck - 12v/24v Boster	68
GYSPAC Auto 400 - 12v Booster	68
H	
Hacksaw - Professional	705
Hacksaw Frame - Steel	644
Hammer - Dead Blow	690
Hammer - Nylon	690
Hammers - Engineers Ball Pein	689
Hammers - Masons Club	689
Hand & Surface Wipes	526
Hand bead breaker BBO	317
Hand Brushes - Wooden	349
Hand Gun Riveter	209
Hand Pads	413
Hand Shovels	349
Hand Soap	521
Hand Wipes	520
Hard Point Saw	706
Hasp & Staples	371
Hazard Warning Tape	361
Hazardous Overalls	448
Hazardous Substance Storage Cabinets	553
Heat Shrink - Butt Connectors	60
Heater Hoses	274
Hex Die Nut	692
Hex Mechanical Crimping Tools	59, 718
Hexagon Extension Pieces	298
Hexserts	195
High Current Connectors	69
High Voltage Floor Sign	161568
High Voltage Identification Tags	158, 164
High Voltage Reusable Stickers	161
High Voltage Sign	161
High Voltage Sign for Chains	160
Hi-Vis Bomber Jacket - Yellow	450
Hi-Vis Jacket - Two Tone	450
Holesaw Kit - Cobalt	388
Holesaws - Cobalt	387
Hook & Loop Sanding Discs	414
Hook & Loop Tape	364
Hook & Pick Set	613
Hook-On Connectors	298
Hose Clamp Pliers	685
Hose Clip Chimney Box Top-ups	243
Hose Clip Drivers	263
Hose Clip Drivers - Flexible	263
Hose Clip Top-Up Packs	41
Hose Clips - JUBILEE®	258
Hose Clips - Stainless Steel	41
Hose Connectors	280
Hose Cutter	708
Hose Reel	275, 276
Hoses - Air Line	275, 276
Hoses - Fuel	273
Hoses - Fuel Injection	273
Hoses - Heater	274
HSS Cobalt Drills	391
HSS Jobber Drill Sets	695
HSS Second Tap Set	691
HSS Solid Die Set	691
HSS Tap & Die Box Set	691
HT Bolts	33, 189, 190
Hub cleaning Tool	385
Hydraulic Connectors - 4-Jaw	298
I	
Ice Scrapers	709
Identification Tags - High Voltage	158, 164
Impact Driver - 20V	720
Impact Driver & Bits Box Set	676
Impact Driver Set - 1/2" Drive - 20 Piece	602
Impact Gun	720
Impact Spline Bit Set	676
Impact Universal Joint - 3/4" Drive	630
Impact Wheel Nut Set - RG Tools	667
Impact Wrench	281
Impact'® Adhesive	504
Indestructible Handle Hammer Set	689
Industrial Alkaline Batteries	88
Industrial Super glue Gel	472
In-Line Plugs & Sockets	101
Inspection Tool - Telescopic	646
Instant Power Adhesive	472
Insulated Terminals	22, 23, 53
Integral Adaptors / Tailpieces - XF Series	280
Interior Trim Clips	28
Interior Vehicle wrap - Stretch Type	356
Isol8 - Organic Absorbent	357
Isolation Port (MSD) Lockout Device	164
J	
J' Nuts	205

JCASE™ Auto Fuses	77
Jerry Cans	713
Jigsaw - 230V - 705W	719
Jobber Drill Sets - HSS	695
Jointing Compound	512
JUBILEE® Hose Clips	258
Jugs	295
Jumbo Sponge	346, 491
Jumbo Toilet Rolls	348
Jump Lead Handles	66
Junior Hacksaw - with Blade	705
Junior Hacksaw Blades	401, 702
K	
Kentucky Mops	351
Key Fob - Brass	371
Key Indicators	45
Key Steels	32
Kickstep	557
Knee Pads	453
Knife - Breakaway Blade	706
Knife - Utility	643
Knife skiving blade	337
Knives - Snap-Off Blade	706
L	
Lane & Aisle Marking Floor Tape - Self-Adhesive	361
Lantern Batteries	87
Leak Fix	511
LED Light Beanie	449, 107
Lever Grease Gun	299, 673
Lighter	369
Line Marking Paints & Applicators	501
Linen Loom Tape	363
Liquid bead lubricant	322
Lithium Coin Batteries	89
Lithium Grease	300, 465
Load Sling	671
Lock Nut Removal Tool Set	667
Lock Out Kit	158
Locker Units	554
Locking 'C' Clamp	688
Locking Nuts	28, 183, 184, 216
Locking Pliers	688
Locking Pocket Knife	707
Locking Wheel Nut Removal Kit	666
Lock-Out - EV	158159
Long Arm Riveter	209
Loom Tape	363
Louvred Panel	546
LUCAR Terminals	51
M	
M100 Series Couplings	279
M100 Series Integral Adaptors / Tailpieces	280
Magnetic Bits Tray	645
Magnetic Pick Up Tool	646
Magnetic Tool Rail	647
Mains Cable	64
Mains Testing Screwdriver	81
Male Blade Terminals	50, 51
Male Piggy-Back Terminals	22, 23, 53
Manifold Nuts	194
Manifold Nuts - Brass	194
Marker Crayon - All Surface	288
Marker Pen	288
Mask Filters	444
Mask Safety Glasses - ADAPT 2K	446
Mask Storage Case	443
Masking Tape - General Use	362
Masonry Drills	697
Masons Club Hammers	689
MAXI™ Blade Fuses -	77
Measuring Jugs	295
Mechanic's Mat Sets	670
Metal Chassis Clips	72
Metal Cutting Discs	377
Metal Grinding Discs	378
Metal Steel Epoxy - Bondloc	507
Metal Ties	72
Metal Weld - Bondloc	507
Micro Alkaline Batteries	88, 89
Micro Blade Fuses	75
Midi Fuses	76
Mill cutter carbide	337
Mini Glass 'Radio' Fuses	24, 79
Mini Ratchet	282
Mini Tube Cutter	708
Miniclamps	42
Minicomb Repair Plugs	331
Mirror Bonder Rear View	503
Monobolts	208
Mop Bucket - Steel	351
MOT Corrosion Assessment Tool	670
Mounted Stone Set	657
Mounting Lubricant Brush	290
Mounting Paste Brush	322
Multi-Gasket	511
Multi-Gasket	475
Multigrip Rivets	205
Multimeter - CAT 111 - to 1,000v	168
Multi-Task Gloves	435
Multi-Testers	81
Multi-Tool - Dual LED	86
Multi-Tool Blades	401
MULTI-ZORB - Absorbent Granules	357
N	
Nail Brushes	521
Needle File Set	702
Nitrile Coated Gloves	434-435
No More Nails	504
Non-Woven Flap Discs	383
Non-Woven Rolls	413
Nozzle Cleaners	369
Nut Splitter Set - 2 Piece	647
Nutlock	504
Nutlock - Lock 'N Seal	504
Nuts - Manifold	194
Nutserts	195
Nylon Tube Cutter	277, 708
Nylon Tubing	274
O	
O' Clip Pliers	277, 687
O' Rings	17, 180, 270
Odour Eliminator FIXT	485
Oil Cans	296
Oil Pump	301
Oil Syringe	675
Oil Treatment	500
Open Type Rivets - Large Flange	206
Orbital Sander	281
Overalls Disposable	448
Overbraided Air Line Hoses - With 1/4" BSP Swivel Nuts	276
P	
P.S.A Sanding Discs	414
Pacific Ski Glasses	447
Packing Tape - Clear	593
Padlock Lockout Tags - Reusable	164
Padlocks	370
Paint - Automotive	501
Panel Trim Removal Set	669
Paper Floor Mats	356
Paper Roll	347
Paper Roll - Blue	347
Paper Towels & Dispenser	348
Parcel Tape	364
Parts Cleaning Brush	291
Patches - RAD 100 Series	329
Patches - Universal	329

PCL Blow Guns	282, 283, 651
PCL Safety Blow Gun - 2 Bar	282
PCL Tyre Inflators	284, 286, 655
PCL Workshop Pro Air Hose Reel	275
Peel Rivets	207
Penetrating Fluid	514
Permanent Marker	288
Petrol Engine Compression Set	662
Petrol Pipe Clips	263
Pin Connectors	22
Pipe / Adjustable Wrench	684
Pipe Cutter	644
Pipe Flaring, Punch & Die Box Set	271, 713
Pipe Joiners	27, 277
Pipe Sealing Cord	510
Plastic Dolly	559
Plastic Plugs	266
Plastic Primer	511
Plastic Wall Plugs	45, 699
Plastic Weld - Bondloc	507
Pliers - Locking	688
Plugs - Domestic	101
Plugs - In-Line	101
Pneumatic Safety Glove Tester	167
Pocket Worklight - COB LED	87
Polarity Circuit Tester	716
Polishing Cloths & Dusters	344
Polishing Rags - High Quality	347
Poly Discs & Wheels	385
Polymer Sealant	514
Polythene Gloves - Disposable	434
Polyurethane Adhesives	510
Polyurethane Sealant	513
Polyurethane Sealant - Tiger Seal	513
POP Rivets	207
Power Alkaline Batteries	88
Power Bar - 1/2" Drive	670
Power Saw Blades	703
Power Steering Fluid	516
Power Tool Security Bit Set	676
Pozi Bits	640
PPE Kit	47
Pre-Buff Cleaner	290
Pre-Soak Snow Foam FIXT	486
Primer - Automotive	501
Protective Face Visor	445
PTFE Gas Sealing Tape	365
PTFE Thread Sealing Tape	365
PU Coated Gloves	434
Pump Rings	318
Punch Set	645
Puncture Repair Kit	30, 288
Push Fit Couplings - Metric Equal Elbows	264
Push On' Terminals - Pre-in-sulated	22, 53
PVC Gloves	437
PVC Tubing	273
Q	
Quick Detailer FIXT	488
Quick Fix Adhesive - Bondloc	508
Quick Gasket	513
Quickfix Kit - Bondloc	**508**
R	
Radiator Cement - CE-LIT	500
Radio Removal Tool Set	669
Rags-In-A-Bag	346
Rain Suit	448
Rapid Epoxy - '5 Minute' FIXT	473
Ratchet	281
Ratchet Combination Spanner	635
Ratchet Tie Downs	714
RCD Mains Safety Adapter	101
Rear View Mirror Bonder	503
Receptacle Sockets	22, 23, 51, 53
Rechargeable Batteries	89
Reciprocating Air Saw	653
Reciprocating Saw - 1010W	719
Reciprocating Saw Blades	399
Recoiled Air Line - Nylon	277
RED 100	513
Red Rubber Grease	300, 495
Reducing Bushes	279
Reducing Unions	279
Refuse Sacks - Black	348
Regroover Fix Blades	320
Re-Grooving Blades	290
Regulator - 1/4" Female	286
Reinforcing Powder - Bondloc	508
Repair Kit for Ratchets	624
Repair Patches - RAD 100 Series	329
Repair Plugs - Minicomb	331
Replacement TPMS Valves	339
Rescue Safety Pole	162
Retainer	473
Retard / Advance Tubing	274
Reusable Earplugs	439
Reusable Half Mask	444
Reversible Air Drill	281
RG Tools Air Hose	275
RG Tools Hose Reel	275
Rigger Boots - Fur Lined	452
Ring Terminals	52, 60, 61
Riveter - Lazy Tong	209
Riveter - Long Arm	209
Riveter Nozzles	710
Rivets - AVEX®	208
Rivets - Black	206
Rivets - Multigrip	206
Rivets - Open Type	207
Rock Salt	349
Roll/Heel Bar	645
Roller Cabinet Tool Kit	606
Roller Kit	**366**
Roofing Bolts & Nuts	191
Rotary Barrel Pump	301
Rotary Burrs	699
Rotary Mill Cutter	290, 657
Round Bar	32
RTV Gasket - Bondloc	508
RTV Silicone Sealant	474
RUBAWRAP	362
Rubber fill	336
Rubber Gloves	437
Rubber Grommets	23, 34, 74
Rubber Hoses - Flexible	**299**
Rubber Mallet	689
Rubber Tubing	274
Rubbercut blade holder set	320
Rubbercut Regroover RC414	320
Rust Converter	514
Rust Remover	514
S	
Safety Boots - EV	167
Safety Chain	160
Safety Glasses	447
Safety Goggles	446-447
Safety Helmet	445
Safety Shoes	452
Safety Spectacles	446
Safety Trainers	453
Sanding Discs - Fibre, AL/OX	409
Sanding Discs - Fibre, Zirconium	409
Sanding Discs - Hook & Loop	414
Sanding Discs - P.S.A	414
Sandpaper Rolls	412
Sandpaper Sheets	412
Saw Blades - Reciprocating	399
Saw Blades BAHCO	703
Saw Drill1/4"	698
Scissors	707
Scotchloks	54
Scouring Pads	344
Scraper Tool Set	708
Scratch Brushes	423, 46

Screen Wash	517, 536
Screw Hooks	201
Screw Hose Clamp	663
Screwdriver Bit Sets	394
Screwed Adaptors - 60 Series	279
Screwed Adaptors - XF Series	279
Screwed Tailpieces	280
Screwlock & Seal - Bondloc	506
Screws - Floorboard	201
Screws - Taptite	198
Sealant - Polymer	513
Sealant / Caulking Guns	513
Seat Cover - Air Bag Compatible	354
Seat Covers	354
Semi Rigid Nylon Tubing	274
Servo Hose	273
Shampoo & Wax	517, 487
Shelf Trolleys	599
Shelving Kit	555
Shelving System	555
Shield Loose Bolts	191
Shoe Covers	453
Shoes - Safety	452
Shutdown Timer	168
Signs - Caution	570
Signs - General	575
Silage Farmers Tape	364
Silicone Compound	513
Silicone Sealant - High Performance	475
Silicone Tape	362
Skin Protection Centre	523
Sledge Hammer	689
Sleeve Terminals	51
Slide Hammer / Puller Set	668
Slip Joint Pliers	687
Small Blue Paper Roll - 2 Ply	347
Snap-Off Blade Knives	706
Snips	707
Snow foam Sprayer	491
Snow Shovel	349
Soap	521
Socket Bits	626
Socket Screws - Countersunk	193
Sockets - 3/4" Drive	629
Sockets - 3/8" Drive - Deep	620
Sockets - Deep Impact	683
Sockets - In-Line	101
Solder Butt Connectors	54
Soldering Iron	369
Soldering Torch Kit / Butane Heating	716
Son Of A Gun!	496
Spade Terminals - Female	50, 60, 61
Spanner - Ratchet Combination	635
Spark Plug Brushes	46
Spark Plug Thread Repair Inserts	196
Speedy Ties	71
Spill Pallets	360
Spillage Control Kits	359
Spindle Mounted Flap Wheels	403
Spiral awl	335
Splice Connectors - 'Snap-Locking'	54
Splined Nutserts	195
Split Conduit	65
Sponge - Cellulose	346
Sponge - Pro Bug Shifter	491
Spot Weld Drills	697
Spray Adhesive FIXT	473
Spray Gun	654
Sprayers	491, 516
Squeegee & Sponge	352
Stain Remover / Carpet Shampoo	482
Stainless Steel Cable Ties	72
Stainless Steel Flat Washers	172
Stainless Steel Hose Clips	41
Stainless Steel Nuts	181
Standard Blade Fuses	76
Staple & Nail Gun	714
Stapler	590
Staples	590, 714
Starter Cable	66
Starter Straps	67
Steel Rule - Calibrated	711
Steering Wheel Covers - Disposable	356
Steering Wheel Lockout & Sign	165
Step Drills	394
Step Ladder	557
Stepped Olives - Brass	38
Stereo Speaker Cable	64
Stitchers	290, 337, 657
Storage Cabinets - Hazardous Substance	553
Storage Units	562
STP Brake Parts Cleaner	495
STP Carb Spray Cleaner	496
Straight Adaptors	268
Straight Connectors	265
Strap Filter Wrench	664
Stretch WrapBlack	592
Strip Fuse Block Holders - For MIDI fuses	80
Stud & Bearing	473
Stud & Bearing - Bondloc	506
Stud 'N Bearing Fit	505
Super Glue	472
Super Glue Activator	472
Superglue Gel - Bondloc	508
Superseal Connectors	21, 55
Superseal Ratchet Crimping Pliers	55
Sweeping Brush Heads	350
Switch To Starter Cables	68
Swivel Elbow Studs - Brass	266
Swivel Elbows	266
Syphon Pump	674
T	
Tailpieces	280
Tap & Die Set	605
Tape - Foam	363
Tape - Gaffer	363
Tape - Hazard Warning	361
Tape - Lane & Aisle Marking Floor	361
Tape - Masking	362
Tape - Parcel	364
Tape Dispenser Gun	364
Tapes - Floor Marking	361
Tapfix Screws - Metric	198
Taptite Screws	198
Tar & Glue Remover FIXT	486
Tarpaulin	353
Tee Connectors - Plastic	265, 267-269
Telescopic Magnetic Pick Up	646
Telescopic Magnetic Pick Up Pen - 2 in 1	646
Telescopic Magnifying Glass	646
Telescopic Mirror	646
Terminals - Battery	67
Terminals - Fork	23, 51, 53
Terminals - Insulated	22
Terminals - LUCAR	51
Terminals - Male Blade	50, 51
Terminals - Male Piggy-Back	22, 23, 53
Terminals - Ring	52, 60, 61
Terminals - Sleeve	51
Terminals & Crimping Tool	59
Tester - Pro Anti-Freeze	662
Thermal Clothing	449
Thermometer - Digital	661
Thinsulate Hat	449
This Way Up' Tape	593
Thread Restorers	702
Threaded Bar Rack	560
Threaded Hexserts	195
Threaded Insert Tool Kit	196

Threaded Nutserts	195
Threadlock & Seal - Bondloc	506
Threadlocker	505
Thrust Rings	269
Tiger Seal Sealant	513
Timer Switch	101
Toilet Cleaner	526
Toilet Flush Blocks	526
Toilet Roll Dispenser - Wall Mounted	348
Toilet Rolls	348
Toilet Rolls - Soft 2 Ply	348
Toilet Soap Bars	521
Tool Backpack	712
Tool Box - Plastic	715
Tool Clips	45, 715
Tool Mat	617
Toprax - Shelving Kit	555
Torpedo Fuses	24, 78, 79
TPMS - H46 OBDII Module	339
TPMS Sensor	339
TPMS Tool kit and carry case	339
TPMS valve starter kit	339
TPMS Valves	339
Traffic Film Remover (TFR) FIXT	486
Trailer Cable	65
Trailing Sockets	102
Trainers - Safety	453
Transfer Pump - Submersible	675
Transparent Insualting Shroud	162
Trim Knife	706
Trim Knife Blades	706
Trim Removal Tool Set	669
Truck Seat Covers	356
Truck Tyre filler	318
Tube Cutter	708
Tube Patches	328
Tubing - Nylon	274
Tubing - PVC	273
TX Key Set - 9 Piece	639
TX Socket Bits	622
Tyre Compound	321
Tyre Dressing Applicator	491
Tyre fill	341
Tyre filler	318
Tyre Inflator - Digital	284, 286, 655
Tyre Paste Brush	290, 657
Tyre Patch Stitcher	290, 657
Tyre Pressure & Depth Gauge - Digital	285, 656
Tyre Probe	290, 658
Tyre Prodder - Straight	337
Tyre removing tool	317
Tyre Repair Kit	289
Tyre Tread Depth Gauge	285, 651
Tyre Valve Caps - Metal	292
Tyre Valve Connectors	285, 656
Tyre Valve Connectors - Straight Single Clip-On (Open End)	285
Tyre Valve Cores	292
Tyre Valve Extensions	292
Tyre Valves - Bolt-In	293
Tyre Valves, Cores & Accessories	30, 293
U	
U' & 'J' Nuts	201, 205, 7-8, 13, 33
U' Nuts	8, 12, 13
Union Nuts	280
Universal Charger - NiMH / NiCd	89
Universal Patches	329
Utility Knife	643
Utility Knife - Heavy Duty	643
V	
Vacuum Brake Bleeder	665
Valeters Pail	491
Valeting Kit	346
Valve Cap - Metal	292
Valve Cores	292, 293, 312
Valve fishing tool (euro)	313
Valve Grinding Sticks	5156
Valve Mounting Tool	289
Valves - Bolt-In	293
V-Coil Thread Repair Kit	196
Vehicle Brush	352
Vehicle Dust & Paint Brush	352
Vehicle Health Check Shadowboard	600
Vehicle Interior Protection Set - 5 in 1	357
Vehicle Protection Dispenser Trolley	356
Vehicle Roof Top Wanring Sign	161, 569
Vehicle Wash Brush	352
Vertex Couplings	278
Voltage Detector	168
VORTEX Gas & Torch	497
Vulcanizing Rubber Solution	288
W	
Wall Plugs - Plastic	699
Warning Wing Cover	163
Wash Brush	491, 352
Wash Mitt	346, 491
Washers - Flat	10, 13, 14, 33, 171, 172, 189
Washers - Flat - Stainless Steel	172
Washers - Fuel Injection	17, 176
Washing Up Liquid	525
Watering Can	353
Waterproof Paper Sheets	412
WD-40	494
Welders Gauntlets - High Quality	437
Welding Cable	65, 367
Welding Clamp	688
Welding Electrodes	367
Welding Goggles	447
Welding Helmet	445
Welding Nozzles	369
Welding Rods	367
Wheel Brush	352
Wheel Nut Indicators	294, 341
Wheel Nut Removal Set	658
Wheel Weight Plier	289, 657
Wheel Weight Pliers	289, 657
Wheel Wrench	647
Window Cleaners Kit	353
Window Scraper	709
Windscreen Sealant	513
Wing Nuts	184
Wing Protectors	356
Winter Packs	47
Wire Broom - Steel	351
Wire Brushes - Bench Grinder	450
Wire Brushes - Crimped Cup	419
Wire Brushes - Filament	421
Wire Brushes - Twist Knot Cup	419
Wire Stipper & Cutter	59, 685, 687, 688
Wire Stripper Tool	59, 157, 686
Wireless Fast Charging Pad	136
Wiring Grommets	34, 74
Woodruff Keys	19
Woodscrews	201
Work Gloves	437
Workshop Safety Pack	438
X	
XF Series Couplings	278
XF Series Integral Adaptors / Tailpieces	280
XF Series Screwed Adaptors	279
Z	
Zirconium Flap Discs	383

1	
100400	159
100405	159
100410	158
100415	158
100420	158
100430	660
105001	31
105070	28
105072	28
105074	28
105076	28
105078	28
105080	12
105081	9
105082	7
105083	26
105084	12
105085	9
105086	11
105087	14
105088	44
105089	47
105090	9
105091	14
105092	22
105093	30
105094	27
105096	19
105097	26
105098	24
105101	6
105102	6,200
105103	6
105104	6,200
105105	7,199
105106	7,202
105107	7,199
105108	20
105109	13,205
105110	30,203
105111	10,197
105112	29
105113	27
105114	9,185
105115	11,181
105116	11,183
105117	9,185
105118	11,183
105119	10,198
105120	11,198
105121	12,183
105122	10,197
105123	8
105124	13,173
105125	13,173
105126	13,172
105127	14,174
105128	14,174
105129	15
105130	14,175
105131	15
105132	16,176
105133	16
105134	18,204
105135	18,205
105136	18,205
105137	18,204
105138	8,202
105139	8
105140	18
105141	20
105142	20
105143	15,175
105145	27,270
105146	29
105147	16,176
105148	29
105150	26,265
105151	23
105152	16,176
105153	17,176
105154	20,103
105155	14
105156	14
105157	19
105158	17
105159	27,277
105160	15
105161	24,79
105162	24,78
105163	25,77
105164	23,53
105165	22,53
105166	19,208
105167	24,76
105168	27,277
105169	17
105170	31
105171	17,180
105172	264
105173	26,264
105174	15
105175	31
105176	31
105178	30,288
105179	10,189
105181	23,62
105183	30,293
105184	27
105185	18
105186	23,61
105187	16,177
105188	19,207
105189	17,176
105190	25,77
105191	28
105192	9,187
105193	10,187
105194	10,187
105195	12,182
105196	24,89
105197	28
105199	12,182
105201	31
105205	28
105208	29
105209	30
105210	23,61
105215	8
105216	8,192
105217	11,194
105218	15,175
105219	9,187
105220	12,181
105222	20
105224	6
105225	7
105226	6
105227	23,67
105228	21,55
105229	20,54
105230	22,53
105231	22,53
105232	22,53
105234	21,56
105235	30,294
105237	30,294
105241	20
105242	11,181
105245	14,172
105246	16
105247	16
105248	17
105249	18
105251	13
105252	17
105253	22,53
105254	23,53
105255	29,298
105256	29,298
105258	19,539
105259	19
105260	31,455
105265	24,78
105269	27,267
105270	26,266
105278	31,455
105280	25,75
105281	31
105282	25,75
105284	25
105286	26
105288	25
105290	46,406
105292	17
105294	12
105301	10,187
105302	7,201
105303	23,53
105304	24,79
105306	30
105307	8
105401	6
105402	6
105403	7
105404	8
105405	13
105406	7
105408	8
105409	10
105410	9
105411	12
105412	11
105413	13
105415	15
105420	18
105421	19
105425	24
105426	25
105430	20
105434	22
105435	22
105451	13
105453	16
105454	15
105458	25
105460	27
105462	29
105463	29
105464	38
105529	21,57
110100	34,73
110101	38
110102	38
110105	32
110108	33,195
110110	32
110111	32
110112	33
110113	32
110114	43,366
110115	45,543
110118	44,537
110119	43,365
110121	344
110122	38
110123	33
110125	32
110126	344
110127	32
110128	32
110129	34
110130	43,690
110131	44,539
110132	35,368
110134	35,54
110135	33,189
110136	40,260
110137	40,260
110138	35,62
110139	34,73
110140	46,537
110141	32
110142	32
110143	44,702
110144	44,701
110145	44,701
110146	44,701
110147	44,701
110148	43,702
110149	44,702
110150	40,261
110151	33
110152	34,74,263
110153	39,258
110154	39,259
110155	33,195
110156	43,365
110157	43,365
110159	33
110160	34
110161	32
110162	32
110163	38,259
110165	40,262,537
110167	34,74
110168	34,74
110171	46,538
110173	43,366
110174	43,690
110175	38
110176	45,715
110177	39,258
110180	46,538
110191	691
110192	691
110193	691
110195	35,62
110201	35
110202	34,73
110203	34,73
110204	33
110205	40,261
110206	45,456
110207	43,366
110208	46,536
110211	40,278
110212	40,278
110213	40,278
110214	40,279
110251	46,406
110254	46,423
110256	46,423
110266	35,78
110301	35,69
110500	214
110700	47
110705	47
2	
205094	54
205096	54
205098	54
205101	50
205102	50
205103	50
205104	50
205105	50

205106	50	205155	51	205232	67	205460	55	215046	64	215185	64	223800	97
205107	50	205156	51	205234	67	205462	55	215047	64	215187	63	223801	100
205108	50	205161	54	205235	67	205464	55	215048	64	215190	63	223820	98
205109	50	205162	54	205236	67	205466	55	215060	64	215191	64	223821	100
205110	50	205165	60	205237	67	205500	56	215070	64	215192	63	224300	94
205111	50	205166	60	205238	67	205502	56	215080	65	215193	63	224440	96
205112	50	205167	61	205240	67	205504	56	215120	63	215196	64	224450	96
205113	50	205168	54	205241	67	205506	56	215121	63	215197	64	224460	96
205114	50	205169	54	205243	51	205508	56	215122	63	215199	64	224480	94
205115	50	205170	54	205244	51	205510	56	215123	63	215200	65	224530	94
205116	51	205171	54	205249	52	205512	56	215124	63	215201	65	224600	94
205118	51	205172	54	205251	61	205514	56	215125	63	215209	65	224601	95
205120	51	205173	54	205255	61	205516	56	215126	63	215221	65	224660	94
205121	51	205178	67	205259	61	205520	57	215127	63	215231	66	224661	95
205123	51	205181	67	205263	61	205521	57	215128	63	215232	66	224720	94
205124	52	205182	67	205272	61	205522	57	215129	63	215233	66	224724	96
205125	52	205183	67	205276	61	205523	57	215130	63	215234	66	224750	94
205127	52	205184	67	205280	61	205524	57	215131	63	215235	66	224751	95
205128	52	205185	67	205284	61	205525	57	215132	63	215236	66	224990	94
205129	52	205186	67	205292	51	205526	57	215157	63	215237	66	224991	95
205130	52	205187	67	205293	51	205527	57	215158	63	215238	66	224995	94
205131	52	205188	67	205296	50	205528	57	215159	63	215239	66	224996	96
205132	52	205189	67	205297	51	205701	60	215160	63	215263	64	225010	100
205133	52	205191	50	205298	52	205702	60	215161	63	215266	64	225011	100
205134	52	205192	50	205299	52	205703	60	215162	63	215267	64	225070	100
205135	52	205193	50	205310	54	205706	60	215166	63	215270	64	225271	62
205136	52	205194	52	205312	54	205707	60	215167	63	215271	65,367	225272	62
205137	52	205196	50	205320	50	205711	60	215168	63	215272	65	225273	62
205138	52	205205	50	205325	50	205712	60	215169	63	215273	65	225274	62
205139	52	205206	50	205330	52	205713	60	215170	63	215274	65	225275	62
205140	52	205207	50	205335	52	205714	60	215171	63	221100	94	225276	62
205141	51	205211	67	205340	60	205717	60	215172	63	221490	99	225277	63
205142	51	205212	67	205345	60	205718	60	215173	63	221500	100	225278	62
205143	51	205215	54	205401	61	205721	61	215174	63	222070	99	225279	62
205144	51	205216	54	205404	61	205722	61	215175	63	222330	99	225280	35,62
205145	50	205217	54	205407	61	205723	61	215176	63	222390	100	225281	62
205146	50	205218	54	205410	61	205724	61	215177	63	222410	98	225282	62
205147	50	205223	67	205411	61	205725	61	215178	63	222415	98	225283	62
205148	52	205224	67	205412	61	205729	61	215179	63	222420	100	225284	62
205149	52	205225	67	205450	55	205730	61	215180	63	222450	99	225285	62
205150	52	205226	67	205452	55	215038	64	215181	64	222460	99	225286	62
205152	51	205227	67	205454	55	215039	64	215182	64	222720	100	225287	62
205153	50	205228	67	205456	55	215040	64	215183	64	222900	97	225288	62
205154	51	205231	52	205458	55	215045	64	215184	64	222940	97	225289	63

225290	62	235272	75	235332	77	235703	80	245208	70	245521	69	255304	74,263
225291	62	235273	75	235380	75	235705	80	245210	70	245522	69	255305	74,263
225292	62	235274	75	235381	75	235710	80	245218	70	245523	69	255306	74,263
225294	62	235275	75	235382	75	235715	80	245219	71	245524	69	255307	74,263
225295	62	235276	75	235383	75	235750	75	245226	72	245525	69	255308	74
225296	62	235277	75	235384	75	235751	75	245228	72	245526	69	255310	74
225297	62	235278	75	235385	75	235752	75	245231	71	245529	70	265201	102
225298	62	235279	75	235386	75	235753	75	245234	72	245530	70	265202	102
225660	98	235280	75	235387	75	235754	75	245236	72	245531	72	265203	102
225810	97	235281	76	235388	75	235755	75	245241	71	245532	72	265251	82
235100	75	235282	76	235416	77	235756	75	245242	71	245572	71	265252	82
235102	75	235283	76	235417	77	235760	75	245245	71	245574	71	265262	101
235104	75	235284	76	235571	77	235761	75	245251	72	245580	70	265263	101
235106	76	235285	76	235572	77	235762	75	245252	72	245582	70	265264	102
235108	76	235286	76	235573	77	235763	75	245253	72	245584	70	265271	102
235110	76	235287	76	235574	77	235780	76	245302	70	245621	70	265272	102
235235	79	235288	76	235575	77	235782	76	245303	71	245622	70	265273	102
235236	79	235289	76	235576	77	235784	76	245304	70	245623	70	265275	102
235237	79	235290	76	235577	77	235786	76	245305	71	245624	70	265276	102
235238	79	235291	76	235619	80	235788	76	245306	70	245625	70	265277	102
235239	79	235306	79	235620	78	235790	76	245309	71	255198	73	265278	101
235241	79	235307	77	235630	78	235792	76	245310	70	255199	73	265283	102
235242	79	235308	80	235635	81	235794	76	245311	71	255200	73	265284	101
235243	79	235309	79	235640	77	235796	76	245312	70	255208	72	265285	101
235244	79	235311	77	235641	77	245185	71	245313	70	255218	66	265286	101
235245	79	235312	77	235642	77	245186	71	245314	70	255219	66	265289	102
235246	79	235313	77	235643	77	245187	70	245315	70	255220	66	265291	101
235247	79	235314	77	235644	77	245188	71	245316	70	255284	73	265292	101
235248	78	235315	77	235645	77	245189	70	245317	70	255285	73	265293	102
235249	78	235316	77	235646	77	245190	71	245318	71	255288	73	265294	102
235250	78	235317	77	235647	77	245191	70	245501	69	255289	73	265295	101
235251	78	235318	77	235648	77	245192	71	245502	69	255290	73	265296	101
235252	80	235319	77	235649	77	245193	70	245503	69	255291	73	265297	101
235253	80	235320	77	235661	78	245194	71	245504	69	255292	73	265298	101
235254	79	235321	77	235662	78	245195	70	245505	69	255293	73	275101	89
235255	80	235322	78	235663	78	245196	72	245506	69	255294	73	275102	89
235257	79	235323	78	235664	78	245197	72	245509	70	255295	73	275103	89
235258	80	235324	77	235665	78	245198	72	245511	70	255296	73	275104	89
235259	80	235325	77	235666	78	245201	35,69	245512	70	255297	73	275105	89
235260	79	235326	77	235671	78	245202	70	245513	70	255298	73	275106	89
235261	78	235327	77	235672	78	245203	70	245514	70	255299	74,263	275108	89
235262	79	235328	77	235673	78	245204	69	245515	70	255300	74,263	275110	89
235263	80	235329	77	235674	78	245205	35,70	245516	70	255301	74,263	275111	88
235265	78	235330	77	235675	78	245206	70	245517	70	255302	74,263	275112	88
235271	75	235331	77	235676	78	245207	70	245518	71	255303	74,263	275116	89

275120	88	275456	84	295201	103	295464	68	305110	270	405114	537	405217	289,658
275121	88	275458	84	295202	103	295465	68	305111	270	405115	537	405219	292
275122	88	275472	84	295203	103	295501	65	305112	271	405118	537	405220	291,658
275123	88	275480	85	295204	103	295502	65	305113	271	405119	537	405221	291,658
275124	88	275484	87	295206	103	295503	65	305120	271	405121	537	405222	291,658
275125	88	275490	87	295208	68	295509	71	305121	271	405133	538	405223	658
275126	88	275493	85	295210	101,535	295521	71	305122	270	405134	538	405241	293
275127	88	275494	85	295211	101,535	295523	71	305123	270	405171	294,341	405244	290
275128	88	275495	86	295215	69	295525	71	305129	539	405172	294,341	405245	290
275129	88	275496	86	295216	69	295527	71	305130	271,713	405173	294,341	405252	292
275130	88	275497	86	295217	69	295561	68	305131	711	405174	294,341	405255	292
275131	88	275498	86	295218	68	295562	68	305140	271,713	405175	294,341	405259	178
275221	88	275499	707	295219	69	2122396	308	305141	270	405176	294,341	405264	178
275222	88	275518	85	295220	69	2122413	308	305142	271	405177	294,341	405267	178
275223	88	275521	88	295221	69	2122414	308	305143	271	405178	294,341	405277	179
275224	88	275522	88	295222	66	2122464	308	305146	270	405179	294,341	405278	179
275225	88	275523	88	295227	67	2126315	310	305147	270	405180	294,341	405279	180
275234	89	275524	88	295229	66	2126421	308	305148	270	405181	293	405290	178
275235	89	275525	88	295230	661	2126442	308	305149	271	405182	293	405292	178
275236	89	275621	88	295231	66	2126449	309	305150	271	405183	293	405293	179
275237	89	275622	88	295236	66	2126456	309	305201	272	405185	290,658	405294	179
275238	89	275623	88	295239	66	2126470	312	305202	272	405186	290	405295	179
275239	89	275624	88	295240	66	2126477	312	305203	272	405188	290	405296	179
275262	88	275625	88	295244	65	2126484	312	305226	271	405189	292	405297	179
275263	88	275721	88	295246	65	2126494	309	305227	271	405190	292	405299	180
275264	88	275722	88	295250	66	2126536	311	305233	271	405191	292	405301	292
275265	88	275822	88	295252	66	2126543	311	305234	271	405192	293	405302	292
275272	88	275900	82	295254	66	2126564	311	305235	271	405193	293	405303	292
275273	88	275902	82	295256	169	2126571	311	305236	271	405194	293	405304	292
275274	88	275904	83	295257	169	2126578	311	3111037	317	405195	293	405305	292
275275	88	295110	74	295258	169	2126585	311	3111147	317	405196	293	405306	292
275290	88	295111	74	295259	169	2126606	309	3111288	317	405197	293	405307	292
275291	88	295112	74	295260	169	2126620	309	**4**		405198	293	405309	292
275292	88	295113	74	295261	169	2126655	308	405101	538	405199	290,658	405351	288
275293	88	295114	74	295305	103	2126753	309	405102	537	405205	288	405352	288
275294	88	295115	74	295306	103	2126760	309	405103	537	405207	289	405353	288
275334	87	295130	74	295320	82	2126781	310	405104	537	405208	289	405355	288
275433	89	295131	74	295451	68	**3**		405106	537	405209	289	405356	288
275437	89	295132	74	295452	68	305103	272	405107	537	405210	289,657	405357	288
275438	89	295133	74	295453	68	305104	272	405108	537	405211	290,657	405358	288
275439	89	295134	74	295454	68	305105	272	405109	537	405212	290,657	405370	39,262
275440	89	295135	74	295460	68	305106	272	405110	537	405213	290,657	405372	39,262
275441	89	295170	59,718	295461	68	305107	272	405111	537	405214	290,657	405451	543
275452	83	295171	59,718	295462	68	305108	270	405112	537	405215	290,657	405452	543
275454	83	295172	59,718	295463	68	305109	270	405113	537	405216	289,657	405453	543

405463	194	505187	260	505273	263	5101815	333	5159365	323	5626609	309	5655144	306
405472	194	505188	260	505290	258	5101832	333	5159570	323	5628054	313	5655151	306
405473	194	505189	260	505291	258	5101839	333	5171058	336	5628102	312	5655168	306
405475	194	505190	260	505292	258	5102147	335	5172000	336	5628116	313	5655175	306
405479	194	505191	260	505295	258	5102161	334	5172007	336	5628322	313	5655209	306
405480	194	505192	260	505296	258	5102202	335	5172014	336	5628346	313	5655216	306
405481	194	505193	260	505297	258	5102233	335	5184708	318	5628441	339	5655223	306
405482	194	505194	260	505301	258	5102305	334	5184715	317	5628456	339	5655230	306
425127	538	505195	260	505302	258	5102336	335	5191529	316	5628461	339	5655247	306
425128	538	505196	260	505303	258	5102343	335	5191705	314	5628468	339	5655254	306
425129	538	505197	260	505304	258	5102381	335	5191712	315	5628475	339	5655278	306
425130	538	505198	260	505305	258	5102457	335	5191719	316	5628496	339	5655285	306
425131	538	505199	260	505306	258	5103108	333	5191726	316	5628538	339	5656050	306
5		505201	261	505307	258	5103414	334	5191763	316	5628580	339	5656095	306
505130	39,262	505202	261	505308	258	5103415	334	5191777	314	5628650	339	5656102	306
505132	39,262	505203	261	505314	258	5103421	334	5191819	316	5628720	340	5656151	306
505136	263	505204	261	505315	258	5103517	333	5191847	316	5628727	340	5656158	306
505137	263	505205	261	505316	258	5103610	334	5191938	315	5628734	339	5656186	307
505138	277	505206	261	505501	715	5111781	336	5191952	315	5628741	339	5656200	306
505139	277	505207	261	505502	715	5111925	337	5193651	318	5628748	339	5656207	306
505140	277	505208	261	505503	715	5111944	337	5193675	318	5629806	310	5657438	306
505141	277	505209	261	505504	715	5111964	331	5193778	318	5629820	308	5657445	306
505142	277	505210	261	505505	715	5112200	331	5193919	318	5629834	308	5657452	306
505145	277,687	505211	261	5000036	328	5113058	331	5193926	315	5629848	310	5657459	306
505146	277	505212	261	5000043	328	5113106	331	5193933	318	5629855	310	5657466	306
505147	277	505213	261	5000050	328	5113144	331	5193947	318	5635054	312	5657473	306
505148	277	505214	261	5000067	328	5113216	331	5193954	318	5636242	312	5657480	306
505150	277	505215	261	5000081	328	5121104	329	5199026	319	5636249	312	5657487	306
505151	277	505216	261	5000108	328	5121159	329	5611085	339	5640820	320	5657494	306
505161	258	505217	261	5038053	328	5121160	329	5620045	312	5641220	320	5657501	306
505162	258	505218	261	5038060	328	5121207	329	5620313	312	5642803	320	5657515	307
505163	258	505251	258	5038084	328	5121221	329	5622651	310	5642810	320	5657522	307
505164	258	505252	258	5059056	323	5121252	329	5622707	310	5642827	320	5657529	307
505165	258	505253	258	5059197	323	5121360	329	5622713	308	5642834	320	5657536	307
505166	258	505254	258	5059692	323	5125020	329	5622803	310	5642858	320	5657543	307
505167	258	505255	258	5059702	323	5125040	329	5624003	311	5642865	320	5657550	307
505168	258	505256	258	5060911	327	5125060	329	5624151	312	5642872	320	5657557	307
505169	258	505257	258	5070011	327	5125080	329	5624292	311	5642889	320	5657564	307
505170	258	505258	258	5070310	327	5125100	329	5624299	311	5642896	320	5657571	307
505181	260	505259	258	5070602	328	5125120	329	5624340	311	5642906	320	5657578	307
505182	260	505260	258	5079706	328	5126037	329	5624412	311	5654468	307	5657921	306
505183	260	505261	258	5100021	335	5126044	329	5624553	312	5655106	306	5930044	321
505184	260	505262	258	5101155	334	5159028	323	5624560	312	5655113	306	5930508	322
505185	260	505263	258	5101801	333	5159334	323	5624577	312	5655120	306	5930515	321
505186	260	505264	258	5101808	333	5159341	323	5624584	312	5655137	306	5930539	322

5930546	321	605097	274	615130	266	625321	267	625443	269	625568	269	625702	264
5930553	322	605098	274	615178	267	625322	267	625444	269	625601	266	625703	264
5930618	322	605099	274	615181	267	625323	267	625445	269	625602	266	625704	264
5930625	322	605100	274	615182	267	625331	267	625446	269	625603	266	625705	264
5930632	321	605101	274	615227	266	625332	267	625451	270	625621	266	625706	264
5930663	322	605102	274	615228	266	625333	267	625452	270	625622	266	625720	264
5930670	322	605103	274	615229	266	625334	267	625453	270	625623	266	625721	264
5930687	324	605105	273	615231	266	625341	268	625454	270	625624	266	625722	264
5930735	324	605106	273	615270	269	625342	268	625455	270	625631	265	625723	264
5930742	324	605107	273	615279	267	625343	268	625456	270	625632	265	625724	264
5930798	322	605108	273	615280	267	625344	268	625475	270	625633	265	625726	264
5931260	332	605110	273	615282	267	625351	267	625476	270	625634	265	625730	264
5931267	332	605111	273	615283	267	625352	267	625481	268	625635	265	625731	264
5931765	321	605112	273	625147	277	625353	267	625482	268	625636	265	625733	264
5931851	321	605113	273	625148	277	625354	267	625483	268	625638	265	625734	264
5932670	332	605116	272	625149	277	625355	267	625501	268	625641	266	625735	264
5935541	322	605117	272	625150	277	625356	267	625502	268	625642	266	625736	264
5950083	336	605118	272	625151	277	625357	267	625503	268	625643	266	635145	298
5950698	317	605119	272	625199	264	625359	267	625504	268	625644	266	635152	297
5951044	337	605120	273	625200	264	625360	267	625505	268	625645	266	635153	297
5952057	337	605130	273	625201	264	625361	267	625511	268	625646	266	635154	298
5952074	337	605141	273	625202	264	625362	267	625512	268	625647	266	635155	297
5954924	337	605142	273	625203	264	625363	267	625513	268	625648	266	635156	297
5954941	337	605143	273	625204	264	625364	267	625521	268	625649	266	635157	298
5954948	337	605144	273	625205	264	625365	267	625522	268	625650	266	635158	297
5954962	337	605145	273	625218	265	625366	267	625523	268	625651	265	635159	297
5958944	335	605146	273	625219	265	625367	267	625531	269	625652	265	635160	298
5961027	337	605151	274	625220	265	625368	267	625532	269	625653	265	635161	297
5966077	324	605152	274	625221	265	625369	267	625541	269	625654	265	635162	297
5966081	321	605160	273	625222	265	625370	267	625542	269	625655	265	635163	298
5966180	324	605162	273	625229	265	625371	267	625543	269	625661	266	635164	297
5966187	322	605164	273	625230	265	625372	267	625544	269	625662	266	635165	297
5966201	322	605170	301	625231	265	625381	268	625546	269	625663	266	635166	297
6		605220	274	625232	265	625382	268	625547	269	625664	266	635167	297
605001	273	605221	274	625233	265	625383	268	625548	269	625665	266	635168	297
605002	273	605222	274	625241	265	625384	268	625549	269	625666	266	635169	297
605004	273	605223	274	625242	265	625385	268	625550	269	625667	266	635170	299,673
605070	274	605224	274	625245	265	625386	268	625551	269	625668	266	635171	299
605072	274	605225	274	625301	267	625387	268	625561	269	625669	266	635172	299
605074	274	605295	274	625302	267	625388	268	625562	269	625671	265	635173	298
605077	274	605296	274	625303	267	625389	268	625563	269	625672	265	635174	298
605090	274	605297	274	625304	267	625390	268	625564	269	625681	266	635175	299
605091	274	605298	274	625305	267	625422	269	625565	269	625682	266	635176	299
605093	274	605299	274	625306	267	625441	269	625566	269	625700	264	635177	299
605096	274	605300	274	625307	267	625442	269	625567	269	625701	264	635178	299

635179 298
635180 299,673
635181 297
635182 297
635183 297
635184 297
635185 297
635186 297
635187 297
635189 297
635190 302,675
635191 297
635193 298
635195 297
635196 297
635197 297
635198 297
635200 299,673
635201 297
635202 297
635204 297
635205 297
635251 301,673
635252 301,674
635255 301,674
635259 301,674
635270 300
635272 300
635276 299
635281 301
635283 302
635285 302

7

705010 294
705020 294
705021 294
705022 294
705023 294
705024 294
705025 294
705026 294
705027 294
705028 294
705029 294
705040 294
705041 294
705042 294
705043 294
705044 294
705045 294
705046 294
705047 294
705048 294
705049 294
705083 539
705084 539
705085 539
705086 539
705087 539
705088 539
705089 539
705090 539
705091 539
705092 539
705094 537
705098 531
705099 534
705100 541
705101 539
705102 539
705124 543
705128 534
705130 532
705131 532
705132 532
705133 532
705135 532
705140 534
705147 541
705148 542
705149 541
705150 542
705151 542
705152 539
705153 539
705154 539
705156 541
705157 539
705158 542
705168 537
705169 537
705170 537
705179 541
705183 534
705184 534
705187 542
705188 542
705189 542
705190 542
705191 542
705192 542
705193 541
705201 542
705203 539
705204 539
705205 543
705206 541
705207 541
705208 541
705209 533
705211 533
705212 533
705213 533
705214 533
705217 534
740003 36,90
740004 37,91
740006 36,90,93
740008 93
740009 93
740011 36,90,93
740012 92
740021 98
740024 92
740051 92
740052 92
740149 98
740150 98
740156 99
740207 98
740208 98
740209 98
740233 98
740239 100
740240 97
740241 97
740242 100
740245 98
740246 98
740247 98
740248 98
740249 98
740256 100
740260 100
740265 100
740270 100
740272 100
740274 100
740275 100
740281 100
740283 100
740290 97
740291 97
740294 97
740334 97
740335 97
740339 97
740343 97
740345 97
740346 97
740378 99
740380 97
740381 97
740382 97
740384 36,90,99
740385 99
740432 98
740433 98
740440 98
740448 36,90,92
740449 92
740453 92
740460 92
740461 92
740466 37,91,92
740467 92
740471 92
740472 36,90,92
740473 92
740475 37,91,92
740476 92
740477 92
740483 92
740484 92
740493 92
740494 93
740495 93
740497 93
740498 37,91,93
740499 36,90,93
740501 99
740502 99
740504 99
740505 99
740507 99
740508 99
740566 97
740581 97
740582 97
740653 100
740712 99
740723 91
740724 91
740874 98
740905 93
740906 93
740921 99
740922 99
740923 99
741012 37,91
741021 37,91,98
741022 36,90
741149 37,91
741150 37,91
741207 36,90
741209 98
741233 36,90
741239 36,90
741241 37,91
741242 37,91
741245 36,90
741246 37,91,98
741249 37,91
741265 36,90
741334 37,91
741346 37,91
741378 36,90
741380 36,90
741382 36,90
741385 36,90
741472 92
741475 92
741499 93
741501 36,90
741502 36,90
741504 36,90
741507 37,91
741566 36,90
741567 36,90
741568 37,91
741581 36,90
741582 37,91,97
741584 36,90
741905 36,90
741906 36,90
741922 36,90
750070 535
750075 535
750080 535
750085 535
750170 535
750172 535
761001 540
761002 540
761003 540
761004 540
761101 540
761102 540
761103 540
761120 540
763101 540
763102 540
770290 422,538
775108 273,536
775109 273,536
775110 274,536
775111 273,536
775112 273,536
775113 273,536
775115 273,536
775122 536
775125 536
775132 536
775142 536
775162 536
775172 536
775180 536
775181 536
775191 536
777007 562
777014 562
777055 561
777056 561
777102 564
777107 564
777109 564
777111 564
777113 564
777115 564
777119 564
777125 564
777160 554
777161 554
777165 555
777166 555
777170 557
777171 558
777180 548
777185 557
777186 557
777187 557
777202 563
777204 563
777206 563
777209 563
777211 563
777213 563
777215 563
777303 565
777304 565
777307 564
777308 564
777343 560
777351 562
777354 562

777356	562	778776	548	805050	279	805140	286	805233	286,657	815199	694	815248	697
777357	562	778777	548	805052	279	805141	278	805236	286,657	815200	694	815249	695
777359	562	778778	548	805054	279	805142	278	805239	286,657	815201	694	815265	694
777360	562	778779	548	805056	279	805143	279	805240	284	815202	694	815266	694
777361	562	778780	548	805058	278	805144	279	805250	284	815203	694	815267	694
777363	562	778781	548	805060	278	805145	280	805260	276	815204	694	815268	694
777364	562,562	778785	548	805062	278	805146	280	805261	276	815205	694	815279	694
777367	560	778790	548	805064	278	805147	280	805262	276	815206	694	815280	694
777368	561	778795	548	805070	280	805150	279	805263	276	815207	694	815281	691
777383	561	778840	555	805098	278	805151	279	805264	276	815208	694	815282	691
777384	561	778842	555	805099	279	805154	279	805265	276	815209	694	815283	691
777385	561	778844	555	805100	280	805158	280	805266	276	815210	695	815284	693
777570	553	778846	555	805101	276	805160	283,655	805267	276	815211	694	815285	695
777571	553	778850	559	805102	276	805161	278	805268	276	815212	694	815288	391
777572	553	778852	559	805103	277	805162	279	805269	276	815213	694	815293	692
777573	553	778856	559	805104	278	805163	280	805301	276	815214	694	815294	692
777574	553	778858	559	805105	280	805171	280	805302	276	815215	694	815295	692
777580	553	778860	559	805106	278	805172	280	805303	276	815216	694	815296	692
777581	553	778862	559	805107	278	805173	280	805304	276	815217	694	815297	692
777582	553	778865	558	805108	279	805174	280	805311	276	815218	694	815298	692
777583	553	778870	558	805109	279	805181	286	805312	276	815219	694	815299	698
777584	553	778872	558	805110	280	805182	286	805313	276	815220	694	815306	692
777700	564	780001	531	805111	280	805184	286,656	805320	276	815221	694	815307	692
777701	565	780002	531	805112	279	805185	287	805321	276	815222	694	815308	692
777800	68	780010	531	805113	282,652	805187	283,655	805330	275	815223	694	815309	692
777805	69	780102	530	805115	285,656	805188	283,655	815179	45,695	815224	694	815310	196
778252	360	780103	530	805116	285,656	805189	285,656	815180	695	815225	694	815311	196
778254	360	780202	530	805117	285,656	805191	282,652	815181	694	815226	694	815312	196
778256	360	780203	530,531	805118	278	805192	284,655	815182	694	815227	694	815313	196
778258	360	782035	538	805119	285,656	805193	284,655	815183	694	815228	694	815314	196
778259	360	782055	538	805120	280	805194	284,656	815184	694	815229	694	815315	692
778262	360	782065	538	805122	280	805196	285,656	815185	694	815230	694	815320	196
778264	360	782075	539	805125	278	805198	285	815186	694	815231	694	815321	196
778266	360	790501	534	805126	280	805201	278	815187	694	815232	694	815322	196
778268	360	790505	534	805127	280	805202	278	815188	694	815233	694	815323	196
778270	360	790531	534	805128	285,656	805205	278	815189	694	815234	695	815324	196
778272	360	790532	534	805129	286	805206	278	815190	694	815235	695	815325	196
778700	563	7052587	307	805130	286	805211	279	815191	694	815238	697	815350	696
778701	563	7502903	307	805132	283,652	805212	279	815192	694	815239	698	815351	696
778770	548	777601	554	805133	278	805218	280	815193	694	815240	698	815352	696
778771	548	777602	554	805135	287	805219	280	815194	694	815241	698	815353	696
778772	548	777603	554	805136	280	805220	282,651	815195	694	815242	695	815354	696
778773	548	777604	554	805137	287	805221	283,651	815196	694	815244	697	815355	696
778774	548	777606	554	805138	287	805222	283,651	815197	694	815246	697	815356	696
778775	548	8		805139	280	805230	286,657	815198	694	815247	697	815357	696

815358	696	825141	393,693	825227	387	825336	391,696	825456	392,692	835165	412	835285	380
815359	696	825142	393,693	825229	387,700	825337	391,696	825458	392,692	835166	412	835286	380
815360	696	825143	393,693	825231	387	825338	391,696	825490	392,692	835167	412	835291	383
815361	696	825144	393,693	825233	387,700	825339	391,696	825495	392	835170	412	835292	383
815362	696	825145	393,693	825235	387,700	825345	391,697	835110	411	835172	412	835293	383
815363	696	825146	393,693	825241	387,700	825353	394,697	835112	411	835174	412	835294	377
815364	696	825147	393,693	825243	387	825354	394,697	835114	411	835180	413	835295	377
815365	696	825148	393,693	825253	388	825355	394,697	835116	411	835181	413	835296	377
815366	696	825149	393,693	825254	388,700	825356	394,697	835118	411	835182	413	835297	378
815367	696	825150	393,693	825255	388,700	825357	394,697	835120	411	835183	413	835298	377
815368	696	825151	393,693	825258	401,700	825358	394,697	835121	411	835184	413	835299	377
815369	696	825153	393,693	825259	401	825360	394,698	835122	411	835186	413	835305	378
815370	696	825156	393,693	825261	387,700	825361	394,698	835123	411	835187	413	835321	377
815371	696	825157	393,693	825262	387,700	825362	394,698	835124	411	835188	413	835322	377
815372	696	825160	393	825264	387	825365	394,698	835125	411	835189	413	835323	377
815373	696	825163	393,693	825266	387	825370	697	835126	411	835201	383	835325	377
815374	696	825164	393,693	825280	401	825372	697	835127	411	835202	383	835333	378
815401	702	825165	393,693	825281	401	825376	697	835128	411	835203	383	835335	378
815403	702	825168	394,697	825282	401	825378	697	835129	411	835204	383	835338	378
815410	699	825170	394,697	825283	401	825380	697	835130	411	835205	383	835341	378
815420	699	825171	393,693	825311	391,696	825381	697	835137	411	835206	383	835350	377
815422	699	825172	393,693	825312	391,696	825382	697	835138	411	835207	383	835351	377
815424	699	825180	697	825313	391,696	825390	394	835139	411	835213	383	835353	377
815426	699	825181	697	825314	391,696	825402	392,692	835140	412	835214	383	835354	377
815428	699	825185	394	825315	391,696	825404	392,692	835141	412	835215	383	835356	377
815450	691	825187	394	825316	391,696	825406	392,692	835142	412	835227	383	835357	377
815451	691	825195	393,693	825317	391,696	825408	392,692	835143	412	835228	383	835360	377
815452	691	825196	393,693	825318	391,696	825410	392,692	835144	412	835229	383	835361	377
815453	691	825197	393,693	825319	391,696	825412	392,692	835145	412	835230	383	835362	377
815454	691	825198	393,693	825320	391,696	825414	392,692	835146	412	835240	385	835363	377
815455	691	825202	387,700	825321	391,696	825416	392,692	835147	412	835241	379	835380	377
815456	691	825203	387,700	825322	391,696	825418	392,692	835148	412	835242	379	835382	377
825105	393,693	825204	387,700	825323	391,696	825420	392,692	835149	412	835243	379	835385	377
825109	393,693	825206	387,700	825324	391,696	825422	392,692	835150	412	835245	379	835386	377
825113	393,693	825208	387,700	825325	391,696	825424	392,692	835151	412	835252	378	835387	377
825131	393,693	825210	387,700	825326	391,696	825426	392,692	835152	411	835253	377	835389	377
825132	393,693	825211	387,700	825327	391,696	825438	392,692	835153	411	835255	379	835393	377
825133	393,693	825212	387,700	825328	696	825440	392,692	835154	411	835261	378	835394	377
825134	393,693	825214	387,700	825329	696	825442	392,692	835155	411	835270	415	835395	377
825135	393,693	825216	387,700	825330	391,696	825444	392,692	835156	411	835275	379	835396	377
825136	393,693	825217	387,700	825331	391,696	825446	392,692	835157	411	835276	379	835397	377
825137	393,693	825220	387,700	825332	391,696	825448	392,692	835158	411	835277	379	835398	377
825138	393,693	825222	387,700	825333	391,696	825450	392,692	835159	411	835281	380	835399	379
825139	393,693	825223	387,700	825334	391,696	825452	392,692	835160	411	835282	380	835411	379
825140	393,693	825226	387,700	825335	391,696	825454	392,692	835164	412	835284	380	835412	379

835413	379	835574	378	835661	414	845124	367	855129	399	855324	704	865258	504
835414	379	835580	378	835662	414	845125	367	855130	399	855325	704	865259	504
835416	379	835585	378	835663	414	845130	367	855131	399	855326	704	865275	510
835420	378	835601	409	835664	414	845133	367	855132	399	855327	704	865279	510
835432	380	835602	409	835665	414	845134	367	855135	399	855328	704	865281	499
835434	380	835603	409	835666	414	845135	367	855165	705	865116	495	865283	499
835441	379	835604	409	835667	414	845137	445	855166	705	865117	514	865285	499
835443	379	835605	409	835670	414	845139	447	855167	705	865124	300,495	865287	499
835445	379	835606	409	835671	414	845140	445	855168	702	865130	365	865289	499
835450	379	835607	409	835672	414	845141	445	855169	705	865135	512	865291	499
835451	379	835608	409	835673	414	845142	445	855171	705	865148	513	865293	499
835452	379	835610	409	835674	414	845144	447	855172	703	865149	500	865300	498
835453	379	835611	409	835675	414	845145	447	855173	703	865160	359	865301	498
835454	379	835612	409	835676	414	845148	369	855174	703	865161	359	865392	518
835455	379	835616	406	835677	414	845149	369	855176	705	865165	359	865394	519
835460	383	835618	406	835678	414	845151	369	855177	703	865166	358	865395	517
835461	383	835621	406	835690	409	845152	369	855178	703	865173	359	865396	518
835462	383	835622	406	835691	409	845153	369	855180	706	865174	359	865397	518
835490	403	835624	385	835692	409	845158	368	855181	705	865175	359	865398	518
835491	403	835629	385	835693	409	845159	368	855184	703	865176	358	865399	518
835492	403	835631	405	835694	409	845160	368	855185	703	865177	359	865402	498
835495	403	835632	405	835695	409	845161	368	855186	703	865178	360	865403	498
835496	403	835633	405	835697	409	845172	369	855187	703	865180	358	865404	516
835497	403	835634	405	835698	409	845201	367	855188	703	865181	359	865405	517,536
835500	403	835635	405	835699	409	845202	367	855201	703	865182	359	865406	517,536
835501	403	835636	405	835710	405	845205	367	855202	703	865183	359	865409	516
835502	403	835637	405	835712	405	845206	367	855203	703	865187	359	865410	521
835505	403	835638	405	835714	405	845207	367	855207	703	865188	359	865416	519
835506	403	835641	405	835716	405	845208	367	855208	703	865190	514	865417	519
835507	403	835642	405	845091	368	845211	369	855211	703	865191	514	865419	519
835510	403	835643	405	845092	367	845212	369	855212	703	865192	514	865426	516
835511	403	835644	405	845096	367	845213	369	855213	703	865193	514	865429	520
835512	403	835645	405	845097	367	845215	369	855224	703	865196	514	865451	520
835515	403	835646	405	845101	369	845220	367	855225	703	865200	359	865453	520
835516	403	835648	385	845102	369	845286	369	855234	703	865202	359	865456	501
835517	403	835651	414	845111	368	845287	437	855235	703	865223	495	865457	501
835520	403	835652	414	845112	368	845288	369	855236	703	865235	512	865458	501
835521	403	835653	414	845114	368	845291	369	855240	401	865241	513	865459	517,536
835522	403	835654	414	845115	367	845292	369	855242	401	865242	513	865467	520
835550	377	835655	414	845116	369,715	855120	399	855244	401	865246	336,513	865468	520
835555	377	835656	414	845117	367	855121	399	855271	705	865247	513	865470	496
835560	377	835657	414	845118	368	855125	399	855302	703	865250	513	865478	521
835565	377	835658	414	845119	368	855126	399	855303	703	865251	513	865484	527
835570	378	835659	414	845122	368	855127	399	855321	704	865252	513	865485	527
835572	378	835660	414	845123	367	855128	399	855322	704	865257	510	865486	527

PART NO. INDEX

865487	527	865551	515	865639	513	865766	501	865930	507	895043	370	895096	363
865489	501	865554	525-526	865640	512	865768	501	865932	507	895044	370	895097	363
865490	501	865562	526-527	865641	502	865772	494	865935	507	895046	370	895098	363
865493	520,520	865565	516	865642	502	865773	494	865938	507	895047	370	895099	353
865494	520	865567	516	865643	503	865774	494	865940	508	895050	296	895100	180
865497	501	865570	524-525	865646	502	865775	494	865942	508	895052	371	895101	709
865498	496	865576	523-524	865652	512	865776	494	865945	508	895053	371	895102	363
865499	497	865577	523-524	865653	512	865780	494	865948	508	895054	371	895103	363,593
865500	496	865578	523-524	865654	512	865786	494	865950	508	895055	371	895104	365
865502	521	865579	590	865655	511	865788	494	895001	363	895056	354	895107	362
865503	521	865580	526-527	865658	503,531	865790	495	895002	363	895057	295	895108	363
865505	520	865581	525-526	865659	510	865800	511	895003	363	895058	354	895109	288
865506	520	865584	525-526	865660	505	865802	510	895004	363	895059	491,516	895110	288
865507	520	865585	525-526	865661	505	865803	510	895005	363	895061	295	895111	445
865508	520	865586	525527	865664	495	865805	510	895006	363	895062	296	895113	445
865509	520	865587	525527	865665	511	865807	511	895007	363	895063	295	895114	445
865510	520	865588	521	865671	515	865810	513	895008	288	895064	295	895115	362
865511	500	865589	526-527	865674	515	865811	513	895009	364	895065	295	895120	354
865512	500	865590	526-527	865675	515	865820	514	895010	295	895066	354	895124	445
865513	495	865596	519	865676	515	865821	514	895011	295	895067	295	895125	437
865514	496	865598	519	865679	504	865824	514	895012	295	895068	295	895128	437
865515	500	865601	502	865681	515	865825	514	895013	295	895069	295	895129	437
865516	500	865602	502	865683	515	865828	514	895014	516	895070	295	895130	437
865517	516	865604	504	865685	515	865829	514	895015	518	895071	296	895132	446
865518	496	865605	505	865690	517	865832	514	895016	516	895072	295	895133	445
865519	519	865606	505	865692	517	865833	514	895017	491516	895073	296	895134	363
865521	522	865607	503	865701	496	865840	503	895019	296	895075	296	895135	363
865524	522	865608	505	865702	496	865850	495	895020	296	895076	353	895137	447
865525	522	865609	505	865710	524-525	865852	495	895021	355	895077	364,593	895138	446
865527	522	865610	502	865711	524-525	865854	515	895022	355	895078	364,593	895139	661
865528	522	865611	505	865715	504	865856	495	895023	516	895079	364,593	895142	423
865530	522524	865612	505	865717	497,716	865860	503	895024	516	895080	354	895143	423
865532	496	865614	505	865723	497,717	865862	511	895025	302	895081	356	895144	422
865533	526-527	865615	505	865724	497,717	865864	503	895026	355	895082	354	895146	423
865535	523-524	865617	510	865730	519	865866	503	895027	355	895083	354	895149	365
865536	523-524	865619	505	865731	519	865870	506	895029	356	895084	370	895150	365
865537	523-524	865621	511	865735	516	865900	506	895030	357	895085	370	895151	365
865540	524-525	865623	502	865740	501	865904	506	895032	356	895086	295	895152	365
865541	524-525	865624	512	865742	501	865906	506	895033	356	895087	295	895153	365
865542	524-525	865630	511	865750	501	865910	506	895034	357	895088	295	895154	702
865543	526	865632	512	865752	501	865916	506	895035	370	895089	295	895157	701
865545	525-526	865633	504	865754	501	865920	507	895038	370	895090	295,491,516	895158	701
865546	525-526	865634	514	865760	501	865922	507	895039	370	895091	363	895159	701
865547	525-526	865635	504	865762	501	865924	507	895041	370	895094	363	895160	701
865548	524-525	865637	513	865764	501	865928	507	895042	370	895095	363	895166	701

895168	350	895225	302	895279	438	895340	366	895401	380	895464	446	895557	444
895169	350	895226	302	895280	454	895341	366	895402	380	895465	446	895558	442
895170	350	895227	362	895283	440	895342	366	895403	380	895466	434	895559	442
895171	350	895229	362	895284	446	895343	366	895404	380	895467	434	895560	442
895172	521	895230	347	895285	546	895344	366	895407	348	895468	434	895565	439
895173	349	895232	431	895286	546	895345	361	895410	380	895469	434	895566	439
895174	349	895234	347	895287	546	895346	361	895411	380	895479	348	895568	438
895175	351	895235	347	895288	546	895347	361	895412	380	895480	371	895569	524-525
895176	423	895236	362	895289	371	895348	361	895413	380	895481	452	895570	524-525
895177	296	895237	362	895290	547	895349	361	895415	346	895482	452	895571	366
895178	356	895238	348	895291	215547	895350	491,352	895416	346	895483	452	895572	366
895179	356	895239	347	895292	358	895351	450	895417	347	895484	453	895573	366
895180	701	895240	538	895293	357	895352	450	895418	406	895485	452	895574	366
895181	701	895241	538	895294	45	895353	450	895419	406	895486	452	895575	366
895182	701	895242	702	895295	357	895354	344	895420	347	895487	452	895576	366
895185	351	895243	702	895296	348	895355	491,344	895422	289	895488	452	895586	365
895186	365	895244	702	895298	353	895356	344	895423	288	895489	452	895587	365
895187	365	895245	702	895299	456	895357	344,413	895424	414	895490	452	895588	365
895188	365	895246	690	895300	456	895358	352	895425	414	895491	452	895589	365
895189	365	895247	690	895301	515	895359	352	895426	414	895492	452	895590	365
895190	365	895248	690	895302	456	895360	413	895430	523	895493	452	895591	353
895191	348	895249	690	895303	358	895363	409	895431	450	895494	523-524	895592	353
895192	448	895250	431	895304	546	895364	409	895432	450	895495	522	895593	353
895193	448	895251	45,699	895305	215546	895365	409	895433	450	895496	522	895595	351
895194	709	895252	690	895306	546	895371	415	895434	420	895497	522	895596	351
895195	366	895253	690	895307	546	895372	415	895435	420	895498	522524	895597	350
895196	366	895254	690	895310	413	895373	344,413	895439	420	895500	526-527	895620	435
895197	366	895255	690	895311	413	895374	344,413	895440	523-524	895501	701	895621	435
895198	366	895256	690	895312	413	895376	491,352	895441	451	895507	701	895623	435
895199	349	895257	444	895316	546	895377	420	895442	451	895516	701	895624	709
895200	348	895258	444	895317	546	895378	419	895443	451	895517	701	895625	435
895201	448	895260	431	895318	547	895379	419	895446	451	895520	701	895626	435
895202	448	895262	699	895319	547	895380	419	895447	451	895521	701	895627	435
895203	437	895263	699	895328	361	895381	419	895448	451	895523	701	895630	435
895204	437	895265	348	895329	361	895382	420	895449	451	895524	701	895631	435
895208	434	895268	47	895330	361	895384	344	895450	350	895532	444	895632	435
895210	442	895269	434	895331	361	895386	439	895451	350	895533	444	895635	436
895212	438	895270	434	895332	361	895387	439	895452	350	895542	443	895636	436
895213	437	895271	434	895333	361	895388	439	895453	350	895543	443	895637	436
895216	434	895272	434	895334	361	895389	438	895454	420	895545	444	895645	436
895218	434	895273	371	895335	361	895390	438	895456	350	895550	444	895646	436
895219	434	895275	455	895336	362	895392	442	895458	365	895551	444	895647	436
895221	289	895276	454	895337	362	895393	442	895461	349	895552	444	895649	352
895222	431	895277	45	895338	362	895394	442	895462	349	895553	444	895650	352
895223	454	895278	455	895339	362	895396	438	895463	302	895556	444	895651	352

895653	352	895744	431	895827	427	895940	444	896213	361	896702	491	896870	167
895655	348	895745	431	895828	427	895941	444	896220	363	896703	491	896871	167
895657	348	895746	431	895833	427	895942	444	896230	364	896704	491	896872	167
895660	351	895750	436	895836	427	895961	440	896232	364	896705	491	896875	167
895661	351	895751	436	895839	427	895963	440	896234	364	896706	491	896876	167
895665	491	895752	436	895842	427	895966	440	896240	364	896707	491	896877	167
895666	346	895765	436	895850	429	895970	440	896242	364	896708	491	896878	167
895668	346	895766	436	895851	429	895972	420	896250	362	896709	491	896879	167
895670	455	895767	436	895852	429	895973	420	896255	362	896710	491	896885	166
895680	302	895770	456	895864	429	895974	420	896262	361	896711	491	896886	166
895690	351	895771	455	895865	429	895975	420	896310	547	896713	491	896887	166
895691	351	895772	454	895866	429	895976	422	896320	546	896714	491	896888	166
895692	351	895774	454	895870	451	895980	449	896321	546	896810	160	896960	421
895700	448	895776	454	895871	451	895981	449	896322	546	896811	160	896962	421
895701	447	895777	456	895872	451	895982	449	896323	546	896812	160	896970	421
895702	447	895778	346	895873	451	895985	449	896324	546	896815	162	896972	421
895703	437	895780	451	895875	449	895986	449	896330	546	896816	162	896974	421
895704	446	895781	451	895876	449	895987	449	896331	546	896817	162	896976	421
895705	448	895782	451	895878	445	895990	449	896500	546	896818	162	896980	421
895706	448	895785	437	895879	449	895991	449	896501	546	896819	163	896985	421
895707	448	895786	437	895880	348	895992	449	896610	452	896822	168	896990	422
895710	420	895787	437	895881	448	896111	449	896611	452	896823	162	896991	422
895711	421	895790	491,345	895882	448	896112	449	896612	452	896830	164	896992	422
895712	420	895791	491,344	895883	448	896113	449	896613	452	896831	164	896993	422
895713	419	895792	491,345	895885	449	896114	449	896620	453	896832	164	896994	422
895714	421	895793	491,345	895886	449	896116	450	896621	453	896835	165	896995	422
895715	349	895794	491,345	895896	348	896117	450	896622	453	896838	164	897002	416
895716	434	895795	491,345	895905	356	896118	450	896623	453	896839	164	897004	416
895717	434	895796	491,345	895910	356	896119	450	896631	452	896840	165	897006	416
895718	434	895800	592	895912	419	896120	450	896632	452	896841	165	897008	416
895719	434	895801	592	895913	419	896121	450	896633	452	896842	165	897010	416
895720	349	895802	593	895914	419	896123	450	896642	453	896843	161	897012	416
895721	356	895803	593	895915	419	896124	450	896643	453	896846	168	897014	416
895722	356	895804	592	895916	420	896125	450	896644	453	896847	168	897016	416
895723	450	895805	592	895918	420	896126	450	896672	344	896848	168	897018	416
895724	356	895806	592	895920	439	896127	450	896674	491,346	896850	168	897020	417
895725	451	895807	592	895925	440	896128	450	896676	345	896851	168	897022	417
895726	451	895808	592	895930	443	896130	450	896678	345	896852	168	897024	417
895727	451	895809	593	895931	443	896131	450	896680	345	896855	167	897026	417
895730	451	895815	456	895932	443	896132	450	896685	353	896860	166	897028	417
895732	451	895818	456	895933	443	896133	450	896686	353	896861	166	897030	417
895734	451	895820	592	895934	442	896134	450	896688	353	896862	166	897032	417
895740	435	895822	592	895935	442	896135	450	896690	352	896865	167	897034	417
895741	435	895825	427	895937	443	896210	362	896692	352	896866	167	897036	416
895742	435	895826	427	895939	443	896212	361	896700	352	896867	167	897038	416

897040	416	8704714Y	341	905203	205	915148	177	915216	174	915514	177	925075	199
897042	417	9		905204	205	915149	177	915217	174	915515	177	925076	199
897043	417	996	87	905205	205	915150	172	915218	174	915520	177	925078	199
898001	591	996-02	87	905206	205	915151	172	915219	174	915521	177	925079	199
898002	591	996-12	87	905207	205	915152	172	915220	174	915522	177	925080	199
898006	591	905101	204	905208	204	915153	172	915225	173	915523	177	925081	199
898007	591	905102	204	905351	204	915154	172	915231	174	915524	177	925082	199
898008	591	905103	204	905352	204	915156	172	915232	174	915525	177	925088	199
898009	591	905104	204	915101	172	915157	172	915233	174	915526	177	925089	199
898013	591	905105	204	915102	172	915158	172	915234	174	915601	175	925090	199
898015	591	905106	204	915103	172	915159	172	915235	174	915602	175	925093	199
898018	591	905107	204	915104	172	915160	172	915236	174	915603	175	925094	199
898020	590	905108	204	915112	172	915161	172	915238	174	915604	175	925095	199
899001	589	905109	204	915113	172	915162	172	915239	174	915605	175	925096	199
899002	589	905110	204	915114	172	915163	172	915320	177	915606	175	925097	199
899005	590	905111	204	915115	172	915164	172	915403	176	915608	175	925098	199
899008	590	905112	204	915116	172	915166	175	915407	176	915611	175	925099	199
899009	590	905113	204	915117	172	915167	175	915410	176	915612	175	925101	199
899013	589	905121	204	915118	172	915168	175	915411	176	915613	175	925102	199
899014	590	905122	204	915119	172	915171	175	915412	176	915614	175	925103	199
899015	590	905123	204	915120	172	915174	175	915413	176	915615	175	925104	199
899020	588	905124	204	915121	172	915181	173	915414	176	915616	175	925105	199
899021	589	905125	204	915122	172	915182	173	915415	176	915617	175	925106	199
899022	588	905126	204	915124	174	915183	173	915416	176	915702	180	925107	199
899023	588	905127	204	915125	174	915184	173	915417	176	915704	180	925108	199
899024	588	905128	204	915126	174	915185	173	915418	176	915705	180	925109	199
899025	589	905129	204	915127	174	915186	173	915420	176	915706	180	925110	199
899026	588	905132	204	915128	174	915187	173	915421	176	915707	180	925111	199
899027	589	905141	204	915129	174	915188	173	915422	176	915708	180	925114	199
899028	588	905142	204	915131	175	915200	173	915426	176	915709	180	925115	199
899029	588	905143	204	915132	175	915201	173	915428	176	915710	180	925116	199
8365606	337	905144	204	915133	175	915202	173	915429	176	915711	180	925117	199
8400444	319	905145	204	915134	175	915203	173	915432	176	915712	180	925125	199
8400451	319	905146	204	915135	175	915204	173	915501	176	915713	180	925126	199
8702207	319	905147	204	915136	175	915205	173	915502	176	915714	180	925127	199
8702283	319	905148	207	915137	175	915206	173	915503	176	915715	180	925130	200
8702290	319	905149	207	915138	175	915207	173	915504	176	915716	180	925131	200
8702300	319	905150	207	915140	177	915208	173	915505	176	915737	180	925132	200
8702348	319	905151	204	915141	177	915209	173	915506	176	915738	180	925133	200
8702795	319	905152	204	915142	177	915210	173	915507	176	915739	180	925134	200
8702898	319	905153	204	915143	177	915211	174	915508	176	915742	180	925135	200
8702960	319	905154	204	915144	177	915212	174	915509	176	915747	180	925136	200
8709881	689	905155	204	915145	177	915213	174	915510	176	915749	180	925137	200
8759346	318	905201	205	915146	177	915214	174	915511	177	915750	180	925138	200
8704707Y	341	905202	205	915147	177	915215	174	915512	177	915760	491,517	925141	200

925146	199	925280	201	935224	183	935312	184	935524	184	940764	667	940834	661
925147	199	925281	201	935225	183	935313	184	935535	184	940765	658	940835	661
925152	201	925282	201	935226	183	935314	184	940700	81	940768	665	940836	661
925153	201	925283	201	935227	183	935315	184	940702	718	940769	682	940837	661
925170	202	925284	201	935247	181	935316	184	940703	718	940770	682	940838	660
925171	205	925287	201	935248	181	935321	183	940704	685	940772	667	940900	660
925172	205	925289	201	935249	181	935322	183	940706	662	940773	667	945311	197
925173	205	925290	201	935250	181	935323	183	940707	662	940774	667	945312	197
925174	205	925292	201	935251	181	935325	184	940711	662	940775	667	945316	197
925175	205	925293	201	935252	181	935326	184	940712	662	940777	668	945323	197
925177	205	925294	201	935253	181	935327	184	940714	662	940778	668	945324	197
925178	200	925296	201	935255	183	935328	184	940715	662	940779	668	945325	197
925179	205	925299	201	935256	183	935329	184	940720	663	940780	668	945326	197
925184	200	925305	202	935257	183	935335	184	940721	663	940781	668	945327	197
925185	202	925306	202	935258	183	935338	181	940722	663	940784	685	945328	197
925187	202	925309	202	935259	183	935372	182	940723	663	940785	685	945329	197
925188	202	925310	202	935260	183	935373	182	940731	663	940786	668	945331	197
925190	202	925401	202	935261	183	935374	182	940732	664	940787	669	945332	197
925191	202	925403	202	935267	182	935391	183	940734	664	940790	708	945336	197
925193	205	925404	202	935268	182	935392	183	940735	664	940791	709	945338	197
925194	205	925405	202	935269	182	935393	183	940736	664	940792	668	945407	197
925195	205	925407	202	935270	182	935410	182	940737	664	940793	669	945408	197
925196	205	925408	202	935271	182	935411	182	940738	664	940795	669	945411	197
925197	205	925409	202	935272	182	935412	182	940739	664	940797	669	945412	197
925255	200	925415	202	935273	182	935413	182	940740	664	940798	670	945416	197
925256	200	925418	202	935274	182	935414	182	940741	664	940799	355	945461	198
925257	200	925441	202	935280	181	935415	182	940742	685	940801	670	945464	198
925258	200	925442	202	935281	183	935417	181	940743	708	940803	682	945481	198
925259	200	925451	202	935282	181	935418	181	940744	665	940804	675	945485	198
925260	200	925452	202	935283	181	935436	194	940746	665	940805	683	945486	198
925261	200	925454	202	935284	181	935437	194	940748	685	940806	670	945651	205
925262	200	925461	198	935285	181	935441	194	940749	665	940807	683	945652	205
925263	200	925462	198	935286	181	935445	194	940750	665	940809	675	945653	205
925264	200	925463	198	935287	181	935450	194	940751	708	940810	676	945654	205
925265	200	925466	198	935288	181	935451	194	940752	665	940811	712	945655	205
925266	200	925467	198	935289	181	935501	181	940753	658	940812	712	945656	205
925267	200	925468	198	935290	181	935502	181	940754	688	940813	685	945657	205
925268	200	935210	181	935292	183	935503	181	940755	688	940814	685	945658	205
925269	200	935211	181	935293	183	935504	181	940756	688	940817	652	955042	191
925271	200	935212	181	935294	183	935511	184	940757	688	940818	670	955043	191
925272	201	935213	181	935295	183	935512	184	940758	663	940819	670	955044	191
925273	201	935214	181	935296	183	935513	184	940759	665	940828	711	955045	191
925274	201	935215	181	935297	183	935521	184	940761	682	940831	288	955046	191
925278	201	935216	181	935298	183	935522	184	940762	682	940832	288	955047	191
925279	201	935217	181	935300	183	935523	184	940763	682	940833	660	955048	191

955049	191	955121	186	955250	185	955300	186	955463	190	955529	190	955771	192
955050	191	955122	186	955251	185	955301	195	955464	190	955531	190	955773	192
955051	191	955123	186	955252	185	955302	195	955465	190	955532	190	955775	192
955052	191	955124	186	955254	185	955303	195	955466	190	955541	195	955777	192
955056	191	955125	186	955256	186	955306	190	955467	190	955542	195	955778	192
955057	191	955126	186	955257	186	955307	186	955468	190	955543	195	955780	192
955058	191	955127	186	955258	186	955308	186	955469	190	955544	195	955817	192
955060	191	955129	186	955259	186	955309	186	955470	190	955545	195	955818	192
955061	191	955130	186	955260	186	955311	186	955471	190	955550	189	955819	192
955062	191	955131	186	955261	186	955312	186	955472	190	955551	189	955820	192
955063	191	955132	186	955262	186	955313	186	955473	190	955552	189	955849	193
955064	191	955133	186	955263	186	955314	186	955474	190	955553	189	955850	193
955065	191	955151	187	955264	186	955317	186	955475	190	955554	189	955854	193
955070	191	955157	185	955265	186	955319	186	955476	190	955555	189	955855	193
955072	191	955160	185	955266	186	955321	186	955477	190	955556	189	955856	193
955073	191	955162	185	955267	186	955322	190	955478	190	955558	189	955857	193
955074	191	955178	185	955268	186	955325	186	955479	190	955569	201	955858	193
955075	191	955179	185	955269	186	955328	186	955480	190	955719	192	955859	193
955076	191	955180	185	955270	186	955330	195	955481	190	955720	192	955860	193
955077	191	955181	185	955271	186	955332	195	955482	190	955721	192	955861	193
955078	191	955184	185	955272	186	955336	186	955483	190	955722	192	955862	193
955079	191	955185	185	955273	186	955337	186	955484	190	955728	192	955863	193
955080	191	955186	185	955274	186	955338	186	955485	190	955730	192	955865	193
955081	191	955187	185	955275	186	955339	186	955486	190	955731	192	955866	193
955082	191	955189	185	955276	186	955342	186	955487	190	955732	192	955867	193
955083	191	955190	185	955277	186	955343	190	955488	190	955733	192	955868	193
955084	191	955191	185	955278	190	955345	185	955490	190	955738	192	955869	193
955085	191	955194	185	955279	190	955350	186	955491	190	955739	192	955870	193
955086	191	955196	185	955280	190	955351	190	955492	190	955740	192	955871	193
955087	191	955197	185	955281	190	955352	186	955493	190	955741	192	955902	193
955088	191	955198	185	955284	186	955353	186	955494	190	955742	192	955903	193
955089	191	955228	185	955285	186	955354	186	955495	190	955743	192	955904	193
955090	191	955229	185	955286	186	955355	186	955497	190	955745	192	955906	193
955091	191	955230	185	955287	186	955356	186	955498	190	955751	192	955907	193
955092	191	955231	185	955288	186	955363	187	955499	190	955752	192	955908	193
955093	191	955232	185	955289	190	955364	187	955511	195	955753	192	955909	193
955094	191	955234	185	955290	186	955368	187	955512	195	955754	192	955912	193
955095	191	955235	185	955291	186	955369	187	955513	195	955755	192	955913	193
955096	191	955236	185	955292	186	955401	188	955514	195	955757	192	955914	193
955097	191	955237	185	955293	186	955403	188	955521	190	955758	192	955941	193
955098	191	955240	185	955294	190	955405	188	955523	190	955763	192	955942	193
955099	191	955242	185	955296	190	955410	188	955524	190	955764	192	955943	193
955101	208	955243	185	955297	186	955415	188	955525	190	955765	192	955944	193
955102	208	955245	185	955298	186	955461	190	955526	190	955766	192	955945	193
955120	186	955247	185	955299	186	955462	190	955528	190	955768	192	955951	193

955952	193	965253	209,710	965504	206	975411	237	975524	228	975713	218	975815	223
955953	193	965259	710	965505	206	975412	215236	975525	227	975714	218	975816	223
955954	193	965301	208	965506	206	975414	236	975526	227	975715	218	975817	223
955955	193	965302	208	965507	206	975415	236	975528	229	975716	218	975818	223
955957	193	965303	208	965508	206	975416	215236	975531	215,219	975717	218	975819	223
955970	193	965304	208	965509	206	975417	237	975532	219	975718	218	975820	224
965074	195	965305	208	965510	206	975419	236	975533	219,231	975720	215,221	975821	223
965075	196,710	965306	208	965511	206	975421	236	975534	219	975721	215,221	975822	223
965076	195	965307	208	975139	197	975430	234	975535	215,219	975722	215,221	975823	224
965077	195	965308	208	975140	197	975431	235	975536	215,219	975723	221	975840	225
965078	195	965309	208	975141	197	975432	215234235	975537	219	975724	221	975841	225
965079	195	965310	175,208	975307	203	975434	235	975560	215,231	975725	221	975842	225
965085	196,710	965311	209,710	975308	203	975435	234	975561	215,230	975726	221	975843	225
965086	196,710	965312	209,710	975309	203	975436	215,235	975562	231	975727	221	975844	225
965087	196,710	965313	208	975310	203	975437	215,234	975563	215232	975740	229	975845	225
965088	196,710	965314	208	975311	203	975438	234	975564	215,233	975741	229	975846	225
965090	195	965315	209,710	975312	203	975441	235	975565	232	975742	229	975847	225
965091	195	965316	175,208	975313	203	975452	233	975566	232	975743	229	975848	225
965092	195	965317	208	975314	203	975460	228	975567	231	975744	229	975860	224
965093	195	965350	208	975315	203	975461	215,229	975568	233	975760	221	975883	215,235
965094	195	965402	207	975316	203	975462	216	975569	215233	975761	220	975889	235
965095	195	965403	207	975317	203	975463	215,220	975570	215,231	975762	220	975894	235
965130	206	965404	207	975320	203	975464	216	975571	233	975780	215,226	975919	234
965131	206	965405	207	975321	203	975465	216	975622	219	975781	215,226	975920	234
965132	206	965406	207	975322	203	975467	216	975627	219	975782	215,226	975921	235
965151	206	965407	207	975323	203	975468	220,234	975630	219	975783	226	975922	235
965152	206	965408	207	975324	203	975470	216	975632	218	975784	226	975923	235
965153	206	965409	207	975325	203	975471	228	975634	215,219	975785	226	975924	235
965154	206	965410	207	975326	203	975473	229	975636	218	975786	226	975925	237
965155	206	965411	207	975327	203	975476	215,220	975638	218	975787	227	975926	237
965156	206	965412	207	975328	203	975477	234	975640	219	975788	227	975927	237
965157	206	965413	207	975329	203	975478	215,220	975687	237	975789	227	975928	236
965170	206	965417	207	975330	203	975480	228	975700	216	975790	227	975929	237
965171	206	965420	207	975332	203	975482	220	975701	215217	975791	228	975931	215,224
965172	206	965421	207	975333	203	975500	228	975702	217	975792	228	975932	215,224
965173	206	965422	207	975334	203	975501	227	975703	217	975793	228	975933	224
965174	206	965431	207	975335	203	975502	227	975704	217	975794	228	975934	224
965180	206	965432	207	975355	203	975503	215,229	975705	217	975795	229	975935	224
965181	206	965433	207	975356	203	975504	226	975706	217	975796	229	975936	224
965182	206	965434	207	975357	203	975506	227	975707	217	975797	229	975950	222
965242	710	965435	207	975400	216	975508	228	975708	217	975810	223	975951	222
965243	710	965440	207	975401	216	975520	228	975709	217	975811	223	975952	222
965244	710	965501	206	975402	216	975521	227	975710	217	975812	223	975953	222
965251	209,710	965502	206	975403	216	975522	228	975711	217	975813	223	975954	222
965252	710	965503	206	975410	215236	975523	227	975712	217	975814	223	975955	222

975956	222	980150	541	980251	714	985462	699	985632	690	985740	706	991156	200
975970	230	980152	670	980255	453	985463	699	985633	690	985742	683	992001	184
975971	230	980155	709	980260	453	985464	699	985638	45	985743	683	992002	184
975972	230	980161	673	980270	39,262	985465	699	985640	711	985775	702	992003	184
975973	230	980163	674	985001	678	985466	699	985641	711	985780	400	992004	184
975974	230	980164	674	985002	678	985472	397	985642	711	985781	400	992005	184
975975	231	980166	675	985003	678	985473	397	985643	691	985782	400	992006	184
975976	215,231	980167	675	985004	678	985474	397	985645	706	985815	687	992007	184
975977	231	980168	674	985005	678	985475	397	985648	704	985850	715	992020	181
975978	231	980169	675	985006	678	985476	397	985649	400,704	985872	706	992025	181
975979	231	980171	713	985227	81,718	985477	397	985651	689	985875	705	992026	181
975980	231	980172	713	985229	81,718	985478	397	985652	689	985876	705	993081	195
975981	231	980173	713	985241	81,718	985510	281,650	985655	689	985878	394	993082	195
975982	232	980174	713	985260	682	985511	651	985658	689	985890	394	993083	195
975983	215232	980177	713	985262	682	985512	651	985671	711	985892	707	993084	195
975984	215232	980178	713	985264	683	985513	282,651	985672	709	985940	719	993085	195
975985	232	980179	713	985266	683	985514	282,651	985673	709	985942	719	993105	188
975986	230	980185	654	985310	692	985517	685	985675	690	985966	400	993106	188
975987	233	980186	654	985315	692	985521	281,650	985677	708	985968	400	993107	188
975988	232	980190	654	985320	658	985522	281,650	985678	706	985980	400	993108	188
975989	232	980192	652	985321	706	985523	281,650	985679	706	991010	192	993109	188
975990	215232	980195	653	985325	684	985524	281,650	985690	711	991011	192	993110	188
975991	215,233	980198	653	985326	684	985525	281,650	985701	81,718	991014	192	993112	188
975992	232	980200	653	985327	684	985526	281,650	985705	501	991017	192	993113	188
980102	676	980201	653	985328	684	985545	81,719	985706	501	991018	192	993114	188
980105	707	980205	653	985329	684	985552	81,719	985707	501	991019	192	993115	188
980110	714	980206	653	985330	684	985582	690	985711	688	991020	192	993116	188
980111	714	980207	653	985331	684	985583	690	985712	688	991021	192	993117	188
980112	714	980210	654	985332	684	985584	690	985713	688	991022	192	993118	188
980113	714	980215	654	985333	684	985585	690	985714	688	991024	192	993120	188
980114	714	980216	655	985334	684	985590	657	985715	688	991032	192	993122	188
980120	671	980217	652	985340	687	985591	706	985716	688	991033	192	993123	188
980121	671	980218	652	985341	687	985592	706	985717	688	991034	192	993124	188
980122	671	980220	345	985347	687	985597	676	985718	688	991036	192	993125	188
980123	672	980225	714	985349	687	985603	706	985719	688	991037	192	993126	188
980125	672	980226	714	985351	277,708	985606	706	985720	688	991039	192	993127	188
980126	672	980232	713	985352	687	985607	711	985721	688	991145	200	993128	188
980127	672	980240	60715	985353	687	985608	711	985722	688	991146	200	993129	188
980130	670	980241	60715	985354	708	985619	698	985724	688	991147	200	993130	188
980135	670	980242	715	985410	706	985623	689	985725	707	991148	200	993131	188
980136	670	980243	716	985416	706	985625	689	985731	688	991149	200	993132	188
980140	671	980244	716	985417	707	985626	689	985733	708	991150	200	993133	188
980142	291	980245	716	985418	707	985627	689	985734	708	991151	200	993134	188
980145	534	980248	497,717	985460	699	985630	689	985737	708	991152	200	993135	188
980148	541	980250	714	985461	699	985631	689	985739	706	991155	200	993136	188

PART NO. INDEX

993138	188
993139	188
993140	188
993141	188
993142	188
993143	188
993144	188
993146	188
993147	188
993148	188
993149	188
993150	188
993152	188
993153	188
993154	188
993155	188
993156	188
993157	188
993158	188
993160	188
993161	188
993162	188
993163	188
993164	188
993165	188
993166	188
993167	188
993168	188
993169	188
993170	188
993171	188
993172	188
993173	188
993174	188
993175	188
993176	188
993177	188
993178	188
993179	188
993180	188
994102	172
994103	172
994104	172
994105	172
994106	172
994107	172
994108	172
994109	172
994110	172
994112	173
994113	173
994114	173
994115	173
994116	173
994131	173
994132	173
994133	173
994134	173
994135	173
994136	173
994137	173
994138	173
994139	173
994153	174
994154	174
994155	174
994156	174
994157	174
994158	174
9999442	324

A

ACE1020	42,250
ACE1021	42,250
ACE1025	41,240-242
ACE1026	41,240-242
ACE1027	41,240-242
ACE1028	240
ACE1029	240
ACE1030	240
ACE1031	240
ACE1032	240
ACE1033	240
ACE1034	240
ACE1035	240
ACE1036	240
ACE1037	240
ACE1038	240
ACE1039	240
ACE1040	240
ACE1042	240
ACE1075	243
ACE1102	41,240-242
ACE1103	41,240-241
ACE1104	41,240-241
ACE1105	41,240-241
ACE1106	41,240-241
ACE1107	41,240-241
ACE1108	41,240-241
ACE1109	240-241
ACE1110	240-241
ACE1111	240-241
ACE1112	240-241
ACE1114	240-241
ACE1116	240-241
ACE1118	240-241
ACE1120	240
ACE1171	42,250
ACE1172	42,250
ACE1173	42,250
ACE1174	42,250
ACE1175	42,250
ACE1176	42,250
ACE1177	42,250
ACE1178	42,250
ACE1179	42,250
ACE1180	42,250
ACE1181	42,250
ACE1182	42,250
ACE1183	42,250
ACE1184	42,250
ACE1185	42,250
ACE1186	42,250
ACE1187	42,250
ACE1189	250
ACE1190	250
ACE1234	42,249
ACE1235	42,249
ACE1236	42,249
ACE1237	42,249
ACE1238	42,249
ACE1239	42,249
ACE1240	42,249
ACE1241	42,249
ACE1242	42,249
ACE1243	42,249
ACE1301	243
ACE1302	243
ACE1309	42,250,255
ACE1319	253
ACE1320	253
ACE1321	253
ACE1322	253
ACE1323	253
ACE1324	253
ACE1325	253
ACE1326	253
ACE1327	253
ACE1328	253
ACE1329	253
ACE1330	253
ACE1361	41,241,254
ACE1362	41,240-241
ACE1363	41,240-241
ACE1510	243
ACE1511	242
ACE1528	243
ACE1657	42,249,255
ACE1769	252
ACE1770	252
ACE1771	252
ACE1772	252
ACE1774	252
ACE1776	252
ACE1779	252
ACE1782	252
ACE1785	252
ACE1789	252
ACE1806	244
ACE1807	244
ACE1808	244
ACE1809	244
ACE1810	244
ACE1811	244
ACE1812	244
ACE1813	244
ACE1814	244
ACE1815	244
ACE1816	244
ACE1817	244
ACE1818	244
ACE1819	244
ACE1820	244
ACE1821	244
ACE1822	244
ACE1823	244
ACE1824	244
ACE1830	244254
ACE1869	38,241-243,255
ACE2314	248
ACE2357	248
ACE2358	248
ACE2471	251
ACE2472	251
ACE2473	251
ACE2474	251
ACE2475	251
ACE2476	251
ACE2477	251
ACE2478	251
ACE2479	251
ACE2480	251
ACE2481	251
ACE2482	251
ACE2483	251
ACE2484	251
ACE2485	251
ACE2486	251
ACE2487	251
ACE2488	251
ACE2489	251
ACE4040	251
ACE4041	251
ACE4042	251
ACE4043	251
ACE4044	251
ACE4045	251
ACE4046	251
ACE4047	251
ACE4048	251
ACE4049	251
ACE4050	251
ACE4051	251
ACE4052	251
ACE4053	251
ACE4054	251
ACE4055	251
ACE4056	251
ACE4057	251
ACE4058	251
ACE4070	41,246-247
ACE4071	41,246 -247
ACE4072	41,246-247
ACE4073	246
ACE4074	246
ACE4075	246
ACE4076	246
ACE4077	246
ACE4078	246
ACE4079	246
ACE4080	246
ACE4081	246
ACE4082	246
ACE4083	246
ACE4084	246
ACE4085	246
ACE4086	246
ACE4087	246
ACE4096	41,246-247
ACE4097	41,246-247
ACE4098	41,246-247
ACE4099	41,246-247
ACE4100	41,246-247
ACE4101	41,246-247
ACE4102	41,246-247
ACE4103	41,246-247
ACE4104	41,246-247
ACE4105	41,246-247
ACE4106	41,246-247
ACE4107	246
ACE4108	41,246-247
ACE4109	246
ACE4110	41,246-247
ACE4111	246
ACE4112	41,246-247
ACE4113	246
ACE4114	246
ACE4115	246
ACE4120	42,249
ACE4121	42,249
ACE4122	42,249
ACE4123	42,249
ACE4124	42,249
ACE4125	42,249
ACE4126	42,249
ACE4127	42,249
ACE4128	42,249
ACE4129	42,249
ACE4130	249
ACE4131	249
ACE4132	249
ACE4138	249
ACE4192	41,247,254
ACE4193	42,249,255
ACE4219	251
ACE4220	251
ACE4223	247255
ACE4505	245
ACE4506	245
ACE4507	245
ACE4508	245
ACE4509	245
ACE4510	245
ACE4511	245
ACE4512	245
ACE4513	245
ACE4514	245
ACE4515	245
ACE4516	245
ACE4517	245

ACE4519 245254
ACE4520 245
ACE4521 245
ACE4522 245
ACE4523 245
ACE4524 245
ACE4525 245
ACE4579 253
ACE4907 253
ACE4908 253
ACE6020 248

C

CC019F 570
CC020F 570
CC023F 570
CC025F 570
CC026F 570
CC030F 570
CWC8 341

E

EHL1000 120
EHL1010 118
EHL300B 122
EHL300LR 122
EHL300LY 122
EHL300R 122
EHL301 124
EHL302 128
EHL303 130
EHL304 116
EHL305 126
EHL306 114
EHLW400 136
EHLW410 138
EHLW411 138
EHLW420 140
EHLW421 140
EHLW430 142
EHLW431 142
EHLW440 144
EHLW441 144
ETL201 132
ETL202 112
ETL203 107
ETL204 106
ETL60 108
ETL61 110
EV001 161,568
EV002 160,568
EV003 161,568
EV004 160,568
EV005 160,568
EV006 161,569
EV007 161,569
EWL102 134

F

F001A 570
F003A 571
F005A 571
F007A 572
F008A 572
F009A 572
F010A 572
F011A 572
F013A 574
F014A 574
F020A 574
FA001A 573
FA001F 573
FA002A 573
FA002F 573
FA003A 573
FA003F 573
FA004A 573
FA004F 573
FA005A 573
FA005F 573
FA006A 573
FA006F 573
FA007A 573
FA007F 573
FA010A 573
FA010F 573
FB002A 574
FB002F 574
FB004A 574
FB004F 574
FB005A 574
FB005F 574
FB006A 574
FB006F 574
FB007A 574
FB007F 574
FC001F 571
FX081101 476
FX081102 461
FX081103 476
FX081104 476
FX081112 476
FX081125 483,463
FX081126 461
FX081127 460
FX081128 460
FX081129 461
FX081130 471477
FX081131 467
FX081150 462
FX081151 462
FX081152 463
FX081153 463
FX081154 464
FX081155 300,464
FX081156 300,464
FX081157 300,464
FX081158 300,464
FX081159 300,464
FX081160 300,464
FX081161 463
FX081162 464
FX081163 463
FX081165 464
FX081167 464
FX081175 467
FX081200 484
FX081201 477
FX081202 484
FX081207 477,483,488
FX081208 477,488
FX081209 477,483,485
FX081210 483,477
FX081211 477,483,488
FX081212 490
FX081225 470
FX081226 470
FX081227 470
FX081228 470
FX081229 470
FX081230 470
FX081231 471
FX081232 471
FX081250 477
FX081255 477
FX081275 461
FX081276 462
FX081278 463
FX081305 467
FX081325 464
FX081326 464
FX081327 463
FX081328 463
FX081329 467
FX081330 467
FX081331 463
FX081350 467476
FX081375 467469
FX081401 461
FX081402 461
FX081403 461
FX081404 461
FX081502 469
FX081504 469
FX081506 469
FX081508 469
FX081700 482
FX081701 482
FX081702 482
FX081703 482
FX081704 485
FX081705 485
FX081706 483,485
FX081707 485,483
FX081708 489
FX081709 489
FX081710 487
FX081711 487
FX081712 487
FX081713 487
FX081714 486
FX081715 483485
FX081716 488
FX081717 488
FX081718 487
FX081719 487
FX081722 489
FX081723 489
FX081725 486
FX081726 488
FX081727 488
FX081728 488
FX081729 488
FX081730 490
FX081731 490
FX081734 490
FX081735 490
FX081736 490
FX081737 490
FX081738 490
FX081739 490
FX081740 489
FX081741 489
FX081742 487
FX081743 487
FX081744 487
FX081745 487
FX081746 486
FX081748 485
FX081749 485
FX081750 489
FX081751 489
FX081777 481486
FX081800 482
FX081810 487
FX081812 487
FX081814 486
FX081830 490
FX081834 490
FX085500 475
FX085501 475
FX085525 475
FX085526 475
FX085527 475
FX085528 474
FX085529 474
FX085530 474
FX085531 474
FX085532 475
FX085533 475
FX085534 474
FX085536 474
FX085537 474
FX085538 474
FX085539 474
FX085550 473
FX085551 472
FX085552 472
FX085553 472
FX085554 472
FX085555 472
FX085556 472
FX085557 473
FX085558 473
FX085559 473
FX085560 47,473
FX085561 47,473
FX085562 473
FX085563 473
FX085564 473
FX085565 473
FX085566 473
FX085567 473
FX085568 475
FX085569 472
FX085571 472

G

GA001A 575
GA001F 575
GA002A 575
GA008A 575
GA010A 575
GA011A 575
GA013A 575
GA014A 575
GA018A 575
GA018F 575
GA026A 575
GB001A 575
GB001F 575
GB007F 575
GB012A 575
GB012F 575
GB019F 575
GB021A 575
GB021F 575
GRIPPA-Z246L 433
GRIP-PAZ246M 433
GRIP-PAZ246XL 433
GRIP-PAZ246XXL 433

M

M001F 578
M002F 579
M003F 578
M004F 578
M005F 579
M006F 579
M007F 579
MB001A 576
MB001F 576
MB002A 576
MB002F 576
MB003A 576
MB003F 576
MB004A 576
MB004F 576
MB005A 576
MB005F 576
MB006A 576
MB006F 576
MB007A 577
MB007F 577
MB010A 577
MB010F 577
MB011A 577
MB011F 577
MB013A 577
MB013F 577
MB014A 577
MB014F 577
MB015A 577
MB015F 577

P

P001A 580
P20100 346
P20150 346
P20200 346
P30100 356
P30110 356
P30190 356
P30300 354
P30400 354
P30500 354

PART NO. INDEX

P40100 347
P40200 347
P40400 347
P40500 348
P40550 348
P40600 348
P40700 347
P40800 347
P40900 347
P50100 357
P50500 358
P60100 517
P70100 476
P70200 476
P70300 517
P70310 517
P70320 517
P70330 517
P70340 517
P70365 498
P70370 498
P70375 498
P70380 498
P70385 498
P70400 496
P70600 349
P70650 349
PA001A 580
PA001F 580
PA007A 580
PA007F 580
PA009A 580
PA009F 580
PA014A 580
PA014F 580
PB004A 580
PB004F 580
PB005A 580
PB005F 580
PB006A 580
PB006F 580
PB007A 581
PB007F 581
PB009A 581
PB009F 581
PB011F 581
PB012A 581
PB012F 581
PB013A 581
PB013F 581
PB014A 581
PB014F 581
PB020A 582
PB021A 582
PC009F 581
PC010F 581
PC012F 582
PC013F 582
PC014F 582
PC015F 582

R

RG10000 720
RG10015 721
RG10020 721
RG10040 287
RG10042 287
RG10110 152,679
RG10120 153,679
RG10130 154,679
RG10140 152,680
RG10200 154,684
RG10205 154,684
RG10210 154,684
RG10215 154,684
RG10220 154,684
RG10225 154,684
RG10230 683
RG10232 683
RG10272 667
RG10330 55
RG10331 59
RG10332 59
RG10333 56-58
RG10334 51,58
RG10335 58
RG10336 59
RG10340 289
RG10350 157,686
RG10355 157,686
RG10360 157,686
RG10365 157,686
RG10370 157,686
RG10410 155,677
RG10411 155,677
RG10412 156,678
RG10450 155,677
RG10452 155,677
RG10454 155,677
RG10456 155,677
RG10458 155,677
RG10460 155,677
RG10462 155,677
RG10464 155,677
RG10470 155,677
RG10480 156,678
RG10482 156,678
RG10484 156,678
RG10486 156,678
RG10488 156,678
RG10490 156,678
RG10500 153,680
RG10502 154,681
RG10504 154,681
RG10506 153,681
RG10600 666
RG10602 666
RG10604 666
RG10700 221,237,669
RG10990 712
RG10992 712
RG10994 712
RG60000 275
RG60002 275
RG60004 275
RG60006 275
RG60030 275
RG60035 275

T

T01020 600
T01024 600
T01025 605
T01033 596
T01034 596
T01040 597
T01045 596
T01050 601
T01509 611
T01513 625
T01543 612
T01545 612
T01546 613
T01550 611
T01560 614
T01952 609
T01954 609
T01958 610
T01960 610
T02006 627
T02008 628
T02014 597
T02016 602
T03001 624
T03002 624
T03003 624
T03004 647
T03006 626
T03007 632
T03008 618
T03009 618
T03013 619
T03016 619
T03018 620
T03022 622
T03024 632
T03025 632
T03026 632
T03027 633
T03028 633
T03029 622
T03030 623
T03032 624
T03034 618
T03036 619
T03044 624
T03053 626
T03054 627
T03058 624
T03059 633
T03060 633
T03061 629
T03065 627
T03089 620
T04002 634
T04003 634
T04004 634
T04005 634
T04006 634
T04007 634
T04008 634
T04009 634
T04010 634
T04011 634
T04012 634
T04013 634
T04014 634
T04015 634
T04016 634
T04017 634
T04018 634
T04020 634
T04021 634
T04022 634
T04039 598
T04045 634
T04066 634
T04068 634
T04069 634
T04070 634
T04071 634
T04072 634
T04073 634
T04074 634
T04075 635
T04091 599
T04095 635
T04096 635
T04097 635
T04098 635
T04099 635
T04100 635
T04101 635
T04102 635
T04132 634
T04134 598
T04140 599
T04142 599
T05004 635
T05005 635
T05006 635
T05007 635
T05008 635
T05012 639
T05013 639
T05016 640
T05018 639
T05019 640
T05020 639
T05054 601
T05055 601
T06016 646
T06020 646
T06025 636
T06026 636
T06027 636
T06028 636
T06029 636
T06030 636
T06031 636
T06032 636
T06033 636
T06034 637
T06035 637
T06036 637
T06037 637
T06038 637
T06039 637
T06040 637
T06070 640
T06091 637
T06092 637
T06093 637
T06098 637
T06105 602
T06107 603
T06108 603
T06112 638
T06113 639
T06123 638
T06149 639
T06150 602
T07010 642
T07014 641
T07015 641
T07017 641
T07018 641
T07019 641
T07020 641
T07021 641
T07035 642
T07036 642
T07037 642
T07040 603
T07042 642
T07044 642
T07046 604
T07070 641
T07075 604
T07090 642
T08001 645
T08009 646
T08011 647
T08012 647
T08024 646
T08025 646
T08026 604
T08033 646
T08036 645
T08037 645
T08038 645
T08039 645
T08040 646
T08048 645
T08050 645
T08051 645
T08052 645
T08053 645
T08057 645
T08074 605

T08080	645
T08110	647
T08152	605
T09001	643
T09002	643
T09003	644
T09005	643
T09013	644
T09026	644
T09027	644
T09030	613
T09031	643
T09032	643
T09033	643
T09034	643
T09035	605
T10033	623
T10050	625
T11039	640
T11040	640
T12004	628
T12005	628
T12007	628
T12008	628
T12023	628
T12024	628
T12025	628
T12030	627
T12031	627
T12032	627
T12033	627
T12034	627
T12035	627
T12036	627
T12037	627
T12038	627
T12039	627
T12040	627
T12041	627
T12042	627
T12050	628
T12051	628
T12052	628
T12053	628
T12054	628
T12055	628
T12058	628
T12060	628
T12065	628
T12067	628
T13022	623
T13023	623
T13025	623
T13026	623
T13027	623
T13032	620
T13033	620
T13034	620
T13035	620
T13036	620
T13037	620
T13038	620
T13039	620
T13040	620
T13041	620
T13042	620
T13043	620
T13044	620
T13045	620
T13046	620
T13047	620
T13048	620
T13049	620
T13050	620
T13051	620
T13057	625
T13061	625
T13062	625
T13063	625
T13064	625
T13065	625
T13066	625
T13067	625
T13069	625
T13070	625
T13072	625
T13073	625
T13074	625
T13075	625
T13080	597
T13085	620
T13100	620
T13101	620
T13105	622
T13112	620
T13113	620
T13120	622
T13121	622
T13122	622
T13123	622
T13124	622
T13172	627
T13173	627
T13174	627
T13175	627
T13180	626
T13181	626
T13183	626
T13185	626
T13186	626
T13187	626
T13195	625
T13200	622
T13201	622
T13202	622
T13203	622
T13204	622
T13205	622
T13206	622
T13305	622
T13307	622
T13326	626
T13328	626
T13330	626
T13332	626
T13334	626
T13338	626
T13342	626
T13344	626
T13346	626
T13348	626
T13350	626
T13352	626
T13354	626
T13360	628
T13362	628
T13364	628
T13366	598
T13400	629
T13402	629
T13404	629
T13406	629
T13408	629
T13410	629
T13412	629
T13414	629
T13416	629
T13418	629
T13430	629
T13432	629
T13434	629
T13436	629
T13438	629
T13440	629
T13444	629
T13446	629
T13448	629
T13454	630
T13456	630
T13458	630
T13460	629
T13462	630
T13470	630
T13472	628
T13474	630
T13476	630
T13478	630
T13480	628
T13482	630
T13500	630
T13502	630
T13504	630
T13510	635
T13512	635
T20101	617
T20102	617
T20103	617
T20110	616
T20112	616
T20114	616
T20120	615
T20125	615
T20150	607
T20160	606
T20170	608
T21001	631
T21003	631
T21004	631
T21006	631
T21007	631
T21010	647
T21037	617
T21051	647
T21052	647
T21053	647

V

VM1	530
VM100	530
VM2	530
VM3	530

W

WA002A	582
WA002F	582
WA003A	582
WA003F	582
WB006A	582
WB006F	582
WB007A	583
WB007F	583
WB009F	583
WB010A	583
WB010F	583
WB017A	583
WB017F	583
WB018A	583
WB018F	583
WB024A	583
WB029A	583
WB029F	583
WB031A	583
WB031F	583
WB048A	584
WB048F	584
WB049A	584
WB049F	584
WB050A	584
WB050F	584
WB051A	584
WB051F	584
WB052A	584
WB052F	584
WB053A	584
WB053F	584
WB054A	584
WB054F	584
WB055F	584
WS001	585
WS002	585
WS003	585
WS004	585
WS005	585
WS006	585
WS008	585
WS009	585

CONVERSION CHART

INCH/MILLIMETER

CONVERSIONS ARE TO THE NEAREST 1/32" OR 1/64"

Inches	Millimetres
1/64	0.40
1/64	0.50
1/32	0.75
1/32	0.79
3/64	1.00
3/64	1.19
1/16	1.50
1/16	1.59
5/64	1.98
5/64	2.00
3/32	2.38
3/32	2.50
7/64	2.77
1/8	3.00
1/8	3.17
9/64	3.50
9/64	3.57
5/32	3.96
5/32	4.00
11/64	4.37
11/64	4.50
3/16	4.76
13/64	5.00
13/64	5.16
7/32	5.50
7/32	5.56
15/64	5.95
15/64	6.00
1/4	6.35

Inches	Millimetres
1/4	6.50
17/64	6.75
9/32	7.00
9/32	7.14
19/64	7.50
19/64	7.54
5/16	7.94
5/16	8.00
21/64	8.33
21/64	8.50
11/32	8.73
13/32	10.50
27/64	10.72
7/16	11.00
7/16	11.11
29/64	11.51
15/32	11.91
15/32	12.00
31/64	12.30
31/64	12.50
1/2	12.70
33/64	13.10
17/32	13.49
35/64	14.00
9/16	14.29
37/64	14.50
37/64	14.68
19/32	15.08
39/64	14.48

Inches	Millimetres
5/8	15.88
5/8	16.00
41/64	16.27
21/32	16.50
21/32	16.67
43/64	17.07
11/16	17.46
45/64	18.00
23/32	18.26
47/64	18.37
3/4	19.05
49/64	19.45
25/32	19.94
25/32	20.00
51/64	20.24
13/16	20.64
53/64	21.00
53/64	21.03
55/64	22.00
57/64	22.62
29/32	23.00
29/32	23.11
59/64	23.51
15/16	23.81
15/16	24.00
61/64	24.21
31/32	24.61
63/64	25.00
1	25.40









ACF
TRUCK PARTS

LONDON
0208 838 2001
london@acftruck.com

WATFORD
01923 288 297
watford@acftruck.com

AYLESBURY
01296 327 330
aylesbury@acftruck.com

WALTHAM ABBEY
01992 668 155
waltham.abbey@acftruck.com